

according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

12616-99 DithiVer Metals Reagent

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

#### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

Pacific Way

Salford Manchester M50 1DL - United Kingdom

Tel. +44 (0) 161 872 1487 e-Mail: info@hach-lange.co.uk

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info@hach-lange.ie

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Hazard categories:

Acute toxicity: Acute Tox. 4
Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Resp. Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful if swallowed or if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled .

May cause respiratory irritation. Causes serious eye damage. Causes skin irritation.

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Hazardous components which must be listed on the label

sodium metabisulphite

Signal word: Danger



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 2 of 8

Pictograms:



#### **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H318 Causes serious eye damage.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

#### Additional advice on labelling

Classification according to European directive on classification of hazardous preparations 1999/45/EC.

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

## 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7681-57-4	sodium metabisulphite					
	231-673-0	016-063-00-2				
	Acute Tox. 4, Eye Dam. 1; H302 H318 EUH031					

Full text of H and EUH phrases: see section 16.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off all contaminated clothing immediately.



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 3 of 8

#### After inhalation

Move to fresh air.

#### After contact with skin

Wash off immediately with plenty of water. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

The following may develop in event of fire: sulfur oxides., Sodium oxides

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

# Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Keep in suitable, closed containers for disposal.

## 6.4. Reference to other sections

13. Disposal considerations

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin, eyes and clothing.



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 4 of 8

Do not breathe vapours/dust.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Store in a cool and shaded area.

#### Advice on storage compatibility

Do not store together with Strong acids and oxidizing agents

## Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### Additional advice on limit values

None known.

#### 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

## Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant protective gloves

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

# Skin protection

Avoid contact with skin, eyes and clothing.

## Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

## **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 5 of 8

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: grey
Odour: sulphurous

Test method

pH-Value (at 20 °C): 4,2 (5 % solution)

Changes in the physical state

Melting point: 170 °C
Initial boiling point and boiling range: not applicable
Sublimation point: not applicable
Softening point: not applicable
Pour point: not applicable
Flash point: not applicable

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

no data available

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

2,32 g/cm³

no data available

Water solubility:

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Flow time: not applicable Vapour density: not applicable Evaporation rate: not applicable Solvent separation test: not applicable not applicable Solvent content:



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 6 of 8

#### 9.2. Other information

Solid content: no data available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

Reacts with the following substances: Acids, Oxidizing agents

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Product is sensitive to light and moisture.

#### 10.5. Incompatible materials

Acids, Oxidizing agents

#### 10.6. Hazardous decomposition products

Sulphur oxides

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No toxicology information is available.

## **Acute toxicity**

No data is available on the product itself.

#### **ATEmix calculated**

ATE (oral) 1136,8 mg/kg; ATE (inhalative aerosol) 2,022 mg/l

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
7681-57-4	sodium metabisulphite						
	oral	LD50	1130 mg/kg	Rat	GESTIS		

# Irritation and corrosivity

H318 - Causes serious eye damage.

May cause skin irritation.

#### Sensitising effects

May cause sensitisation by inhalation.

#### STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

# Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### **Aspiration hazard**

No aspiration toxicity classification

## Specific effects in experiment on an animal

No toxicology information is available.



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 7 of 8

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source		
7681-57-4	sodium metabisulphite							
	Acute fish toxicity	LC50 mg/l	150 - 220	96 h	Onchorhynchus mykiss			
	Acute crustacea toxicity	EC50	89 mg/l	48 h	Daphnia magna			

### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### 12.4. Mobility in soil

no data available

## 12.5. Results of PBT and vPvB assessment

no data available

## 12.6. Other adverse effects

No known effect.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

## Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

## 12616-99 DithiVer Metals Reagent

Print date: 18.07.2015 Product code: 1261699 Page 8 of 8

#### Other applicable information (land transport)

Not subject to transport regulations.

#### Inland waterways transport (ADN)

#### Other applicable information (inland waterways transport)

Not tested

#### Marine transport (IMDG)

### Other applicable information (marine transport)

Not subject to transport regulations.

## Air transport (ICAO)

## Other applicable information (air transport)

Not subject to transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

no data available

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 1 - slightly water contaminating

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

Revision: 8.06.2015

Safety datasheet sections which have been updated: 2, 11

This data sheet contains changes from the previous version in section(s): 2, 15

## Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

#### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)