

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version 1.3

SECTION 1.Identification

Product identifier

Product number 119796

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in

HNO₃ 0.5 mol/l 1000 mg/l Se Certipur®

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290 Skin irritation, Category 2, H315 Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements
H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary Statements

P234 Keep only in original container.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant stainless steel container with a resistant inliner.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

Hazardous ingredients

Chemical Name (Concentration)
CAS-No.
nitric acid (>= 1 % - < 5 %)
7697-37-2

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eve contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a

physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

The following applies to selenium compounds in general: strong irritant effect on mucous membranes, especially in the eye and in the respiratory tract (bronchopneumonia, pulmonary oedema); selenium acts as an enzyme toxin already after the absorption of small doses; typical garlic odor of perspiration and breath; dermatitis is possible; long-term exposure results in impairments in the intermediary metabolism; toxic effect on liver, kidneys, urinary tract, gastrointestinal tract, spleen, bone marrow, heart, nerves (paralysis symptoms). Selenium is an essential trace element for man.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H+, Art. No. 101595).

Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks limits

nitric acid 7697-37-2

ACGIH Time Weighted Average 2 ppm

(TWA):

Short Term Exposure

re 4 ppm

Limit (STEL):
NIOSH/GUIDE Recommended

Recommended 2 ppm exposure limit (REL): 5 mg/m³

Short Term Exposure

4 ppm

Limit (STEL):

10 mg/m³

OSHA_TRANS

2 ppm 5 mg/m³

Z1A Time Weighted Average

PEL:

(TWA):

2 ppm 5 mg/m³

Short Term Exposure Limit (STEL):

4 ppm 10 mg/m³

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor odorless

Odor Threshold Not applicable

pH ca. 0.5

at 68 °F (20 °C)

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density ca.1.013 g/cm³

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

increased reactivity with:

oxidizable substances, organic solvent, Metals, metal alloys, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids

Conditions to avoid

Heating.

Incompatible materials

Metals, metal alloys (generation of hydrogen)

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

teeth

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute toxicity estimate: > 2,000 mg/kg

Calculation method

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

Acute toxicity estimate: > 5 mg/l; 4 h

Calculation method

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Quantitative data on the toxicity of this product are not available.

Other information

The following applies to selenium compounds in general: strong irritant effect on mucous membranes, especially in the eye and in the respiratory tract (bronchopneumonia, pulmonary oedema); selenium acts as an enzyme toxin already after the absorption of small doses; typical garlic odor of perspiration and breath; dermatitis is possible; long-term exposure results in impairments in the intermediary metabolism; toxic effect on liver, kidneys, urinary tract, gastrointestinal tract, spleen, bone marrow, heart, nerves (paralysis symptoms). Selenium is an essential trace element for man.

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

nitric acid

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

Skin irritation

Rabbit

Result: Causes severe burns.

(IUCLID)

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Caustic even in diluted form. Hazard for drinking water supplies.

Further information on ecology

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

Ingredients

nitric acid

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 72 mg/l; 96 h (IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant 2482 Pa*m³/mol Method: (calculated)

(Lit.) Distribution preferentially in air.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID NOT MORE THAN 5%)

Class 8
Packing group III
Environmentally hazardous ---

Air transport (IATA)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID SOLUTION)

Class 8
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID NOT MORE THAN 5%)

Class 8
Packing group III
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-B

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

nitric acid 7697-37-2 *3.1* %

SARA 302

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

The following components are subject to reporting levels established by SARA Title III, Section

302:

Ingredients

Selenious acid 7783-00-8 nitric acid 7697-37-2

DEA List I Not listed DEA List II Not listed

US State Regulations

Massachusetts Right To Know

Ingredients
nitric acid
Selenious acid

Pennsylvania Right To Know

Ingredients nitric acid

New Jersey Right To Know

Ingredients nitric acid

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119796 Version 1.3

Product name Selenium standard solution traceable to SRM from NIST SeO₂ in HNO₃ 0.5 mol/l

1000 mg/l Se Certipur®

Revision Date01/26/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.