

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.2 Revision Date 27.03.2015

Print Date 01.06.2015

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Cadmium chloride

Product Number : 202908

Brand : Aldrich

Index-No. : 048-008-00-3

REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 10108-64-2

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Manufacture of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Pte Ltd  
1 Science Park Road  
#02-14 The Capricorn  
Singapore Science Park Road II  
SINGAPORE 117528  
SINGAPORE

Telephone : +65 6779 1200

Fax : +65 6779 1822

**1.4 Emergency telephone number**

Emergency Phone # : 1-800-262-8200

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 1B), H360FD

Specific target organ toxicity - repeated exposure (Category 1), H372

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**

T	Toxic	R25, R48/23/25 R45 R46 R60, R61
T+	Very toxic	R26
N	Dangerous for the	R50/53

environment

For the full text of the R-phrases mentioned in this Section, see Section 16.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H301 Toxic if swallowed.  
H330 Fatal if inhaled.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental Hazard Statements

none

Restricted to professional users.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula :  $\text{CdCl}_2$   
Molecular weight : 183,32 g/mol  
CAS-No. : 10108-64-2  
EC-No. : 233-296-7  
Index-No. : 048-008-00-3

### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Cadmium chloride</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	10108-64-2	Acute Tox. 3; Acute Tox. 2; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H340, H350, H360FD, H372, H410	<= 100 %
EC-No.	233-296-7		
Index-No.	048-008-00-3		

### Hazardous ingredients according to Directive 1999/45/EC

Component	Classification	Concentration
-----------	----------------	---------------

<b>Cadmium chloride</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	10108-64-2	T+, N, Carc.Cat.2, Mut.Cat.2,	<= 100 %
EC-No.	233-296-7	Repr.Cat.2, R45 - R46 - R60 -	
Index-No.	048-008-00-3	R61 - R25 - R26 - R48/23/25 - R50/53	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas, Cadmium/cadmium oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

hygroscopic Air sensitive. Store under inert gas.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Components with workplace control parameters**

### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a) Appearance	Form: solid Colour: white
b) Odour	odourless
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 568 °C - lit.
f) Initial boiling point and boiling range	960 °C at 1.013 hPa
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	13 hPa at 656 °C
l) Vapour density	No data available
m) Relative density	4,050 g/cm <sup>3</sup>
n) Water solubility	457 g/l at 20 °C - OECD Test Guideline 105 - soluble
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

**9.2 Other safety information**

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Air Avoid moisture.

### 10.5 Incompatible materials

Oxidizing agents, Bromine trifluoride

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 107 mg/kg

LC50 Inhalation - Rat - male - 2 h - > 4,5 mg/m<sup>3</sup>

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

May alter genetic material.

In vivo tests showed mutagenic effects

in vitro assay

S. typhimurium

Result: negative

#### Carcinogenicity

Carcinogenicity - Rat - male and female - Inhalation

Lungs, Thorax, or Respiration: Tumors.

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium chloride)

1 - Group 1: Carcinogenic to humans (Cadmium chloride)

#### Reproductive toxicity

May cause congenital malformation in the fetus.

Presumed human reproductive toxicant

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

#### Specific target organ toxicity - single exposure

No data available

**Specific target organ toxicity - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard**

No data available

**Additional Information**

Repeated dose toxicity - Rat - male - Oral - No observed adverse effect level - 0,2 mg/kg - Lowest observed adverse effect level - 0,5 mg/kg

RTECS: Not available

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease.

---

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish                      flow-through test LC50 - Pimephales promelas (fathead minnow) - 1.500 µg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates                      static test EC50 - Daphnia magna (Water flea) - 0,036 mg/l - 48 h

Toxicity to algae                      static test EC50 - Pseudokirchneriella subcapitata (algae) - 0,070 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria                      Respiration inhibition NOEC - Sludge Treatment - 0,2 mg/l (OECD Test Guideline 209)

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

Bioaccumulation                      Salvelinus fontinalis - 266 d - 3,4 µg/l

Bioconcentration factor (BCF): 882

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

Very toxic to aquatic life with long lasting effects.

No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Contaminated packaging**

Dispose of as unused product.

---

**SECTION 14: Transport information****14.1 UN number**

ADR/RID: 2570

IMDG: 2570

IATA: 2570

**14.2 UN proper shipping name**

ADR/RID: CADMIUM COMPOUND (Cadmium chloride)

IMDG: CADMIUM COMPOUND (Cadmium chloride)

IATA: Cadmium compound (Cadmium chloride)

**14.3 Transport hazard class(es)**

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

**14.4 Packaging group**

ADR/RID: III

IMDG: III

IATA: III

**14.5 Environmental hazards**

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

**14.6 Special precautions for user**

No data available

---

**SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Authorisations and/or restrictions on use**

Cadmium chloride

CAS-No.: 10108-64-2

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Carcinogenic (article 57a)

ED/49/2014

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
H301	Toxic if swallowed.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Full text of R-phrases referred to under sections 2 and 3**

N	Dangerous for the environment
T+	Very toxic
R25	Toxic if swallowed.
R26	Very toxic by inhalation.
R45	May cause cancer.
R46	May cause heritable genetic damage.



R48/23/25	Toxic: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R60	May impair fertility.
R61	May cause harm to the unborn child.
Repr.Cat.2	Toxic to Reproduction Category 2

#### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.