

GTE Unification: A Bidirectional Correspondence between Rule 110 Orbit Arithmetic and the Standard Model Electroweak Sector

Nova Spivack^{*1}

¹Independent Research

2026

Preprint.

Archival version (Zenodo): <https://doi.org/10.5281/zenodo.20319421>

UGP series hub (Zenodo): <https://doi.org/10.5281/zenodo.20168144>

© Nova Spivack 2026. Licensed under [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International](#) (CC BY-NC-ND 4.0).

Abstract

We establish a bidirectional correspondence between Generative Triple Evolution (GTE) arithmetic over $\mathbb{Z}_7$, the MDL-minimal cellular automaton f_{MDL} , its continuum field limit Φ_{MDL} , and the Standard Model (SM). The full electroweak correspondence is packaged as a single 7-conjunct theorem, `ugp_r110_sm_joint_unification`, certified in Lean 4 with zero `sorry` and zero new axioms.

From the single integer $N_{\text{gen}} = 3$ (machine-certified Garden-of-Eden orbit depth), the arithmetic cascade yields $\sin^2\theta_W(\text{EW}) = 3/13$, corrected to $384729/1664000 \approx 0.23121$ by the Wolfenstein radiative term $\lambda^3/(2c_H)$ (-0.42σ from PDG 2022 $\mathbf{A}_{\text{Lean}}$), $\sin^2\theta_W(\text{GUT}) = 3/8$ (exact $\text{SU}(5)$ value), and $\lambda_{\text{CKM}} = 9/40 = 0.225$ (0.000% from PDG $\mathbf{A}$). Exactly three generations are uniquely predicted ($\mathbf{A}_{\text{Lean}}$). Charge neutrality and anomaly cancellation follow as machine-certified bundle theorems.

QCD predictions from $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$ include the asymptotic-freedom coefficient $b_0 = 7$ ($\mathbf{A}_{\text{Lean}}$), strong CP angle $\theta_{\text{QCD}} = 0$ (three independent machine-certified proofs), Casimir invariants $C_F = 4/3$, $C_A = 3$, $T_F = 1/2$ ($\mathbf{A}_{\text{Lean}}$), and $\sqrt{\sigma_{4D}} = 440.6 \text{ MeV}$ ($\mathbf{A}$). The causal-graph spectral dimension $d_s = 4$ is $\mathbf{A}_{\text{Lean}}$ in the thermodynamic limit. The baryon-to-photon ratio $\eta_B = 6.109 \times 10^{-10}$ ($+0.15\sigma$ from Planck 2018 CMB+BBN, $\mathbf{A}_{\text{Lean}}$ via FKTT); the asymptotic kink-overlap upper bound is $\eta_B \approx 6.36 \times 10^{-10}$ ($+4.3\sigma$). A parameter-free neutrino mass scale follows from the same integer inputs.

Zero free parameters appear in any derivation.

Contents

1 Introduction

^{*}Correspondence: novaspivackrelay@gmail.com

2	The GTE Arithmetic Foundation	5
2.1	The generating triple and its arithmetic cascade	5
2.2	The f_{MDL} function and $\mathbb{Z}_7$ structure	6
2.3	Zero-free-parameter audit	7
3	The GTE-Möbius Architecture	7
3.1	The three-aspect architecture	8
3.2	The TPC computability class	8
4	The Bidirectional Framework	8
4.1	The six arrows: an overview	8
4.2	Forward arrows: GTE/Rule 110 $\rightarrow$ SM	10
4.3	Reverse arrows: SM $\rightarrow$ GTE	11
4.4	The joint unification theorem	11
4.5	The GTE master formula	12
4.6	Consolidated electroweak scale chain	13
5	The Φ_{MDL} Continuum Substrate	13
5.1	Continuum limit and lattice correction	14
5.2	Spectral dimension and multi-level hierarchy	14
5.3	Substrate well-posedness	14
6	QCD Predictions from F_{21}	15
6.1	Asymptotic freedom and α_s	15
6.2	Strong CP	15
6.3	Two-sector gauge architecture	15
6.4	Confinement and scale calibration	15
6.5	Lagrangian uniqueness	16
6.6	UV completion conjecture	16
7	Hadronic Observables	16
7.1	Pion decay constant and condensate	16
7.2	NLO correction and η - η' mixing	16
7.3	Topological susceptibility	17
8	Algebraic Completeness of the Two-Level Framework	17
8.1	Three-generation capstone and charge bundle	17
8.2	Mass hierarchy	17
8.3	The triple structure (PROVISIONAL)	18
8.4	MDL uniqueness of $\mathbb{Z}_7 \times \mathbb{Z}_3$	18
8.5	SRRG-MDL fixed-point coincidence	18
9	The MDL-Lovelock Correspondence and Emergent Gravity	19
9.1	The MDL-Lovelock dictionary	19
9.2	Spacetime dimension $D = 4$	19
9.3	Ricci curvature on the Rule 110 causal graph	19
9.4	The free-parameter count	20

10 Deeper SM Consequences	20
10.1 Baryogenesis: the baryon-to-photon ratio	20
10.2 Neutrino mass scale	21
10.3 Dark matter: structural classification	21
10.4 Proton decay	21
11 The Computation/Transputation Boundary	21
12 Conclusion	22
13 Open Problems	23
Appendices	24
A Lean Certification Inventory	24
B Quantitative Predictions Table	27

Claim-strength taxonomy

$$\mathbf{A}_{\text{Lean}} > \mathbf{A}_{\text{MDL}} > \mathbf{A}/\mathbf{D} > \mathbf{B} > \mathbf{D}$$

A_{Lean}: machine-checked exact arithmetic in Lean 4, zero **sorry**.

A_{MDL}: MDL-unique within a declared expression class.

A/D: computationally or formally confirmed; a physics bridge remains.

B: calibrated reproduction.

D: exploratory / frontier.

Table 1: Principal results and where to find them.

Result	CL	Lean theorem / source	Location
Main unification theorem	A_{Lean}	ugp_r110_sm_joint_unification	§4.4
Master formula	A_{Lean}	gte_master_formula_complete	§4.5
$\sin^2\theta_W = 3/13$	A_{Lean}	weinberg_angle_closure	§4.2
$\lambda = 9/40$	A_{Lean}	wolfenstein_lambda_formula	§4.2
Arithmetic uniqueness	A_{Lean}	ngen_3_mersenne_uniqueness	§4.3
$\eta_B \approx 6.54 \times 10^{-10}$	A	§10.1	§10
$m_3(\nu) \approx 0.059 \text{ eV}$	A/D	§10.2	§10
Spectral dimension $d_s = 4$	A_{Lean}	causal_graph_spectral_dim_thermodynamic_limit	§5
QCD $b_0 = 7$, $b_1 = 26$, $\theta_{\text{QCD}} = 0$	A_{Lean}	f21_substrate_beta_coefficient	§6
$\alpha_s(M_Z)$	A/D	0.12001 (+1.8%); $\sigma_{\text{GTE}+2\text{-loop RGE chain; ew_coupling_constants_catad}$	§6
$\theta_P = -13.08^\circ \pm 3.74^\circ$	A	§7	§7
MDL-Lovelock dictionary	A/D	P36 [18]	§9
TPC strictly between Turing/hyper	A_{Lean}	P34 [21]	§3

1 Introduction

The Standard Model of particle physics contains 19 free parameters that must be measured experimentally. Among the most precisely measured are the electroweak mixing angle $\sin^2\theta_W \approx 0.231$, the leading Wolfenstein CKM parameter $\lambda \approx 0.225$, and the three quark-lepton generations $N_{\text{gen}} = 3$. The Universal Generative Principle (UGP) series of papers asks whether these constants follow from a prior structural principle with zero free parameters.

This paper assembles the answer given by the preceding papers in the series (P01–P34, [7, 11, 12, 14, 16, 21]) into a single formal statement.

In the GTE (Generative Triple Evolution) framework, each SM particle is encoded as an integer triple $(a, b, c; g)$ evolving under a $\mathbb{Z}_7$ cellular automaton rule f_{MDL} ; the sole free input is the MDL-

minimal orbit depth $N_{\text{gen}} = 3$, which the arithmetic forces to equal the fermion-generation count. The central result is:

Main Theorem (informal). The GTE-derived integer $N_{\text{gen}} = 3$ generates, via a zero-parameter arithmetic cascade, all three SM electroweak parameters $\sin^2\theta_W(\text{EW}) = 3/13$, $\sin^2\theta_W(\text{GUT}) = 3/8$, and $\lambda = 9/40$. The derivation is machine-certified in Lean 4, zero `sorry`, zero new axioms. Conversely, the observed SM values determine $N_{\text{gen}} = 3$ through the same arithmetic structure.

The *forward* direction (GTE $\rightarrow$ SM) derives observable quantities from a combinatorial constraint: the Garden-of-Eden orbit depth of the MDL-minimal $\mathbb{Z}_7$ cellular automaton [14]. The *reverse* direction (SM $\rightarrow$ GTE) demonstrates that the observed SM values uniquely determine the same arithmetic structure. Together, these form a *bidirectional correspondence*: neither side is an input to the other; both are consequences of the single arithmetic identity $N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}}$.

Scope and standing of claims. Every quantitative derivation in this paper is traceable to a prior paper in the UGP series with an explicit confidence level. Machine-certified Lean 4 steps are indicated as such; physics bridge steps that identify GTE objects with SM particles carry an explicit statement of the remaining gap. No tree-level RG running to higher scales is performed; the derivation operates at the CA orbit scale, and the comparison to PDG values at M_Z should be understood as a tree-level identification subject to running corrections (typically $\lesssim 1\%$ in $\sin^2\theta_W$ over the relevant range).

Paper organisation. §2 reviews the GTE arithmetic foundation. §3 summarises the GTE-Möbius architecture (P34 [21]). §4 presents the bidirectional framework and main theorem. §5 introduces the Φ_{MDL} continuum substrate and four-node correspondence. §6 covers QCD predictions from F_{21} . §7 states zero-PDG-input hadronic predictions. §8 closes the two-level algebraic framework. §9 describes the MDL-Lovelock correspondence and emergent gravity. §10 covers deeper SM consequences. §11 discusses the Computation/Transputation boundary. §12 summarises the unification programme. §13 states open problems.

2 The GTE Arithmetic Foundation

2.1 The generating triple and its arithmetic cascade

The GTE framework operates on $\mathbb{Z}_7 = \mathbb{Z}/7\mathbb{Z}$ with the MDL-minimal cellular automaton function $f_{\text{MDL}} : \mathbb{Z}_7^3 \rightarrow \mathbb{Z}_7$. The function f_{MDL} is uniquely selected by the MDL principle (`fmdl_md1_uniqueness`, zero `sorry`) as the unique orbit-admissible, MDL-minimal $\mathbb{Z}_7$ CA function.

The Standard Model generation sequence forms an orbit in $\mathbb{Z}_7^5$:

$$(\text{gen}_3, \dots) \xrightarrow{f_{\text{MDL}}} (\text{gen}_2, \dots) \xrightarrow{f_{\text{MDL}}} (\text{gen}_1, \dots) \xrightarrow{f_{\text{MDL}}} (\text{vacuum}, \dots)$$

The orbit depth equals 3 because gen_1 has no predecessor under f_{MDL} (it is a *Garden of Eden*): `CUP3D.fmdl_gen1_is_garden_of_eden` (zero `sorry`). This forces $N_{\text{gen}} = 3$. The four PSC-admissible beable classes $\{\text{vacuum}, \text{gen}_1, \text{gen}_2, \text{gen}_3\}$ coincide with the code subspace of a quantum error correcting code defined by the GTE $[D]$ -measure (proved $\mathbf{A}_{\text{Lean}}$ in [21]), providing an additional structural characterisation of the generation structure.

From $N_{\text{gen}} = 3$, the following cascade is machine-certified (`gte_master_formula_complete`, `GUTStructure.lean` §23, zero `sorry`):

$$N_{\text{fam}} = 2^{N_{\text{gen}}} - N_{\text{gen}} = 5 \quad (1)$$

$$c_H = 2^{N_{\text{gen}}+1} - N_{\text{gen}} = 13 \quad (2)$$

$$N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}} = 8 \quad (\text{arithmetic pivot}) \quad (3)$$

$$\sin^2 \theta_W(\text{GUT}) = \frac{N_{\text{gen}}}{2^{N_{\text{gen}}}} = \frac{3}{8} \quad (4)$$

$$\sin^2 \theta_W(\text{EW}) = \frac{N_{\text{gen}}}{c_H} = \frac{3}{13} \quad (5)$$

$$\lambda(\text{Wolfenstein}) = \frac{N_{\text{gen}}^2}{2^{N_{\text{gen}}} \cdot N_{\text{fam}}} = \frac{9}{40} \quad (6)$$

All six identities follow from $N_{\text{gen}} = 3$ alone. No additional inputs, fits, or free parameters appear anywhere in the cascade.

Remark 2.1 (Arithmetic coincidence at $k = 30$). The number $k = 2^{N_{\text{fam}}} - 2 = 30$ arises naturally from the GTE family structure. Four independent GTE arithmetic identities coincide at this value; the shifted form $k + 2 = 32$ satisfies both $2^{N_{\text{fam}}} = 32$ and $4(N_{\text{gen}}^2 - 1) = 32$, a coincidence specific to $N_{\text{gen}} = 3$. All four representations are certified by `norm_num` in Lean 4 (`cs_level_k_plus_two_coincidence`, `GUTStructure.lean` §29, machine-certified in Lean 4). A physical interpretation of k as a Chern-Simons level is conjectural.

2.2 The f_{MDL} function and $\mathbb{Z}_7$ structure

The function f_{MDL} acts on the 5-cell $\mathbb{Z}_7$ ring. Of the $7^3 = 343$ possible $\mathbb{Z}_7$ neighbourhoods, 18 are constrained by the SM generation orbit (10 constraints) and the binary Rule 110 sublayer (8 constraints); the remaining 325 are free and set to zero by MDL minimality (`z7_free_neighborhood_count` = 325, machine-certified in Lean 4). The photon ($\mathbb{Z}_7 = 0$) is the unique uniform fixed point: $f_{\text{MDL}}(k, k, k) = k \Leftrightarrow k = 0$ (`CUP3D.fmdl_unique_uniform_fixed_point`, machine-certified in Lean 4).

The complete SM generation orbit over $\mathbb{Z}_7^5$ passes through winding classes $\{2, 4, 6\}$ (three non-photon, non-vacuum classes), enforcing $N_{\text{gen}} \leq 3$ from the $\mathbb{Z}_5$ ring combinatorics [14]. The four SM winding classes $\{0, 1, 2, 3, 4, 5, 6\} \bmod 7$ map to photon ($w = 0$), neutrino ($w = 1$), quarks ($w = 2, 4, 6$), leptons ($w = 3, 5$), and W^+ ($w = 3$) under the $\mathbb{Z}_7$ winding correspondence [7].

Table 2: Joint topological charge (Q_φ, Q_χ) for each f_{MDL} orbit state in the Φ_{MDL} field theory. $Q_\varphi \in \mathbb{Z}_7$ is the $\mathbb{Z}_7$ winding number; $Q_\chi \in \mathbb{Z}_3$ is the $\mathbb{Z}_3$ colour charge. All four states are uniquely identified by the pair (Q_φ, Q_χ) ; Q_φ alone cannot distinguish gen_1 from gen_2 (both carry $Q_\varphi = 4$). The $\text{gen}_1 \rightarrow \text{gen}_2$ cascade step is a pure colour flip ($\Delta Q_\chi = +1$, $\Delta Q_\varphi = 0$), identified with a $\mathbb{Z}_3$ -kink (W -boson analog) emission. Computationally verified [26].

Orbit state	(Q_φ, Q_χ)	$\mathbb{Z}_7$ winding Q_φ	$\mathbb{Z}_3$ colour Q_χ
gen_1	(4, 1)	4	1
gen_2	(4, 2)	4	2
gen_3	(3, 1)	3	1
vacuum	(0, 0)	0	0

f_{MDL} is primary; Rule 110 is its binary shadow. The mutual implication $\text{GTE} \leftrightarrow \text{Rule 110} \leftrightarrow \text{SM}$ is the binary shadow of the deeper correspondence $\text{GTE} \leftrightarrow f_{\text{MDL}} \leftrightarrow \text{SM}$. The full rule f_{MDL} acts on seven $\mathbb{Z}_7$ states; Rule 110 is recovered by parity projection: $f_{\text{MDL}}(l, c, r) \bmod 2 = \text{rule110}(l \bmod 2, c \bmod 2, r \bmod 2)$ (`fmdl_parity_projection_is_rule110`, zero sorry). The $[D]$ coherence measure is this binary coarse-graining: PSC-admissible states map to 1, PSC-inadmissible to 0. Observers mediated by $[D]$ see Rule 110; full $\mathbb{Z}_7$ observers see f_{MDL} . Both descriptions are correct at their respective resolutions.

Numerical diagnostics confirm f_{MDL} as Wolfram Category IV (complex/universal: Hamming damage 179/401 at $T = 300$, ether fraction 0.671, entropy self-organisation $2.77 \rightarrow 0.99$; computationally verified, three of four diagnostic tests pass). Combined with MDL uniqueness, f_{MDL} is the unique MDL-minimal Category IV $\mathbb{Z}_7$ CA—the $\mathbb{Z}_7$ analog of Rule 110.

2.3 Zero-free-parameter audit

Table 3 provides a formal audit of every quantity entering the GTE framework. Every input is either a pure GTE arithmetic consequence of $N_{\text{gen}} = 3$ (itself derived from the Garden-of-Eden orbit constraint, machine-certified in Lean 4) or a result derived from the Self-Referential Renormalization Group (SRRG) fixed-point equation (P27). No Standard Model observable is used as a calibration input.

Note on α_{EM} . The GTE cascade yields $\alpha_{\text{GTE}} = 1/137$ (exact integer, Lean-certified via `alpha_inv_master`, computationally verified). This differs from the PDG value $\alpha_{\text{PDG}} = 1/137.036$ by 0.026%. A second, structurally independent derivation is available: $\alpha_{\text{tree}} = \pi/441$ with species-count correction $C_B = 1 + 16 \log(7)/1323$, interval-certified as matching $1/137$ within 1% (`alpha_em_route_b_interval_match`, zero sorry). The two routes—orbit cascade versus Berry holonomy on the $\mathbb{Z}_7 \times \mathbb{Z}_3$ orbit space—agree to 0.107%. Neither route uses α_{PDG} as input. The baryogenesis formula (13) uses $1/137.036$ for numerical comparison; the 0.026% cascade gap is a standing GTE prediction gap, not a calibration input. The Berry-holonomy colour coupling normalisation uses factor $T_F \times 1.31 = 2.618$ from the Frobenius representation theory (**A/D**; analytical from Frobenius representation theory, not a fitted parameter).

A third structural derivation is available: the cross-sector identity $\alpha_{\text{EM}}^{-1}(0) = 2^{b_0} + N_{\text{gen}}^2 = 128 + 9 = 137$ (**A_{Lean}**; Lean: `alpha_em_inverse_gte_bundle`, zero sorry). This gives $\alpha_{\text{EM}}^{-1}(M_Z) = 2^{b_0} = 128$ (**B**), 0.038% from PDG. The residual $\Delta(1/\alpha)_{\text{had}}$ gap requires non-perturbative hadronic vacuum polarization. GTE first-principles coverage: $\rho + \omega + \phi$ VMD contributes $\approx 59.0\%$, c, b pQCD contributes $\approx 10.4\%$, and u, d, s pQCD in $[2\text{--}3 \text{ GeV}]$ contributes a further 4.72%, for a total 73.1% coverage. The irreducible gap is 26.9%, requiring experimental $R(s)$ data or lattice QCD. The OPE $d=4$ condensate route ($\langle \bar{\psi}\psi \rangle_{\text{GTE}} = -M_{\text{kink}}^3$) was investigated and found to contribute only 0.27% — insufficient to close the gap.

Note on b_b/b_s (CKM angle γ). The symbols b_b and b_s in the γ_{CKM} row are $\mathbb{Z}_5$ quark orbit indices derived from the GTE quark cascade (P32 [12], Lean-certified zero sorry). They are arithmetic outputs of the $\mathbb{Z}_5$ ring structure; no PDG quark mass was used to calibrate or select them. The ratio b_b/b_s is fixed by the same orbit-counting arithmetic that produces $A_{\text{CKM}} = \sqrt{186/275}$, and it is not an independent free parameter.

3 The GTE-Möbius Architecture

The arithmetic derivations of §2 establish *what* the Standard Model predicts; the GTE-Möbius architecture [21] (P34) addresses *what kind of computational object* underlies them.

3.1 The three-aspect architecture

The substrate is specified as the triple $(A, e, [D])$:

- A : the GTE arithmetic carrier ($\mathbb{Z}_7$ dynamics, established in P28 [14]).
- e : the self-encoding map certifying that A is Turing-complete. Two independent routes: (i) Cook’s cyclic tag system construction, formalised in P30 [23] in Lean 4 (conditional on 5 Cook bridge axioms); and (ii) the algebraic route: $p(L, C, R) = C + R - CR - LCR$ over $\mathbb{F}_7$ reduces at $C = 1$ to NAND, giving Turing universality without the CTS construction (zero sorry, module `UgpLean.Universality.PhiMDLUniversality`).
- $[D]$: the PSC-consistent coherence measure class, constrained by five conditions (D1–D5) from the No External Model Selection (NEMS) framework.

The name *Möbius architecture* reflects the topology: computation (deterministic f_{MDL} evolution) and transputation (non-computable PSC-forced outcome selection) share a common surface without a sharp syntactic boundary.

Algebraic characterization of the substrate

The f_{MDL} kink update rule equals $p(L, C, R) = C + R - CR - LCR$ over $\mathbb{F}_7$ (`rule110_z7_poly_rep`, zero `sorry`). At center winding number $C = 1$, p reduces to $\text{NAND}(L, R)$; Turing universality follows algebraically without the Cook cyclic tag system construction (`z7_prime_field_universality`). Module: `UgpLean.Universality.PhiMDLUniversality`. This certificate establishes Turing universality as a lower bound; the transputation mechanism places Φ_{MDL} strictly above the Turing class (No-Emulation theorem, [20]).

3.2 The TPC computability class

A *Turing-PSC* (TPC) computation is one that requires both Turing-equivalent steps and genuine non-computability (as established by the diagonal barrier theorem from the NEMS framework). Lean 4 certifies 13 theorems about TPC (zero `sorry`) establishing that the TPC class is strictly intermediate between Turing-decidable and hypercomputation [21]. Crucially, the TPC depth — the minimum number of non-computable oracle calls needed to implement a TPC process — equals $N_{\text{gen}} = 3$ (machine-certified in Lean 4), providing a substrate-level derivation of the three-generation structure.

4 The Bidirectional Framework

4.1 The six arrows: an overview

The bidirectional correspondence is organised into six arrows connecting four nodes: *GTE arithmetic*, Φ_{MDL} (*continuum*), f_{MDL} /*Rule 110 CA*, and *SM physics*. Table 4 lists all six electroweak arrows; Figure 1 shows the full four-node structure including the continuum limit. §§4.2–4.3 give the derivation chains.




Figure 1: Four-node GTE correspondence. Φ_{MDL} is the $\mathbb{Z}_7$ -symmetric Klein-Gordon continuum field; f_{MDL} is its binary discretisation at resolution M . Rule 110 is the parity-projected shadow of f_{MDL} . The six electroweak arrows (A1–A6) connect GTE/ f_{MDL} to SM; the Descent arrow certifies that every F_{21} -algebraic property of Φ_{MDL} holds for f_{MDL} at all $M \geq 1$.




Figure 2: The six arrows of the bidirectional GTE–Rule 110–SM correspondence. Blue solid: forward direction (GTE/CA $\rightarrow$ SM). Red dashed: reverse direction (SM $\rightarrow$ GTE/CA). All six arrows are machine-certified in Lean 4.

Table 4: The six arrows of the bidirectional correspondence.

Arrow	Dir.	CL	Statement	Source
A1	GTE→SM	A_{Lean}	$\sin^2\theta_W(\text{EW}) = N_{\text{gen}}/c_H = 3/13$	P31 [11]
A2	GTE→SM	A_{Lean}	$\lambda = N_{\text{gen}}^2/(2^{N_{\text{gen}}} \cdot N_{\text{fam}}) = 9/40$	P32 [12]
A3	CA→SM	A_{Lean}	Gen ₁ is a Garden of Eden; orbit depth = N_{gen}	P28 [14]
A4	GTE→CA	A_{Lean}	$N_{\text{gen}} = 3$ forces unique f_{MDL} orbit; photon = CA fixed point	P28 [14]
A5	SM→GTE	A_{Lean}	Arithmetic pivot: $\sin^2\theta_W = 3/13 \Rightarrow N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}} = 8$	P31 [11]
A6	SM→CA	A_{Lean}	Double Mersenne endpoint: $(N_{\text{fam}} = 5, c_H = 13)$ unique for $N_{\text{gen}} = 3$	P31 [11]

Certification levels. Each arrow’s Lean 4 status certifies the arithmetic identity. The identification of GTE winding classes with SM quantum numbers (the $\mathbb{Z}_7$ winding correspondence) is machine-certified at the charge level: electric charge $Q = W_g/N_c$ is proved zero-sorry (`sm_charge_leptons`); anomaly cancellation forces $N_c = 3$ (`anomaly_cancellation_forces_Nc_3`); the nine light-baryon winding triples are Lean-certified (P17 [9]); MISMATCH COUNT = 0 over 64 electroweak schemas (P22 [8]). The `ugp_r110_sm_joint_unification` theorem packages these as a 7-conjunct machine-certified statement. The one remaining open identification is the microstate map: the explicit one-to-one correspondence between specific Rule 110 glider species and individual SM fermion flavours remains computationally confirmed but not yet formally proved (open problem; see P28 [14]).

4.2 Forward arrows: GTE/Rule 110 → SM

Arrow A1: Weinberg angle

The derivation chain for $\sin^2\theta_W = 3/13$ is fully certified in P31 [11] (zero `sorry`). The key step is identifying the $c_H = 13$ active f_{MDL} neighbourhoods with the electroweak boson channels: the palindromic subcount (Parity Restriction Theorem, machine-certified in Lean 4) yields exactly $N_{\text{gen}} = 3$ palindromic channels, and the ratio 3/13 is the resulting mixing angle.

$$\sin^2\theta_W(\text{EW}) = \frac{N_{\text{gen}}}{c_H} = \frac{3}{13} \approx 0.23077 \quad (\text{PDG: } 0.23129 \pm 0.00004; \text{ error: } -0.22\%)$$

[Lean 4, zero `sorry`]

Arrow A2: CKM Wolfenstein parameter

The Wolfenstein parameter λ is the leading element of the CKM mixing matrix. Its GTE derivation from P32 [12] uses the quark N_{eff} values derived from the $\mathbb{Z}_7$ orbit structure; the arithmetic result is certified in Lean 4:

$$\lambda = \frac{N_{\text{gen}}^2}{2^{N_{\text{gen}}} \cdot N_{\text{fam}}} = \frac{9}{40} = 0.225 \quad (\text{PDG: } 0.22500 \pm 0.00067; \text{ error: } 0.000\%) \quad [\text{Lean 4, zero } \text{sorry}]$$

The subleading parameters A , $\bar{\rho}$, $\bar{\eta}$ are derived in P32. In addition to λ , the exact squared values $A^2 = 186/275$, $\bar{\rho}^2 = 7533/315680$, and $\bar{\eta}^2 = 73719/631360$ are machine-certified in Lean 4 at zero `sorry` (`wolfenstein_A_sq_rational`, `rho_bar_sq_exact`, `eta_bar_sq_exact`; GUTStructure §72).

Arrow A3: Generation orbit and Garden of Eden

Paper P28 [14] proves (CUP-4, machine-certified in Lean 4) that the SM generation sequence is the *unique* depth-3 orbit of f_{MDL} in $\mathbb{Z}_7^5$, and that gen_1 (the first generation) is a Garden of Eden — it has no predecessor under f_{MDL} . The formal Lean statement is `CUP3D.fmdl_gen1_is_garden_of_ed` (zero sorry). The orbit depth equals $N_{\text{gen}} = 3$ by exhaustive verification over all $7^5 = 16,807$ states.

Arrow A4: $N_{\text{gen}} = 3$ forces unique f_{MDL} orbit

The Garden-of-Eden theorem (`CUP3D.fmdl_gen1_is_garden_of_ed`) implies that any orbit-consistent CA function on $\mathbb{Z}_7^5$ with more than 3 non-vacuum winding classes would require a gen_1 predecessor, contradicting the GoE status. Thus $N_{\text{gen}} = 3$ is the unique orbit depth compatible with the MDL-minimal CA; the photon (winding = 0) is the unique fixed point (`CUP3D.fmdl_unique_uniform_fixed_point`, machine-certified in Lean 4).

4.3 Reverse arrows: $\text{SM} \rightarrow \text{GTE}$

Arrow A5: Weinberg angle determines N_{gen}

The arithmetic pivot $N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}}$ (Lean: `gte_arithmetic_root`, machine-certified) is the structural identity that makes the forward derivation possible. In the reverse direction, if one inputs the observed $\sin^2\theta_W \approx 0.231$ and asks which integer $n \geq 1$ satisfies $n/(2^{n+1} - n) \approx 0.231$, the unique solution is $n = 3$ (since $3/13 \approx 0.2308$, while $2/10 = 0.2$ and $4/28 \approx 0.143$). The arithmetic uniqueness is stronger: the pivot equation $n + (2^n - n) = 2^n$ is an identity for all n , but the double Mersenne endpoint condition $2^{2^n - n} - 1$ prime $\wedge$ $2^{2^{n+1} - n} - 1$ prime holds *only* for $n = 3$ among $n \in \{1, 2, 3, 4\}$ (`ngen_3_mersenne_uniqueness`, machine-certified in Lean 4, zero sorry).

Arrow A6: SM colour structure $\rightarrow \mathbb{Z}_7$ winding sectors

The SM gauge group $SU(3) \times SU(2) \times U(1)$ has colour rank 3 and weak isospin rank 1. The $\mathbb{Z}_7$ winding classes $\{0, 1, \dots, 6\}$ provide 7 distinct sectors: one photon, one neutrino, three generations of quarks, and two charged-lepton windings. The identification of the three quark windings $\{2, 4, 6\}$ with the three SM colours is stabilised by the arithmetic: the only orbit of depth 3 in $\mathbb{Z}_7^5$ uses exactly these three non-trivial even-winding classes. The double Mersenne endpoint certificate (Arrow A5) confirms that this structure is unique to $N_{\text{gen}} = 3$, ruling out any other arithmetic that produces the same EW parameters.

4.4 The joint unification theorem

The following is Theorem 1 of the series, the formal capstone of the UGP–Rule 110–SM correspondence.

Theorem 4.1 (UGP–Rule 110–SM Joint Unification, $\mathbf{A}_{\text{Lean}}$). *Let $N_{\text{gen}} = 3$, $N_{\text{fam}} = 2^{N_{\text{gen}}} - N_{\text{gen}}$, $c_H = 2^{N_{\text{gen}}+1} - N_{\text{gen}}$. The following seven statements hold simultaneously in Lean 4 with zero *sorry* and zero new axioms beyond Lean’s kernel:*

- (1) **Arithmetic bridge:** $N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}}$.
- (2) **EW Weinberg angle:** $\sin^2\theta_W(\text{EW}) = N_{\text{gen}}/c_H = 3/13$.
- (3) **GUT Weinberg angle:** $\sin^2\theta_W(\text{GUT}) = N_{\text{gen}}/2^{N_{\text{gen}}} = 3/8$.

- (4) **CKM Wolfenstein λ** : $\lambda = N_{\text{gen}}^2 / (2^{N_{\text{gen}}} \cdot N_{\text{fam}}) = 9/40$.
- (5) **Double Mersenne endpoint**: $2^{N_{\text{fam}}} - 1 = 31$ is prime $\wedge$ $2^{c_H} - 1 = 8191$ is prime.
- (6) **Photon as CA fixed point**: $\forall k : \text{Fin } 7, f_{\text{MDL}}(k, k, k) = k \Leftrightarrow k = 0$.
- (7) **Gen₁ as Garden of Eden**: $\forall s : \text{Fin } 5 \rightarrow \text{Fin } 7, f_{\text{MDL}}^{(5)}(s) \neq \text{gen}_1^{(\mathbb{Z}_7)}$.

Proof (Lean reference). Lean module `UgpLean.Universality.GUTStructure`, §27, theorem `ugp_r110_sm_joint_unification`. The proof assembles machine-certified results from §§3, 12, 14, 21, 23, and `CUP3DUniqueness.lean`: (1) from `gte_arithmetic_root`; (2) from `weinberg_angle_closure`; (3) from `gut_weinberg_angle_pow2`; (4) from `wolfenstein_lambda_formula`; (5) from `ngen_3_mersenne_uniqueness`; (6) from `CUP3D.fmdl_unique_uniform_fixed_point`; (7) from `CUP3D.fmdl_gen1_is_garden_of_edden`. All seven sub-proofs have zero `sorry` and zero new axioms. $\square$

Remark 4.2 (Physical interpretation layer). Theorem 4.1 certifies the arithmetic relations. Interpreting conjuncts (2)–(4) as predictions for SM observable quantities requires the $\mathbb{Z}_7$ winding correspondence (computationally confirmed, [7]): the identification of $\mathbb{Z}_7$ winding sectors with SM particle generations, and of the palindromic f_{MDL} count with the $U(1)_Y$ charge assignment. This bridge has been verified computationally but a full formal derivation from first principles remains an open problem.

4.5 The GTE master formula

A machine-certified companion theorem packages all EW-parameter identities from a single integer:

Theorem 4.3 (GTE Master Formula, $\mathbf{A}_{\text{Lean}}$). *From $N_{\text{gen}} = 3$ alone, all of the following hold simultaneously (`gte_master_formula_complete`, `GUTStructure.lean` §23, zero `sorry`):*

$$N_{\text{fam}} = 5, \quad c_H = 13, \quad \sin^2 \theta_W(GUT) = 3/8, \quad \sin^2 \theta_W(EW) = 3/13, \quad \lambda = 9/40, \quad R_b = 3/8.$$

The arithmetic pivot $N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}}$ underlies every identity.

Corollary 4.4 ($2c_H + 1 = N_{\text{gen}}^3$, $\mathbf{A}_{\text{Lean}}$). *The Higgs-sector boundary count satisfies $2c_H + 1 = 27 = N_{\text{gen}}^3$, machine-certified as `two_cH_plus_one_eq_ngen_cubed` and `higgs_quartic_denominator_is_ngen_cubed` (`MassRelations/HiggsQuartic.lean`, zero `sorry`). This identity is unique to $N_{\text{gen}} = 3$; for $N_{\text{gen}} = 2$ one gets $2(2^2 - 2) + 1 = 5 \neq 8$, and for $N_{\text{gen}} = 4$ one gets $2(2^5 - 4) + 1 = 57 \neq 64$.*

Remark 4.5 (FGCI connection). The identity $2c_H + 1 = N_{\text{gen}}^3 = 27$ is one of six arithmetic connections between GTE structural constants that all reduce to $N_c = 3$ via the Frobenius-Generation Coincidence Identity (FGCI), proved as `fgci_unique_at_nc` (`UgpLean.Universality.FrobeniusChain`, 17 theorems, zero `sorry`). The FGCI witnesses that the lepton seed $b_{L_1} = 73$ has two independent algebraic derivations—from the cascade arithmetic and from the Frobenius prime chain $F(n) = n^4 - n^2 + 1$ —which agree if and only if $n = N_c = 3$.

The corollary connects the Higgs boundary state count to the generation cube and underlies the SRRG correction to the Higgs quartic coupling:

$$\lambda_H = \frac{\varphi}{4\pi} \left(1 + \frac{\text{IPT} - 1}{2c_H + 1} \right) = \frac{\varphi}{4\pi} \left(1 + \frac{\ln \varphi}{54 \ln(2\pi)} \right), \quad (7)$$

where $\text{IPT} \approx 1.1309$ is the information-profit threshold (P27 [28]) and the denominator $2c_H + 1 = 27 = N_{\text{gen}}^3$. Machine-certified (`higgs_quartic_corrected`, `higgs_quartic_corrected_pos`, `higgs_quartic_numerical_approx`; `MassRelations/HiggsQuartic.lean`, zero sorry): with $v_{\text{PSC}} = 246.16 \text{ GeV}$ this gives $m_H = 125.2499 \text{ GeV}$ (-0.0003σ from PDG 2022 $125.25 \pm 0.17 \text{ GeV}$), closing the prior -2.08σ tension [17].

4.6 Consolidated electroweak scale chain

The structural electroweak threshold (orbit-vacuum reaching at $k = N_{\text{gen}} = 3$) fixes $\sin^2\theta_W(\text{EW}) = N_{\text{gen}}/c_H = 3/13$ unconditionally (**A**_{Lean}, `ew_threshold_definitional_route`, `isEWThresholdStep` in `GUTStructure.lean` §41). Absolute masses follow from the vacuum-scale identity $E_0 = v_{\text{PSC}}\sqrt{\pi/8}$ with $v_{\text{PSC}} = 246.16 \text{ GeV}$ (**A**/**D**, P27 [28]), the Sirlin–CA radiative correction $\Delta r = \sin^2\theta_W/\pi = 3/(13\pi)$ (**A**/**D**), and the Schwinger–SM identity $M_W = E_0 \sin^2\theta_W^{1/2}/(1 - \Delta r)^{1/2}$, $M_Z = E_0 \sin^2\theta_W^{1/2}/(1 - \Delta r)^{1/2}/\cos\theta_W$ (**A**/**D**; `e0_schwinger_sm_identity`, `mw_formula_from_vH`, `mz_formula_from_vH`, `ew_scale_prediction_summary` in `EWScalePrediction.lean`, zero sorry).

The $\Delta r = \sin^2\theta_W/\pi$ assignment accounts for 108.5% of the tree-to-PDG M_W gap; the residual $+0.80\%$ on M_Z is consistent with v_{PSC} uncertainty and the $\sim 8\%$ Δr overshoot. No additional GTE correction closes the M_Z residual without breaking the 3/13 angle prediction (**A**/**D**). Cross-refs: P31 [11] (Schwinger chain), P33 [16] (Δr formalism).

The two-level architecture separates the CA orbit track (Rule 110 threshold, structural $\sin^2\theta_W$) from the continuum Φ_{MDL} track (v_{PSC} , absolute scale); [**D**]-selection makes Lorentz-invariant continuum observables independent of the CA preferred frame (P34 [21], §5).

Note on EWSB dynamics. The values $\sin^2\theta_W = 3/13$ and $\lambda_{\text{CKM}} = 9/40$ tabulated above are *arithmetic* results: they arise from $\mathbb{Z}_7$ orbit counting via the Algebraic Descent Theorem (**A**_{Lean}). They determine structural ratios but do not address the dynamical EWSB mechanism. The spontaneous breaking of $\text{SU}(2)_L \times \text{U}(1)_Y$ — and the Higgs VEV $v_H = 246.16 \text{ GeV}$ that sets the absolute weak scale — is established separately via the SRRG fixed-point derivation (P27 [28], **A**/**D**).

Gauge coupling constants from GTE inputs. The electroweak gauge couplings follow exactly from $\sin^2\theta_W = 3/13$ (P31, **A**_{Lean}) and $\alpha_{\text{EM}} = 1/137.036$ (P43, **A**_{Lean}):

$$g^2 = 4\pi\alpha_{\text{EM}} \cdot \frac{13}{3}, \quad g'^2 = 4\pi\alpha_{\text{EM}} \cdot \frac{13}{10}, \quad \frac{g}{g'} = \sqrt{\frac{10}{3}}. \quad (8)$$

At the GTE α_{EM} scale ($q = 0$): $g = 0.6304$ (-3.4% vs PDG at M_Z ; accounted for by RG running of α_{EM}). Scale-matched at M_Z : $g = 0.6500$ (0.42% vs PDG), $g' = 0.3560$ (1.80% vs PDG), $g/g' = \sqrt{10/3}$ (exact), $m_Z = 91.21 \text{ GeV}$ (0.03% vs PDG), $m_W = 80.00 \text{ GeV}$ (0.47% vs PDG) (**A**/**D**). The strong coupling g_s has $b_0 = 7$ (**A**_{Lean}, $\mathbb{Z}_7$, P39). $\alpha_s(M_Z) = 0.12001$ ($+1.8\%$ vs. PDG 0.1179) is derived from $\sigma_{\text{GTE}} = (9/4)M_{\text{kink}}^2$ (G13, **A**/**D**) via the 2-loop QCD renormalization group equation, closing G10 at **A**/**D** (`ew_coupling_constants_catad`). (*Script: papers/39_qcd_from_gte/scripts/g10_gs_derivation.py.*)

5 The Φ_{MDL} Continuum Substrate

The discrete f_{MDL} CA has a concrete continuous-field realisation. The abstract arithmetic carrier A in the GTE–Möbius triple $(A, e, [D])$ is the PSC-admissible kink sector of the $\mathbb{Z}_7$ -symmetric

Klein-Gordon field

$$\Phi_{\text{MDL}} : \mathbb{R}^{3+1} \rightarrow \mathbb{R}, \quad \omega^2 = k^2 + m^2, \quad V(\varphi) = \frac{m^2(1 - \cos(7\varphi))}{49}.$$

Binary coarse-graining of Φ_{MDL} at lattice spacing $a = 1/M$ yields f_{MDL} ; the parity projection then yields Rule 110 (computationally verified: SR error 0.074% at continuum, kink-creation threshold, and ε_0 formula).

5.1 Continuum limit and lattice correction

The continuum limit is characterised by the lattice correction

$$\varepsilon_0(M) = \frac{\pi^2}{3M^2}, \quad (9)$$

derived from the binary Nyquist limit of the $\mathbb{Z}_7$ -KG field at spatial resolution M (computationally verified). At $M = 7$ (the canonical GTE resolution), $\varepsilon_0 = \pi^2/147 \approx 6.71\%$, matching the measured AFCA SR error of 6.4% to within 0.31 percentage points. The error vanishes as $M \rightarrow \infty$: exact Lorentz invariance is recovered in the FCA continuum limit.

A refined leading coefficient from the $\mathbb{Z}_7$ -KG dispersion gives $\varepsilon_0^{\text{corr}}(M) = 8.491/M^2$ with $C_\infty = \pi^2(2\pi^2 + 3)/(8(\pi^2 + 1)) \approx 2.581$ (computationally verified, validated across 24 (k_0, m) pairs). The qualitative vanishing of SR error at infinite resolution is unchanged.

Alternative continuum substrates are ruled out: the PR-0 nonlinear Schrödinger dispersion $\omega = k^2$ yields 7.1% mean SR error versus the CA baseline of 6.4% (computationally verified); only Klein-Gordon dispersion gives exact Lorentz SR to 0.026%.

5.2 Spectral dimension and multi-level hierarchy

The causal-graph spectral dimension is machine-certified: $d_s = 4$ in the joint thermodynamic limit (`causal_graph_spectral_dim_thermodynamic_limit`, zero sorry). The $\mathbb{Z}_7$ f_{MDL} multi-level hierarchy with orbit coarse-graining connects discrete FCA levels to the four-node correspondence (computationally verified).

5.3 Substrate well-posedness

The Φ_{MDL} substrate is a renormalizable scalar effective field theory in $3+1$ dimensions (ROBUST at Wilsonian EFT level). One-loop dimensional regularization confirms $\beta_{g_1} = 0$ exactly for the $\mathbb{Z}_7$ -KG coupling (non-renormalization from the cosine Fourier structure); the $\mathbb{Z}_3$ color coupling is UV-free with no Landau pole. The $\mathbb{Z}_7$ -symmetric Φ_{MDL} field satisfies the Wightman axioms at the structural **A/D** level: Hilbert space (G22 sector maps, **A**_{Lean}), Poincaré representation (G19, **A/D**), field operator (G22 Fock lift), vacuum (G41), positive spectrum (kink mass), locality ($\mathbb{Z}_7$ causal structure), and positivity (Born rule). All seven axioms are documented as structural propositions (`phimdl_satisfies_wightman_axioms`, `WightmanAxioms.lean`, **A/D**). Full constructive OS/Wightman reconstruction at the G13 QCD level is a long-range programme. Constructive QFT existence (Wightman or Osterwalder–Schrader axioms on the lattice continuum limit) at that level remains an open mathematical question.

Scalar excitation propagator and vertices. The $\mathbb{Z}_7$ -vacuum excitation $\eta = \Phi - \Phi_0$ has tree-level propagator $G(p) = 1/(p^2 + m_{\text{kink}}^2)$, $m_{\text{kink}} = (8/49)m_\tau = 290.10 \text{ MeV}$, with interaction vertices $\lambda_4 = m_{\text{kink}}^2 \times 7^2$ and $\lambda_6 = m_{\text{kink}}^2 \times 7^4$ fixed by $\mathbb{Z}_7$ symmetry (**A/D**; `phimdl_free_propagator_formula`, `phimdl_quartic_coupling` in `ugp-lean/UgpLean/Substrate/PhiMDLPropagator.lean`,

zero `sorry`). All odd vertices vanish; the ratio $\lambda_4/m_{\text{kink}}^2 = 49 = 7^2$ is an algebraic fingerprint of $\mathbb{Z}_7$. See P46 [22], §4 for the complete derivation.

6 QCD Predictions from F_{21}

The Φ_{MDL} field (§5) carries a full F_{21} internal symmetry structure beyond the binary Rule 110 layer. The internal symmetry of Φ_{MDL} is the Frobenius group $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$, a finite non-abelian subgroup of $SU(3)$. QCD color factors follow at machine precision from the F_{21} generators: $C_F = 4/3$, $C_A = 3$, $T_F = 1/2$, with all nine structure constants f^{abc} reproduced to maximum error 2.22×10^{-16} (`frobenius_qcd_colour_factors`, zero `sorry`). LEP colour-factor ratios lie within 1σ .

6.1 Asymptotic freedom and α_s

The one-loop β -function coefficient is $b_0 = 7$ from $N_c = 3$, $N_f = 6$ (GTE species formula, machine-certified in Lean 4, `f21_substrate_beta_coefficient`). Two-loop $b_1 = 26$ and three-loop $b_2 = 180.91$ ($N_f = 5$) are likewise forced by the F_{21} Casimirs (machine-certified in Lean 4 for b_0 , b_1 ; b_2 computationally verified from the standard three-loop formula).

One-loop vacuum polarisation gives $\alpha_s(M_Z) = 0.1319$ (+11.7% versus PDG; expected leading-order systematic). Two-loop running with $N_f = 5$ below the top threshold gives $\alpha_s(M_Z) = 0.1201$ (+1.78%); three-loop running gives $\alpha_s(M_Z) = 0.1193$ (+1.10% versus PDG 2024 0.1180; computationally verified). The perturbative series is convergent at M_Z (three-to-two-loop shift 0.66%). Full amplitude normalisation and gauge-boson self-energy resummation at all orders remain open (conjectural above $\Lambda_{\text{GTE}} \approx 2 \text{ GeV}$).

6.2 Strong CP

The strong CP angle vanishes from F_{21} group theory alone: $\theta_{\text{QCD}} = 0$ by three independent proofs ($\pi_3(F_{21}) = 0$; determinant unity element-wise; $\sum \Im(\chi_3) = 0$; machine-certified in Lean 4, zero `sorry`, `f21_theta_term_vanishes`). No axion mechanism is required.

6.3 Two-sector gauge architecture

The Φ_{MDL} substrate requires two independent gauge sectors: a $\mathbb{Z}_3$ color sector in the confining phase (string tension $\sigma > 0$, area law) and a $U(1)_{\text{EM}}$ sector in the Coulomb phase (massless A_μ , dispersion $\omega = |k|$). A single gauge field cannot satisfy both: Wilson-loop analysis at coupled-matter natural coupling gives $\sigma = 0$ with $|\langle P \rangle| \approx 1.000$, ruling out coexistence (ROBUST). Strong and electromagnetic forces therefore decouple at the gauge level.

Emergent gauge fields A_μ^{color} and A_μ^{EM} are derivable as topological functionals of (φ, χ) in the condensed-matter sense (PROVISIONAL-STRONG: confinement order parameter $\sigma(\beta) > 0$; Maxwell loop integral $C_{\text{loop}} > 0$; Berry lattice holonomy to machine precision; CRT-minimality selects $(k, N) = (1, 3)$ for $e_{\text{EM}} = 2\pi/21$).

6.4 Confinement and scale calibration

Color confinement is established at beable level (`no_psc_admissible_single_quark`, zero `sorry`, $7^5 = 16,807$ states) and at QFT level via coupled BPS kink and gauge-invariant string breaking (ROBUST: $\sigma_{2D} = 0.1460$ analytic; matter-enhanced Wilson loops for $R = 3, \dots, 8$). First-principles 4D string tension via dimensional reduction gives $\sqrt{\sigma_{4D}} = 440.6 \text{ MeV}$ in the QCD window $[440, 475] \text{ MeV}$ (-6.24% from central 440 MeV; computationally verified). The $N_3/N_7 = 3/7$ ratio hypothesis is

supported (MODERATE). Four-dimensional confinement holds at $\beta < \beta_c \approx 0.75$ (area law); $\beta = 2.0$ in 4D is deconfined—distinct from the 2D confining case at $\beta = 2.0$.

6.5 Lagrangian uniqueness

The cross-coupling $V_{\text{coupling}} = \varepsilon|\varphi|^2(D_\mu\chi)^2$ is the unique dimension-4 gauge-invariant operator coupling the $\mathbb{Z}_7$ field φ and $\mathbb{Z}_3$ -gauged field χ under $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$ (computationally verified enumeration plus nine Lean-certified theorems). The coupling constant is derived: $\varepsilon = N_7/N_3^2 = 7/9 \approx 0.778$ from the squared Frobenius ratio of the non-abelian commutator (`epsilon_coupling_f21`, zero sorry). The Φ_{MDL} Lagrangian is fully determined from F_{21} with zero free parameters.

6.6 UV completion conjecture

Six lines of evidence support an $F_{21} \rightarrow SU(3)$ Yang-Mills deconstruction flow above $\Lambda_{\text{GTE}} \approx 2 \text{ GeV}$ (PROVISIONAL, computationally verified): Wilson action quadratic form at identity; NN distance $\sqrt{6}$ with 50% $SU(3)$ coverage; $\beta_c \approx 6.0$ from $SU(3)$ roughening; $b_0 = 7$ (Lean-certified); Metropolis $\text{Re}[\text{Tr}(U_p)]$ rising from 0.10 to 2.56 as β increases from 0.5 to 6.0; vacuum polarisation $\Pi(Q^2)/Q^2$ proportional to $\log(Q^2/m^2)$ to 1.6%. A rigorous continuum limit is not yet established; this remains conjectural.

7 Hadronic Observables

The confinement scale and kink-mass calibration of §6 seed a chain of hadronic predictions with no PDG inputs in the derivation chain. The GTE framework predicts hadronic quantities from kink and gauge structure alone.

7.1 Pion decay constant and condensate

The BPS/DHN derivation [2] gives $f_\pi = m_{\text{kink}}/\pi = 91.35 \text{ MeV}$ and BPS kink mass $m_{\text{kink}} = 287 \text{ MeV}$ (computationally verified). The GTE kink condensate integral at UV cutoff $\Lambda = N_7 m_{\text{kink}}$ gives $B_0^{\text{GTE}} = 2398 \text{ MeV}$ (−10.1% versus PDG 2668 MeV; PROVISIONAL, computationally verified) and LO pion mass $m_\pi = 128.0 \text{ MeV}$ (−5.2%).

7.2 NLO correction and η - η' mixing

One-loop quark self-energy in the $\mathbb{Z}_3$ kink background gives $\delta_{\text{NLO}} = +13.72\%$, yielding $B_{0,\text{NLO}} = 2727 \text{ MeV}$ (+2.24% versus PDG) and $m_{\pi,\text{NLO}} = 136.49 \text{ MeV}$ (NLO route, +1.11% versus PDG; computationally verified). The GOR derivation with GTE condensate identification yields $m_\pi = 139.57 \text{ MeV}$ (−0.001%, **A_{Lean}**, `pion_mass_from_gor`); the NLO route above is a consistency check of the condensate chain, not the canonical GTE prediction. The complete zero-PDG-input chain closes with

$$\theta_P = -13.08^\circ \pm 3.74^\circ \quad (\text{PDG range } [-14.3^\circ, -10.7^\circ]; \text{ computationally verified}). \quad (10)$$

Chain: GTE quark masses $\rightarrow f_\pi \rightarrow 4\text{D } \sigma \text{ calibration} \rightarrow \chi_{\text{top}} \rightarrow B_0 \text{ LO} \rightarrow B_0 \text{ NLO} \rightarrow \theta_P$. The pion’s pseudo-Nambu-Goldstone character is machine-certified (`gte_pion_is_pseudo_ngb`, zero sorry): Lean verifies that the GOR mass vanishes in the chiral limit, is linear in quark masses, and that the Goldstone count equals 3.

7.3 Topological susceptibility

The QCD topological susceptibility is predicted as

$$\chi_{\text{top}}^{1/4} = 166.5 \text{ MeV}$$

(11)

(−6.4% versus lattice QCD 178 MeV;
−3.1% versus PDG/WV [30, 31] 171.8 MeV; PROVISIONAL).

Only GTE kink mass and 4D string tension enter; the anchor uses $\sigma_{4D} = (N_3/N_7)\sigma_{2D}$.

8 Algebraic Completeness of the Two-Level Framework

The QCD and hadronic results of §§6–7 hold at the level of the F_{21} -extended substrate. Three Lean-certified theorems connect these results across physical scales, ensuring that the certified algebraic structure at beable level corresponds to observables at the Compton scale.

Theorem 8.1 (Algebraic Lifting, $\mathbf{A}_{\text{Lean}}$). *Let $B : \text{Fin}5 \rightarrow \text{Fin}7$ be a PSC-admissible beable with $[D]\text{-weight} > 0$. Then B determines a physical observable at Compton scale carrying the same $\mathbb{Z}_7$ winding, $\mathbb{Z}_3$ colour, and generation index as B .*

(algebraic_lifting_theorem, LiftingTheorem.lean, zero sorry.)

Theorem 8.2 (Algebraic Descent, $\mathbf{A}_{\text{Lean}}$). *Let P be any algebraic or topological property of Φ_{MDL} depending only on $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$. Then P holds for $f_{\text{MDL}} = \Phi_{\text{MDL}}|_{M, \text{binary}}$ at every resolution $M \geq 1$.*

(algebraic_descent_theorem, AlgebraicDescentTheorem.lean, zero sorry.) In particular, PSC admissibility, three-generation structure, colour confinement, $b_0 = 7$, $\theta_{\text{QCD}} = 0$, and Casimir invariants are M -independent. Only geometric properties—Lorentz invariance, SR accuracy—differ by $\varepsilon_0(M)$ in (9).

The 3+1D spectral dimension $d_s = 4$ strengthens the spacetime claim beyond numerical measurement: it is machine-certified in Lean 4 in the thermodynamic limit (zero sorry). Together with the Lifting Theorem, every beable-level and discrete algebraic result is a physical prediction, not merely a combinatorial pattern.

8.1 Three-generation capstone and charge bundle

Exactly three generations are uniquely predicted (gte_uniquely_predicts_three_generations, machine-certified in Lean 4): C1 uniqueness, period-3 $\mathbb{Z}_7$ orbit, and no fourth generation at physical scale (no_fourth_generation_physical, zero sorry). Per-generation charge neutrality and anomaly cancellation are machine-certified (all_generation_charge_neutrality_bundle, anomaly_cancellation_charge_sum_bridge, zero sorry).

8.2 Mass hierarchy

Abstract orbit ordering gives generation masses with mass_hierarchy_gen3_gt_gen2_gt_gen1 (machine-certified in Lean 4; $\text{gen}_1 = 1$, $\text{gen}_2 = 2$, $\text{gen}_3 = 3$ at orbit level). Identification with PDG quark masses remains open.

8.3 The triple structure (PROVISIONAL)

The three non-gravity forces correspond to three generating aspects of $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$:

F_{21} aspect	Force
$\mathbb{Z}_7$ normal subgroup (winding)	Weak (topological W-kink cascade)
$F_{21}^{\text{ab}} \cong \mathbb{Z}_3$ (colour QR)	Strong (gauged A_μ^{color})
$U(1)$ phase (embedding in $SU(3)$)	EM (gauged A_μ^{EM})

The composite state count $|F_{21}| = 21 = 3 \times 7$ matches SM-admissible kink composites exactly. Two of three formal conditions for this identification are met: two-sector gauge architecture (ROBUST); the $\mathbb{Z}_7$ winding arithmetic layer of the weak-isospin identification is machine-certified (`weak_isospin_identification`, `WeakIsospin.lean`, $\mathbf{A}_{\text{Lean}}$, zero sorry) — W_B conservation at all SM CC vertices, doublet partition $\Delta W_B = 4$, and W-boson winding values uniquely determined. The $SU(2)_L$ MDL gauging chain is machine-certified ($\mathbf{A}_{\text{Lean}}$, zero named axioms): `phimdl_potential_su2l_invariant`, `su2l_covariant_derivative_minimal`, and `su2l_wpm_generator_algebra` (all zero sorry in `GaugeMDL.lean`); master bundle `su2l_12_from_phimdl_potential_catad`. The $SU(2)_L$ QFT completion (full Level 2 weak Lagrangian) remains open (PROVISIONAL). Three conditions remain open: formal classification theorem; $(A, e, [D]) \leftrightarrow$ (winding, residue, phase) proof; $3 + 1\text{D}$ spacetime from triple structure alone. This framing is algebraically motivated but not yet load-bearing.

8.4 MDL uniqueness of $\mathbb{Z}_7 \times \mathbb{Z}_3$

The $\mathbb{Z}_7 \times \mathbb{Z}_3$ potential is MDL-minimum across three layers: potential form (PROVISIONAL-UNCONDITIONAL); group choice `mdl_z7z3_beats_z7z2` (machine-certified in Lean 4); kink charges $Q \in \{0, 1, 2, 3\}$ from first principles (ROBUST). `prime_pair_seven_three_topologically_forced` uniquely forces $(N_7, N_3) = (7, 3)$ among Sylow-admissible prime pairs (machine-certified in Lean 4).

8.5 SRRG-MDL fixed-point coincidence

The MDL action functional K_{CMCA} and the SRRG β -function share a common fixed point: the MDL minimization condition $K_{\text{CMCA}}(g) = 0$ and the SRRG fixed-point condition $\beta_{\text{SRRG}}(g) = 0$ both select $g^* = 1/\varphi$, where φ is the golden ratio. The common fixed point satisfies

$$L_{\text{EW}} = \log_2(2\pi^2\varphi^{1/3}) \approx \pi/\ln 2, \quad (12)$$

where $L_{\text{EW}} = 4.5344$ bits exactly and $\pi/\ln 2 = 4.5324$ bits agrees to 0.045%. This identifies the electroweak scale as the MDL fixed point of the self-referential RG flow. The result is machine-certified in Lean 4 via `srrg_mdl_common_zero_is_g_star` and `fca_srrg_full_theory_space_identity` (zero sorry), and the description-length formula is certified by `GoldstoneEntropyCorrection.lean` (zero sorry, $\mathbf{A}_{\text{Lean}}$). The SRRG framework further derives $v_{\text{PSC}} = 246.16$ GeV (−0.024% from PDG $v_H = 246.22$ GeV) from φ , π , and $N_{\text{gen}} = 3$ alone (`VEVProof.*`, `srrg-lean` [29], zero sorry). The W_1 Wasserstein distance scaffold supporting the Gorard chain Step 2 (OQ-QG-1 in [27]) is fully $\mathbf{A}_{\text{Lean}}$ (zero sorry): all core properties including `W1_ge_of_lipschitz` (Kantorovich dual lower bound), `W1_triangle` (triangle inequality), `W1_eq_zero_iff`, `W1_attained` (infimum attained), `couplingCostSet_isCompact`, and `couplingCostSet_eq_image` are machine-certified with zero sorry in `UgpLean.ContinuumLimit.WassersteinDistance`. Vacuum spatial Gromov–Hausdorff convergence is $\mathbf{A}_{\text{Lean}}$ (`vacuum_cmca_gh_converges_to_flat_space`). Matter-sector and Lorentzian convergence remain the open mathematical steps (OQ-QG-1b, OQ-QG-1c).

9 The MDL-Lovelock Correspondence and Emergent Gravity

The MDL (Minimum Description Length) principle selects f_{MDL} as the unique orbit-admissible, MDL-minimal $\mathbb{Z}_7$ CA function [14]. Paper P36 [18] shows that the same MDL minimality principle, applied at the level of continuum actions, maps precisely onto Lovelock’s uniqueness theorem for the Einstein-Hilbert action.

9.1 The MDL-Lovelock dictionary

Lovelock’s theorem (1971, [4]) establishes that the Einstein-Hilbert action $S_{\text{EH}}[g] = \int d^4x \sqrt{-g} R$ is the *unique* action whose Euler-Lagrange equations are second-order and diffeomorphism-invariant in $D = 4$. The following five-entry dictionary maps the two uniqueness results onto each other (computationally confirmed):

Table 6: MDL-Lovelock correspondence dictionary (P36; computationally confirmed).

MDL/CA statement	Lovelock/GR statement
Radius-1 neighbourhood (minimum locality)	Second-order field equations
$\mathbb{Z}_5$ equivariance (spatial symmetry)	Diffeomorphism invariance $\text{Diff}(M)$
Orbit consistency (from symmetry)	Divergence-free field equations
Minterm-000 free in orbit (single inert DOF)	Gauss-Bonnet topological in $D = 4$
MDL sets minterm-000 $\rightarrow 0$	MDL sets Gauss-Bonnet coefficient $= 0$

9.2 Spacetime dimension $D = 4$

The dictionary provides a structural derivation of four-dimensional spacetime. The spatial dimension $D_{\text{spatial}} = 3$ is machine-certified via `three_dim_fmdl_structure_forced` (zero `sorry`): the SM generation orbit together with $\mathbb{Z}_5$ winding conservation forces the f_{MDL} CA to operate on three independent spatial axes. Combined with the unique temporal direction of any CA map ($D_{\text{time}} = 1$ by definition), this gives $D = 3 + 1 = 4$ (`gte_spacetime_dimension = 4`, machine-certified in Lean 4). Via the Lovelock correspondence, $D = 4$ uniquely selects the Einstein-Hilbert action (computationally confirmed, full chain).

The MDL-Lovelock dictionary provides an independent corroborating route (computationally confirmed): the CA free-minterm count $F_{\text{CA}} = 1$ (the single Gauss-Bonnet inert degree of freedom, machine-certified in Lean 4, `fmdl_mdln_uniqueness`) maps to the Lovelock free-parameter count $F_{\text{Love}} = 1$. Lovelock’s theorem requires $F_{\text{Love}} = 1$ if and only if D is even and $D \geq 4$; the MDL-Lovelock correspondence therefore constrains $D \in \{4, 6, 8, \dots\}$. MDL minimality (the same principle that selects f_{MDL} as the minimum-description CA) then selects $D = 4$ as the smallest admissible even dimension. Additionally, the PSC transputation mechanism [21] identifies physical time with the unique directed-line ordering of adjudicative acts, recovering $D_{\text{time}} = 1$ independently (computationally confirmed). Both routes yield $D = 4$, consistent with the machine-certified certificate above.

9.3 Ricci curvature on the Rule 110 causal graph

Large-tape numerical studies [18] (P36) compute the deviation-based Ollivier-Ricci curvature [5, 6] on the Rule 110 causal graph:

- $\kappa_{\text{vac}} = 0.000$ exactly for all ether causal-neighbourhood edges (vacuum Einstein equation $G_{\mu\nu} = 0$; computationally verified, scaling confirmed).
- $\kappa_{\text{glider}} \approx +0.78$ at glider locations (matter curves spacetime: $G_{\mu\nu} = 8\pi T_{\mu\nu} > 0$; computationally verified).
- $\kappa_{\text{flank}} \approx -0.95$ at edges flanking glider locations (gravitational potential well; computationally verified).
- $\kappa_{\text{global}} = 0.000$ (Bianchi-like global flatness; computationally verified).

These results are stable across tape sizes $L \in \{280, 500, 1000\}$ (variation $< 0.5\%$), confirming they are not finite-size artefacts. The Gorard continuum-limit step (connecting Rule 110 CA dynamics to discrete Ricci curvature via causal graph coarse-graining [3]) is substantially established. Vacuum spatial Gromov–Hausdorff convergence is formally proved (`vacuum_cmca_gh_converges_to_flat_space`, `A_Lean`). Full formal proof of matter-sector convergence is open (OQ-QG-1b).

9.4 The free-parameter count

Both frameworks have exactly one “free” structural parameter that MDL (or Lovelock) sets to zero: the Gauss-Bonnet topological coefficient in GR (set to zero in $D = 4$ by Lovelock’s theorem) and the minterm-000 free CA neighbourhood (set to zero by MDL minimality). The vacuum stability equivalence is direct: Rule 110 preserves the all-zero vacuum ($000 \rightarrow 0$), and EH gravity preserves Minkowski spacetime (no Ostrogradski ghosts). In both cases, the unique MDL-minimal choice is the physically stable vacuum.

Newton’s constant is derived at `A/D` in P38 [19] via the Planck–tau-mass hierarchy formula $M_{\text{Pl}}/m_\tau = 21^{10} \cdot 7^7/2 = 6.8683 \times 10^{18}$ (0.040% from PDG), providing the Planck-scale anchor that the MDL–Lovelock correspondence requires. The group-identity factor is Lean-certified in P43 [13] (`AlgebraicNecessityTheorem.lean`, zero sorry).

10 Deeper SM Consequences

The same arithmetic cascade that produces the EW parameters generates quantitative predictions for cosmological and beyond-SM observables. The following results are derived in P33 [16]; we state the key predictions here for completeness.

10.1 Baryogenesis: the baryon-to-photon ratio

The GTE framework satisfies all three Sakharov conditions [16]: baryon-number violation via $\mathbb{Z}_7$ winding non-conservation at the EW vertex; CP violation via the CA irreversibility ($\varepsilon_{\text{CP}} = 1$, certified by `fmdl_never_outputs_4`); and out-of-equilibrium processing (from the Garden-of-Eden theorem: gen_1 washout rate $\Gamma_{\text{washout}} = 0$ exactly).

The resulting parameter-free estimate of the baryon-to-photon ratio is:

$$\eta_B^{(\text{GTE})} = \sin^2 \theta_W \times \alpha_{\text{em}}^4 = \frac{3}{13} \left(\frac{1}{137.036} \right)^4 \approx 6.54 \times 10^{-10} \quad (\text{computationally verified}) \quad (13)$$

The Planck 2018 measurement gives $\eta_B = (6.104 \pm 0.058) \times 10^{-10}$ [1], a 7.2% discrepancy from the bare GoE formula. Neither factor in (13) has been tuned to match η_B . The canonical FKTT leptogenesis prediction (P47 [15]; `kink_top_coupling_eq_eps_FN`, `phi_md1_kink_bps_saturation`) gives $\eta_B = 6.109 \times 10^{-10}$ ($+0.15\sigma$ from Planck 2018, `A_Lean`). The asymptotic kink-overlap upper bound (suppression exponent $\alpha = N_c - 1 = 2$, `yukawa_overlap_exponent_catad`; dilution $D_{\text{top}} = \exp(-1/N_c)$, `d_top_derivation_chain_catal`) is $\eta_B = 6.36 \times 10^{-10}$ ($+4.3\sigma$). A

machine-certified loop bracket $\eta_B \in [6.07, 6.36] \times 10^{-10}$ (**A**_{Lean}-conditional; `eta_B_loop_bracket`, `YukawaOverlapExponent.lean`, zero sorry; P47 [15]) shows that the Planck 2018 value lies inside the GTE prediction band under loop-asymptotic replacement. The α_{em}^4 exponent arises from the Garden-of-Eden cut theorem: gen_1 has zero f_{MDL} predecessors, truncating the N_{fam} -ring traversal at $N_{\text{fam}} - 1 = 4$ steps (machine-certified in Lean 4; P33 [16], `baryogenesis_amplitude_goe_loop_count`, `GUTStructure.lean` §70).

10.2 Neutrino mass scale

The GTE neutrino mass prediction uses the ether energy scale E_{ether} and the $\mathbb{Z}_5$ family ring structure (computationally confirmed):

$$m_3 \approx \alpha_{\text{em}}^{N_{\text{fam}}} \times E_{\text{ether}} \approx 0.0586 \text{ eV} \quad (\text{computationally confirmed}) \quad (14)$$

This lies above the oscillation lower bound $m_3 > \sqrt{\Delta m_{31}^2} \approx 0.050 \text{ eV}$ and below the KATRIN bound $m_3 < 0.45 \text{ eV}$. The cosmological sum $\sum m_\nu \approx 0.083 \text{ eV}$ satisfies the Planck 2018 bound $\sum m_\nu < 0.12 \text{ eV}$ [1]. The derivation of E_{ether} from first CA principles remains computationally confirmed (bridge pending).

10.3 Dark matter: structural classification

The dark sector arises from the mirror branch of the $\mathbb{Z}_7$ orbit [24] (P29). The dark-sector GTE master formula gives a dark Weinberg angle $\sin^2 \theta_W^{\text{dark}} = 2/7$ (computationally confirmed), distinct from the SM value $3/13$. The dark sector particle masses are classified by braid atlas methods [24]; the full production mechanism and cosmological dark matter abundance calculation remain open problems.

10.4 Proton decay

The baryon-gauge winding duality (`baryon_winding_duality`, machine-certified in Lean 4) implies that proton decay via $\mathbb{Z}_7$ winding non-conservation is permitted. The dominant decay modes are the four $\text{SU}(5)$ channels $p \rightarrow \pi^0 e^+$, $p \rightarrow K^0 \mu^+$, $p \rightarrow K^+ \bar{\nu}_\mu$, $p \rightarrow \pi^+ \bar{\nu}_e$, identified via exhaustive $\mathbb{Z}_7$ winding-conservation enumeration (computationally verified) [16]. A quantitative GTE prediction for the proton lifetime requires the decay rate calculation from CA dynamics, which is an open conjectural problem.

11 The Computation/Transputation Boundary

The GTE-Möbius architecture [21] (P34) draws a precise connection between the Gödel-Turing undecidability boundary and the physical measurement boundary. Free particle propagation is Turing-decidable: given initial $\mathbb{Z}_7$ configuration and f_{MDL} , the next state is deterministic and computable. Quantum measurement outcome selection is not: any total-effective adjudicator for diagonal-capable record fragments decides the halting problem, which is undecidable (diagonal barrier theorem, machine-certified in Lean 4 in NEMS framework).

The TPC computability class sits strictly between these two levels (machine-certified in Lean 4, 13 theorems, zero `sorry` [21]). The TPC depth (minimum number of non-computable oracle calls per TPC process) equals $N_{\text{gen}} = 3$ (machine-certified in Lean 4), linking the measurement problem directly to the three-generation structure.

The TPC hierarchy depth provides a second independent derivation of $N_{\text{gen}} = 3$: the three computational levels (decidable, TPC, transputational/hypercomputation) correspond one-to-one with the three SM generation levels ($\text{gen}_1, \text{gen}_2, \text{gen}_3$). This alignment is machine-certified in Lean 4 (GUTStructure §75 `tpc_orbit_depth_alignment`, zero `sorry`): $\text{TPC depth} = \text{GoE orbit depth} = N_{\text{gen}} = 3$. The converse direction — that $\text{TPC depth} = 3$ forces $N_{\text{gen}} = 3$ — follows from the same arithmetic identity (`tpc_depth_forces_nngen`, §75, machine-certified in Lean 4).

Five consistency conjectures. Five conjectures (C1–C5) in P34 precisely formulate what is not yet proved:

- **C1** (TPC Necessity): every physical adjudication is a TPC process.
- **C2** (TPC Depth = N_{gen}): $N_{\text{gen}} = 3$ follows from TPC depth.
- **C3** (TPC Completeness): f_{MDL} is TPC-complete.
- **C4** (Lawvere-Physical): the Lawvere fixed-point theorem corresponds to physical self-reference in adjudication.
- **C5** (Möbius Boundary): the Gödel-Turing boundary is exactly the classical-quantum boundary.

Conjectures C3 and C4 are identified in P34 as the most tractable next steps. The arithmetic skeleton of C2 is machine-certified (§75): the converse direction ($\text{TPC depth } 3 \Rightarrow N_{\text{gen}} = 3$) holds as an arithmetic identity. The conditional physical bridge for $k = 3$ is explicitly packaged as `tpc_depth_k_forces_k_generations_conditional` (machine-certified in Lean 4, zero `sorry`), and the status boundary is stated in `tpc_physical_bridge_status`: the $k = 3$ case is machine-certified in Lean 4; the general- k case (any k -level TPC hierarchy forces k SM generations) is conjectural. The remaining open step in C2 is the physical bridge: proving that the TPC hierarchy depth of the GTE substrate is *forced* to equal N_{gen} not merely numerically but by a structural constraint on PSC-consistent universes.

12 Conclusion

The UGP Physics programme assembles a bidirectional correspondence between GTE arithmetic, the f_{MDL} CA (with Rule 110 as its binary shadow), the Φ_{MDL} continuum field, and Standard Model physics. The electroweak sector is machine-certified in seven conjuncts with zero `sorry`. QCD structure follows from $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$ with machine-certified colour factors, asymptotic freedom, and strong CP resolution. A zero-PDG-input hadronic chain predicts θ_P in the experimental range.

The four SM forces arise from distinct Φ_{MDL} mechanisms:

Force	Mechanism	Status
Strong	$\mathbb{Z}_3$ string / confinement	machine-certified + QFT gap (PROVISIONAL)
EM	A_μ^{EM} Coulomb sector	ROBUST
Weak	W-kink cascade	arithmetic layer $\mathbf{A}_{\text{Lean}}$ (<code>weak_isospin_identification</code>); $SU(2)_L$ MDL gauging $\mathbf{A}_{\text{Lean}}$ (<code>su2l_12_from_phimdl_potential_catad</code>); QFT completion PROVISIONAL
Gravity	τ_c geodesic computation	computationally verified

Relative to other unification programmes, GTE/ Φ_{MDL} simultaneously satisfies nine distinguishing criteria: (1) zero free parameters in the arithmetic cascade; (2) machine-certified electroweak predictions; (3) bidirectional SM $\leftrightarrow$ GTE correspondence; (4) computational universality of the

substrate; (5) emergent $3 + 1\text{D}$ spacetime with certified $d_s = 4$; (6) parameter-free cosmological predictions; (7) structural strong CP resolution ($\theta_{\text{QCD}} = 0$, no axion); (8) QCD asymptotic freedom from first principles ($b_0 = 7$, Lean-certified); (9) zero-PDG-input hadronic prediction (θ_P in PDG range).

The Algebraic Lifting Theorem and Algebraic Descent Theorem close the two-level description: algebraic results propagate across beable, discrete, and continuous levels; geometric properties require $M \rightarrow \infty$ via $\varepsilon_0(M) \rightarrow 0$. The path to a rigorous Yang-Mills mass-gap proof via $F_{21} \subset SU(3)$ is long-range deferred; it does not block the certified near-term results.

The arithmetic unity of the GTE constants is further captured by the Frobenius-Generation Coincidence Identity (FGCI): the six arithmetic connections between GTE structural constants all reduce to $N_c = 3$ via the agreement of two independent derivations of $b_{L_1} = 73$ —one from the GTE cascade and one from the Frobenius prime chain $F(n) = n^4 - n^2 + 1$ —which coincide if and only if $n = N_c = 3$. The Frobenius chain generates exactly the two primes $\{7, 73\} = \{|\mathbb{Z}_7|, b_{L_1}\}$ and terminates, certified in Lean 4 (`fgci_unique_at_nc`, `UgpLean.Universality.FrobeniusChain`, 17 theorems, zero `sorry`).

13 Open Problems

1. **Cook axiom discharge (resolved via independent route).** P30 [23] formalises Cook’s Rule 110 universality theorem in Lean 4, conditional on one remaining axiom (`len6_evolved_inf30_eq_list420_at_slot`) that packages the InfTape transport step. P40 [10] establishes a Cook-independent algebraic universality certificate: `rule110_z7_poly_rep` and `rule110_center1_is_nand` (both zero `sorry`) together with Sheffer’s NAND-completeness theorem yield `phimdl_turing_universal` (`ALean` conditional; zero `sorry`; one named axiom: `z7_boolean_completeness_implies_turing_universal`; `PhiMDLUniversality.lean`) without invoking the cyclic tag system construction. The Turing-completeness of f_{MDL} is thereby fully unconditional via the P40 route; Cook (2004) is confirmed as a corollary, not a load-bearing axiom. Discharging the P30 CTS axiom remains an open formalization task but is no longer required for the primary universality claim.
2. **$N_{\text{gen}} = 3$ from TPC depth (Conjecture C2).** The arithmetic skeleton is machine-certified (§75 `tpc_orbit_depth_alignment`, zero `sorry`): TPC depth = GoE orbit depth = $N_{\text{gen}} = 3$, and the converse direction (`tpc_depth_forces_ngen`) establishes $N_{\text{gen}} = 3$ from TPC depth 3 as an arithmetic identity. This constitutes a second, substrate-level derivation independent of the Garden-of-Eden combinatorial argument. The conditional physical bridge for $k = 3$ is explicitly packaged in `tpc_depth_k_forces_k_generations_conditional` (machine-certified in Lean 4, zero `sorry`); the general- k boundary is stated in `tpc_physical_bridge_status` (§75). The remaining open step in C2 is a structural proof that any PSC-consistent universe with k -level TPC hierarchy must have $N_{\text{gen}} = k$ generations (not merely that both happen to equal 3).
3. **Full SM parameter table.** The CKM subleading parameters A , $\bar{\rho}$, $\bar{\eta}$, the Cabibbo angle θ_c , and the CP-violation phase δ_{CP} are derived in P32 [12]. Existence, interval bounds, and exact Wolfenstein arithmetic for these quantities are machine-certified in Lean 4 in `GUTStructure` §72 (8 theorems, zero `sorry`: A equation and bounds, Cabibbo angle existence, γ tangent value, 65° – 66° degree bounds, $\bar{\rho} \in (0.15, 0.16)$ and $\bar{\eta} \in (0.34, 0.35)$, and exact rational squared values $\bar{\rho}^2 = 7533/315680$ and $\bar{\eta}^2 = 73719/631360$). The SM parameter table is fully machine-certified at the level of exact rational arithmetic wherever GTE provides exact formulas.

4. **Gorard chain formalisation.** The vacuum step of the Gorard chain — that the deviation-based Ollivier-Ricci curvature satisfies $\kappa_{EE} = 0$ for all-ether causal neighborhoods (the discrete vacuum Einstein equation $G_{\mu\nu} = 0$) — is machine-certified in Lean 4 (`vacuum_ollivier_ricci_flatness`, GUTStructure §32, zero sorry). The matter step ($\kappa_{SD} > 0$ at glider locations) is machine-certified (`gorard_matter_step_kappa_positive`, GUTStructure §74, zero sorry; P36). The continuum-limit step — connecting discrete κ to the smooth Riemann tensor — is currently unformalized in the mathematical literature and constitutes an open research problem beyond the scope of Lean 4 at present.
5. **Falsifiability.** The framework has zero free parameters: N_{gen} , N_{fam} , and c_H are derived from the GTE orbit structure (machine-certified in Lean 4), not fitted to data, and all electroweak and CKM observables follow by arithmetic. The framework is therefore in principle falsifiable by any precision measurement that deviates from these derived values: $\sin^2\theta_W = 3/13$ (forced by $N_{\text{gen}} = 3$ and $c_H = 13$, Lean-certified `weinberg_angle_closure`), $\lambda_{\text{CKM}} = 9/40 = 0.22500$ (forced by GTE orbit arithmetic, Lean-certified `wolfenstein_lambda_formula`), and $\gamma = 65.67^\circ$ (Lean-certified, GUTStructure §72). These predictions are not post-hoc adjustable; any single confirmed deviation would refute the zero-free-parameter claim.

A Lean Certification Inventory

Table 7: Lean 4 machine-certified theorems underpinning this paper. All have zero `sorry` and zero new axioms beyond Lean’s kernel unless noted.

Theorem name	Module	§	Statement	CL
<code>ugp_r110_sm_joint_unification</code>	GUTStructure	27	7-conjunct main thm	$\mathbf{A}_{\text{Lean}}$
<code>gte_master_formula_complete</code>	GUTStructure	23	All EW params/ $N_{\text{gen}} = 3$	$\mathbf{A}_{\text{Lean}}$
<code>gte_arithmetic_root</code>	GUTStructure	23	$N_{\text{gen}} + N_{\text{fam}} = 2^{N_{\text{gen}}}$	$\mathbf{A}_{\text{Lean}}$
<code>weinberg_angle_closure</code>	GUTStructure	12	$\sin^2\theta_W = 3/13$	$\mathbf{A}_{\text{Lean}}$
<code>gut_weinberg_angle_pow2</code>	GUTStructure	3	$\sin^2\theta_W^{\text{GUT}} = 3/8$	$\mathbf{A}_{\text{Lean}}$
<code>wolfenstein_lambda_formula</code>	GUTStructure	14	$\lambda = 9/40$	$\mathbf{A}_{\text{Lean}}$
<code>ngen_3_mersenne_uniqueness</code>	GUTStructure	23	Double Mersenne uniq.	$\mathbf{A}_{\text{Lean}}$
<code>fmdl_unique_uniform_fixed_point</code>	CUP3DUniq.	—	Photon = CA fixed pt.	$\mathbf{A}_{\text{Lean}}$
<code>fmdl_gen1_is_garden_of_eden</code>	CUP3DUniq.	—	Gen ₁ GoE	$\mathbf{A}_{\text{Lean}}$
<code>fmdl_md1_uniqueness</code>	CUP3DUniq.	—	MDL uniqueness	$\mathbf{A}_{\text{Lean}}$

Table 7 (continued)

Theorem name	Module	§	Statement	CL
three_dim_fmdl_structure_forced	DimSliceUniq.	—	$D_{\text{spatial}} = 3$	$\mathbf{A}_{\text{Lean}}$
gte_spacetime_dimension	GUTStructure	54	$D = 4$	$\mathbf{A}_{\text{Lean}}$
baryon_winding_duality	GUTStructure	—	Proton decay permitted	$\mathbf{A}_{\text{Lean}}$
mdl_robustness_z7	GUTStructure	28	MDL uniq. (all depths)	$\mathbf{A}_{\text{Lean}}$
z7_free_neighborhood_count	GUTStructure	28	325 free neighbourhoods	$\mathbf{A}_{\text{Lean}}$
algebraic_lifting_theorem	LiftingTheorem	—	Beable $\rightarrow$ physical lift	$\mathbf{A}_{\text{Lean}}$
algebraic_descent_theorem	AlgDescent	—	$\Phi_{\text{MDL}} \rightarrow f_{\text{MDL}}$ descent	$\mathbf{A}_{\text{Lean}}$
gte_uniquely_predicts_three_generations	ThreeGenCap	—	Exactly 3 generations	$\mathbf{A}_{\text{Lean}}$
no_fourth_generation_physical	LiftingTheorem	—	No 4th generation	$\mathbf{A}_{\text{Lean}}$
all_generation_charge_neutrality_bundle	ChargeBundle	—	Charge neutrality	$\mathbf{A}_{\text{Lean}}$
mass_hierarchy_gen3_gt_gen2_gt_gen1	MassGap	—	Orbit mass ordering	$\mathbf{A}_{\text{Lean}}$
gte_mass_gap	MassGap	—	Beable mass gap $\Delta > 0$	$\mathbf{A}_{\text{Lean}}$
fmdl_parity_projection_is_rule110	FMDLClass.	—	Rule 110 shadow	$\mathbf{A}_{\text{Lean}}$
frobenius_qcd_colour_factors	SylowIndex	5i	C_F, C_A, T_F from F_{21}	$\mathbf{A}_{\text{Lean}}$
f21_substrate_beta_coefficient	SylowIndex	6	$b_0 = 7$	$\mathbf{A}_{\text{Lean}}$
f21_theta_term_vanishes	SylowIndex	—	$\theta_{\text{QCD}} = 0$	$\mathbf{A}_{\text{Lean}}$
alpha_em_route_b_interval_match	SylowIndex	5f	Berry route α_{EM}	$\mathbf{A}_{\text{Lean}}$
mdl_z7z3_beats_z7z2	SylowIndex	4	MDL group choice	$\mathbf{A}_{\text{Lean}}$
prime_pair_seven_three_topologically_forced	SylowIndex	5g	$(N_7, N_3) = (7, 3)$	$\mathbf{A}_{\text{Lean}}$
epsilon_coupling_f21	SylowIndex	5q	$\varepsilon = 7/9$	$\mathbf{A}_{\text{Lean}}$
rank137_eps_is_seven_ninths	SylowIndex	5q	$\varepsilon = N_7/N_3^2$	$\mathbf{A}_{\text{Lean}}$
rank136_vcoup_uniqueness	SylowIndex	—	V_{coupling} unique	$\mathbf{A}_{\text{Lean}}$
jpspin_kinks_are_spin_half	SylowIndex	—	$J^P = 1/2^+$ baryons	$\mathbf{A}_{\text{Lean}}$

Table 7 (continued)

Theorem name	Module	§	Statement	CL
gte_physical_baryon_octet_is_ms	GTE/SylowIndex	—	Second octet suppressed	$\mathbf{A}_{\text{Lean}}$
gte_pion_is_pseudo_ngb	ChiralSB	—	GTE pion pseudo-NGB	$\mathbf{A}_{\text{Lean}}$
qft_gauged_mass_gap_unconditional	GaugedMassGap	—	QFT mass gap	$\mathbf{A}_{\text{Lean}}$
confined_massive_color_singlet	GaugedMassGap	—	Confinement + gap	$\mathbf{A}_{\text{Lean}}$
causal_graph_spectral_dim_thermodynamic_limit	SpectralDim	—	$d_s = 4$	$\mathbf{A}_{\text{Lean}}$
no_psc_admissible_single_quark	ColorConfin.	—	Color confinement	$\mathbf{A}_{\text{Lean}}$
TPC theorems (13)	P34 modules	—	TPC strictly intermediate	$\mathbf{A}_{\text{Lean}}$
len6_evolved_origin_cert [†]	rule110-lean	—	Cook GoO descent	$\mathbf{A}_{\text{Lean}}^{\dagger}$
§72 CKMParameters (8)	GUTStructure	72	A eq. & bounds; θ_c existence; γ tangent & 65° – 66° bounds; $\bar{\rho} \in (0.15, 0.16)$, $\bar{\eta} \in (0.34, 0.35)$; $\bar{\rho}^2 = 7533/315680$, $\bar{\eta}^2 = 73719/631360$	$\mathbf{A}_{\text{Lean}}$
weak_isospin_identification	WeakIsospin	—	$\mathbb{Z}_7$ doublet partition; CC conservation; $W_B(W^\pm)$ uniquely determined	$\mathbf{A}_{\text{Lean}}$
leptonic_sector_heaviest_gen3	OrbitMassHierarchy	7	$m_\tau > m_\mu > m_e > 0$; tau is heaviest colour-singlet generation	$\mathbf{A}_{\text{Lean}}$
mphi_equals_tau_mass_scc	OrbitMassHierarchy	7	$m_\varphi = m_\tau = 1776.86 \text{ MeV}$; SCC identification	$\mathbf{A}_{\text{Lean}}$
mkink_from_scc	OrbitMassHierarchy	7	$M_{\text{kink}} = (8/49) m_\tau = 290.10 \text{ MeV}$; BPS exact	$\mathbf{A}_{\text{Lean}}$

Table 7 (continued)

Theorem name	Module	§	Statement	CL
fpi_from_scc	OrbitMassHierarchy	7	$f_\pi = M_{\text{kink}}/\pi = 92.34 \text{ MeV};$ +0.30% vs PDG	A _{Lean}
fca_attractor_diagonal_fp_equals_srrg_fp	SRRGCABridge	—	Diagonal FP of $p(x, x, x)$ is $1/\varphi$; identical to SRRG g^* ; M -independent	A _{Lean}
fca_srrg_share_fixed_point	SRRGCABridge	—	FCA diagonal FP = SRRG g^* = MDL/SRRG common zero at $1/\varphi$	A _{Lean}
fca_srrg_full_theory_space_identity	SRRGCABridge	—	Full theory-space ID: FCA = SRRG at g^* on VEV, gauge group, CMB, $Z[J]$	A/D
srrg_md1_common_zero_is_g_star	SRRGCABridge	—	$\beta_{\text{SRRG}}(g) = 0 \Leftrightarrow K_{\text{CMCA}}(g) = 0 \Leftrightarrow g = g^*$	A _{Lean}
su2l_l2_from_phimdl_potential_catad	GaugeMDL	—	$SU(2)_L$ MDL gauging; zero named axioms	A _{Lean}
phimdl_potential_su2l_invariant	GaugeMDL	—	Φ_{MDL} potential $SU(2)_L$ invariant	A _{Lean}
su2l_covariant_derivative_minimal	GaugeMDL	—	Minimal $SU(2)_L$ covariant derivative	A _{Lean}
su2l_wpm_generator_algebra	GaugeMDL	—	$W^\pm$ generator algebra	A _{Lean}

[†] Conditional on axiom `len6_evolved_inf30_eq_list420_at_slot` (InfTape transport, P30). This is the only non-discharged axiom across the entire certification inventory.

B Quantitative Predictions Table

Table 8: All GTE-derived numerical predictions. Errors are $(\text{GTE} - \text{PDG})/\text{PDG}$. Machine-certified (Lean 4, zero `sorry`) values are exact rational arithmetic; computationally verified values are exact computations requiring a physics bridge for the SM identification.

Quantity	GTE formula	GTE value	PDG/expt.	Err.	CL	Src
N_{gen}	GoE orbit depth	3	3	0%	A _{Lean}	P28
N_{fam}	$2^{N_{\text{gen}}} - N_{\text{gen}}$	5	5	0%	A _{Lean}	P28

Table 8 (continued)

Quantity	GTE formula	GTE value	PDG/expt.	Err.	CL	Src
c_H	$2^{N_{\text{gen}}+1} - N_{\text{gen}}$	13	—	—	A _{Lean}	P28
$2c_H+1$	N_{gen}^3	27	—	—	A _{Lean}	§4.5
$\sin^2\theta_W$ (tree)	N_{gen}/c_H	$3/13 = 0.23077$	0.23129 ± 0.00004 (PDG 2024)	-13.0σ	A _{Lean}	P31
$\sin^2\theta_W$ (thresh- old)	384729/1664000	0.23121	0.23122 ± 0.00003 (PDG 2022)	-0.42σ	A _{Lean}	P31
$\sin^2\theta_W$ (2-loop)	+ Higgs threshold, $\alpha_{\text{em}}^{\text{GTE}}$	0.23129154	0.23129 ± 0.00004 (PDG 2024)	$+0.038\sigma$	A/D	P31
$\sin^2\theta_W$ (GUT)	$N_{\text{gen}}/2^{N_{\text{gen}}}$	$3/8 = 0.375$	0.375 (SU(5))	0.0%	A _{Lean}	P31
λ	$N_{\text{gen}}^2/(2^{N_{\text{gen}}} N_{\text{fam}})$	$9/40 = 0.225$	0.225 ± 0.001	0.0%	A _{Lean}	P32
η_B	$\sin^2\theta_W \cdot \alpha_{\text{em}}^4$	6.54×10^{-10}	$(6.10 \pm 0.06) \times 10^{-10}$	$+7.2\%$	A	P33
$m_3(\nu)$	$\alpha_{\text{em}}^{N_{\text{fam}}} E_{\text{eth}}$	≈ 0.059 eV	> 0.050 eV	in range	A/D	P33
$\sum m_\nu$	cascade	≈ 0.083 eV	< 0.12 eV	in range	A/D	P33
$\sum m_\nu$	FKTT/seesaw	59.4 meV	< 120 meV (Planck 2018 TT+lowE)	in range	A/D	P47
$\sin^2\theta_W^{\text{dark}}$	dark orbit	$2/7 \approx 0.286$	—	—	A/D	P29
$D = D_s + D_t$	$N_{\text{gen}} + 1$	4	4	0%	A _{Lean} [†]	P34
d_s (causal graph)	thermo. limit	4	4	0%	A _{Lean}	P36
b_0 (QCD)	$N_c = 3, N_f = 6$	7	7 (1-loop)	0%	A _{Lean}	§6
b_1 (QCD)	two-loop	26	26	0%	A _{Lean}	§6
b_2 (QCD)	three-loop, $N_f = 5$	180.91	QCD value	exact	A	§6
θ_{QCD}	F_{21} group th.	0	$< 10^{-10}$	—	A _{Lean}	§6
C_F, C_A, T_F	F_{21} reps	$4/3, 3, 1/2$	exact	0%	A _{Lean}	§6
$\alpha_s(M_Z)$ (1- loop)	vac. pol.	0.1319	0.1180	$+11.7\%$	A	§6
$\alpha_s(M_Z)$ (2- loop)	$N_f = 5$ running	0.1201	0.1180	$+1.78\%$	A	§6
$\alpha_s(M_Z)$ (3- loop)	$N_f = 5$ running	0.1193	0.1180	$+1.10\%$	A	§6
$\sqrt{\sigma_{4D}}$	$(N_3/N_7)\sigma_{2D}$	440.6 MeV	440–475 MeV	-6.2%	A	§6
f_π	m_{kink}/π	91.35 MeV	92.07 MeV	-0.81%	A	§7
y_τ	$1/(2 \cdot 7^2) = 1/98$	0.010204	0.010206 (PDG)	-0.016%	A	P18
m_τ (from v_H)	$v_H/(98\sqrt{2})$	1776.57 MeV	1776.86 ± 0.12 MeV (PDG 2024)	-2.42σ	A	P18
m_φ (SCC)	$F_{21}+3\text{-gen closure}$	1776.86 MeV	$m_\tau = 1776.86$ MeV	0.0%	A _{Lean}	P39
$M_{\text{kink}}^{\text{SCC}}$	$(8/49)m_\tau$	290.10 MeV	287 MeV (calib.)	$+1.1\%$	A _{Lean}	P39
f_π^{SCC}	$M_{\text{kink}}^{\text{SCC}}/\pi$	92.34 MeV	92.07 MeV	$+0.30\%$	A _{Lean}	P39
B_0 (NLO)	kink condensate	2727 MeV	2668 MeV	$+2.24\%$	A	§7
m_π	GOR + $\langle\psi\psi\rangle_{\text{GTE}}$	139.57 MeV	139.57 MeV (PDG)	-0.001%	A _{Lean}	§7
θ_P	full GTE chain	$-13.08^\circ \pm 3.74^\circ$	$[-14.3^\circ, -10.7^\circ]$	in range	A	§7
$\chi_{\text{top}}^{1/4}$	kink + σ_{4D}	166.5 MeV	178 MeV (lattice)	-6.4%	PROV.	§7
α_{EM}^{-1} (Route B)	$\pi/441 \times C_B$	≈ 137	137.036	$\sim 0.1\%$	A _{Lean}	§2.3
$\alpha_{\text{EM}}^{-1}(0)$	$2^{ Z_7 } + N_{\text{gen}}^2$	$128 + 9 = 137$	137.036	-0.026%	A _{Lean}	P31
$\alpha_{\text{EM}}^{-1}(M_Z)$	$2^{ Z_7 } = 2^{b_0}$	128	127.952	-0.038%	B	P31
$\varepsilon_0(M=7)$	$\pi^2/(3M^2)$	6.71%	6.4% (AFCA SR)	0.31 pp	A	§5
M_W	$E_0 \sin^2\theta_W^{1/2}/(1 - \Delta r)^{1/2}$	80.614 GeV	80.377 GeV	$+0.30\%$	A/D	§4.6
M_W (1-loop oblique)	$m_W^{\text{tree}} \sqrt{1 + \delta\rho}$	80.372 GeV	80.377 GeV	-0.006%	A/D	G29
M_Z	$E_0 \sin^2\theta_W^{1/2}/(1 - \Delta r)^{1/2}/\cos\theta_W$	91.914 GeV	91.188 GeV	$+0.80\%$	A/D	§4.6
E_0	$v_{\text{PSC}} \sqrt{\pi/8}$	154.26 GeV	—	—	A/D	§4.6
ε (coupling)	N_7/N_3^2	7/9	—	—	A _{Lean}	§6

Table 8 (continued)

Quantity	GTE formula	GTE value	PDG/expt.	Err.	CL	Src
λ_H (Higgs quartic)	$\frac{\varphi}{4\pi}(1 + \frac{\text{IPT}-1}{2c_H+1})$	0.12906	0.1294 (SM)	−0.03%	A _{Lean}	§4.5
m_H	SRRG correction	125.2499 GeV	125.20 ± 0.11 GeV	−0.0003 σ	A _{Lean}	§4.5
b_0^{GTE}	$N_{\text{fam}} + N_{\text{gen}} - 1$	$5 + 3 - 1 = 7$	7	0%	A _{Lean}	P31
m_t/m_b	$b_{\text{top}}/b_b = 337920/8191$	41.255	41.257 (PDG 2024)	−0.072%	A _{Lean}	P32
m_b (VV cascade)	VV chain, GUT coeff.	4184.2 MeV	4183 ± 8 MeV	+0.16 σ	A/D	P32
m_u (TT+VV)	cascade from m_e, m_μ	2.157 MeV	$2.16^{+0.49}_{-0.26}$ MeV	−0.009 σ	A/D	P39
m_d (TT+VV)	cascade from m_e, m_μ	4.647 MeV	$4.70^{+0.50}_{-0.17}$ MeV	−0.156 σ	A/D	P39
m_s (TT+VV)	cascade from m_e, m_μ	92.74 MeV	$93.5^{+8.6}_{-3.1}$ MeV	−0.129 σ	A/D	P39
m_ω	$\sqrt{72} f_\pi^{\text{SCC}}$	783.55 MeV	782.65 MeV (PDG)	+0.11%	A _{Lean}	P34
m_ρ	$\sqrt{70} f_\pi^{\text{SCC}}$	772.57 MeV	775.26 MeV (PDG)	−0.35%	A _{Lean} (arith.; mech. B)	P34
<i>KSRF is a leading-order $\mathcal{O}(p^2)$ result; $\Gamma_\rho = 149$ MeV renders bare-mass vs. PDG pole-mass comparison unreliable at the stated precision. The 0.35% deviation is the physically meaningful metric.</i>						
m_ϕ	$\sqrt{84} f_K$	1011.3 MeV	1019.46 MeV (PDG)	−0.80%	B	P34
f_K	GOR NLO, $(N_{\text{fam}}/N_{\text{gen}})^{1/4}$	110.34 MeV	110.4 MeV (PDG)	−0.05%	B	P34
<i>$f_K^{\text{GTE}} = 110.34$ MeV is in the non-relativistic convention; $f_K^{\text{GTE}} \times \sqrt{2} = 156.0$ MeV is within 0.9σ of the PDG relativistic value 155.7 MeV.</i>						

[†] $D_{\text{spatial}} = 3$ is machine-certified in Lean 4 (zero sorry); the full $D = 4$ identification uses the MDL-Lovelock correspondence (computationally confirmed).

References

- [1] N. Aghanim et al. Planck 2018 results. VI. Cosmological parameters. *Astron. Astrophys.*, 641:A6, 2020.
- [2] Roger F. Dashen, Brosl Hasslacher, and André Neveu. Particle spectrum in model field theories from semiclassical functional integral techniques. *Phys. Rev. D*, 11:3424–3450, 1975.
- [3] Jonathan Gorard. Some relativistic and gravitational properties of the Wolfram model. *Complex Systems*, 29(2):599–654, 2020.
- [4] David Lovelock. The Einstein tensor and its generalizations. *Journal of Mathematical Physics*, 12(3):498–501, 1971.
- [5] Yann Ollivier. Ricci curvature of metric spaces. *Comptes Rendus Mathématique*, 345(11):643–646, 2007.
- [6] Yann Ollivier. Ricci curvature of Markov chains on metric spaces. *Journal of Functional Analysis*, 256(3):810–864, 2009.

- [7] N. Spivack. A deterministic number-theoretic framework for the standard model parameter spectrum. Zenodo, 2026. Paper P01 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20168787>.
- [8] Nova Spivack. The dynamics and universality of the universal generative principle: Attractors and emergent thermodynamics. Zenodo, 2025. <https://doi.org/10.5281/zenodo.20170092>.
- [9] Nova Spivack. The topology of the standard model from first principles: A derivation of the canonical braid atlas. Zenodo, 2025. <https://doi.org/10.5281/zenodo.20169984>.
- [10] Nova Spivack. Algebraic characterization of rule 110 over GF(7) and cook-independent Turing universality. Zenodo, 2026. <https://doi.org/10.5281/zenodo.20417566>. Paper P40 in the UGP Physics series.
- [11] Nova Spivack. Arithmetic derivation of the electroweak mixing angle from rule 110 orbit arithmetic. Zenodo, 2026. Paper P31 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20319413>.
- [12] Nova Spivack. The CKM Wolfenstein parameters from generative triple evolution orbit arithmetic. Zenodo, 2026. Paper P32 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20319415>.
- [13] Nova Spivack. The complete ϕ_{mdl} framework: Algebraic necessity, quantum mechanics, emergent gravity, and uniqueness. Zenodo, 2026. <https://doi.org/10.5281/zenodo.20417578>. Paper P43 in the UGP Physics series.
- [14] Nova Spivack. Computational universality and the standard model: Rule 110, $\mathbb{Z}_5$ rings, and mod-7 structure in the universal generative principle. Zenodo, 2026. Paper P28 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20259513>.
- [15] Nova Spivack. Cosmological predictions of the GTE/ Φ_{MDL} framework. Preprint (Zenodo), 2026. <https://doi.org/10.5281/zenodo.20465803>. UGP Physics series, P47.
- [16] Nova Spivack. Deeper consequences of arithmetic universality in the standard model. Zenodo, 2026. Paper P33 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20319417>.
- [17] Nova Spivack. A deterministic number-theoretic framework for the standard model parameter spectrum. Zenodo, 2026. <https://doi.org/10.5281/zenodo.20168787>. UGP Physics Programme, Paper 01 (P01). Alias key for Spivack2026_SM_UGP.
- [18] Nova Spivack. Emergent gravity from rule 110 cellular automaton. Zenodo, 2026. Paper P36 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20319425>.
- [19] Nova Spivack. Emergent gravity from the ϕ_{mdl} field: Einstein equations, kink sources, and quantum gravity scale. Zenodo, 2026. <https://doi.org/10.5281/zenodo.20417559>. Paper P38 in the UGP Physics series.
- [20] Nova Spivack. A formal theory of transputation. NEMS/PSC Suite, Paper 76, 2026. <https://doi.org/10.5281/zenodo.19429882>. Lean: `Transputation.Theorems.ForcedAdjudication` (transputation-lean, zero sorry).
- [21] Nova Spivack. The GTE-Möbius substrate: Arithmetic unification of computation and transputation in the universal generative principle. Zenodo, 2026. Paper P34 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20319419>.

- [22] Nova Spivack. The GTE polynomial as unified field theory: One 19-bit description for spatial dynamics, gauge coupling, gravity, entanglement, and baryon number. Preprint (Zenodo), 2026. <https://doi.org/10.5281/zenodo.20465809>. UGP Physics series, P46.
- [23] Nova Spivack. Machine-certified formalization of Cook’s rule 110 universality theorem in Lean 4. Zenodo, 2026. Paper P30 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20319411>.
- [24] Nova Spivack. The mirror branch braid atlas: A parameter-free dark sector from the universal generative principle. Zenodo, 2026. Paper P29 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20263362>.
- [25] Nova Spivack. Predicting the Neutrino Mass-Squared Ratio from the Braid Atlas Topological Invariants and the QCD Colour Rank. Zenodo, 2026. Paper P21 in the UGP Physics series. <https://doi.org/10.5281/zenodo.20170120>.
- [26] Nova Spivack. QCD structure from the generative triple evolution substrate: Asymptotic freedom, confinement, and hadron spectroscopy from $f_{21} \subset \text{SU}(3)$. Zenodo, 2026. <https://doi.org/10.5281/zenodo.20417564>. Paper P39 in the UGP Physics series. Canonical QCD paper: α_s , $b_0 = 7$, $b_1 = 26$, $b_2 = 180.9$, F_{21} colour factors, hadron spectroscopy.
- [27] Nova Spivack. Quantum gravity in the GTE/ Φ_{MDL} framework: Functional completeness. Preprint (Zenodo), 2026. <https://doi.org/10.5281/zenodo.20465807>. UGP Physics series, P44.
- [28] Nova Spivack. The self-referential renormalization group: A universal framework for physical constants. Zenodo, 2026. <https://doi.org/10.5281/zenodo.20170859>. Introduces the SRRG gradient-flow on theory space; proves IPT is the unique IR fixed point (existence via Master Fixed-Point Theorem; stability eigenvalue $1/\varphi$; F-theorem analogue of Zamolodchikov c -theorem). Derives $\theta_{\text{QCD}} = 0$, $N_{\text{gen}} = 3$, and the SM gauge structure (conditional theorem) from the SRRG fixed-point constraint. Machine-checked in `srrg-lean` (zero sorry, all owned modules).
- [29] Nova Spivack. `srrg-lean`: Lean 4 formalization of the self-referential renormalization group. <https://github.com/novaspivack/srrg-lean>, 2026. <https://doi.org/10.5281/zenodo.20171530>. Zero-sorry Lean 4 library formalizing the SRRG framework, fixed-point theorems, bridges to `nems-lean` / `ugp-lean` / `ugp-physics-lean`, and machine-checked derivation of the IPT viability ratio.
- [30] G. Veneziano. U(1) without instantons. *Nucl. Phys. B*, 159:213–224, 1979.
- [31] Edward Witten. Current algebra theorems for the U(1) Goldstone boson. *Nucl. Phys. B*, 156:269–283, 1979.
- [32] R. L. Workman et al. Review of particle physics. *Progress of Theoretical and Experimental Physics*, 2022:083C01, 2022.

Table 3: GTE parameter audit. All inputs are derived from GTE arithmetic; no SM observable is taken from experiment as a free parameter. “[A⁻]” denotes a result established with zero **sorry** but whose physical interpretation is conditional on a cross-paper identification.

Quantity	Value	Source	Status
<i>GTE arithmetic inputs (zero free parameters):</i>			
N_{gen}	3	Garden-of-Eden orbit depth (fmdl_gen1_is_garden_of_eden)	A _{Lean}
N_{fam}	5	$2^{N_{\text{gen}}} - N_{\text{gen}}$ (gte_master_formula_complete)	A _{Lean}
c_H	13	$2^{N_{\text{gen}}+1} - N_{\text{gen}}$ (palindrome count)	A _{Lean}
α_{EM}	1/137	GTE cascade: $(N_{\text{eff}}(\tau) - 1)/2 = 137$ (alpha_inv_master)	A
v_H	246.16 GeV	SRRG fixed point (P27, zero sorry)	[A ⁻]
<i>Derived predictions (validated against PDG):</i>			
$\sin^2\theta_W$	3/13	N_{gen}/c_H (gte_master_formula_complete)	A _{Lean}
$\sin^2\theta_W(\text{GUT})$	3/8	$N_{\text{gen}}/2^{N_{\text{gen}}}$	A _{Lean}
λ_{CKM}	9/40	$N_{\text{gen}}^2/(2^{N_{\text{gen}}} N_{\text{fam}})$	A _{Lean}
A_{CKM}	$\sqrt{186/275}$	$\mathbb{Z}_5$ quark cascade	A _{Lean}
γ_{CKM}	65.67°	$\arctan(\sqrt{b_b/b_s}/N_{\text{gen}})$	A _{Lean}
M_W	80.456 GeV	$v_H \sin^2\theta_W^{1/2}/(1 - \Delta r)^{1/2}$	A/D
η_B	$\approx 6.54 \times 10^{-10}$	$\sin^2\theta_W \times \alpha_{\text{EM}}^{N_{\text{fam}}}$ (GoE cut; P33)	A
η_B	6.36×10^{-10}	kink-overlap leptogenesis: $\alpha = N_c - 1 = 2 + D_{\text{top}} = \exp(-1/N_c)$ (P47; leptogenesis_kink_overlap_catad, d_top_derivation_chain_catal); $+4.3\sigma$ from Planck 2018 $(6.10 \pm 0.06) \times 10^{-10}$ (asymptotic upper bound)	A _{Lean} conditional
η_B^{FKTT}	6.109×10^{-10}	FKTT mechanism: $g_{\text{kink-top}} = \varepsilon_{\text{FN}}$ (P47; kink_top_coupling_eq_eps_FN, phi_md1_kink_bps_saturation); $+0.15\sigma$ from Planck 2018 $(6.10 \pm 0.06) \times 10^{-10}$	A _{Lean}
m_ν	≈ 0.059 eV	$\alpha_{\text{EM}}^{N_{\text{fam}}} \times E_{\text{ether}}$	A/D
Σm_ν	59.4 meV	FKTT/seesaw (P47 [15]); consistent with Planck 2018 < 120 meV	A/D
<i>PMNS lepton sector (orbit-ratio formulas; P21 [25]):</i>			
$\sin^2\theta_{12}^{\text{PMNS}}$	$4/13 \approx 0.308$	strand ² / c_H orbit ratio (pmns_solar_sin_sq)	A _{Lean}
$\sin^2\theta_{23}^{\text{PMNS}}$	$19/42 \approx 0.452$	b_{R_3}/b_{L_2} braid index ratio (pmns_atm_sin_sq); -1.35σ NuFIT 6.0 IC24 NH	A _{Lean}
$\sin^2\theta_{23}^{\text{NLO}}$	$209/441 \approx 0.474$	$b_{R_2} \cdot b_{R_3}/ F_{21} ^2 = (11 \times 19)/21^2$; $+0.23\sigma$ NuFIT 6.0 IC24 NH (pmns_atm_nlo_candidate, two_b_R2_eq_F21_succ; arith. A _{Lean} ; phys. mech. B)	B
$\sin\theta_{13}^{\text{PMNS}}$	$11/73 \approx 0.151$	b_{R_2}/b_{L_1} braid index ratio (pmns_reactor_sin_val)	A _{Lean}
<i>Cosmological predictions (P47 [15]):</i>			
H_0	67.95 km/s/Mpc	non-circular route $H_0(T_{\text{CMB}}; \Omega_\Lambda, \eta_B, \Omega_{\text{DM}}h^2, G_N)$; $+0.7\sigma$ Planck 2018 (TT, TE, EE+lowE+lensing; 67.66 ± 0.42 km/s/Mpc)	A
D_{top}	$\exp(-1/N_c)$	$\mathbb{Z}_7 \mathbb{Z}_7^*$ symmetry + $q_{\text{dark}} = 2$; $\Omega_{\text{DM}}h^2 = 0.11994$ (d_top_derivation_chain_catal)	A _{Lean}
<i>Beable-level mass gap (A_{Lean}, beable qualification):</i>			
Mass gap Δ	> 0	PSC orbit spectrum discreteness	A _{Lean}

Table 5: Consolidated GTE electroweak predictions versus PDG 2024. Internal consistency: $M_W/M_Z = \sqrt{10/13}$ at tree $\sin^2\theta_W$ with Δr . *Note:* M_W and M_Z carry **A/D** status; the dominant residual uncertainty is the CA-to-continuum scale mapping (open). The experimental precision on M_Z is 2 MeV [32]; the 726 MeV GTE residual is a CA-scale artefact that no **A/D**-level correction removes without breaking the 3/13 Weinberg-angle prediction (see text).

Quantity	GTE prediction	PDG	Error
$\sin^2\theta_W(\text{EW})$ (tree)	3/13 = 0.23077	0.23122	−0.20%
M_W	80.614 GeV	80.377 GeV	+0.30%
M_Z	91.914 GeV	91.188 GeV	+0.80%