

The Φ_{MDL} Field:

From Discrete Certificate to Continuum Physics

novaspivack.com/research P48 monograph (doi.org/10.5281/zenodo.20560550)

UGP Physics Tutorial Series

doi.org/10.5281/zenodo.20657885

Nova Spivack

2026

Contents

1	The Puzzle: From a 7-State Rule to Quantum Field Theory	3
2	The Two-Level Architecture: The Key Idea	4
2.1	Certificate and Substrate	4
2.2	What the CMCA Certifies	5
2.3	A Worked Example: The Electron at Both Levels	5
3	The No-CA-Replica Theorem	6
3.1	The Question	6
3.2	The Lorentz Invariance Argument	6
3.3	What the Theorem Does and Does Not Say	7
3.4	Contrast with Other CA Proposals	7
4	The Algebraic Lifting Theorem	8
4.1	What “Lifting” Means	8
4.2	The Complementary Direction: Algebraic Descent	8
4.3	What the Two Theorems Mean Together	9
4.4	A Plain-English Example	9
5	BPS Kinks: The Physical Particles	9
5.1	What a Kink Is	9
5.2	The Rope Analogy	10
5.3	Why BPS Kinks Are Special: Stability and the Energy Bound	10
5.4	The SM Particle Assignment Table	10
5.5	Three Generations from One Field	11
6	The Calibrated-Reading Resolution	11
6.1	Does the CA Have a Lattice Spacing?	11
6.2	The Matter-Sector Reading	11
6.3	The Gravitational Reading	12
7	The Ladder: Mathematical Substrate, Certificate, Physical Substrate	12
7.1	Three Rungs, Three Roles	12
7.2	The Ladder Is Orthogonal to the “Levels” Vocabulary	13

8	Why This Is Remarkable	13
8.1	What Previous CA Proposals Did	13
8.2	What GTE Does Differently	14
8.3	What the Framework Derives, Not Fits	14
9	Summary	15

UGP Physics Tutorial Series

Prerequisites (read first): *The GTE Polynomial* · *How the UWCA Works* · *The Three-Tape CMCA*

Next tutorials: *How the Standard Model Quantum Numbers Emerge* · *Gravity from Description-Length Minimization*

See also: *The Born Rule as a Theorem*

Claim-Strength Taxonomy

Throughout this tutorial, results are labeled with a confidence grade:

- **A_{Lean} (CatAL)** — Machine-certified in Lean 4 with zero **sorry** and zero custom axioms. Independently verifiable by anyone with Lean installed.
- **A/D (CatAD)** — Analytically derived with full derivation, computationally confirmed. Not yet machine-certified.
- **A (CatA)** — Analytically derived; derivation complete but not independently machine-certified.
- **A/D (conditional)** — Derived under a named, stated premise; the premise is itself an open problem or a CatB assumption.
- **B (CatB)** — A stated working hypothesis or structural premise; not yet derived.

1 The Puzzle: From a 7-State Rule to Quantum Field Theory

The question this tutorial answers

We have a single polynomial, $p(L, C, R) = C + R - CR - LCR \pmod{7}$, that updates a row of cells in seven possible states. From this 19-bit rule, the masses of all elementary particles, the structure of spacetime, and the laws of quantum mechanics can all be derived — with zero free parameters and over 300 machine-certified proofs.

How? The cellular automaton is not the universe. It is an algebraic certificate for a continuum quantum field, Φ_{MDL} , which is what the universe is made of. This tutorial explains what that distinction means and why it matters.

Imagine you receive a blueprint for a building. The blueprint is a flat sheet of paper covered in lines and dimensions. The building is three-dimensional, made of steel and glass, standing in a city. The blueprint is not the building — but it contains everything you need to determine exactly what the building must be.

The GTE framework [1] works the same way:

- The **blueprint** is the Chiral Minkowski Cellular Automaton (CMCA), described by the 19-bit polynomial p over the Galois field $\text{GF}(7)$. It is a finite, discrete algebraic object that can be machine-checked in a proof assistant (Lean 4).
- The **building** is Φ_{MDL} [2] — a quantum field pervading all of 3+1-dimensional Minkowski spacetime. It is the actual physical substance of the universe. Particles, forces, and spacetime itself emerge from its behavior.

The natural next question is: why do we need the blueprint at all? Why not just work directly with the building? The answer is a technical one that turns out to be profound: the discrete cellular automaton is the *proof engine* for the continuum field. Algebraic facts that would be fiendishly difficult to prove directly in the continuum become simple, finite, machine-checkable computations in the CA. The CA certifies; the field realizes.

This tutorial is organized around three conceptual steps:

1. Understanding the two-level architecture (§2): the distinction between algebraic certificate (Level 1) and physical substrate (Level 2).
2. The no-CA-replica theorem (§3): why the universe *cannot* be a cellular automaton at the substrate level, and what forces us to the continuum.
3. The Algebraic Lifting Theorem (§4): the formal bridge that carries results from the certificate to the continuum field.

The later sections then show what this machinery produces: BPS kinks as particles (§5), the calibrated-reading picture of the lattice spacing (§6), and the three-rung ontological ladder that organizes the whole framework (§7).

2 The Two-Level Architecture: The Key Idea

2.1 Certificate and Substrate

The most important conceptual distinction in the whole GTE framework is the following:

The fundamental distinction

Level 1 (algebraic certificate): The CMCA — the discrete cellular automaton with polynomial p over $\text{GF}(7)$. This certifies *what structures the universe must contain*, but is not itself the physical universe.

Level 2 (physical substrate): Φ_{MDL} — the $\mathbb{Z}_7$ -symmetric Klein-Gordon quantum field on $\mathbb{R}^{3+1}$. This is what the universe actually is. Particles, forces, and spacetime geometry emerge from its dynamics.

Three analogies illuminate why one can certify without being:

The blueprint analogy. A building blueprint is a two-dimensional drawing that encodes everything about a three-dimensional building. The blueprint is not the building — you cannot live in it, and it is not made of glass — but it certifies exactly what the building’s structure must be. The CMCA is the blueprint; Φ_{MDL} is the building.

The program analogy. A computer program (a text file of instructions) describes a computation, but it is not the computation itself. The program can be machine-checked for correctness, stored cheaply, and transmitted instantly. The running computation takes time, consumes energy, and unfolds in the physical world. The CMCA is the program; Φ_{MDL} is the running program-as-physical-process.

The thermometer analogy. A thermometer does not contain the gas it measures — it certifies a property (temperature) of that gas. The gas is the physical substance; the thermometer reading is a certificate about the gas. The CMCA certifies algebraic properties of Φ_{MDL} ; those properties are then inherited by the continuum field.

2.2 What the CMCA Certifies

The CMCA can certify, in a completely rigorous, machine-checkable way, all of the following *algebraic* properties of the physical universe — properties that hold regardless of the spatial resolution or scale:

- **Which particle types exist.** There are exactly five PSC-admissible winding sectors: $\{0, 2, 3, 4, 6\} \subset \mathbb{Z}_7$, corresponding to the Standard Model particle classes. Machine-certified: `psc_admissible_sectors` (zero sorry).
- **Why there are three generations.** The $\mathbb{Z}_7^5$ orbit under f_{MDL} has exactly three non-vacuum orbit types, cycling with period 3. This is a consequence of the $\mathbb{Z}_7$ arithmetic, not a free input. Machine-certified: `three_generations_physical`, `sm_period3_orbit_chain` (zero sorry).
- **The electric charge formula.** $Q = w_c/3$, where w_c is the centered representative of the $\mathbb{Z}_7$ winding number. An electron has winding $w = 4$, so $Q = (4 - 7)/3 = -1$, exactly. Machine-certified: `gte_charge_is_linear_projection` (zero sorry).
- **Particle statistics.** Sectors $\{2, 4, 6\}$ are non-primitive roots of $\mathbb{Z}_7^*$ (order 3) and carry fermionic statistics. Sector $\{3\}$ has order 6 and carries bosonic statistics. Machine-certified: `gte_winding_identifies_charged_fermions` (zero sorry).
- **Charge quantization and colour confinement.** The $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$ structure forces exact charge quantization and makes free coloured quarks MDL-forbidden. Machine-certified: `gte_charge_is_linear_projection`, `psc_forbids_free_colored_quarks` (zero sorry).
- **The strong CP angle is zero.** Three independent algebraic proofs establish $\theta_{\text{QCD}} = 0$ from F_{21} group theory alone — no axion required. Machine-certified (three independent theorems, zero sorry).

What Level 1 cannot certify

The CMCA cannot certify:

- Exact Lorentz invariance (requires $M \rightarrow \infty$; see §3).
- Particle masses (those come from the Level-2 orbit cascade and the field’s energy, not from the CA’s discrete rule).
- Specific CA patterns at the Compton scale that correspond to electrons or quarks (the exact microstructure is an open problem; the certificate certifies existence, not the specific glider pattern).

These properties require the continuum field Φ_{MDL} .

2.3 A Worked Example: The Electron at Both Levels

To make the two-level picture concrete, trace the electron through both descriptions.

Level 1 (what the certificate says): The electron corresponds to the gen_1 beable configuration $[1, 5, 2, 2, 1]$ in $\mathbb{Z}_7^5$. Its algebraic invariants are: winding $W_B = 4$, zero predecessors in the orbit dynamics (“Garden of Eden” — it is the most algebraically stable), and fermionic statistics ($\text{ord}(4) = 3$ in $\mathbb{Z}_7^*$). Charge: $Q = (4 - 7)/3 = -1$. All machine-certified with zero sorry.

Level 2 (what the physical field says): The electron is a BPS topological kink in Φ_{MDL} with winding $w = 4$, connecting the fourth vacuum to the zeroth. Its charge is $Q = -1$, its

spin $J = 1/2$, and its mass $m_e = 0.511$ MeV from the Level-1 orbit cascade (the $N_{\text{eff}} = 73$ seed value).

The formal chain:

$$\begin{array}{c}
 \underbrace{[1, 5, 2, 2, 1], W_B=4, \text{ Garden of Eden}}_{\text{Level-1 certificate}} \\
 \xrightarrow{\text{algebraic_lifting_theorem (zero sorry)}} \\
 \underbrace{w=4 \text{ kink in } \Phi_{\text{MDL}}, Q=-1, J=\frac{1}{2}}_{\text{Level-2 physical state}} \xrightarrow{\text{orbit cascade}} m_e = 0.511 \text{ MeV}.
 \end{array}$$

Why is this remarkable? We did not put in the charge, the statistics, or the mass as free parameters. They follow from the single 19-bit polynomial, via the algebraic certificate, via the Lifting Theorem.

3 The No-CA-Replica Theorem

3.1 The Question

Many physicists and computer scientists have proposed that the universe *is* a cellular automaton — that at the deepest level, spacetime consists of discrete cells that update according to a local rule. Wolfram’s original “new kind of science” program, and ’t Hooft’s CA interpretation of quantum mechanics, both take this view.

The GTE framework takes a different position: the CA is the proof engine, not the substrate. But why? What prevents the universe from simply being a CA?

3.2 The Lorentz Invariance Argument

The answer is Lorentz invariance — the symmetry of special relativity that says the laws of physics look the same to all observers moving at constant velocity.

Any finite cellular automaton has a finite lattice spacing. With a finite lattice spacing, there is a preferred frame: the frame in which the lattice is at rest. At high velocities — when the Lorentz factor γ is large — the lattice structure becomes visible as small violations of Lorentz symmetry.

This violation can be quantified precisely. For a CA with M cells per unit length, the **Nyquist residual** is:

$$\varepsilon_0(M) = \frac{\pi^2}{3M^2}.$$

This measures the fractional error in the dispersion relation (how energy relates to momentum) due to the discrete lattice.

Model	$\varepsilon_0(M) = \pi^2/(3M^2)$	Interpretation
CMCA at $M = 7$	6.71%	CA scale error
$M = 100$	0.33%	small but nonzero
$M = 10^6$	3.3×10^{-12}	negligible but nonzero
$M \rightarrow \infty$ (Φ_{MDL})	0 (exact)	exact Lorentz invariance

The key observation is: *for any finite M , the error is strictly positive.* There is no finite-resolution CA that achieves exact Lorentz invariance. Only the continuum limit $M \rightarrow \infty$ achieves $\varepsilon_0 = 0$ exactly, and that limit is Φ_{MDL} .

Theorem: No-CA-Replica and Φ_{MDL} Uniqueness (machine-certified)

For every finite lattice resolution $M > 0$:

$$\varepsilon_0(M) = \frac{\pi^2}{3M^2} > 0.$$

No finite-resolution discrete model can exactly replicate Φ_{MDL} 's Lorentz invariance. The $M \rightarrow \infty$ continuum limit is the unique exact Lorentz-invariant model in the $\mathbb{Z}_7$ class, and that limit is Φ_{MDL} .

Lean certifications:

`no_finite_ca_exact_lorentz_replica` (zero sorry, ugp-lean) — $\varepsilon_0(M) > 0$ for all finite M .

`phimdl_is_unique_exact_lorentz_model` (zero sorry, ugp-lean) — Φ_{MDL} is the unique zero-error model.

Both in `CMCAContinuumLimit.lean`.

3.3 What the Theorem Does and Does Not Say

A natural reaction: “but the lattice error for $M = 7$ is only 6.71%. Why can't we just use the CA and accept a 6.71% error?”

Two responses:

1. **Algebraic facts are M-independent.** All the algebraic structure certified by the CMCA — charge quantization, three generations, $\theta_{\text{QCD}} = 0$, etc. — holds at every resolution $M \geq 1$. The CA at $M = 7$ certifies these exactly, without any 6.71% error. What the error applies to is *geometrical* properties: Lorentz boosts, dispersion relations, scattering amplitudes at high momentum.
2. **Exact physics requires exact symmetry.** Quantum field theory and general relativity use exact Lorentz symmetry in essential ways. Slightly broken Lorentz invariance is not a small perturbation — it requires a fundamentally different theoretical framework. The physical universe, as measured in experiments, shows no Lorentz violation down to scales of 10^{-32} . The unique object consistent with this is the continuum field Φ_{MDL} .

Important: the CMCA is not “wrong” — it is *not the substrate*

The no-CA-replica theorem does not mean the CMCA is a bad or incorrect model. It means the CMCA is the wrong *kind* of object to be the physical substrate. The CMCA is a certificate, not a substrate. A blueprint is not wrong — it's just not a building.

3.4 Contrast with Other CA Proposals

This is where GTE differs most sharply from other CA-based physics programmes:

Framework	CA status	Resolves Lorentz problem?
Wolfram (original)	CA <i>is</i> the universe	No (preferred frame remains)
't Hooft CA interpretation	CA <i>is</i> the substrate	No (approximate)
GTE	CA is the <i>certificate</i>	Yes (continuum limit is exact)

The GTE resolution: keep the CA as a proof engine (it is invaluable for certifying algebraic facts), but identify the physical substrate with the continuum field whose algebraic structure the CA

certifies. The no-CA-replica theorem is what forces this identification — and the Algebraic Lifting Theorem (§4) is the bridge that makes it work.

4 The Algebraic Lifting Theorem

4.1 What “Lifting” Means

The Lifting Theorem is the formal statement that results proved in the CA have corresponding statements in the continuum field.

A useful analogy from mathematics: model-theoretic completeness. In logic, a theory T is complete if every statement that is true in the intended model is provable from the axioms. The Lifting Theorem plays a similar role: every algebraic fact proved in the CMCA (the discrete model) is true in Φ_{MDL} (the intended physical realization). The CA is the model; Φ_{MDL} is the full theory.

More concretely: suppose you prove in the CA that winding number is conserved at every interaction vertex. The Lifting Theorem guarantees that winding number is also conserved at every interaction vertex in Φ_{MDL} , at the Compton scale.

Theorem: Algebraic Lifting (machine-certified, zero sorry, zero custom axioms)

Let B be a PSC-admissible beable (a configuration in the CMCA orbit) with positive dynamical weight. Then B determines a physical observable at the Compton scale carrying the same $\mathbb{Z}_7$ winding number, $\mathbb{Z}_3$ color charge, and generation index as B .

In particular: charge quantization, color structure, the three-generation hierarchy, and S -matrix quantum numbers proved at the beable level hold at the physically observable Compton scale.

Lean cert: `algebraic_lifting_theorem` (`LiftingTheorem.lean`, `ugp-lean`, zero sorry, zero custom axioms).

4.2 The Complementary Direction: Algebraic Descent

The Lifting Theorem has a complementary direction that goes from the continuum back to the discrete:

Theorem: Algebraic Descent (machine-certified, zero sorry)

Every $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$ conservation law, charge quantization condition, and generation structure certified at the discrete CMCA level holds in any continuum realization at any lattice resolution $M \geq 1$.

Charge quantization, color confinement, asymptotic freedom, and the strong-CP resolution $\theta_{\text{QCD}} = 0$ are M -independent. Only geometric properties (Lorentz invariance, scattering amplitudes) require $M \rightarrow \infty$.

Lean cert: `algebraic_descent_theorem` (`AlgebraicDescentTheorem.lean`, `ugp-lean`, zero sorry).

4.3 What the Two Theorems Mean Together

The bidirectional bridge

Lifting says: if you prove it in the CA, it exists in the field.

Descent says: whatever the field must respect, the CA also enforces.

Together: the CMCA and Φ_{MDL} are *algebraically equivalent in the SM winding sector* — two descriptions of the same object at different scales. Neither level can produce anything the other forbids.

Practical consequence: proving a theorem about a simple cellular automaton is proving a theorem about particle physics, provided the theorem concerns the F_{21} winding sector (which governs SM quantum numbers, interaction vertices, and generation structure).

4.4 A Plain-English Example

Consider the statement: “An isolated quark cannot be observed as a free particle.”

In the CA (Level 1): A free quark would carry winding $w \in \{2, 6\}$ (for up or down quarks). Displaying such a state costs $\log_2(9) \approx 3.17$ extra MDL bits to specify which color it carries. MDL minimality forbids this: isolated colored states are PSC-inadmissible. Machine-certified: `psc_forbids_free_colored_quarks` (zero sorry).

By Descent to the field (Φ_{MDL}): The Descent Theorem guarantees that the PSC-inadmissibility established at Level 1 holds at every resolution $M \geq 1$, including the continuum. Therefore, Φ_{MDL} also forbids free colored quarks: color confinement is an exact algebraic fact of the continuum theory, certified by the CA.

This is the mechanism by which a 19-bit polynomial over a 7-element finite field certifies — with zero sorry and zero free parameters — that quark confinement holds in the physical universe.

5 BPS Kinks: The Physical Particles

5.1 What a Kink Is

A **kink** in a field theory is a stable topological excitation — a region where the field permanently transitions from one vacuum state to another.

The Φ_{MDL} field has a $\mathbb{Z}_7$ -symmetric potential:

$$V(\Phi) = \frac{m_\varphi^2}{49}(1 - \cos 7\Phi).$$

This potential has seven degenerate minima (“vacua”) at $\Phi_k = 2\pi k/7$ for $k \in \{0, 1, \dots, 6\}$, equally spaced around the unit circle in field space. Think of seven evenly-spaced valleys arranged in a ring; the field can sit in any of them with zero energy cost.

A kink is a field configuration that starts in one valley as $x \rightarrow -\infty$ and ends in a different valley as $x \rightarrow +\infty$. The transition region — the smooth interpolation between two vacua — is the kink.

Particles as topology

A particle is not a tiny ball of stuff occupying a small region. It is a topological feature of the Φ_{MDL} field: a permanent winding of the field from one vacuum to another.

What we call “an electron” is a kink in the Φ_{MDL} field with winding number $w = 4$, connecting the fourth vacuum to the zeroth. The winding number is the particle’s identity card.

5.2 The Rope Analogy

Here is a helpful picture. Imagine a very long rope that can take on seven colors, equally spaced on a color wheel. In empty space, the rope is uniform (say, color 0 — the vacuum state). A particle corresponds to a region where the rope permanently changes color — say, from color 0 to color 4 over a short stretch. To the left, the rope is color 0; to the right, it is color 4. That color-change region is the kink.

To destroy the particle, you need a region where the rope returns from color 4 to color 0 — that is its antiparticle. When the particle and antiparticle meet and annihilate, the rope returns to uniform color 0 everywhere.

The “colors” here are the $\mathbb{Z}_7$ winding number values. Two color-steps gives an up quark; three color-steps gives a W^+ boson; four color-steps gives an electron. There is no “substance” here — the particle is a configuration, not a material.

5.3 Why BPS Kinks Are Special: Stability and the Energy Bound

Not every kink is a physical particle. The physically relevant kinks are **BPS-saturated** (Bogomolny-Prasad-Sommerfield): they satisfy the first-order equation

$$\frac{d\Phi}{dx} = \sqrt{2V(\Phi)},$$

which guarantees that the kink has the *minimum possible energy* for its topological class. This means:

- The kink is exactly stable: any small deformation increases its energy.
- The kink has zero longitudinal stress ($T_{11} = 0$): it has “no internal pressure” and propagates without distortion.
- The kink mass is a clean, universal formula: $M_{\text{kink}} = (8/49) m_\varphi$.

With $m_\varphi = m_\tau = 1776.86 \text{ MeV}$ (the tau mass, derived from the Self-Consistency Condition, not a free input):

$$M_{\text{kink}} = \frac{8}{49} \times 1776.86 \text{ MeV} = 290.10 \text{ MeV}.$$

This is the hadronic energy scale — the scale at which the strong interaction operates. Machine-certified: `mkink_from_scc` (zero sorry, ugp-lean).

5.4 The SM Particle Assignment Table

The $\mathbb{Z}_7$ potential has seven vacua and six non-trivial kink sectors ($w \in \{1, 2, 3, 4, 5, 6\}$). Not all six are physically admissible. The PSC-admissibility condition (from the dark-mirror structure of $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$) restricts to five sectors, eliminating $\{1, 5\}$. The five surviving sectors map exactly to the SM particle classes:

Winding w	Charge $Q = w_c/3$	Particle type	Statistics	Cert
0	0	Vacuum / photon / neutrino	bosonic	zero sorry
2	+2/3	Up-type quarks (u, c, t)	fermionic	zero sorry
3	+1	W^+ boson / positron	bosonic	zero sorry
4	−1	Charged leptons (e^-, μ^-, τ^-), W^-	fermionic	zero sorry
6	−1/3	Down-type quarks (d, s, b)	fermionic	zero sorry

The charge formula uses the centered representative $w_c = w$ for $w \leq 3$ and $w_c = w - 7$ for $w \geq 4$. So $w = 4$ gives $Q = (4 - 7)/3 = -1$ (electron) and $w = 6$ gives $Q = (6 - 7)/3 = -1/3$ (down quark). All assignments follow algebraically from p ; no assignment rule is needed.

5.5 Three Generations from One Field

The three Standard Model generations do not require three separate fields. They arise from the three non-vacuum orbit types of the $\mathbb{Z}_7^5$ ring under f_{MDL} : $\text{gen}_1 \rightarrow \text{gen}_2 \rightarrow \text{gen}_3 \rightarrow \text{gen}_1$, cycling with period 3.

The first generation (e^- , u , d , ν) corresponds to the Garden of Eden orbit type: it has *no predecessors* under the orbit dynamics, making it algebraically the most stable — and the lightest. In the SRRG orbit cascade, this Garden-of-Eden status corresponds to the Lepton Seed value $N_{\text{eff}} = 73$ (the arithmetic origin of the cascade), the smallest of the three lepton addresses; since kink mass scales with N_{eff} , the GoE generation carries the minimum mass. Machine-certified: `garden_of_eden_gen1`, `three_generations_physical` (zero sorry).

Topological protection: why particles are stable

A kink cannot spontaneously unwind. To transition from $w = 4$ (electron) to $w = 0$ (vacuum) requires the field to cross an infinite energy barrier (in the continuum limit $M \rightarrow \infty$). Particle stability is not protected by a symmetry imposed by hand — it is a geometric consequence of topology.

6 The Calibrated-Reading Resolution

6.1 Does the CA Have a Lattice Spacing?

A natural question: if the CA is a certificate and not a substrate, does it even make sense to talk about its “lattice spacing”? What physical length does one cell correspond to?

The answer requires care. The CMCA, as a discrete algebraic certificate, carries *no intrinsic lattice spacing*. Its algebraic content — the winding sectors, the generation structure, the charge formula — holds at every resolution $M \geq 1$, unchanged. A spacing is not an algebraic property; it belongs to a **reading**: a calibration of the certificate against Φ_{MDL} observables.

Readings: calibrations, not intrinsic properties

Different physical questions use different calibrations of the same certificate. The certificate has no preferred scale. A reading names the observable you match and derives the corresponding spacing from that match.

This is analogous to a map with no scale bar: the map encodes relative positions correctly, but the physical size of one centimeter on the map depends on the scale you impose.

6.2 The Matter-Sector Reading

The matter-sector (MDL-saturated) reading is derived, not chosen. It is the reading where the tape spacing a saturates the MDL description-length bound for the lightest matter-sector excitation.

The derivation (the *Tape Saturation Theorem*) shows that MDL minimality forces the spacing to equal the Compton wavelength of the GTE energy scale:

$$a = \frac{\hbar c}{\Lambda_{\text{GTE}}} \approx 0.097 \text{ fm (tree)}.$$

Here $\Lambda_{\text{GTE}} = 7M_{\text{kink}} \approx 2.03 \text{ GeV}$ is the GTE strong-interaction scale. The value 0.097 fm is comparable to the proton charge radius ($\approx 0.84 \text{ fm}$): one CMCA cell at this reading spans a hadronic distance.

At this reading, the $\mathbb{Z}_7$ winding-sector structure interlocks with the spacing in a striking way:

$$a \cdot \Lambda_{\text{GTE}} = 1, \quad a \cdot M_{\text{kink}} = \frac{1}{7}, \quad \frac{\lambda_C}{a} = |\mathbb{Z}_7| = 7 \text{ cells.}$$

The kink correlation length spans exactly $|\mathbb{Z}_7| = 7$ cells at the physical point. This is not a coincidence: it is a structural consequence of MDL saturation, and it provides a falsifiable experimental target for substrate-level lattice calculations.

6.3 The Gravitational Reading

A second reading — the fine-end (Planck-scale) reading — is used in gravitational discussions. It sets $a \approx \ell_{\text{Pl}}$ (the Planck length). This is currently a working hypothesis, not a derived result.

The two readings sit at a GTE-certified separation:


$$\frac{a_{\text{EFT}}}{\ell_{\text{Pl}}} = \frac{M_{\text{Pl}}}{\Lambda_{\text{GTE}}} = \frac{3^{10} \cdot 7^{18}}{2^4} \approx 6 \times 10^{18}.$$

This 10^{18} ratio — the hierarchy between the hadronic scale and the Planck scale — is not a tuning: it is a certified piece of GTE arithmetic. The two readings are not in conflict; they are two different calibration points for the same certificate.

7 The Ladder: Mathematical Substrate, Certificate, Physical Substrate

7.1 Three Rungs, Three Roles

The organizing principle of the GTE framework is an **ontological ladder**: three levels of description that must not be conflated. Each level has a distinct role — what selects, what certifies, what exists — and the levels are orthogonal to the “scale” vocabulary used elsewhere in the framework.



The three rungs and what lives on each:

Rung 1 — Mathematical Substrate

The UGP/GTE arithmetic: the ridge sieve, the integer triples $(a, b, c; g)$ and the map T , the generation orbit, and the UWCA evaluator. This is pure number theory and combinatorics, prior to any physical interpretation. It is the domain in which MDL’s two selections operate: the seed selection (the Lepton Seed $(1, 73, 823)$ from the ridge sieve) and the rule selection (the polynomial p from the orbit’s parity shadow). The mathematical substrate is not a physical object. Its role is to *select*: to narrow down, via arithmetic constraints, which algebraic certificate is admissible.

Rung 2 — Algebraic Certificate

What those selections produce: the 19-bit polynomial $p(L, C, R) = C + R - CR - LCR$ over $\text{GF}(7)$, its PSC-orbit map f_{MDL} , and the CMCA tape. This level enables machine-checkable Lean 4 proofs of algebraic facts — the statements about quantum numbers, generation count, color charges, and conservation laws. The certificate is not a physical object. Its role is to *certify*: to provide machine-checked guarantees about what the physical field must contain.

Rung 3 — Physical Substrate

The continuum field Φ_{MDL} : the $\mathbb{Z}_7$ -symmetric Klein-Gordon gauge field with internal symmetry group $F_{21} = \mathbb{Z}_7 \rtimes \mathbb{Z}_3$, evolving on $\mathbb{R}^{3+1}$. This is the only rung that physically *exists*. Exact Lorentz invariance, quantum field theory, general relativity, and all cosmological observables live at this level. Its role is to *be*: to be the actual physical reality.

An important clarification

The word “substrate” in this tutorial always refers to the physical substrate — Rung 3, Φ_{MDL} . The word “mathematical substrate” (Rung 1) means something different: the arithmetic ground in which the selection operates. The mathematical substrate is *not* the physical medium; it is the mathematical domain of selection.

7.2 The Ladder Is Orthogonal to the “Levels” Vocabulary

The GTE framework also uses a “level” vocabulary (Level 0 through Level 3) to describe the same system at different scales of resolution. These two vocabulary systems are orthogonal and should not be conflated:

- The **levels** (0–3) grade the *resolution* at which one physical system is described, from the raw polynomial (Level 0) to the continuum field (Level 3).
- The **ladder rungs** name the *roles*: what selects, what certifies, what exists.

In the levels vocabulary: Levels 0–2 collectively constitute the algebraic certificate (Rung 2 of the ladder); Level 3 is the physical substrate (Rung 3). Both vocabulary systems are valid and refer to the same physics; they emphasize different aspects.

8 Why This Is Remarkable

8.1 What Previous CA Proposals Did

Most CA-based approaches to physics treat the cellular automaton as the physical substrate itself: the universe is a large grid of discrete cells that update according to a local rule, and the particles and forces we observe emerge from the complex collective behavior of this grid.

This approach faces a fundamental obstacle: a finite-resolution grid can never achieve exact Lorentz invariance. Various authors have proposed modifications — asynchronous updates, random local rules, coarse-graining prescriptions — but none resolves the basic tension.

8.2 What GTE Does Differently

The GTE framework’s contribution is to reposition the cellular automaton:

The GTE repositioning

The CA is a *proof system* for what the continuum field must contain. It is not the substrate; it is the certificate. The physical substrate is the continuum field Φ_{MDL} , which has exact Lorentz invariance.

This repositioning resolves several long-standing tensions:

1. **The Lorentz invariance problem is resolved without abandoning CA structure.** The CA is retained as a proof engine; the continuum field provides exact Lorentz invariance. The no-CA-replica theorem explains why this is the only consistent assignment.
2. **The zero-free-parameter property becomes possible.** If the CA were the substrate, its lattice spacing would be a free parameter. Since the CA is a certificate (with no intrinsic spacing), the lattice spacing only arises from a calibration reading — which is derived from the physics, not chosen freely.
3. **Machine-certified physics becomes achievable.** The discrete, finite structure of the CA enables Lean 4 proofs of algebraic facts. The Lifting Theorem ensures these proofs apply to the physical field. Over 300 theorems, all zero sorry, connect the 19-bit polynomial to the Standard Model.
4. **The hierarchy problem is reframed.** The enormous ratio between the Planck scale and the hadronic scale ($\approx 10^{18}$) is not a mystery requiring explanation by new physics — it is the ratio between two calibrated readings of the same certificate, given by GTE arithmetic: $3^{10} \cdot 7^{18}/2^4$.

8.3 What the Framework Derives, Not Fits

From the single 19-bit polynomial, with zero free dimensionless parameters (a single dimensional anchor $m_\tau = 1776.86 \text{ MeV}$ sets the energy scale):

Derived quantity	Status
All 9 charged-fermion masses	0.295% RMS vs PDG 2022
Electroweak mixing angle ($\sin^2 \theta_W$)	zero sorry
Strong coupling $\alpha_s(\Lambda_{\text{GTE}})$	CatAD-consistency
$\theta_{\text{QCD}} = 0$ (strong CP)	3 independent proofs, zero sorry
$\alpha^{-1} \approx 137$ (fine structure)	zero sorry
3 + 1 spacetime dimensions	forced, machine-certified
Einstein’s equations $G_{\mu\nu} = 8\pi G T_{\mu\nu}$	CatAD
Newton’s constant G_N	0.040% accuracy
Born rule	4 independent derivations, including CatAL
Cosmological constant bracket	enclosing Planck 2018
Baryon asymmetry η_B	+0.15 σ PDG

None of these are fitted to data. They are derived from the structure of the 19-bit polynomial, via the certificate, via the Lifting Theorem, as properties of the Φ_{MDL} field.

9 Summary

The three-sentence summary

The GTE polynomial $p(L, C, R) = C + R - CR - LCR$ over $\mathbf{GF}(7)$ is a 19-bit algebraic certificate that machine-certifies — via over 300 zero-sorry Lean 4 theorems — what structures the physical universe must contain.

The physical universe is Φ_{MDL} — a $\mathbb{Z}_7$ -symmetric Klein-Gordon gauge field on $\mathbb{R}^{3+1}$, whose topological BPS kinks are the elementary particles of the Standard Model, and whose dynamics generates spacetime, quantum mechanics, and all cosmological observables.

The Algebraic Lifting Theorem is the certified bridge between the two: every algebraic fact proved in the discrete CA holds in the continuum field, and the No-CA-Replica Theorem explains why the continuum field must be the physical substrate (no finite-resolution CA can achieve exact Lorentz invariance).

The key things to remember:

1. The CA is the *blueprint*; Φ_{MDL} is the *building*.
2. The CA certifies algebraic structure; Φ_{MDL} provides physical reality.
3. The No-CA-Replica Theorem is the logical necessity that forces this separation: only the continuum field has exact Lorentz invariance.
4. The Algebraic Lifting Theorem is the bridge: a theorem proved in the CA is a theorem about the physical universe.
5. Particles are BPS topological kinks in Φ_{MDL} , identified by their $\mathbb{Z}_7$ winding number. The electron is the $w = 4$ kink.
6. The lattice spacing of the CA has no intrinsic meaning — it is a property of a calibrated reading. The matter-sector reading gives $a \approx 0.097$ fm (hadronic scale); the Planck reading is a working hypothesis.
7. The ontological ladder has three rungs: mathematical substrate (selects), certificate (certifies), physical substrate (exists). Only the third rung physically exists.

The full derivation chain is documented across the GTE paper series (P00–P51) and machine-certified in over 300 Lean 4 modules (zero sorry, zero custom axioms), all publicly available at <https://zenodo.org/records/20560550> and <https://novaspivack.com/research>.

Further Reading

Primary Sources

The results in this tutorial are derived in the following papers, all available open-access on Zenodo and at novaspivack.com/research:

- **P42 — The Φ_{MDL} Field** (Lagrangian and kink spectrum):
doi.org/10.5281/zenodo.20417576
- **P43 — The Complete Φ_{MDL} Framework** (no-CA-replica theorem):
doi.org/10.5281/zenodo.20417578
- **P45 — The Three-Tape CMCA** (3+1D architecture):
doi.org/10.5281/zenodo.20465805
- **P48 — The Complete GTE Framework** (main synthesis monograph):
doi.org/10.5281/zenodo.20560550

Lean 4 machine proofs: github.com/novaspivack/ugp-lean

References

- [1] Nova Spivack. The complete GTE framework: Standard Model, gravity, quantum mechanics, and cosmology from ϕ_{mdl} . Zenodo, 2026. URL <https://doi.org/10.5281/zenodo.20560550>. <https://doi.org/10.5281/zenodo.20560550>. Preprint.
- [2] Nova Spivack. The ϕ_{mdl} field: Quantum structure, born rule, and continuum completion of the chiral minkowski CA. Zenodo, 2026. URL <https://doi.org/10.5281/zenodo.20417576>. <https://doi.org/10.5281/zenodo.20417576>. Paper P42 in the UGP Physics series.