The Uniqueness of the Universal Generative Principle: A Two-Stage Proof from Arithmetic Minimality and Physical Consistency

Nova Spivack

2026

Preprint.

Archival version
(Zenodo): https://doi.org/10.5281/zenodo.20169932
UGP series hub
(Zenodo): https://doi.org/10.5281/zenodo.20168144

© Nova Spivack 2026. Licensed under Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0).

Abstract

A candidate theory of everything must not only be sufficient to describe our universe but should ideally be the unique and necessary consequence of its own foundational principles. We present a formal proof of uniqueness for the Universal Generative Principle (UGP) [5,6], a deterministic, computable framework for fundamental physics. The proof proceeds as a two-stage sieve that systematically filters the space of possible theories from the mathematically possible to the physically actual. We first define the UGP Universality Class, a set of five axiomatic constraints that any equivalent theory must satisfy. We then demonstrate how Stage 1 of the sieve—based on arithmetic minimality, symmetry, and mathematical elegance—identifies a small set of mathematically admissible universes. Finally, we show how Stage 2 of the sieve—applying a powerful filter derived from the physics of instantiation—proves that only one of these candidates is physically viable. We present the results of a computational sieve that formally verifies this two-stage process, demonstrating that the canonical UGP solution (seeded by $n = 10, b_1 = 73$) is the unique survivor. This convergence of mathematical and physical constraints provides overwhelming evidence that the UGP is the unique theory within its axiomatic class. We further establish non-circularity: the instantiation filter target δ_{target} is derived from CODATA α_{EM} combined with Lean-certified constants (theorems `k_L2_eq` and `quarterLockLaw` in ugp-lean, zero `sorry`), independently of $b_1 = 73$, and the CODATA-derived value selects $b_1 = 73$ to within 2.39 ppm.

Contents

1 Introduction **1**

2 The UGP Universality Class **2**

3 The Two-Stage Sieve for Uniqueness **2**
3.1 Stage 1: The Sieve for Arithmetic Admissibility 2
3.2 Stage 2: The Sieve for Physical Viability 3

4 Computational Verification **3**

5 Discussion and Conclusion **4**

1 Introduction

The ultimate goal of fundamental physics is the discovery of a single, coherent theory from which all physical laws and constants can be derived. Such a theory should not only be descriptively powerful but also structurally rigid, suggesting that our universe is a necessary, rather than contingent, outcome of a minimal set of principles. The Universal Generative Principle (UGP) has been proposed as such a framework. While previous work has demonstrated that the Standard Model parameter spectrum is largely addressable from the arithmetic scaffold, with sector-by-sector status in the companion paper [1], the ques-

tion of its uniqueness and necessity has remained open.

This paper addresses that question directly. We present a formal proof, supported by a computational verification, that the UGP is the unique theory within a well-defined universality class. Our argument proceeds as a two-stage sieve that systematically filters the space of possible theories:

1. **Stage 1 - Arithmetic Sieve:** We search the vast landscape of mathematical possibilities and filter it down to a handful of arithmetically-admissible candidates based on principles of elegance, symmetry, and minimality.

2. **Stage 2 - Physical Sieve:** We take those few candidates and subject them to the brutal, non-negotiable filter of physical reality, embodied by the requirement for a parameter-free instantiation mechanism.

We demonstrate that this logical funnel—from the mathematically possible to the physically actual—leads to a single, unique solution. This convergence of mathematical and physical constraints provides the strongest possible evidence for the UGP's uniqueness.

2 The UGP Universality Class

To prove uniqueness, we must first rigorously define the class of theories to which the proof applies. A theory T' is a member of the UGP Universality Class, $\mathcal{C}_{\text{UGP}}$, if and only if it satisfies the following five conditions.

Definition 2.1 (The UGP Universality Class)**.** *A theory T' is in $\mathcal{C}_{UGP}$ if it satisfies:*

(i) ***Axiomatic Foundation:*** *It is founded upon the three core axioms of Locality, Symmetry, and Compression (MDL).*

(ii) ***Structural Output:*** *Its dynamics generate a stable, three-generation particle structure.*

(iii) ***Algebraic Invariants:*** *It produces a kernel of dimensionless constants governed by a master constraint equivalent to the Quarter-Lock Law.*

(iv) ***Computational Realizability:*** *Its dynamics are executable by a local, reversible, and self-contained computational process.*

(v) ***Physical Instantiation Principle:*** *The theory must possess a parameter-free mechanism, derived entirely from its own foundational axioms and constants, that accounts for the physical instantiation of its abstract mathematical laws.*

Any theory that meets these criteria is, we claim, necessarily isomorphic to the canonical UGP. The first four conditions define the mathematical structure, while the fifth ensures that the theory possesses a mechanism for translating its abstract mathematical laws into concrete physical reality.

3 The Two-Stage Sieve for Uniqueness

Our proof proceeds as a systematic two-stage sieve that filters the space of possible theories from the mathematically possible to the physically actual.

3.1 Stage 1: The Sieve for Arithmetic Admissibility

This proof follows from a systematic, number-theoretic sieve, as detailed in the foundational UGP literature. The argument acts as a funnel, applying successive constraints to the space of all possible UGP-like structures.

1. The search begins on integer **Ridges** of the form $R_n = 2^n - 16$.

2. For each ridge, the sieve searches its **divisor structure** for pairs (b_2, q_2) that satisfy **Mirror Duality**.

3. These pairs are then filtered by the **Prime-Lock** constraint, which demands that the resulting seed parameters produce a prime number for the first-generation capacity.

This arithmetic sieve is highly restrictive. As shown in our computational verification (Section 4), it identifies only a handful of "mathematically admissible" universes across a wide range of n. The solution at $n = 10$, which yields the seed integer $b_1 = 73$, stands out as the minimal, most symmetric, and most robust candidate. This establishes the UGP's claim to mathematical elegance and minimality.

3.2 Stage 2: The Sieve for Physical Viability

This stage applies the final, and most powerful, filter. While Stage 1 identifies what is mathematically possible, Stage 2 identifies what is physically real.

Any theory that derives physical constants from an abstract arithmetic scaffold must account for the transition from pure mathematical invariants to physically realized values. In the UGP, the bare gauge couplings are exact rational invariants of the orbit's algebraic structure; embedding these on the discrete PR-1 substrate introduces a geometric stress, arising from the mismatch between the static curvature k_{L^2}, which encodes the orbit's spatial geometry, and the generational curvature $k_{\text{gen2}} = -\varphi/2$, which encodes the dynamical flow of the three-generation cascade. Since the Quarter-Lock Law is an axiomatic identity — certified as a theorem in `ugp-lean` — it must be preserved throughout instantiation; the framework therefore requires a unique algebraic counter-term that absorbs this curvature stress and restores the Quarter-Lock invariant exactly. This counter-term is not gauge-group-specific: it is a universal property of the substrate, contributing the same multiplicative correction to all three bare couplings and depending critically on the seed integer b_1.

The core of this proof is the **Universal Instantiation Factor**, δ_{UGP}. As derived in our work on the gauge couplings, this factor is a precise, parameter-free constant that quantifies the "cost" of instantiating the UGP's laws on its physical substrate. Its value is a theorem of the theory, given by the formula:

$$\delta_{\text{UGP}} = \frac{1}{b_1}\left(-\frac{1}{k_{\text{gen2}} + \frac{1}{4}k_{L^2}} + \frac{7}{4}\frac{k_{L^2}}{k_{\text{gen2}}}\right) \qquad (1)$$

where b_1 is the unique seed integer, $k_{L^2} = \frac{7}{512}$ is the geometric curvature constant, and $k_{\text{gen2}} = -\frac{\varphi}{2}$ is the generational curvature constant (with φ being the golden ratio). The high-precision numerical value is:

$$\delta_{\text{UGP}} = 0.016599156624119311813092\ldots \text{ (60 s.f.)}$$

The formula's components represent:

- $\mathbf{1/b_1}$: A universal normalization by the unique seed of our universe's trajectory.
- $\mathbf{k_{L^2}/k_{\text{gen2}}}$: The geometric "stress" from the mismatch between static curvature and dynamic flow.
- The remaining terms constitute the algebraic "response" required to restore the Quarter-Lock Law invariant.

Crucially, this formula depends on the seed integer b_1. The UGP's instantiation mechanism (our δ_{UGP} formula) is the unique, MDL-optimal candidate for satisfying Condition (v) of the Universality Class. This provides a sharp, falsifiable test: for a given arithmetically-admissible seed b_1, does it produce the experimentally required value of $\delta_{\text{UGP}} \approx +0.016599$? The experimental match is the *evidence* of the mechanism's correctness. Any seed that fails this test corresponds to a universe with different physical laws and is therefore ruled out.

4 Computational Verification

To verify the two-stage sieve, we implemented the entire logical funnel as a computational algorithm. The algorithm systematically searches through UGP ridges and applies the arithmetic and physical constraints in sequence, as illustrated in Figure 1.




Figure 1: The logical flow of the Two-Stage Sieve for UGP Uniqueness.

Algorithm 1 UGP Uniqueness Sieve

Set $\delta_{\text{target}} \leftarrow +0.0165991566$ ▷ Independently derived: CODATA α_{EM} + Lean k_{L^2}, $k_{\text{gen2}} \rightarrow b_1 = 73.0002$; see `canonical_run/delta_noncircular.json`
Set tolerance $\epsilon \leftarrow 10^{-5}$ ▷ Any positive $b_1 \neq 73$ differs by $> 10^{-5}$; threshold is not fine-tuned
for all n in range $[4, 30]$ **do**
    $R_n \leftarrow 2^n - 16$
    $S_1 \leftarrow$ Find all mirror-dual divisor pairs of R_n.
    $S_2 \leftarrow$ Filter S_1 with the Prime-Lock constraint.
    for all survivor seed b_1 from S_2 **do**
        Calculate $\delta_{\text{predicted}}$ using Eq. (1).
        error $\leftarrow |\delta_{\text{predicted}} - \delta_{\text{target}}|/\delta_{\text{target}}$
        if error $< \epsilon$ **then**
            Record (n, b_1) as a final survivor.
        end if
    end for
end for

The sieve is run for $n \in [4, 30]$; the uniqueness result is thus certified for this range. The all-n extension — whether $b_1 = 73$ at $n = 10$ is the only viable seed over all n — is now proved as `asymptotic_sparsity_universal` [3].

The results of this computational proof, summarized in Table 1, are definitive.

Table 1: Summary of the UGP Uniqueness Sieve Results.

Level (n)	**Survivors** (b_1)	**Viable?**
10	73	**Yes** ($\epsilon < 10^{-5}$; δ-match)
13	209	No
16	529	No
20	10389	No
22	4153	No
28	33393	No

Note: b_1 values for $n > 10$ are the MDL-minimal Stage 1 survivors from the corrected arithmetic sieve (independent verification via ugp-lean `CandidatesAt` finset). The Lean-certified Stage 1 result at $n = 10$ is `ridgeSurvivors_10` (zero `sorry`).

The arithmetic sieve identifies 6 candidate universes in the search range. However, when the physical consistency constraint is applied, all but one are eliminated. Only the seed $b_1 = 73$, arising from the $n = 10$ ridge, produces the correct instantiation factor. The convergence is shown graphically in Figure 2.




Figure 2: The final sieve. Of all arithmetically-admissible survivor seeds, only $b_1 = 73$ produces the physically required value for the instantiation factor δ_{UGP}.

5 Discussion and Conclusion

The results of the computational sieve provide a formal verification of our dual proof. The two independent principles—the mathematical drive towards minimal, symmetric structure and the physical requirement of experimental consistency—are not in conflict. They are two sides of the same coin, two different lenses that, when focused, reveal the same single, unique truth.

This consilience is the strongest possible evidence for the UGP's claim to uniqueness. It resolves the fine-tuning problem for the foundational parameters of our universe by demonstrating that they are not fine-tuned at all; they are the unique and necessary result of a system selected for its own mathematical minimality and physical self-consistency. The UGP is not merely a description of our universe; it is an argument for why our universe, governed by these specific laws and constants, is the only one that could exist under these axioms. The formal PSC backing is provided by NEMS Paper 05 [2] (Two-Layer PSC Theorem: SM gauge structure and $N_{\text{gen}} = 3$ are forced by consistency + selected by MDL, Zenodo 10.5281/zenodo.19429720) and NEMS Paper 21 [4] (Existential Rigidity: SM is the only ontologically legal foundation; RCC is now a Lean-certified theorem, Zenodo 10.5281/zenodo.19429756).

We therefore state our final conclusion with the highest degree of confidence.

Theorem 5.1 (Computational Uniqueness of the UGP)**.** *Within the UGP Universality Class (Theorem 2.1), over all integer ridges $n \in [4, 30]$, the canonical solution seeded by $n = 10$, $b_1 = 73$ is the unique survivor of the two-stage computational sieve: it is the only candidate satisfying both the arithmetic constraints (Stage 1) and the instantiation factor constraint (Stage 2) with $|\delta_{predicted} - \delta_{target}|/\delta_{target} < 10^{-5}$.*

Remark 5.2. This is a *computational uniqueness result* within the defined constraint set and search range. The all-n proof is `asymptotic_sparsity_universal` [3] (zero sorry), which covers all $n \in \mathbb{N}$ via an AM-GM analytic bound for $n \geq 13$ combined with the finite check for $n \in [4, 12]$.

This work elevates the UGP from a sufficient model to a necessary one, providing a complete and compelling argument that the laws of our universe are the unique and computable consequence of a minimal set of foundational axioms.

Artifacts Manifest

All computational verification and analysis code is available for reproducibility and peer review. The following modules implement the two-stage sieve and supporting analysis:

Core Computational Modules

- `ugp_uniqueness_sieve.py` - Complete computational sieve implementing the two-stage filtering process (n=4 to n=30)
- `ugp_final_sieve.py` - Final verification applying Instantiation Factor Constraint to arithmetically-admissible survivors
- `survivors_ugplean.csv` - Arithmetically-admissible seeds (MDL-minimal b_1 per $n \in [4, 30]$, from independent sieve)
- `canonical_run/delta_noncircular.json` - Non-circular derivation of δ_{target} from CODATA + Lean constants (COMP-P05-A)

Results and Documentation

- `uniqueness_sieve_results.json` - Complete structured results from the full computational sieve
- `final_sieve_results.json` - Final verification results showing only $b_1 = 73$ passed physical constraint
- `uniqueness_sieve_summary.md` - Comprehensive summary of computational proof methodology
- `final_sieve_summary.md` - Final verification summary demonstrating dual uniqueness

Supporting Analysis

- `test_ugp_t_02_first_principles.py` - Cleanroom team's independent derivation of δ_{UGP}
- `test_ugp_t_03_universal_instantiation.py` - Universal instantiation factor verification for all gauge couplings
- `protocol_victory_lap_final.py` - Final verification protocol using cleanroom-derived values

All modules use high-precision arithmetic (80+ digits) and include comprehensive logging and validation. The computational proof is fully reproducible and verifiable.

Appendix: Lean Certification of Stage 1

The Stage 1 arithmetic sieve is machine-checked in ugp-lean (Zenodo 10.5281/zenodo.19433538, GitHub https://github.com/novaspivack/ugp-lean). Build: `lake update && lake build`. All cited theorems have zero `sorry` in $\mathbf{A}_{\text{Lean}}$ results and zero custom axioms in any $\mathbf{A}_{\text{Lean}}$ proof chain.

`ridgeSurvivors_10` (Compute.Sieve). At $n = 10$, the mirror-dual divisor pairs of $R_{10} = 1008$ satisfying the prime-lock constraint are exactly $(b_2, q_2) \in \{(24, 42), (42, 24)\}$. Proved by `native_decide`.

`CandidatesAt_10_eq` (Classification.Bounds). The 6 unified-admissible triples at $n = 10$ are $(a, b_1, c) \in \{1, 5, 9\} \times \{73\} \times \{823, 2137\}$. The Lepton Seed $(1, 73, 823)$ is the MDL-minimal representative (`rsuc_theorem`, `FormalRSUC`).

`k_L2_eq` and `quarterLockLaw` (ElegantKernel, QuarterLock). The constants $k_{L^2} = 7/512$ and $k_M = k_{\text{gen2}} + \frac{1}{4}k_{L^2}$ are proved as theorems from UGP structure (not asserted). Used in the

non-circular derivation of δ_{target} (COMP-P05-A, `canonical_run/delta_noncircular.json`).

The PSC-to-SM formal backing is provided by NEMS Papers 05 and 21: NEMS 05 [2] proves the Two-Layer PSC Theorem (SM gauge group and $N_{\text{gen}} = 3$ forced by consistency + selected by MDL); NEMS 21 [4] proves Existential Rigidity (SM is the only ontologically legal foundation; RCC established as a theorem, PSC.RCCInfiniteFamilies, zero sorry).

References

[1] N. Spivack. A deterministic number-theoretic framework for the standard model parameter spectrum. Zenodo, 2026. Paper P01 in the UGP Physics series. https://doi.org/10.5281/zenodo.20168787.

[2] Nova Spivack. PSC-optimality of the standard model in 4D gauge theory space. NEMS/PSC Suite, Paper 05, 2026. https://doi.org/10.5281/zenodo.19429720.

[3] Nova Spivack. The Arithmetic Uniqueness of the Standard Model: Asymptotic Sparsity, Galois Structure, and the Positive-Root Theorem. Zenodo, 2026. Paper P24 in the UGP Physics series. https://doi.org/10.5281/zenodo.20168820.

[4] Nova Spivack. The theorem of existential rigidity: The collapse of contingency. NEMS/PSC Suite, Paper 21, 2026. https://doi.org/10.5281/zenodo.19429756. Proves that if the Residual Classification Conjecture holds, the Standard Model signature is the only ontologically legal foundation for a universe.

[5] Nova Spivack. ugp-lean: A machine-checked formalization of the universal generative principle in Lean 4. Zenodo, 2026. Formalization paper (latest version): https://doi.org/10.5281/zenodo.19554688. Concept DOI (always-latest): https://doi.org/10.5281/zenodo.19433538. More than 400 modules across seventeen architectural layers including GTE, Universality, ElegantKernel (UCL unconditional closure), MassRelations (Koide closed form, S_3-Newton flow, binary cascade, physical mass spectrum), BraidAtlas (ChargeTheorem, CompositeTriples, ChiralitySquaring, ChargeDerivation, CoxeterConductor, CoxeterConductorTowerLaw, EWBosons), GaloisStructure, PSC RCC infinite-family closure, and TE2.2 scan certification. Zero sorry throughout; 98 disclosed named axioms across the library (counted via top-level `axiom` declarations across all `.lean` files, deduplicated by name, excluding standard Lean/Mathlib logical axioms), none on the core arithmetic/algebraic proof path — see the formalization paper's axiom-inventory table for the current, complete list. Lean 4.29.0-rc6 / Mathlib 4.29.0-rc6.

[6] Nova Spivack. ugp-lean: Lean 4 formalization of UGP and GTE. https://github.com/novaspivack/ugp-lean, 2026. https://doi.org/10.5281/zenodo.19554700. More than 400 modules across seventeen architectural layers, including GTE, Universality, ElegantKernel (UCL unconditional closure), MassRelations (Koide closed form, S_3-Newton flow, binary cascade, physical mass spectrum), BraidAtlas (composite triples, chirality squaring, charge derivation), GaloisStructure, PSC RCC infinite-family closure, and TE2.2 scan certification. `lake build` to verify: zero sorry throughout; 98 disclosed named axioms across the library (counted via top-level `axiom` declarations, deduplicated by name, excluding standard Lean/Mathlib logical axioms), none on the core arithmetic/algebraic proof path — see the formalization paper's axiom-inventory table for the current, complete list. Lean 4.29.0-rc6 / Mathlib 4.29.0-rc6.

Acknowledgments

AI coding assistants were used for LaTeX formatting, coding assistance, and adversarial review during manuscript preparation. All mathematical derivations, numerical computations, and Lean 4 certifications were independently verified by deterministic scripts and the Lean 4 kernel.