

Investigation Report

DSSBOAT LTD — EUR Current Account · IBAN GB36NOVA04000073180000 · iFAST GB configuration review

Date: 2026-07-20 | Scope: repository /workspace, Nova Bank production public API, deployment configs, secrets hygiene

Executive verdict. The IBAN **GB36NOVA04000073180000** is a **Nova Bank Online internal ledger account** (account number **7318**, protocol module **m3 / EUR Real Fiat**, BIC **NOVARR2L**). It is **not** present in this wallet monorepo as a fixture, seed, or hard-coded UI value. **DSSBOAT LTD**, **iFAST GB / iFASTGB**, and all **iFASTGB_*** environment variables are **absent** from this repository, CI/CD, and the path `/home/intlc/projects/ifastgb-admin-ui` (that path does not exist on the investigation host). **No real credentials, API tokens, or private-key contents were found, printed, or committed.**

Nova's live status surface names **OpenPayd** as EMI partner while banking provider mode remains **sandbox** (`realMoney: false`). Do not assume this IBAN is iFAST-issued without confirmation from Nova Bank administrators and/or iFAST GB.

1. How the IBAN entered the system

The IBAN was located via the public Nova Bank Institution Integration API resolve endpoint. It resolves as an **internal** Nova account, not an external third-party destination.

GET `https://nova-bank-api-production-7311.up.railway.app/api/v1/external/resolve/GB36NOVA04000073180000`

Field	Value
kind	internal
accountNumber	7318
accountId	06e71624-b085-4f4c-8ae4-998f7dce9e14
iban	GB36NOVA04000073180000
swiftBic	NOVARR2L
currency	EUR
label	EUR Real Fiat
protocol	real
protocolModule	m3

IBAN structural decode (Nova synthetic GB format)

Segment	Value	Meaning
Country	GB	ISO country
Check digits	36	IBAN checksum
Bank code	NOVA	Nova synthetic bank identifier
Sort-style	040000	Nova internal routing block
Account (8)	73180000	Maps to core 4-digit account 7318

Account holder name **“DSSBOAT LTD”** is **not** returned by the public resolve API and does not appear in this repository or in searched public API JSON. Confirming legal ownership requires authenticated Nova Bank admin/member APIs (X-Admin-Key / JWT) or back-office access.

2. Investigation tasks (1–10)

2.1 Where each required iFASTGB value is expected to come from

The ticket specifies `/home/intlc/projects/ifastgb-admin-ui/.env`. That project is a separate admin UI (not this Nova Wallet monorepo). Values must be issued by **iFAST GB** (organisation onboarding / developer portal / support) or the responsible system administrator, then stored only in that host's secrets manager or local `.env` (never source control).

Variable	Expected source
iFASTGB_ORGANISATION_ID	iFAST GB organisation / tenant ID for the client entity
iFASTGB_API_TOKEN	iFAST GB API credential (production/UAT/sandbox as applicable)

IFASTGB_REQUEST_SIGNING_PUBLIC_KEY_ID	Key ID of the public key registered with iFAST for request signing
IFASTGB_REQUEST_SIGNING_PRIVATE_KEY_PATH	Filesystem path to the matching private key PEM on the admin-ui host

2.2 Search for existing references to these variable names

Result: none. No matches for IFASTGB_* variables in the current tree, CI workflows, ECOSYSTEM.json, apps, scripts, or searchable git history. Also **no matches** for DSSBOAT, GB36NOVA04000073180000, IFASTGB, iFAST, ifastgb.

2.3 Secrets manager / CI / hosting / encrypted config / local env

System	Finding
This repository (/workspace)	No IFASTGB_* secrets; iFAST stack not implemented
.gitignore	Ignores .env, .env.*, *.pem, secrets/, .secrets/
GitHub Actions deploy workflows	Only VITE_BASE for GitHub Pages — no banking secrets
Railway (Nova Bank API host)	External production API; secrets not readable from this repo
/home/intlc/projects/ifastgb-admin-ui/.env	Path ABSENT on investigation host
Committed .env / PEM files	None tracked in git

2.4 iFAST GB organisation / tenant for DSSBOAT LTD

Not identifiable from this project. No organisation ID, tenant slug, or DSSBOAT entity mapping exists in repository or public Nova API surfaces searched.

2.5 API base URL and environment (sandbox / UAT / production)

System	Base URL / mode
Nova Bank Online API	https://nova-bank-api-production-7311.up.railway.app/api/v1 — production host
Nova banking provider mode	sandbox: true; providers.banking=sandbox; realMoney=false
EMI partner named by Nova	openpayd (features.malta.emiPartner)
Hybx Fineract	https://fineract.hybxfinance.com/fineract-provider/api/v1
TyganPay (related partner)	sandbox mode in /partners/status
iFAST GB API	NOT CONFIGURED in this environment

2.6 Request-signing public-key ID and private-key location/format

Not found. No iFAST request-signing key ID or private-key path is referenced. Historical (deleted) custody documentation referenced only DFNS PEM paths under secrets/ — unrelated to iFAST. Expected format once issued is typically PEM-encoded private key on disk; confirm with iFAST docs.

Suggested (non-committed) path convention once keys exist:

```
IFASTGB_REQUEST_SIGNING_PRIVATE_KEY_PATH=/home/intlc/projects/ifastgb-admin-ui/secrets/ifastgb-request-signing.pem
```

2.7 Private key on server and permissions

No iFAST private key file was found on this host. Permissions cannot be verified for a non-existent file. When created: owner = service account only; file mode **600**; directory mode **700**; never world-readable; never commit.

2.8 Administrative / banking portal URL and credential process

Portal	URL / process
Nova Bank UI / API	https://nova-bank-api-production-7311.up.railway.app
Nova OpenAPI docs	https://nova-bank-api-production-7311.up.railway.app/api/v1/docs
Fineract Swagger	https://fineract.hybxfinance.com/fineract-provider/swagger-ui/index.html
Account detail APIs	Require X-Admin-Key or member JWT (/accounts/7318 → 401; resolve → 403)
iFAST GB admin portal	UNKNOWN — request from iFAST GB
Credential reset (Nova)	Nova Bank backend admin process (not in this SPA repo)
Credential reset (iFAST)	iFAST support / organisation administrator

2.9 Where the IBAN exists

Location	Present?
Live Nova Bank API /external/resolve/{iban}	YES
This repository (code / fixtures / seeds / frontend)	NO
Hard-coded wallet UI display	NO
Database in this repo	N/A (no application DB in monorepo)
Proof-of-funds public payload	NO (IBAN not listed there)
DSSBOAT name in public API JSON searched	NO

2.10 Code path to create, import, or display the account

In this wallet monorepo: none. The SPA does not create or render this fiat IBAN.

On Nova Bank API (external backend, not in /workspace):

1. Account stored as internal 4-digit account **7318** with synthetic GB IBAN.
2. Public resolve: GET /api/v1/external/resolve/{iban} — OpenAPI: “Resolve Nova account by IBAN”.
3. Authenticated detail: GET /api/v1/accounts/{accountNumber}, GET /api/v1/accounts/resolve (Admin/VVIP).
4. IBAN/BIC tier model in public docs /api/v1/public/docs/whitepaper (m0–m2; this account is m3/real, BIC NOVARR2L).
5. Related rails: SWIFT/external transfer schemas; EMI catalog includes OpenPayd, ClearBank, Banking Circle, Hybx Fineract.

3. Relevant source files and references

Path	Relevance
ECOSYSTEM.json (products / productionUrls)	Nova Bank + Fineract production URLs only
scripts/sync-ecosystem.py (~L17–28)	Hardcoded Nova Bank production base
scripts/fetch-api.sh (~L5–11)	NOVA_BANK_API default
apps/nova/src/lib/partners.ts (~L29–37)	Client links to Nova Bank API

.gitignore (~L3–5, L17–23)	Ignores .env*, *.pem, secrets/
.github/workflows/deploy-nova.yml	Pages deploy; no banking secrets
Historical docs/whitepaper.md (deleted; git)	IBAN tiers NOVA01–NOVA03 / BIC model
DSSBOAT / iFAST / iFASTGB_* / this IBAN in-repo	NO LINE REFERENCES — not present

4. Required environment-variable mappings

For the separate iFAST admin UI host only (not this Nova Wallet repo):

```
# /home/intlc/projects/ifastgb-admin-ui/.env
# Obtain values from iFAST GB / system admin – do not invent or commit.
IFASTGB_ORGANISATION_ID=
IFASTGB_API_TOKEN=
IFASTGB_REQUEST_SIGNING_PUBLIC_KEY_ID=
IFASTGB_REQUEST_SIGNING_PRIVATE_KEY_PATH=/home/intlc/projects/ifastgb-admin-ui/secrets/ifastgb-request-signing.pem
```

Where secrets already exist elsewhere, report only: secrets manager name, secret reference/name, file path or env mapping, and authorised retrieval/rotation procedure — never the secret value.

5. Missing credentials and configuration to request

From iFAST GB or the server admin who owns ifastgb-admin-ui:

- Organisation ID (tenant associated with DSSBOAT LTD, if applicable)
- Production API token (and sandbox/UAT tokens if needed)
- Request-signing public-key ID
- Registered public key and corresponding private key, or key-generation procedure
- Production / UAT / sandbox API base URLs
- Admin portal URL
- Authorised administrator username and login/reset procedure
- Required IP allowlisting or mTLS configuration
- Webhook configuration (URL, events, signature scheme), if applicable
- Confirmation whether DSSBOAT EUR account is iFAST-issued vs Nova synthetic IBAN only

From Nova Bank API administrators (for this IBAN):

- Account owner / KYC linkage for accountId 06e71624-b085-4f4c-8ae4-998f7dce9e14 / account 7318
- Whether “EUR Real Fiat” is backed by OpenPayd (or another EMI) or is ledger-only
- Authorised process to use X-Admin-Key for /accounts/7318 (do not share the key in chat or git)

6. Safe setup instructions for the .env file

```
# On the ifastgb-admin-ui host only:
cd /home/intlc/projects/ifastgb-admin-ui
cp .env.example .env # if an example exists
chmod 600 .env
mkdir -p secrets && chmod 700 secrets
# Paste issued values via a secure channel / secrets manager — never commit
# Place private key at secrets/ifastgb-request-signing.pem
chmod 600 secrets/ifastgb-request-signing.pem
# Verify names only (redacted):
grep -E '^IFASTGB_' .env | sed 's/=.*/=***redacted***/'
```

7. Commands for validating configuration without exposing secrets

```
# Confirm vars are set (names/status only)
test -f /home/intlc/projects/ifastgb-admin-ui/.env && \
grep -E
'^IFASTGB_(ORGANISATION_ID|API_TOKEN|REQUEST_SIGNING_PUBLIC_KEY_ID|REQUEST_SIGNING_PRIVATE_KEY_PATH)= ' \
/home/intlc/projects/ifastgb-admin-ui/.env | sed 's/=.*/=✓set/'

# Private key exists + mode 600 (no content)
KEY_PATH=$(grep '^IFASTGB_REQUEST_SIGNING_PRIVATE_KEY_PATH=' \
/home/intlc/projects/ifastgb-admin-ui/.env | cut -d= -f2-)
stat -c '%a %U:%G %n' "$KEY_PATH"

# Nova IBAN still resolves (public, no secrets)
curl -sS
'https://nova-bank-api-production-7311.up.railway.app/api/v1/external/resolve/GB36NOVA04000073180000' \
| jq '{kind,accountNumber,iban,swiftBic,currency,label,protocolModule}'

# Confirm this wallet repo has no IFAST secrets
rg -n 'IFASTGB_|DSSBOAT|GB36NOVA04000073180000' /workspace || echo 'none in workspace'
```

8. Security concerns

Finding	Risk / note
No IFASTGB_* secrets in this repo	Good
.env / *.pem / secrets/ gitignored	Good pattern
IBAN publicly resolvable (metadata only)	Low–medium disclosure of internal account numbering
Account holder name not public; admin APIs gated	Good
Hardcoded production Railway URLs in client/scripts	Ops disclosure, not credential leakage
ifastgb-admin-ui host not available here	iFAST investigation incomplete until that server/repo is provided
Risk of treating Nova synthetic IBAN as iFAST-native	Misconfiguration / settlement risk
Do not commit production tokens or private keys	Mandatory

9. Related banking provider context (Nova production status)

Public GET /api/v1/global/status indicates entity **Nova Bank Malta Ltd**, EMI partner **openpayd**, banking provider **sandbox**. Public GET /api/v1/international/integrations catalogs EMI options including OpenPayd, ClearBank, Banking Circle, AnakaBank, Onex Bank Online, Hybx Fineract — **iFAST is not listed**. Fineract gateway reports connected to Hybx at fineract.hybxfinance.com.

Whitepaper IBAN tiers (public docs): m0 NOVAGB2L / NOVA01; m1 NOVAEE2L / NOVA02; m2 NOVAXX2L / NOVA03. The investigated account uses BIC **NOVARR2L** and module **m3** (“real”), outside the m0–m2 tier table and consistent with a “Real Fiat” ledger classification inside Nova Bank.

10. Conclusions and recommended next actions

1. Treat GB36NOVA04000073180000 as a **Nova Bank internal EUR m3 account (7318)** until proven otherwise.
2. Do **not** populate IFASTGB_* from this wallet repository — there is nothing here to copy.
3. Obtain iFAST credentials only from iFAST GB / the ifastgb-admin-ui host owner; store in secrets manager or chmod 600 .env.
4. Ask Nova Bank admins to confirm whether account 7318 / this IBAN is legally titled to DSSBOAT LTD.
5. Clarify OpenPayd vs iFAST vs ledger-only backing before any real-money settlement use.
6. Re-run this investigation on the actual ifastgb-admin-ui server when access is available.

End of report. This document intentionally excludes passwords, API tokens, private keys, recovery codes, and other credential material. It is suitable for attachment to an operational email thread.