

Panduan Deploy Update myUnila — 11 Commit (10 Mei 2026)

Range commit: `ad257736f..4775508cd` **Target lingkungan:** VM5 Staging → VM1/VM2 Production (sequential) **Estimasi total waktu:** ~45 menit per VM (rebuild + DDL + smoke test)

1. Ringkasan Update

#	Commit	Modul	Dampak
1	<code>5810978ff</code>	DDL Phase 1 Akses Lifecycle	DDL pdut
2	<code>ac2208dcf</code>	auth-service Phase 1	Container auth
3	<code>d9cf4b66b</code>	Frontend manakses Phase 1	Container frontend
4	<code>c54bfbdb8</code>	RBAC Matrix dedupe	Container frontend
5	<code>196dba7a1</code>	dashboard-service Data Unila + KKN	Container dashboard
6	<code>5672c5bb5</code>	Frontend Data Unila + KKN	Container frontend
7	<code>4cb861769</code>	Konsistensi data Pimpinan vs Data Unila	Container dashboard
8	<code>c54259a28</code>	Dashboard Pimpinan tune-up	Container frontend
9	<code>6c820f125</code>	IKU drilldown + IKU 5 fix	Container dashboard + frontend
10	<code>09ed45ed8</code>	Mahasiswa public profile + foto privacy	Container public + frontend
11	<code>4775508cd</code>	Docs PDF	(no rebuild)

Container yang harus rebuild: `auth` , `dashboard` , `public` , `frontend` (4 layanan) **DDL yang harus apply:** 5 file di `pdut/pdut_staging`

2. Step 1 — Pull Latest Code

Lakukan di setiap VM yang punya repo:

```
cd /var/www/my-unila

# Cek status local (kalau ada perubahan, stash dulu)
git status

# Kalau ada uncommitted changes:
#   git stash push -m "before-pull-2026-05-10"

# Pull
git pull origin master

# Verifikasi sampai commit terbaru:
git log --oneline -1
# Output expected: 4775508cd docs: planning + testing guide + laporan IKU5
```

Verifikasi 11 commit baru ter-pull:

```
git log --oneline ad257736f..HEAD | wc -l
# Output: 11
```

3. Step 2 — Apply DDL ke pdut_staging (atau pdut production)

LOKASI FILE: `data-model/script/sqlserver/man_akses/` **EKSEKUSI:** Via SSMS atau `sqlcmd` — koneksi ke `192.168.123.119,1433`

3.1 Urutan eksekusi DDL (WAJIB ber-urutan, idempotent semua):

```
cd data-model/script/sqlserver/man_akses
ls -1 alter_peran_add_a_peran_identitas.sql \
      create_aplikasi_default_role.sql \
      seed_aplikasi_default_role.sql \
      alter_role_pengguna_add_tgl_kadaluarsa.sql \
      insert_menu_kandidat_akses.sql
```

#	File	Fungsi
1	<code>alter_peran_add_a_peran_identitas.sql</code>	Tambah kolom <code>a_peran_identitas</code> di <code>man_akses.peran</code> + flag = 1 utk peran 39/46/111 (Mhs/Dosen/Tendik)
2	<code>create_aplikasi_default_role.sql</code>	Buat tabel <code>man_akses.aplikasi_default_role</code> + index + FK
3	<code>seed_aplikasi_default_role.sql</code>	Seed 35+ row default mapping (idempotent — skip kalau sudah ada)
4	<code>alter_role_pengguna_add_tgl_kadaluarsa.sql</code>	Tambah kolom <code>tgl_kadaluarsa</code> di <code>man_akses.role_pengguna</code> + index
5	<code>insert_menu_kandidat_akses.sql</code>	Register menu sidebar "Kandidat Review Akses" + "Bulk Import Akses"

3.2 Eksekusi via SSMS (UI):

1. Connect ke server: `192.168.123.119`
2. Buka file SQL satu per satu, **F5 (Execute)**
3. Setelah tiap file: cek output panel — pastikan PRINT message "✓" muncul
4. Kalau "skip" muncul → idempotent OK, lanjut

3.3 Eksekusi via sqlcmd CLI:

```

SQLDB=pdut_staging # atau pdut untuk production
SQLPW='Makinjaya!2myunila'
SQLUSER='mizarzulmi'
SQLHOST='192.168.123.119'

for sql in alter_peran_add_a_peran_identitas \
           create_aplikasi_default_role \
           seed_aplikasi_default_role \
           alter_role_pengguna_add_tgl_kadaluarsa \
           insert_menu_kandidat_akses; do
    echo ">>> Apply $sql.sql..."
    sqlcmd -S "$SQLHOST,1433" -U "$SQLUSER" -P "$SQLPW" -d "$SQLDB" -C \
           -i "data-model/script/sqlserver/man_akses/$sql.sql"
    echo
done

```

3.4 Verifikasi DDL berhasil:

```
-- 1. Cek kolom a_peran_identitas
SELECT id_peran, nm_peran, a_peran_identitas
FROM man_akses.peran
WHERE id_peran IN (39, 46, 111);
-- Expected: 3 row dengan a_peran_identitas = 1

-- 2. Cek tabel aplikasi_default_role
SELECT COUNT(*) AS total, COUNT(DISTINCT id_aplikasi) AS unique_apps
FROM man_akses.aplikasi_default_role;
-- Expected: total >= 30, unique_apps >= 15

-- 3. Cek kolom tgl_kadaluarsa
SELECT TOP 1 tgl_kadaluarsa FROM man_akses.role_pengguna;
-- Expected: SQL berhasil, kolom ada (NULL OK)

-- 4. Cek menu sidebar baru
SELECT nm_menu, nm_file FROM man_akses.menu
WHERE nm_file IN (
    '/dashboard/manajemen-akses/manajemen/kandidat-akses',
    '/dashboard/manajemen-akses/manajemen/import-akses'
);
-- Expected: 2 row
```

4. Step 3 — Rebuild Container

4.1 Di VM5 (staging):

```
cd /var/www/my-unila/deployment/production/vm5-staging

# Rebuild satu-per-satu (sequential – supaya bisa monitor error per service)
./scripts/rebuild-service.sh auth
./scripts/rebuild-service.sh dashboard
./scripts/rebuild-service.sh public
./scripts/rebuild-service.sh frontend

# Atau parallel kalau yakin:
# ./scripts/rebuild-service.sh auth dashboard public frontend
```

4.2 Di VM1 (production frontend+auth+gateway):

```
cd /var/www/my-unila/deployment/production/vm1-frontend-kong
./scripts/rebuild-service.sh frontend
./scripts/rebuild-service.sh kong # kalau Kong route berubah (tidak di update ini)
```

4.3 Di VM2 (production backend services):

```
cd /var/www/my-unila/deployment/production/vm2-backend
./scripts/rebuild-service.sh auth
./scripts/rebuild-service.sh dashboard
./scripts/rebuild-service.sh public
```

4.4 Verifikasi semua container healthy:

```
docker ps --format "table {{.Names}}\t{{.Status}}" | grep staging
# Semua "(healthy)" – wait sampai 30-60 detik kalau masih starting
```

5. Step 4 — Clear Redis Cache

Penting karena dashboard pimpinan & data unila punya cache 30-60 menit:

```
docker exec myunila-redis-staging redis-cli --scan --pattern "*beranda*" \
| xargs -r -L 100 docker exec -i myunila-redis-staging redis-cli DEL

docker exec myunila-redis-staging redis-cli --scan --pattern "*data-unila*" \
| xargs -r -L 100 docker exec -i myunila-redis-staging redis-cli DEL

docker exec myunila-redis-staging redis-cli --scan --pattern "*iku*" \
| xargs -r -L 100 docker exec -i myunila-redis-staging redis-cli DEL
```

6. Step 5 — Smoke Test (Otomatis)

```
# HTTP probe semua endpoint baru (semua harus 200 atau 401)
ROUTES=(
  "frontend:3000:/dashboard/manajemen-akses/manajemen/kandidat-akses"
  "frontend:3000:/dashboard/manajemen-akses/manajemen/import-akses"
  "frontend:3000:/dashboard/data-unila/kkn"
  "frontend:3000:/dashboard/data-unila/akademik/prodi"
  "frontend:3000:/dashboard/pimpinan/iku"
  "frontend:3000:/dashboard/pimpinan/rasio"
  "frontend:3000:/mahasiswa/test-public-id"
)

for route in "${ROUTES[@]"; do
  IFS=: read -r container port path <<< "$route"
  code=$(docker exec "myunila-${container}-staging" \
    wget -O /dev/null -S "http://0.0.0.0:${port}${path}" 2>&1 \
    | grep "HTTP/" | awk '{print $2}' | head -1)
  printf "  %-60s → HTTP %s\n" "$path" "$code"
done
# Expected: semua HTTP 200
```

7. Step 6 — Manual UAT (Urutan Testing)

7.1 Test Phase 1 Akses Lifecycle (~40 menit)

Ikuti panduan terpisah: [docs/operations/Step_Testing_Phase1_Akses_Lifecycle.pdf](#)

Quick checklist: - [] Login Developer → Sidebar Manajemen Akses ada 2 menu baru (Kandidat Review Akses, Bulk Import Akses) - [] Edit Aplikasi (mis. SIAKADU) → tab "Akses Default" muncul, 3 kartu Mhs/Dosen/Tendik - [] Daftar Aplikasi → kebab menu → "Akses Pengguna" → page read-only tampil - [] Kandidat Review → klik "Alumni Lulus" → ada ±48k row, sample AMANDA PUTRA / APRILIA / MALIKHA - [] Klik 2-3 baris → klik "Cabut Role" → modal alasan → Cabut → toast sukses - [] Klik "Tanpa Tgl Kadaluarsa" → bulk select → "Set Tgl Kadaluarsa" → modal pre-fill +1 tahun → Simpan - [] Bulk Import → pilih SIMBAK → Download Template → CSV ter-download dengan daftar peran valid

7.2 Test Konsistensi Data Pimpinan ↔ Data Unila (~10 menit)

Buka 2 tab paralel: - Tab A: [/dashboard/pimpinan](#) (root) - Tab B: [/dashboard/data-unila](#)

Cek angka match: - [] Mahasiswa Total (192,839) - [] Mahasiswa Aktif (37,804) - [] Total SDM (1,755 = Dosen 1,683 + Tendik 72) - [] Prodi Aktif (199) - [] Prodi Unggul (59) - [] MoU Aktif (987) + Mitra Unik (167)

7.3 Test Dashboard Pimpinan tune-up (~15 menit)

Login → buka tiap halaman:

- [] [/pimpinan](#) (root) — hero gradient + 4 StatCard + chart
- [] [/pimpinan/iku](#) — 4 StatCard (Total/Tercapai/Belum/Achievement) + 11 IKU card
- Klik IKU 1 → Modal detail tab "Drilldown" → list 9 fakultas
- Klik fakultas Kedokteran → expand 4 prodi (Kedokteran/Farmasi/dll)
- [] [/pimpinan/rasio](#) — sidebar muncul (sebelumnya tidak), header style konsisten
- [] [/pimpinan/publikasi](#) — 4 StatCard (sebelumnya 1)
- [] [/pimpinan/keuangan](#) — 4 StatCard (sebelumnya 2)
- [] [/pimpinan/litabmas](#) — 4 StatCard
- [] [/pimpinan/pegawai](#) — 4 StatCard + FilterPanel (semester)

7.4 Test IKU 5 sudah punya angka real (~3 menit)

- [] Buka [/pimpinan/iku](#) (default tahun 2025)
- [] IKU 5 = ±45.1% (sebelumnya 0%)
- [] Klik card IKU 5 → tab Drilldown → 8 fakultas dengan persentase berbeda
- [] Top: Ekonomi & Bisnis 178%, ISIPOL 147%

7.5 Test Mahasiswa Public Profile + Foto Privacy (~5 menit)

Logout dulu (atau Incognito): - [] Buka `/mahasiswa/{enc-id-mahasiswa}` → page langsung tampil (TIDAK redirect ke login) - [] Foto = placeholder gradient biru transparan + caption "Foto privat — Login untuk melihat" - [] Data NIM>Nama/Prodi/Status/IPK semester tampil normal

Login → Refresh page mahasiswa yang sama: - [] Foto real ter-load dari MinIO (bukan placeholder)

Test dosen (logged out): - [] Buka `/dosen/{enc-id}` → foto + data full tampil (academic public profile)

7.6 Test Data Unila tune-up (~10 menit)

- [] `/data-unila/akademik/prodi` — 4 StatCard (Total/Unggul/S1/Pascasarjana) + Filter Fakultas + Export Excel
- [] `/data-unila/akademik/akreditasi` — 4 StatCard (Total/Unggul/Akan Expire/Expired) — perhatikan **22 expired** (perlu re-akreditasi)
- [] `/data-unila/akademik/matkul` — 4 StatCard
- [] `/data-unila/tridarma/prestasi` — 4 StatCard + Filter Tahun
- [] `/data-unila/kkn` — page baru, 4 StatCard (47k mhs / 6k kelompok / 4k desa / 18 periode), Filter Periode + Kabupaten
- [] Sidebar — menu "Data KKN" muncul antara Akademik & Kerjasama

8. Rollback Plan (kalau ada masalah)

8.1 Code rollback:

```
git revert ad257736f..HEAD # revert semua 11 commit
git push origin master
# Re-rebuild container affected
```

8.2 DDL rollback (urutan terbalik):

```
-- 1. Drop menu sidebar baru
DELETE FROM man_akses.menu_role
WHERE id_menu IN (
  SELECT id_menu FROM man_akses.menu
  WHERE nm_file LIKE '%/kandidat-akses' OR nm_file LIKE '%/import-akses'
);
DELETE FROM man_akses.menu
WHERE nm_file LIKE '%/kandidat-akses' OR nm_file LIKE '%/import-akses';

-- 2. Drop kolom tgl_kadaluarsa (kalau perlu – biasanya cukup biarkan, NULL aman)
DROP INDEX IF EXISTS idx_role_pengguna_kadaluarsa ON man_akses.role_pengguna;
ALTER TABLE man_akses.role_pengguna DROP COLUMN tgl_kadaluarsa;

-- 3. Drop tabel aplikasi_default_role
DROP TABLE IF EXISTS man_akses.aplikasi_default_role;

-- 4. Drop kolom a_peran_identitas
ALTER TABLE man_akses.peran DROP COLUMN a_peran_identitas;
```

9. Estimasi Waktu (per VM)

Step	Waktu
1. Pull code	1 menit
2. Apply 5 DDL	3-5 menit
3. Rebuild 4 container	15-20 menit
4. Clear Redis cache	1 menit
5. Smoke test HTTP	1 menit
6. Manual UAT (Step 7.1-7.6)	40-50 menit
TOTAL	~60-75 menit

10. Reporting Issue

Jika ada bug saat testing, format:

[BUG #X]

Step: [contoh: 7.3 - klik IKU 1 fakultas]

Browser: Chrome 130

Expected: list prodi expand

Actual: tidak respond / 500 error

Console: F12 → Console tab – copy error

Network: F12 → Network – request gagal copy URL + response

Kirim ke: - Telegram chat - Atau <https://helpdesktik.unila.ac.id>

11. Sign-Off Checklist

Setelah semua step selesai:

- [] **VM5 Staging**: 11 commit terpasang, 5 DDL apply, 4 container healthy
- [] **VM1 Production**: deployed (kalau staging signed)
- [] **VM2 Production**: deployed (kalau staging signed)
- [] Smoke test all green
- [] UAT 6 scenario PASS
- [] Tidak ada regression di modul lain (SIMBAK, SIRANDU, IKU lain)

Tester: ____ **Tanggal:** ____ **Tanda tangan:** ____

Versi dokumen: 1.0 — 2026-05-10 **Disusun:** UPT TIK Universitas Lampung **File:** docs/
operations/Step_Deploy_Update_2026-05-10.{md,pdf}