

Ajout des vérifications

TP du Module 05 – Le Spy et les mots-clés

Proposition de solution

1. Requis

Commande pour accéder à la solution :

`git checkout M05/TP01/ajout_des_verifications/requis`

Récupérer les éléments suivant grâce au spy :

- Titre de la page de connexion
- Message d'erreur de connexion

Login

Please login to make appointment.

Login failed! Please ensure the username and password are valid.

Demo account


John Doe


ThisIsNotAPassword

Username Username

Password Password


Login





Sur la homepage :

- Bouton Make Appointment



Voici à quoi doit ressembler les scripts des scénarios modifiés :

Empty_Username_And_Password			
Item	Object	Input	Output
1 - Open Browser			
2 - Navigate To Url		"https://katalon-demo-cura.herokuapp.com/profile.php#login"	
3 - Click	button_Login		
4 - Verify Element Present	h2_Login	0	
5 - Verify Element Text	p_Login failed Please ensure the us	"Login failed! Please ensure the username and password are valid."	
6 - Close Browser			

Logout			
Item	Object	Input	Output
1 - Open Browser			
2 - Navigate To Url		"https://katalon-demo-cura.h	
3 - Set Text	input_Username_username	"John Doe"	
4 - Set Text	input_Password_password	"ThisIsNotAPassword"	
5 - Click	button_Login		
6 - Click	i_CURA Healthcare_fa fa-bars		
7 - Click	a_Logout		
8 - Verify Element Present	a_Make Appointment	0	
9 - Close Browser			

Wrong_Password			
+ Add ⌚ Recent keywords 🗑️ Delete ↕️ Move up ↕️ Move down 📄 Edit tags ⚙️ Set default view			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"John Doe"	
→ 4 - Set Text	input_password_password	"password"	
→ 5 - Click	button_Login		
→ 6 - Verify Element Prese	h2_Login	0	
→ 7 - Verify Element Text	p_Login failed Please ensure t	"Login failed! Please ensure tl	
→ 8 - Close Browser			

Wrong_Username			
+ Add ⌚ Recent keywords 🗑️ Delete ↕️ Move up ↕️ Move down 📄 Edit tags ⚙️ Set default view			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"toto"	
→ 4 - Set Text	input_password_password	"ThisIsNotAPassword"	
→ 5 - Click	button_Login		
→ 6 - Verify Element Present	h2_Login	0	
→ 7 - Verify Element Text	p_Login failed Please ensure t	"Login failed! Please ensure tl	
→ 8 - Close Browser			

Vérifier en exécutant la suite de test que tout fonctionne.

2. Intermédiaire

Commande pour accéder à la solution :

`git checkout M05/TP01/ajout_des_verifications/intermediaire`

Ajouter une vérification de type *Verify Element Not Present* pour chaque test. Configurer le timeout à 1 seconde pour cette étape

Empty_Username_And_Password			
+ Add ⌚ Recent keywords 🗑️ Delete ↕️ Move up ↕️ Move down 📄 Edit tags ⚙️ Set default view			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Click	button_Login		
→ 4 - Verify Element Present	h2_Login	0	
→ 5 - Verify Element Text	p_Login failed Please ensure t	"Login failed! Please ensure tl	
→ 6 - Verify Element Not Present	h2_Make Appointment	1	
→ 7 - Close Browser			

Logout			
+ Add ⌚ Recent keywords 🗑️ Delete ↕ Move up ↕ Move down ✎ Edit tags ⚙️ Set default view			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"John Doe"	
→ 4 - Set Text	input_password_password	"ThisIsNotAPassword"	
→ 5 - Click	button_login		
→ 6 - Click	i_CURA Healthcare_fa fa-bars		
→ 7 - Click	a_logout		
→ 8 - Verify Element Present	a_Make Appointment	0	
→ 9 - Verify Element Not Present	h2_Make Appointment	1	
→ 10 - Close Browser			

Wrong_Password			
+ Add ⌚ Recent keywords 🗑️ Delete ↕ Move up ↕ Move down ✎ Edit tags ⚙️ Set default view + Add to tes			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"John Doe"	
→ 4 - Set Text	input_password_password	"password"	
→ 5 - Click	button_login		
→ 6 - Verify Element Present	h2_login	0	
→ 7 - Verify Element Text	p_login failed Please ensure the username and password are valid	"Login failed! Please ensure tl	
→ 8 - Verify Element Not Present	h2_Make Appointment	1	
→ 9 - Close Browser			

Wrong_Username			
+ Add ⌚ Recent keywords 🗑️ Delete ↕ Move up ↕ Move down ✎ Edit tags ⚙️ Set default view + Add to tes			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"toto"	
→ 4 - Set Text	input_password_password	"ThisIsNotAPassword"	
→ 5 - Click	button_login		
→ 6 - Verify Element Present	h2_login	0	
→ 7 - Verify Element Text	p_login failed Please ensure the username and password are valid	"Login failed! Please ensure tl	
→ 8 - Verify Element Not Present	h2_Make Appointment	1	
→ 9 - Close Browser			

Ne pas oublier d'ajouter une étape dans `Valid_Login` sur le message d'erreur par exemple

Valid_Login			
+ Add ⌚ Recent keywords 🗑️ Delete ↕ Move up ↕ Move down ✎ Edit tags ⚙️ Set default view + Add to tes			
Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"John Doe"	
→ 4 - Set Text	input_password_password	"ThisIsNotAPassword"	
→ 5 - Click	button_login		
→ 6 - Verify Element Present	h2_Make Appointment	0	
→ 7 - Verify Element Not Present	p_login failed Please ensure the username and password are valid	1	
→ 8 - Close Browser			

3. Avancé

Commande pour accéder à la solution :

`git checkout M05/TP01/ajout_des_verifications/avance`




- 🔊 L'ajout de cette vérification en utilisant le tableau de mot-clé n'est pas optimal.
Nous verrons plus tard comment l'ajouter plus rapidement dans un autre chapitre

Ajouter une ligne à la fin du cas de test et mettre l'action *Verify Equal*


Item	Object	Input	Output
→ 1 - Open Browser		""	
→ 2 - Navigate To Url		"https://katalon-demo-cura.h	
→ 3 - Set Text	input_username_username	"John Doe"	
→ 4 - Set Text	input_password_password	"ThisIsNotAPassword"	
→ 5 - Click	button_login		
→ 6 - Verify Element Presence	h2_Make Appointment	0	
→ 7 - Verify Element Not Found	Login failed Please ensure	1	
→ 8 - Verify Equal		null; null	
→ 9 - Close Browser			

Ouvrir les inputs et renseigner *Method Call* dans la colonne *Value Type* pour la première valeur. Ouvrir la fenêtre pour changer la méthode appelée.



Renseigner la méthode appelée comme suit :


- *Object Type* : *Variable*
- *Object* : *WebUI*
- *Method* : *getUrl*



De retour sur la fenêtre précédente après avoir validé. Renseigner la valeur attendu

comme suit :

- Value Type : String
- Value : URL à vérifier, dans le cas du test Valid_Login « <https://katalon-demo-cura.herokuapp.com/#appointment> »



Répéter l'action pour les autres cas test en oubliant pas de mettre la bonne URL de vérification :

- Logout : « <https://katalon-demo-cura.herokuapp.com/> »
- Empty_Username_And_Password : « <https://katalon-demo-cura.herokuapp.com/profile.php#login> »
- Wrong_Password : « <https://katalon-demo-cura.herokuapp.com/profile.php#login> »
- Wrong_Username : « <https://katalon-demo-cura.herokuapp.com/profile.php#login> »