

Appliquer les Design Pattern


TP du Module 07 – Quelques Design Pattern

Proposition de solution


Commande pour accéder à la correction :

`git checkout M07/TP01/appliquer_les_design_pattern`

- **Création de dossier pour les cas de test et suite de test :**



- **Ranger et renommer les objets :**



- **Utiliser des variables globales :**

Dans **tous** les cas de tests, changer l'URL pour l'appels à la variable globale `BASE_URL` dans l'action 'navigateToUrl()'



22 WebUI.navigateToUrl(GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)

- Utiliser des variables de test :

Pour Valid Login :

Créer les variables username et password

Valid_Login ×			
+ Add 🗑️ Delete 🧼 Clear ⬆️ Move up ⬇️ Move down			
No.	Name	Type	Default value
1	username	String	"John Doe"
2	password	String	"ThisIsNotAPassword"

```

20 WebUI.openBrowser('')
21
22 WebUI.navigateToUrl(GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
23
24 WebUI.setText(findTestObject('Object Repository/Login Page/username_field'), username)
25
26 WebUI.setText(findTestObject('Object Repository/Login Page/password_field'), password)
27
28 WebUI.click(findTestObject('Object Repository/Login Page/login_button'))
29
30 WebUI.verifyElementPresent(findTestObject('Appointment Page/make_appointment_title'), 0)
31
32 WebUI.verifyElementNotPresent(findTestObject('Login Page/authentication_failed_text'),
33     1)
34
35 WebUI.verifyEqual(WebUI.getUrl(), GlobalVariable.BASE_URL + GlobalVariable.APPOINTMENT_PAGE)
36
37 WebUI.closeBrowser()

```

Pour Wrong Password :

Créer les variables username, password et expected_text

Wrong_Password ×				
+ Add 🗑️ Delete 🧼 Clear ⬆️ Move up ⬇️ Move down				
No.	Name	Type	Default value	Description
1	username	String	"John Doe"	
2	password	String	"password"	
3	expected_text	String	"Login failed! Please ensure the username and ..."	

```

20 WebUI.openBrowser('')
21
22 WebUI.navigateToUrl(GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
23
24 WebUI.setText(findTestObject('Object Repository/Login Page/username_field'), username)
25
26 WebUI.setText(findTestObject('Object Repository/Login Page/password_field'), password)
27
28 WebUI.click(findTestObject('Object Repository/Login Page/login_button'))
29
30 WebUI.verifyElementPresent(findTestObject('Login Page/login_title'), 0)
31
32 WebUI.verifyElementText(findTestObject('Login Page/authentication_failed_text'), expected_text)
33
34 WebUI.verifyElementNotPresent(findTestObject('Appointment Page/make_appointment_title'), 1)
35
36 WebUI.verifyEqual(WebUI.getUrl(), GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
37
38 WebUI.closeBrowser()

```



Pour Wrong Username :

Créer les variables *username*, *password* et *expected_text*

Wrong_Username ×				
Add Delete Clear Move up Move down				
No.	Name	Type	Default value	Description
1	username	String	"toto"	
2	password	String	"ThisIsNotAPassword"	
3	expected_text	String	"Login failed! Please ensure the username and ..."	

```

20 WebUI.openBrowser('')
21
22 WebUI.navigateToUrl(GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
23
24 WebUI.setText(findTestObject('Object Repository/Login Page/username_field'), username)
25
26 WebUI.setText(findTestObject('Object Repository/Login Page/password_field'), password)
27
28 WebUI.click(findTestObject('Object Repository/Login Page/login_button'))
29
30 WebUI.verifyElementPresent(findTestObject('Login Page/login_title'), 0)
31
32 WebUI.verifyElementText(findTestObject('Login Page/authentication_failed_text'), expected_text)
33
34 WebUI.verifyElementNotPresent(findTestObject('Appointment Page/make_appointment_title'), 1)
35
36 WebUI.verifyEqual(WebUI.getUrl(), GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
37
38 WebUI.closeBrowser()

```

Pour Empty Username And Password :

Créer la variable *expected_text*

Empty_Username_And_Password ×				
Add Delete Clear Move up Move down				
No.	Name	Type	Default value	Description
1	expected_text	String	"Login failed! Please ensure the username and ..."	

```

20 WebUI.openBrowser('')
21
22 WebUI.navigateToUrl(GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
23
24 WebUI.click(findTestObject('Object Repository/Login Page/login_button'))
25
26 WebUI.verifyElementPresent(findTestObject('Login Page/login_title'), 0)
27
28 WebUI.verifyElementText(findTestObject('Login Page/authentication_failed_text'), expected_text)
29
30 WebUI.verifyElementNotPresent(findTestObject('Appointment Page/make_appointment_title'), 1)
31
32 WebUI.verifyEqual(WebUI.getUrl(), GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
33
34 WebUI.closeBrowser()

```

Pour Logout :

Créer les variables *username* et *password*

Logout				
Add Delete Clear Move up Move down				
No.	Name	Type	Default value	Description
1	username	String	"John Doe"	
2	password	String	"ThisIsNotAPassword"	

```

20 WebUI.openBrowser('')
21
22 WebUI.navigateToUrl(GlobalVariable.BASE_URL + GlobalVariable.LOGIN_PAGE)
23
24 WebUI.setText(findTestObject('Object Repository/Login Page/username_field'), 'John Doe')
25
26 WebUI.setText(findTestObject('Object Repository/Login Page/password_field'), 'ThisIsNotAPassword')
27
28 WebUI.click(findTestObject('Object Repository/Login Page/login_button'))
29
30 WebUI.click(findTestObject('Object Repository/Burger Menu/open_close_burger_menu_button'))
31
32 WebUI.click(findTestObject('Object Repository/Burger Menu/logout_button'))
33
34 WebUI.verifyElementPresent(findTestObject('Home Page/make_appointment_button'), 0)
35
36 WebUI.verifyElementNotPresent(findTestObject('Appointment Page/make_appointment_title'), 1)
37
38 WebUI.verifyEqual(WebUI.getUrl(), GlobalVariable.BASE_URL)
39
40 WebUI.closeBrowser()

```

Vue générale

The screenshot displays the Katalon Studio interface. On the left, the 'Test Explorer' pane shows a tree view of test cases and object repositories. The 'Valid_Login' test case is selected. The main area shows the 'Test Run History' for the 'Valid_Login' test case, listing 9 items with their respective objects, inputs, outputs, and descriptions.

Item	Object	Input	Output	Description
1 - Open Browser		...		
2 - Navigate To Url		GlobalVariable.BASE_URL + C		
3 - Set Text	username_field	username		
4 - Set Text	password_field	password		
5 - Click	login_button			
6 - Verify Element Prese	make_appointment_title	0		
7 - Verify Element Not F	authentication_failed_text	1		
8 - Verify Equal		WebUI.getUrl(); GlobalVariabl		
9 - Close Browser				