

Hyunsang Hwang

其他

基本信息

姓名: Hyunsang Hwang

所属院校: 浦项理工大学

邮箱: hwanghs@postech.ac.kr

地区: South Korea

学科领域

材料物理

微电子科学与工程

集成电路设计与集成系统

电子信息材料

电子科学与技术

材料科学与工程

研究领域

薄膜材料与表面物理

存储器设计与架构

纳米物理与纳米器件

半导体材料与器件

纳米电子与先进工艺

微电子器件与制造

半导体与光电子材料

半导体器件物理与工艺

材料物理与化学


材料缺陷与微结构分析

+4

个人简介

Hyunsang Hwang is a distinguished professor in the Department of Materials Science & Engineering. He earned his Bachelor's degree in Metallurgical Engineering from Seoul National University and his Ph.D. in Metallurgical Engineering from the University of Texas at Austin. With extensive experience, Dr. Hwang has worked at LG Semiconductor and Gwangju Institute of Science and Technology before joining his current institution. He can be reached at hwanghs@postech.ac.kr, and more information is available on his homepage: <http://www.sidp.kr>.

近年发表的论文



Improved Memory Performance Through Integration of Ferroelectric and Ovonic Threshold Switching Layer

IEEE ELECTRON DEVICE LETTERS

Jung, Laeyong; Lee, Jangseop; Oh, Seungyeol; Seo, Yoori; Kwon, Ohhyuk; Hwang, Hyunsang

被引用次数: 0

2025

Volatile threshold switching devices for hardware security primitives: Exploiting intrinsic variability as an entropy source

APPLIED PHYSICS REVIEWS

Choi, Wooseok; Kwon, Ohhyuk; Lee, Jangseop; Oh, Seungyeol; Heo, Seongjae; Ban, Sanghyun; Seo, Yoori; Kim, Dongmin; Hwang, Hyunsang

被引用次数: 0

2024

Controllable multilevel quantized conduction states in vertical CBRAM using Cu-nanodot ion source

APPLIED PHYSICS LETTERS

Lee, Sunhyeong; Lee, Chuljun; Kwon, Ohhyuk; Heo, Seongjae; Hwang, Hyunsang

被引用次数: 0

2024

Improving the selector characteristics of ovonic threshold switch via UV treatment process (vol 123, 242103, 2023)

APPLIED PHYSICS LETTERS

Seo, Yoori; Lee, Jangseop; Ban, Sanghyun; Kim, Dongmin; Han, Geonhui; Hwang, Hyunsang

被引用次数: 0

2024

Excellent Reliability Characteristics of Ovonic Threshold Switch Device with Higher-Temperature Forming Technique

PHYSICA STATUS SOLIDI-RAPID RESEARCH LETTERS

Lee, Jangseop; Ban, Sanghyun; Seo, Yoori; Kim, Dongmin; Hwang, Hyunsang

被引用次数: 0

2024

Quantitative Analysis and Characterization of Sidewall Defects in InGaN-Based Blue Micro-LEDs

ACS APPLIED ELECTRONIC MATERIALS

Park, Jeonghyeon; Cho, Won Seok; Jang, Hojung; Kim, Jawon; Yoo, Chuljong; Kim, Buem Joon; Jeong, Junseok; Lee, Jong Won; Hwang, Hyunsang; Kim, Jong Kyu

被引用次数: 0

2024

Enhancement of NbO₂-based oscillator neuron device performance via cryogenic operation

NANOTECHNOLOGY

Kwon, Ohhyuk; Heo, Seongjae; Kim, Dongmin; Kim, Jiho; Hwang, Hyunsang

被引用次数: 1

2024

High-performance resistive random access memory using two-dimensional electron gas electrode and its switching mechanism analysis

NANOTECHNOLOGY

Kim, Jiho; Kwon, Ohhyuk; Lee, Kyumin; Han, Geonhui; Hwang, Hyunsang

被引用次数: 0

2024

Enhanced Memory Window and Excellent Endurance in FeFET With Ultrathin 2DEG Oxide Channel

IEEE ELECTRON DEVICE LETTERS

Seo, Jongseon; Kim, Jiho; Han, Geonhui; Jung, Laeyong; Jang, Hojung; Kwon, Ohhyuk; Hwang, Hyunsang

被引用次数: 0

2024

Bypass Resistive RAM With Interface Switching-Based Resistive RAM and InGaZnO Bypass Transistor for V-NAND Applications

IEEE ELECTRON DEVICE LETTERS

Han, Geonhui; Lee, Kyumin; Kim, Dongmin; Seo, Yoori; Lee, Jinwoo; Choi, Jinmyung; Ahn, Dongho; Oh, Sechung; Hwang, Hyunsang

被引用次数: 2

2024

Subthreshold Bias-Induced Threshold Voltage Shift of the Ovonic Threshold Switch

IEEE ELECTRON DEVICE LETTERS

Ban, Sanghyun; Lee, Jangseop; Seo, Yoori; Kwon, Ohhyuk; Lee, Wootae; Kim, Taehoon; Hwang, Hyunsang

被引用次数: 0

2024

Highly Scalable Vertical Bypass RRAM Using Interface-Type Resistive Switching Mechanism for V-Nand Memory Applications

IEEE TRANSACTIONS ON ELECTRON DEVICES

Han, Geonhui; Seo, Jongseon; Lee, Kyumin; Kim, Dongmin; Seo, Yoori; Lee, Jinwoo; Choi, Jinmyung; Ahn, Dongho; Oh, Sechung; Hwang, Hyunsang

被引用次数: 0

2024

Understanding Switching Mechanism of Selector-Only Memory Using Se-Based Ovonic Threshold Switch Device

IEEE TRANSACTIONS ON ELECTRON DEVICES

Lee, Jangseop; Seo, Yoori; Ban, Sanghyun; Kim, Dong Gwan; Park, Yu Bin; Lee, Tae Hoon; Hwang, Hyunsang

被引用次数: 3

2024

Advances in Ovonic Threshold Switch Selector Technologies for Storage Class Memory: From Fundamentals to Development and Beyond

ADVANCED ELECTRONIC MATERIALS

Ban, Sanghyun; Lee, Jangseop; Seo, Yoori; Lee, Wootae; Kim, Taehoon; Hwang, Hyunsang

被引用次数: 0

2024

Enhancing Selector-Only Memory Reliability Through Multi-Step Write Pulse

IEEE ELECTRON DEVICE LETTERS

Seo, Yoori; Ban, Sanghyun; Lee, Jangseop; Kim, Dongmin; Jung, Laeyong; Hwang, Hyunsang

被引用次数: 0

2024

Mg-Ion-Based Electrochemical Synapse With Superior Retention

IEEE ELECTRON DEVICE LETTERS

Kang, Heebum; Lee, Kyumin; Hwang, Seungkwon; Hwang, Hyunsang

被引用次数: 0

2024

Enhancing the Capacitive Memory Window of HZO FeCap Through Nanolaminate Stack Design

ADVANCED ELECTRONIC MATERIALS

Habibi, Mostafa; Kashir, Alireza; Oh, Seungyeol; Jang, Hojung; Hwang, Hyunsang

被引用次数: 0

2024

Composition optimization of HfxZr_{1-x}O₂ thin films to achieve the morphotropic phase boundary for high-k dielectrics

JOURNAL OF APPLIED PHYSICS

Oh, Seungyeol; Jang, Hojung; Hwang, Hyunsang

被引用次数: 3

2023

Improving the selector characteristics of ovonic threshold switch via UV treatment process

APPLIED PHYSICS LETTERS

Seo, Yoori; Lee, Jangseop; Ban, Sanghyun; Kim, Dongmin; Han, Geonhui; Hwang, Hyunsang

被引用次数: 2

2023

NbO₂ selector device with Ge₂Sb₂Te₅ thermal barrier for low off current (300 nA) and low power operation

APPLIED PHYSICS LETTERS

Kwon, Ohhyuk; Lee, Jangseop; Lee, Kyumin; Choi, Wooseok; Hwang, Hyunsang

被引用次数: 2

2023

Vacuum gap atomic switch with improved controllability of quantized conduction states and low transition energy

AIP ADVANCES

Lee, Sunhyeong; Lee, Seungwoo; Hwang, Hyunsang

被引用次数: 0

2023

Exploring the Cutting-Edge Frontiers of Electrochemical Random Access Memories (ECRAMs) for Neuromorphic Computing: Revolutionary Advances in Material-to-Device Engineering

SMALL

Nikam, Revannath Dnyandeo; Lee, Jongwon; Lee, Kyumin; Hwang, Hyunsang

被引用次数: 7

2023

Improved Switching Uniformity of SCLC-RRAM Using the Vertically Formed Nanoscale 2DEG Electrode and Control of Oxygen Vacancy Distribution

ACS APPLIED ELECTRONIC MATERIALS

Kim, Jiho; Kwon, Ohhyuk; Lee, Kyumin; Hwang, Hyunsang

被引用次数: 2

2023

Integrated Logic Circuits Based on Wafer-Scale 2D-MoS₂ FETs Using Buried-Gate Structures

NANOMATERIALS

Lee, Ju-Ah; Yoon, Jongwon; Hwang, Seungkwon; Hwang, Hyunsang; Kwon, Jung-Dae; Lee, Seung-Ki; Kim, Yonghun

被引用次数: 1

2023

Defect Engineering of BTe Ovonic Threshold Switch (OTS) With Nitrogen Doping for Improved Electrical and Reliability Performance

IEEE ELECTRON DEVICE LETTERS

Lee, Jangseop; Ban, Sanghyun; Lee, Tae Hoon; Hwang, Hyunsang

被引用次数: 1

2023

Inherent Stochasticity of Ovonic Threshold Switch for Neuronal Dropout of Edge-AI Hardware

IEEE ELECTRON DEVICE LETTERS

Kim, Dongmin; Choi, Wooseok; Lee, Jangseop; Hwang, Hyunsang

被引用次数: 1

2023

Novel High-Speed Ternary Logic Using Step-Shaped Threshold Switch

IEEE ELECTRON DEVICE LETTERS

Lee, Junjong; Heo, Seongjae; Hwang, Hyunsang; Baek, Rock-Hyun

被引用次数: 5

2023

Understanding Controlled Ion Doping Mechanism of Vertical Sensing Electrochemical Random Access Memory Using Ion-Permeable Graphene Electrodes

IEEE TRANSACTIONS ON ELECTRON DEVICES

Lee, Jongwon; Nikam, Revannath Dnyandeo; Kim, Dongmin; Hwang, Hyunsang

被引用次数: 2

2023

Cell Design Considerations for Ovonic Threshold Switch-Based 3-D Cross-Point Array

IEEE TRANSACTIONS ON ELECTRON DEVICES

Ban, Sanghyun; Lee, Jangseop; Kim, Taehoon; Hwang, Hyunsang

被引用次数: 1	2023
Study of high-pressure hydrogen annealing effects on InGaZnO thin-film transistors APPLIED PHYSICS LETTERS Lee, Kyumin; Jung, Laeyong; Hwang, Hyunsang 被引用次数: 5	2022
Prospect and challenges of analog switching for neuromorphic hardware APPLIED PHYSICS LETTERS Banerjee, Writam; Nikam, Revannath Dnyandeo; Hwang, Hyunsang 被引用次数: 31	2022
On-Chip Integrated Atomically Thin 2D Material Heater as a Training Accelerator for an Electrochemical Random-Access Memory Synapse for Neuromorphic Computing Application ACS NANO Nikam, Revannath Dnyandeo; Lee, Jongwon; Choi, Wooseok; Kim, Dongmin; Hwang, Hyunsang 被引用次数: 6	2022
On-Chip Integrated Atomically Thin 2D Material Heater as a Training Accelerator for an Electrochemical Random-Access Memory Synapse for Neuromorphic Computing Application ACS NANO Nikam, Revannath Dnyandeo; Lee, Jongwon; Choi, Wooseok; Kim, Dongmin; Hwang, Hyunsang 被引用次数: 0	2022
Atomic Threshold Switch Based on All-2D Material Heterostructures with Excellent Control Over Filament Growth and Volatility ADVANCED FUNCTIONAL MATERIALS Nikam, Revannath Dnyandeo; Hwang, Hyunsang 被引用次数: 11	2022
Determination of damage model parameters using nano- and bulk-scale digital image correlation and the finite element method JOURNAL OF MATERIALS RESEARCH AND TECHNOLOGY-JMR&T Gu, Gang Hee; Kwon, Jihye; Moon, Jongun; Kwon, Hyeonseok; Lee, Jongwon; Kim, Yongju; Kim, Eun Seong; Seo, Min Hong; Hwang, Hyunsang; Kim, Hyoung Seop 被引用次数: 8	2022
Strategies to Improve the Synaptic Characteristics of Oxygen-Based Electrochemical Random-Access Memory Based on Material Parameters Optimization ACS APPLIED MATERIALS & INTERFACES Lee, Jongwon; Nikam, Revannath Dnyandeo; Kwak, Myonghoon; Hwang, Hyunsang 被引用次数: 19	2022
Effect of the Oxygen Composition Control of HfOx Films on Threshold and Memory Switching Characteristics for Hybrid Memory Applications	

ADVANCED ELECTRONIC MATERIALS

Lee, Seungwoo; Kim, Seong Hun; Oh, Seungyeol; Lee, Donghwa; Hwang, Hyunsang

被引用次数: 6

2022

Synergy effect of microwave annealing and high-pressure hydrogen annealing on Poly-Si thin-film transistor

NANOTECHNOLOGY

Lee, Sunhyeong; Lee, Jongwon; Lee, Junyoung; Lee, Jaeduk; Hwang, Hyunsang

被引用次数: 0

2022

Improvement of endurance and switching speed in Hf_{1-x}Zr_xO₂ thin films using a nanolaminate structure

NANOTECHNOLOGY

Jang, Hojung; Kashir, Alireza; Oh, Seungyeol; Hwang, Hyunsang

被引用次数: 4

2022

A grease for domain walls motion in HfO₂-based ferroelectrics

NANOTECHNOLOGY

Kashir, Alireza; Farahani, Mehrdad Ghiasabadi; Lancok, Jan; Hwang, Hyunsang; Kamba, Stanislav

被引用次数: 9

2022

High polarization and wake-up free ferroelectric characteristics in ultrathin Hf_{0.5}Zr_{0.5}O₂ devices by control of oxygen-deficient layer

NANOTECHNOLOGY

Yadav, Manoj; Kashir, Alireza; Oh, Seungyeol; Nikam, Revannath Dnyandeo; Kim, Hyungwoo; Jang, Hojung; Hwang, Hyunsang

被引用次数: 31

2022

Exploiting Read Current Noise of TiO_x Resistive Memory by Controlling Forming Conditions for Probabilistic Neural Network Hardware

IEEE ELECTRON DEVICE LETTERS

Choi, Wooseok; Ji, Wonjae; Heo, Seongjae; Lee, Donguk; Noh, Kyungmi; Lee, Chuljun; Woo, Jiyong; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 3

2022

Nonvolatile Frequency-Programmable Oscillator With NbO₂ and Li-Based Electro-Chemical Random Access Memory for Coupled Oscillators-Based Temporal Pattern Recognition System

IEEE ELECTRON DEVICE LETTERS

Lee, Donguk; Lee, Jongwon; Lee, Sangmin; Lee, Chuljun; Heo, Sungjae; Hwang, Hyunsang

被引用次数: 6

2022

Effect of Silicon Doping in B-Te (B₄Te₆) Binary Ovonic Threshold Switch System

IEEE ELECTRON DEVICE LETTERS

Ban, Sanghyun; Lee, Sangmin; Lee, Jangseop; Hwang, Hyunsang

被引用次数: 16

2022

Enhanced Switching Characteristics of an Ovonic Threshold Switching Device With an Ultra-Thin MgO Interfacial Layer

IEEE ELECTRON DEVICE LETTERS

Lee, Jangseop; Lee, Sangmin; Kwak, Myonghoon; Choi, Wooseok; Mosendz, Oleksandr; Hwang, Hyunsang

被引用次数: 10

2022

Integrate-and-Fire Neuron With Li-Based Electrochemical Random Access Memory Using Native Linear Current Integration Characteristics

IEEE TRANSACTIONS ON ELECTRON DEVICES

Lee, Donguk; Lee, Jongwon; Lee, Chuljun; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 2

2022

Improved Synaptic Characteristics of Oxide-Based Electrochemical Random Access Memory at Elevated Temperatures Using Integrated Micro-Heater

IEEE TRANSACTIONS ON ELECTRON DEVICES

Lee, Jongwon; Nikam, Revannath Dnyandeo; Kwak, Myonghoon; Hwang, Hyunsang

被引用次数: 15

2022

Effect of Stochastic Resonance on Classification Accuracy of Neural Networks Utilizing Inherent Stochasticity in Threshold Voltage of Ovonic Threshold Switching Device

IEEE JOURNAL OF THE ELECTRON DEVICES SOCIETY

Choi, Wooseok; Kwak, Myonghoon; Lee, Donguk; Lee, Sangmin; Lee, Chuljun; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 0

2022

Linear Frequency Modulation of NbO₂-Based Nanoscale Oscillator With Li-Based Electrochemical Random Access Memory for Compact Coupled Oscillatory Neural Network

FRONTIERS IN NEUROSCIENCE

Lee, Donguk; Kwak, Myonghoon; Lee, Jongwon; Woo, Jiyong; Hwang, Hyunsang

被引用次数: 1

2022

Impact of electrolyte density on synaptic characteristics of oxygen-based ionic synaptic transistor

APPLIED PHYSICS LETTERS

Lee, Chuljun; Choi, Wooseok; Kwak, Myunghoon; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 18

2021

Hybrid memory characteristics of NbO_x threshold switching devices

APPLIED PHYSICS LETTERS

Lee, Sangmin; Hwang, Hyunsang; Woo, Jiyong

被引用次数: 6

2021

Understanding of forming and switching mechanism using trap distribution model for ovonic threshold switch device

APPLIED PHYSICS LETTERS

Lee, Sangmin; Lee, Jangseop; Kwak, Myonghoon; Mosendz, Oleksandr; Hwang, Hyunsang

被引用次数: 20

2021

Enhancement of ovonic threshold switching characteristics using nanometer-scale virtual electrode formed within ultrathin hafnium dioxide interlayer

APPLIED PHYSICS LETTERS

Lee, Jangseop; Lee, Sangmin; Hwang, Hyunsang

被引用次数: 2

2021

Surface Diffusion and Epitaxial Self-Planarization for Wafer-Scale Single-Grain Metal Chalcogenide Thin Films

ADVANCED MATERIALS

Giri, Anupam; Kumar, Manish; Kim, Jaeseon; Pal, Monalisa; Banerjee, Writam; Nikam, Revannath Dnyandeo; Kwak, Junghyeok; Kong, Minsik; Kim, Seong Hun; Thiyagarajan, Kaliannan; Kim, Geonwoo; Hwang, Hyunsang; Lee, Hyun Hwi; Lee, Donghwa; Jeong, Unyong

被引用次数: 13

2021

Deep Insight into Steep-Slope Threshold Switching with Record Selectivity ($>4 \times 10^{10}$) Controlled by Metal-Ion Movement through Vacancy-Induced-Percolation Path: Quantum-Level Control of Hybrid-Filament

ADVANCED FUNCTIONAL MATERIALS

Banerjee, Writam; Kim, Seong Hun; Lee, Seungwoo; Lee, Sangmin; Lee, Donghwa; Hwang, Hyunsang

被引用次数: 39

2021

Ionic Sieving Through One-Atom-Thick 2D Material Enables Analog Nonvolatile Memory for Neuromorphic Computing

SMALL

Nikam, Revannath Dnyandeo; Lee, Jongwon; Choi, Wooseok; Banerjee, Writam; Kwak, Myonghoon; Yadav, Manoj; Hwang, Hyunsang

被引用次数: 40

2021

Single-Atom Quantum-Point Contact Switch Using Atomically Thin Hexagonal Boron Nitride

SMALL

Nikam, Revannath Dnyandeo; Rajput, Krishn Gopal; Hwang, Hyunsang

被引用次数: 42

2021

Improvement of Synaptic Properties in Oxygen-Based Synaptic Transistors Due to the Accelerated Ion Migration in Sub-Stoichiometric Channels

ADVANCED ELECTRONIC MATERIALS

Lee, Jongwon; Nikam, Revannath Dnyandeo; Kwak, Myonghoon; Kwak, Hyunjeong; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 32

2021

All-Solid-State Oxygen Ion Electrochemical Random-Access Memory for Neuromorphic Computing

ADVANCED ELECTRONIC MATERIALS

Nikam, Revannath Dnyandeo; Kwak, Myonghoon; Hwang, Hyunsang

被引用次数: 39

2021

An Efficient Approach Based on Tuned Nanoionics to Maximize Memory Characteristics in Ag-Based Devices

ADVANCED ELECTRONIC MATERIALS

Banerjee, Writam; Kim, Seong Hun; Lee, Seungwoo; Lee, Donghwa; Hwang, Hyunsang

被引用次数: 32

2021

Hybrid Memory Device (Memory/Selector) with Scalable and Simple Structure for XNOR-Based Neural Network Applications

ADVANCED ELECTRONIC MATERIALS

Sung, Changhyuck; Kim, Seong Hun; Kwak, Myounghoon; Lee, Donghwa; Hwang, Hyunsang

被引用次数: 2

2021

Improved Threshold Switching and Endurance Characteristics Using Controlled Atomic-Scale Switching in a 0.5 nm Thick Stoichiometric HfO₂ Layer

ADVANCED ELECTRONIC MATERIALS

Lee, Seungwoo; Banerjee, Writam; Lee, Sangmin; Sung, Changhyuck; Hwang, Hyunsang

被引用次数: 16

2021

Towards an ideal high- κ HfO₂-ZrO₂-based dielectric

NANOSCALE

Kashir, Alireza; Ghiasabadi Farahani, Mehrdad; Hwang, Hyunsang

被引用次数: 23

2021

Hf_{1-x}Zr_xO₂/ZrO₂ Nanolaminate Thin Films as a High- κ Dielectric

ACS APPLIED ELECTRONIC MATERIALS

Kashir, Alireza; Farahani, Mehrdad Ghiasabadi; Kamba, Stanislav; Yadav, Manoj; Hwang, Hyunsang

被引用次数: 16

2021

Large Remnant Polarization in a Wake-Up Free Hf_{0.5}Zr_{0.5}O₂ Ferroelectric Film through Bulk and Interface Engineering

ACS APPLIED ELECTRONIC MATERIALS

Kashir, Alireza; Kim, Hyungwoo; Oh, Seungyeol; Hwang, Hyunsang

被引用次数: 103

2021

Defect Engineering to Achieve Wake-up Free HfO₂-Based Ferroelectrics

ADVANCED ENGINEERING MATERIALS

Kashir, Alireza; Oh, Seungyeol; Hwang, Hyunsang

被引用次数: 61

2021

A CMOS-compatible morphotropic phase boundary

NANOTECHNOLOGY

Kashir, Alireza; Hwang, Hyunsang

被引用次数: 16

2021

Effects of high pressure oxygen annealing on Hf_{0.5}Zr_{0.5}O₂ ferroelectric device

NANOTECHNOLOGY

Kim, Hyungwoo; Kashir, Alireza; Oh, Seungyeol; Jang, Hojung; Hwang, Hyunsang

被引用次数: 12

2021

Improved synaptic functionalities of Li-based nano-ionic synaptic transistor with ultralow conductance enabled by Al₂O₃ barrier layer

NANOTECHNOLOGY

Lee, Kyumin; Kwak, Myoungsoon; Choi, Woosik; Lee, Chuljun; Lee, Jongwon; Noh, Sujung; Lee, Jisung; Lee, Hansam; Hwang, Hyunsang

被引用次数: 17

2021

A new approach to achieving strong ferroelectric properties in TiN/Hf_{0.5}Zr_{0.5}O₂/TiN devices

NANOTECHNOLOGY

Kim, Hyungwoo; Kashir, Alireza; Oh, Seungyeol; Hwang, Hyunsang

被引用次数: 24

2021

Impact of Operating Temperature on Pattern Recognition Accuracy of Resistive Array-Based Hardware Neural Networks

IEEE ELECTRON DEVICE LETTERS

Choi, Woosik; Lee, Chuljun; Noh, Sujung; Lee, Jisung; Lee, Hansam; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 8

2021

Excellent Pattern Recognition Accuracy of Neural Networks Using Hybrid Synapses and Complementary Training

IEEE ELECTRON DEVICE LETTERS

Kwak, Myoungsoon; Choi, Woosik; Heo, Seongjae; Lee, Chuljun; Nikam, Revannath; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 10

2021

Improved Turn-Off Speed and Uniformity of Atomic Threshold Switch Device by AgSe Electrode and Bipolar Pulse Forming

IEEE JOURNAL OF THE ELECTRON DEVICES SOCIETY

Oh, Seungyeol; Lee, Seungwoo; Hwang, Hyunsang

被引用次数: 5

2021

Multinary Data Processing Based on Nonlinear Synaptic Devices

JOURNAL OF ELECTRONIC MATERIALS

Kim, Myungjun; Lee, Jae-Eun; Lee, Chuljun; Song, Yubin; Han, Geonhui; Seo, Jongseon; Kim, Dong-Wook; Seo, Young-Ho; Hwang, Hyunsang; Lee, Daeseok

被引用次数: 7

2021

Neural Network Training Acceleration With RRAM-Based Hybrid Synapses

FRONTIERS IN NEUROSCIENCE

Choi, Woosik; Kwak, Myoungsoon; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 2

2021

Hardware Neural Network using Hybrid Synapses via Transfer Learning: WOx Nano-Resistors and TiOx RRAM Synapse for Energy-Efficient Edge-AI Sensor

2021 IEEE INTERNATIONAL ELECTRON DEVICES MEETING (IEDM)

Choi, Wooseok; Kwak, Myonghoon; Heo, Seongjae; Lee, Kyumin; Lee, Seungwoo; Hwang, Hyunsang

被引用次数: 16

2021

Engineering of defects in resistive random access memory devices

JOURNAL OF APPLIED PHYSICS

Banerjee, Writam; Liu, Qi; Hwang, Hyunsang

被引用次数: 61

2020

Effect of dead layers on the ferroelectric property of ultrathin HfZrOx film

APPLIED PHYSICS LETTERS

Oh, Seungyeol; Kim, Hyungwoo; Kashir, Alireza; Hwang, Hyunsang

被引用次数: 48

2020

Evolution of 0.7 conductance anomaly in electric field driven ferromagnetic CuO junction based resistive random access memory devices

APPLIED PHYSICS LETTERS

Banerjee, Writam; Hwang, Hyunsang

被引用次数: 4

2020

Analysis of bending behavior of TiN particle-reinforced martensitic steel using micro-digital image correlation

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING

Kim, Dong Hyuk; Seong, Yujin; Kim, Jung Gi; Lee, Jongwon; Seo, Min Hong; Hwang, Hyunsang; Kim, Hyoung Seop

被引用次数: 7

2020

Resistive Switching in Few-Layer Hexagonal Boron Nitride Mediated by Defects and Interfacial Charge Transfer

ACS APPLIED MATERIALS & INTERFACES

Jeong, Hokyeong; Kim, Jiye; Kim, Dong Yeong; Kim, Jaewon; Moon, Seokho; Okello, Odongo Francis Ngome; Lee, Sangmin; Hwang, Hyunsang; Choi, Si-Young; Kim, Jong Kyu

被引用次数: 26

2020

Understanding of Selector-Less 1S1R Type Cu-Based CBRAM Devices by Controlling Sub-Quantum Filament

ADVANCED ELECTRONIC MATERIALS

Banerjee, Writam; Hwang, Hyunsang

被引用次数: 28

2020

Controlled Ionic Tunneling in Lithium Nanoionic Synaptic Transistor through Atomically Thin Graphene Layer for Neuromorphic Computing

ADVANCED ELECTRONIC MATERIALS

Nikam, Revannath Dnyandeo; Kwak, Myonghoon; Lee, Jongwon; Rajput, Krishn Gopal; Hwang, Hyunsang

被引用次数: 66

2020

Sodium-based nano-ionic synaptic transistor with improved retention characteristics

NANOTECHNOLOGY

Lee, Kyumin; Lee, Jongwon; Nikam, Revannath Dnyandeo; Heo, Seongjae; Hwang, Hyunsang

被引用次数: 23

2020

Excellent synaptic behavior of lithium-based nano-ionic transistor based on optimal WO_{2.7} stoichiometry with high ion diffusivity

NANOTECHNOLOGY

Lee, Jongwon; Nikam, Revannath Dnyandeo; Lim, Seokjae; Kwak, Myonghoon; Hwang, Hyunsang

被引用次数: 33

2020

Pr_{0.7}Ca_{0.3}MnO₃-Based Three-Terminal Synapse for Neuromorphic Computing

IEEE ELECTRON DEVICE LETTERS

Lee, Chuljun; Rajput, Krishn Gopal; Choi, Wooseok; Kwak, Myonghoon; Nikam, Revannath Dnyandeo; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 24

2020

Improved Pattern Recognition Accuracy of Hardware Neural Network: Deactivating Short Failed Synapse Device by Adopting Ovonic Threshold Switching (OTS)-Based Fuse Device

IEEE ELECTRON DEVICE LETTERS

Kwak, Myonghoon; Lee, Sangmin; Kim, Seyoung; Hwang, Hyunsang

被引用次数: 5

2020

Experimental Determination of the Tunable Threshold Voltage Characteristics in a Ag_xTe_{1-x}/Al₂O₃/TiO₂-Based Hybrid Memory Device

IEEE ELECTRON DEVICE LETTERS

Sung, Changhyuck; Lim, Seokjae; Hwang, Hyunsang

被引用次数: 8

2020

Threshold Voltage Drift in Te-Based Ovonic Threshold Switch Devices Under Various Operation Conditions

IEEE ELECTRON DEVICE LETTERS

Yoo, Jongmyung; Karpov, Ilya; Lee, Sangmin; Jung, Jaimyun; Kim, Hyoung Seop; Hwang, Hyunsang

被引用次数: 24

2020

Understanding of the Abrupt Resistive Transition in Different Types of Threshold Switching Devices From Materials Perspective

IEEE TRANSACTIONS ON ELECTRON DEVICES

Lee, Sangmin; Yoo, Jongmyung; Park, Jaehyuk; Hwang, Hyunsang

被引用次数: 19

2020

WO_x-Based Synapse Device With Excellent Conductance Uniformity for Hardware Neural Networks

IEEE TRANSACTIONS ON NANOTECHNOLOGY

Choi, Wooseok; Gi, Sang-Gyun; Lee, Donguk; Lim, Seokjae; Lee, Chuljun; Lee, Byung-Geun; Hwang, Hyunsang

被引用次数: 16

2020

Field-induced nucleation switching in binary ovonic threshold switches

APPLIED PHYSICS LETTERS

Lee, Sangmin; Yoo, Jongmyung; Park, Jaehyuk; Hwang, Hyunsang

被引用次数: 12

2019

An excellent performance of a C-Te OTS device with amorphous Ge interfacial layer for selector application

APPLIED PHYSICS LETTERS

Chekol, Solomon Amsalu; Song, Jeonghwan; Yoo, Jongmyung; Lim, Seokjae; Hwang, Hyunsang

被引用次数: 17

2019

W/W3-x based three-terminal synapse device with linear conductance change and high on/off ratio for neuromorphic application

APPLIED PHYSICS EXPRESS

Go, Jinwon; Kim, Yonghun; Kwak, Myonghoon; Song, Jeonghwan; Chekol, Solomon Amsalu; Kwon, Jung-Dae; Hwang, Hyunsang

被引用次数: 22

2019

Excellent data retention characteristic of Te-based conductive-bridge RAM using semiconducting Te filament for storage class memory

SOLID-STATE ELECTRONICS

Lee, Sangmin; Song, Jeonghwan; Lim, Seokjae; Chekol, Solomon Amsalu; Hwang, Hyunsang

被引用次数: 4

2019

Hardware implementation of neural network using pre-programmed resistive device for pattern recognition

SOLID-STATE ELECTRONICS

Choi, Wooseok; Moon, Kibong; Kwak, Myonghoon; Sung, Changhyuck; Lee, Jongwon; Song, Jeonghwan; Park, Jaesung; Chekol, Solomon Amsalu; Hwang, Hyunsang

被引用次数: 10

2019

Ferroelectric materials for neuromorphic computing

APL MATERIALS

Oh, S.; Hwang, H.; Yoo, I. K.

被引用次数: 188

2019

Quantized Conduction Device with 6-Bit Storage Based on Electrically Controllable Break Junctions

ADVANCED ELECTRONIC MATERIALS

Banerjee, Writam; Hwang, Hyunsang

被引用次数: 57

2019

Various Threshold Switching Devices for Integrate and Fire Neuron Applications

ADVANCED ELECTRONIC MATERIALS

Lee, Donguk; Kwak, Myonghoon; Moon, Kibong; Choi, Wooseok; Park, Jaehyuk; Yoo, Jongmyung; Song, Jeonghwan; Lim, Seokjae; Sung, Changhyuck; Banerjee, Writam; Hwang, Hyunsang

被引用次数: 128

2019

3D Stackable and Scalable Binary Ovonic Threshold Switch Devices with Excellent Thermal Stability and Low Leakage Current for High-Density Cross-Point Memory Applications

ADVANCED ELECTRONIC MATERIALS

Yoo, Jongmyung; Kim, Seong Hun; Chekol, Solomon Amsalu; Park, Jaehyuk; Sung, Changhyuck; Song, Jeonghwan; Lee, Donghwa; Hwang, Hyunsang

被引用次数: 39

2019

One transistor-two resistive RAM device for realizing bidirectional and analog neuromorphic synapse devices

NANOTECHNOLOGY

Lim, Seokjae; Kwak, Myounghoon; Hwang, Hyunsang

被引用次数: 8

2019

Microstructural engineering in interface-type synapse device for enhancing linear and symmetric conductance changes

NANOTECHNOLOGY

Park, Jaesung; Lee, Chuljun; Kwak, Myunghoon; Chekol, Solomon Amsalu; Lim, Seokjae; Kim, Myungjun; Woo, Jiyong; Hwang, Hyunsang; Lee, Daeseok

被引用次数: 20

2019

Understanding of proton induced synaptic behaviors in three-terminal synapse device for neuromorphic systems

NANOTECHNOLOGY

Lee, Jongwon; Lim, Seokjae; Kwak, Myonghoon; Song, Jeonghwan; Hwang, Hyunsang

被引用次数: 32

2019

RRAM-based synapse devices for neuromorphic systems

FARADAY DISCUSSIONS

Moon, K.; Lim, S.; Park, J.; Sung, C.; Oh, S.; Woo, J.; Lee, J.; Hwang, H.

被引用次数: 181

2019

Synaptic and neuromorphic functions: general discussion

FARADAY DISCUSSIONS

Berg, Alexandra I.; Brivio, Stefano; Brown, Simon; Burr, Geoffrey; Deswal, Sweety; Deuermeier, Jonas; Gale, Ella; Hwang, Hyunsang; Ielmini, Daniele; Indiveri, Giacomo; Kenyon, Anthony J.; Kiazadeh, Asal; Koymen, Itir; Kozicki, Michael; Li, Yang; Mannion, Daniel; Prodromakis, Themis; Ricciardi, Carlo; Siegel, Sebastian; Speckbacher, Maximilian; Valov, Ilia; Wang, Wei; Williams, R. Stanley; Wouters, Dirk; Yang, Yuchao

被引用次数: 3

2019

Structural Engineering of Li-Based Electronic Synapse for High Reliability

IEEE ELECTRON DEVICE LETTERS

Choi, Yunseok; Lee, Chuljun; Kim, Myungjun; Song, Yubin; Hwang, Hyunsang; Lee, Daeseok

被引用次数: 31

2019

Improved Endurance of HfO₂-Based Metal-Ferroelectric-Insulator-Silicon Structure by High-Pressure Hydrogen Annealing

IEEE ELECTRON DEVICE LETTERS

Oh, Seungyeol; Song, Jeonghwan; Yoo, In Kyeong; Hwang, Hyunsang

被引用次数: 52

2019

Stuck-at-Fault Tolerant Schemes for Memristor Crossbar Array-Based Neural Networks

IEEE TRANSACTIONS ON ELECTRON DEVICES

Yeo, Injune; Chu, Myonglae; Gi, Sang-Gyun; Hwang, Hyunsang; Lee, Byung-Geun

被引用次数: 39

2019

Investigation of I-V Linearity in TaO_x-Based RRAM Devices for Neuromorphic Applications

IEEE JOURNAL OF THE ELECTRON DEVICES SOCIETY

Sung, Changhyuck; Padovani, Andrea; Beltrando, Bastien; Lee, Donguk; Kwak, Myunghoon; Lim, Seokjae; Larcher, Luca; Della Marca, Vincenzo; Hwang, Hyunsang

被引用次数: 21

2019

Near ideal synaptic functionalities in Li ion synaptic transistor using Li₃PO₄Sex electrolyte with high ionic conductivity

SCIENTIFIC REPORTS

Nikam, Revannath Dnyandeo; Kwak, Myonghoon; Lee, Jongwon; Rajput, Krishn Gopal; Banerjee, Writam; Hwang, Hyunsang

被引用次数: 67

2019

Perspective: A review on memristive hardware for neuromorphic computation

JOURNAL OF APPLIED PHYSICS

Sung, Changhyuck; Hwang, Hyunsang; Yoo, In Kyeong

被引用次数: 164

2018

CMOS compatible low-power volatile atomic switch for steep-slope FET devices

APPLIED PHYSICS LETTERS

Lim, Seokjae; Yoo, Jongmyung; Song, Jeonghwan; Woo, Jiyong; Park, Jaehyuk; Hwang, Hyunsang

被引用次数: 9

2018

Ultrasensitive artificial synapse based on conjugated polyelectrolyte

NANO ENERGY

Xu, Wentao; Thanh Luan Nguyen; Kim, Young-Tae; Wolf, Christoph; Pfattner, Raphael; Lopez, Jeffrey; Chae, Byeong-Gyu; Kim, Sung-Il; Lee, Moo Yeol; Shin, Eul-Yong; Noh, Yong-Young; Oh, Joon Hak; Hwang, Hyunsang; Park, Chan-Gyung; Woo, Han Young; Lee, Tae-Woo

被引用次数: 85

2018

Additional hardening in harmonic structured materials by strain partitioning and back stress

MATERIALS RESEARCH LETTERS

Park, Hyung Keun; Ameyama, Kei; Yoo, Jongmyung; Hwang, Hyunsang; Kim, Hyoung Seop

被引用次数: 201

2018

Reliable Multivalued Conductance States in TaOx, Memristors through Oxygen Plasma-Assisted Electrode Deposition with in Situ-Biased Conductance State Transmission Electron Microscopy Analysis

ACS APPLIED MATERIALS & INTERFACES

Lee, Myoung-Jae; Park, Gyeong-Su; Seo, David H.; Kwon, Sung Min; Lee, Hyeon-Jun; Kim, June-Seo; Jung, MinKyung; You, Chun-Yeol; Lee, Hyangsook; Kim, Hee-Goo; Pang, Su-Been; Seo, Sunae; Hwang, Hyunsang; Park, Sung Kyu

被引用次数: 29

2018

Effect of cation amount in the electrolyte on characteristics of Ag/TiO₂ based threshold switching devices

NANOTECHNOLOGY

Yoo, Jongmyung; Song, Jeonghwan; Hwang, Hyunsang

被引用次数: 7

2018

A C-Te-based binary OTS device exhibiting excellent performance and high thermal stability for selector application

NANOTECHNOLOGY

Chekol, Solomon Amsalu; Yoo, Jongmyung; Park, Jaehyuk; Song, Jeonghwan; Sung, Changhyuck; Hwang, Hyunsang

被引用次数: 35

2018

Effect of conductance linearity and multi-level cell characteristics of TaOx-based synapse device on pattern recognition accuracy of neuromorphic system

NANOTECHNOLOGY

Sung, Changhyuck; Lim, Seokjae; Kim, Hyungjun; Kim, Taesu; Moon, Kibong; Song, Jeonghwan; Kim, Jae-Joon; Hwang, Hyunsang

被引用次数: 36

2018

Hybrid Selector With Excellent Selectivity and Fast Switching Speed for X-Point Memory Array

IEEE ELECTRON DEVICE LETTERS

Park, Jaehyuk; Yoo, Jongmyung; Song, Jeonghwan; Sung, Changhyuck; Hwang, Hyunsang

被引用次数: 16

2018

Understanding and Optimization of Pulsed SET Operation in HfOx-Based RRAM Devices for Neuromorphic Computing Applications

IEEE ELECTRON DEVICE LETTERS

Padovani, Andrea; Woo, Jiyong; Hwang, Hyunsang; Larcher, Luca

被引用次数: 41

2018

Improved Synapse Device With MLC and Conductance Linearity Using Quantized Conduction for Neuromorphic Systems

IEEE ELECTRON DEVICE LETTERS

Lim, Seokjae; Sung, Changhyuck; Kim, Hyungjun; Kim, Taesu; Song, Jeonghwan; Kim, Jae-Joon; Hwang, Hyunsang

被引用次数: 65

2018

Implementation of Convolutional Kernel Function Using 3-D TiOx Resistive Switching Devices for Image Processing

IEEE TRANSACTIONS ON ELECTRON DEVICES

Kwak, Myonghoon; Park, Jaesung; Woo, Jiyong; Hwang, Hyunsang

被引用次数: 15

2018

Improved Synaptic Behavior of CBRAM Using Internal voltage Divider for Neuromorphic Systems

IEEE TRANSACTIONS ON ELECTRON DEVICES

Lim, Seokjae; Kwak, Myounghoon; Hwang, Hyunsang

被引用次数: 34

2018

Modeling and System-Level Simulation for Nonideal Conductance Response of Synaptic Devices

IEEE TRANSACTIONS ON ELECTRON DEVICES

Gi, Sang-Gyun; Yeo, Injune; Chu, Myonglae; Moon, Kibong; Hwang, Hyunsang; Lee, Byung-Geun

被引用次数: 5

2018

Zn1-xTex Ovonic Threshold Switching Device Performance and its Correlation to Material Parameters

SCIENTIFIC REPORTS

Koo, Yunmo; Hwang, Hyunsang

被引用次数: 42

2018

Neuromorphic computing using non-volatile memory

ADVANCES IN PHYSICS-X

Burr, Geoffrey W.; Shelby, Robert M.; Sebastian, Abu; Kim, Sangbum; Kim, Seyoung; Sidler, Severin; Virwani, Kumar; Ishii, Masatoshi; Narayanan, Pritish; Fumarola, Alessandro; Sanches, Lucas L.; Boybat, Irem; Le Gallo, Manuel; Moon, Kibong; Woo, Jiyoo; Hwang, Hyunsang; Leblebici, Yusuf

被引用次数: 984

2017

Field-induced nucleation in threshold switching characteristics of electrochemical metallization devices

APPLIED PHYSICS LETTERS

Yoo, Jongmyung; Park, Jaehyuk; Song, Jeonghwan; Lim, Seokjae; Hwang, Hyunsang

被引用次数: 72

2017

Nanometer-Scale Phase Transformation Determines Threshold and Memory Switching Mechanism

ADVANCED MATERIALS

Chae, Byeong-Gyu; Seol, Jae-Bok; Song, Jeong-Hwan; Baek, Kyungjoon; Oh, Sang-Ho; Hwang, Hyunsang; Park, Chan-Gyung

被引用次数: 64

2017

In situ TEM observation on the interface-type resistive switching by electrochemical redox reactions at a TiN/PCMO interface

NANOSCALE

Baek, Kyungjoon; Park, Sangsu; Park, Jucheol; Kim, Young-Min; Hwang, Hyunsang; Oh, Sang Ho

被引用次数: 86

2017

Controllable quantized conductance for multilevel data storage applications using conductive bridge random access memory

NANOTECHNOLOGY

Aga, Fekadu Gochole; Woo, Jiyong; Song, Jeonghwan; Park, Jaehyuk; Lim, Seokjae; Sung, Changhyuck; Hwang, Hyunsang

被引用次数: 38

2017

Communication-Reduced Off-Current of NbO₂ by Thermal Oxidation of Polycrystalline NbWire

ECS JOURNAL OF SOLID STATE SCIENCE AND TECHNOLOGY

Chekol, Solomon Amsalu; Song, Jeonghwan; Park, Jaehyuk; Cha, Euijun; Lim, Seokjae; Hwang, Hyunsang

被引用次数: 6

2017

Communication-Excellent Threshold Selector Characteristics of Cu₂S-Based Atomic Switch Device

ECS JOURNAL OF SOLID STATE SCIENCE AND TECHNOLOGY

Lim, Seokjae; Woo, Jiyong; Hwang, Hyunsang

被引用次数: 5

2017

Communication-Effect of a Self-Limited Reset Operation on the Reset Breakdown Characteristics of a Monolithically Integrated 1T1R RRAM

ECS JOURNAL OF SOLID STATE SCIENCE AND TECHNOLOGY

Sung, Changhyuck; Song, Jeonghwan; Woo, Jiyong; Hwang, Hyunsang

被引用次数: 2

2017

Self-Limited CBRAM With Threshold Selector for 1S1R Crossbar Array Applications

IEEE ELECTRON DEVICE LETTERS

Song, Jeonghwan; Woo, Jiyong; Lim, Seokjae; Chekol, Solomon Amsalu; Hwang, Hyunsang

被引用次数: 34

2017

Linking Conductive Filament Properties and Evolution to Synaptic Behavior of RRAM Devices for Neuromorphic Applications

IEEE ELECTRON DEVICE LETTERS

Woo, Jiyong; Padovani, Andrea; Moon, Kibong; Kwak, Myounghun; Larcher, Luca; Hwang, Hyunsang

被引用次数: 75

2017

Improved Conductance Linearity and Conductance Ratio of 1T2R Synapse Device for Neuromorphic Systems

IEEE ELECTRON DEVICE LETTERS

Moon, Kibong; Kwak, Myounghoon; Park, Jaesung; Lee, Dongwook; Hwang, Hyunsang

HfZrOx-Based Ferroelectric Synapse Device With 32 Levels of Conductance States for Neuromorphic Applications

IEEE ELECTRON DEVICE LETTERS

Oh, Seungyeol; Kim, Taeho; Kwak, Myunghoon; Song, Jeonghwan; Woo, Jiyong; Jeon, Sanghun; Yoo, In Kyeong; Hwang, Hyunsang

被引用次数: 236

2017

Simple Binary Ovonic Threshold Switching Material SiTe and Its Excellent Selector Performance for High-Density Memory Array Application

IEEE ELECTRON DEVICE LETTERS

Koo, Yunmo; Lee, Sangmin; Park, Seonggeon; Yang, Minkyu; Hwang, Hyunsang

被引用次数: 69

2017

Automatic ReRAM SPICE Model Generation From Empirical Data for Fast ReRAM-Circuit Coevaluation

IEEE TRANSACTIONS ON VERY LARGE SCALE INTEGRATION (VLSI) SYSTEMS

Seo, Jaehyun; Lee, Sangheon; Kim, Kwangmin; Lee, Sooeun; Hwang, Hyunsang; Kim, Byungsub

被引用次数: 5

2017

Effects of Liner Thickness on the Reliability of AgTe/TiO₂-Based Threshold Switching Devices

IEEE TRANSACTIONS ON ELECTRON DEVICES

Song, Jeonghwan; Woo, Jiyong; Yoo, Jongmyung; Chekol, Solomon Amsalu; Lim, Seokjae; Sung, Changhyuck; Hwang, Hyunsang

被引用次数: 30

2017

Dual functionality of threshold and multilevel resistive switching characteristics in nanoscale HfO₂-based RRAM devices for artificial neuron and synapse elements

MICROELECTRONIC ENGINEERING

Woo, Jiyong; Lee, Dongwook; Koo, Yunmo; Hwang, Hyunsang

被引用次数: 39

2017

Multi-layered NiO_y/NbO_x/NiO_y fast drift-free threshold switch with high I_{on}/I_{off} ratio for selector application

SCIENTIFIC REPORTS

Park, Jaehyuk; Hadamek, Tobias; Posadas, Agham B.; Cha, Euijun; Demkov, Alexander A.; Hwang, Hyunsang

被引用次数: 63

2017

Atomic-scale quantification of interdiffusion and dopant localization in GeSbTe-based memory devices

APPLIED PHYSICS LETTERS

Chae, B. -G.; Seol, J. -B.; Song, J. -H.; Jung, W. -Y.; Hwang, H.; Park, C. -G.

被引用次数: 6

2016

Dynamics of electroforming and electrically driven insulator-metal transition in NbOx selector

APPLIED PHYSICS LETTERS

Park, Jaehyuk; Cha, Euijun; Karpov, Ilya; Hwang, Hyunsang

被引用次数: 23

2016

Comprehensive scaling study of NbO2 insulator-metal-transition selector for cross point array application

APPLIED PHYSICS LETTERS

Cha, Euijun; Park, Jaehyuk; Woo, Jiyong; Lee, Daeseok; Prakash, Amit; Hwang, Hyunsang

被引用次数: 99

2016

Improved reset breakdown strength in a HfOx-based resistive memory by introducing RuOx oxygen diffusion barrier

AIP ADVANCES

Park, Jaesung; Woo, Jiyong; Prakash, Amit; Lee, Sangheon; Lim, Seokjae; Hwang, Hyunsang

被引用次数: 2

2016

Retention modeling for ultra-thin density of Cu-based conductive bridge random access memory (CBRAM)

AIP ADVANCES

Aga, Fekadu Gochole; Woo, Jiyong; Lee, Sangheon; Song, Jeonghwan; Park, Jaesung; Park, Jaehyuk; Lim, Seokjae; Sung, Changhyuck; Hwang, Hyunsang

被引用次数: 26

2016

Communication-Hourglass-Shaped Metal-Filament Switching Device with Multi-Layer (AlOx/TiO2) Oxide Electrolytes

ECS JOURNAL OF SOLID STATE SCIENCE AND TECHNOLOGY

Lim, Seokjae; Woo, Jiyong; Lee, Sangheon; Park, Jaesung; Hwang, Hyunsang

被引用次数: 0

2016

Communication-Comprehensive Assessment of a Back-to-Back Schottky Diode with Ultrathin TiO2 Layer for Cross-Point Selector Applications

ECS JOURNAL OF SOLID STATE SCIENCE AND TECHNOLOGY

Woo, Jiyong; Hwang, Hyunsang

被引用次数: 4

2016

Communication-Impact of Filament Instability in an Ag2S-Based Conductive-Bridge RAM for Cross-Point Selector Applications

ECS JOURNAL OF SOLID STATE SCIENCE AND TECHNOLOGY

Woo, Jiyong; Hwang, Hyunsang

被引用次数: 19

2016

TiOx-Based RRAM Synapse With 64-Levels of Conductance and Symmetric Conductance Change by Adopting a Hybrid Pulse Scheme for Neuromorphic Computing

IEEE ELECTRON DEVICE LETTERS

Park, Jaesung; Kwak, Myunghoon; Moon, Kibong; Woo, Jiyong; Lee, Dongwook; Hwang, Hyunsang

被引用次数: 182

2016

Improved Synaptic Behavior Under Identical Pulses Using AlOx/HfO2 Bilayer RRAM Array for Neuromorphic Systems

IEEE ELECTRON DEVICE LETTERS

Woo, Jiyong; Moon, Kibong; Song, Jeonghwan; Lee, Sangheon; Kwak, Myounghun; Park, Jaesung; Hwang, Hyunsang

被引用次数: 414

2016

Analog Synapse Device With 5-b MLC and Improved Data Retention for Neuromorphic System

IEEE ELECTRON DEVICE LETTERS

Moon, Kibong; Cha, Euijun; Park, Jaesung; Gi, Sanggyun; Chu, Myonglae; Baek, Kyungjoon; Lee, Byunggeun; Oh, Sang Ho; Hwang, Hyunsang

被引用次数: 42

2016

Steep Slope Field-Effect Transistors With Ag/TiO2-Based Threshold Switching Device

IEEE ELECTRON DEVICE LETTERS

Song, Jeonghwan; Woo, Jiyong; Lee, Sangheon; Prakash, Amit; Yoo, Jongmyung; Moon, Kibong; Hwang, Hyunsang

被引用次数: 45

2016

Role of Local Chemical Potential of Cu on Data Retention Properties of Cu-Based Conductive-Bridge RAM

IEEE ELECTRON DEVICE LETTERS

Woo, Jiyong; Belmonte, Attilio; Redolfi, Augusto; Hwang, Hyunsang; Jurczak, Malgorzata; Goux, Ludovic

被引用次数: 18

2016

Optimized Programming Scheme Enabling Linear Potentiation in Filamentary HfO2 RRAM Synapse for Neuromorphic Systems

IEEE TRANSACTIONS ON ELECTRON DEVICES

Woo, Jiyong; Moon, Kibong; Song, Jeonghwan; Kwak, Myunghoon; Park, Jaesung; Hwang, Hyunsang

被引用次数: 86

2016

Scalable Neuron Circuit Using Conductive-Bridge RAM for Pattern Reconstructions

IEEE TRANSACTIONS ON ELECTRON DEVICES

Jang, Jun-Woo; Attarimashalkoubek, Behnoush; Prakash, Amit; Hwang, Hyunsang; Jeong, Yoon-Ha

被引用次数: 12

2016

Introduction of WO3 Layer in a Cu-Based Al2O3 Conductive Bridge RAM System for Robust Cycling and Large Memory Window

IEEE JOURNAL OF THE ELECTRON DEVICES SOCIETY

Woo, Jiyong; Belmonte, Attilio; Redolfi, Augusto; Hwang, Hyunsang; Jurczak, Malgorzata; Goux, Ludovic

被引用次数: 29

2016

Organic core-sheath nanowire artificial synapses with femtojoule energy consumption

SCIENCE ADVANCES

Xu, Wentao; Min, Sung-Yong; Hwang, Hyunsang; Lee, Tae-Woo

被引用次数: 480

2016

Bidirectional threshold switching in engineered multilayer (Cu₂O/Ag:Cu₂O/Cu₂O) stack for cross-point selector application

APPLIED PHYSICS LETTERS

Song, Jeonghwan; Prakash, Amit; Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Lee, Sangheon; Hwang, Hyunsang

被引用次数: 43

2015

Resistance controllability and variability improvement in a TaO_x-based resistive memory for multilevel storage application

APPLIED PHYSICS LETTERS

Prakash, A.; Deleruyelle, D.; Song, J.; Bocquet, M.; Hwang, H.

被引用次数: 82

2015

Trade-off between number of conductance states and variability of conductance change in Pr_{0.7}Ca_{0.3}MnO₃-based synapse device

APPLIED PHYSICS LETTERS

Lee, Daeseok; Moon, Kibong; Park, Jaesung; Park, Sangsu; Hwang, Hyunsang

被引用次数: 18

2015

Effect of AC pulse overshoot on nonlinearity and reliability of selectorless resistive random access memory in AC pulse operation

SOLID-STATE ELECTRONICS

Lee, Sangheon; Song, Jeonghwan; Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Hwang, Hyunsang

被引用次数: 9

2015

Threshold switching behavior of Ag-Si based selector device and hydrogen doping effect on its characteristics

AIP ADVANCES

Yoo, Jongmyung; Woo, Jiyong; Song, Jeonghwan; Hwang, Hyunsang

被引用次数: 55

2015

Structurally Engineered Stackable and Scalable 3D Titanium-Oxide Switching Devices for High-Density Nanoscale Memory

ADVANCED MATERIALS

Lee, Daeseok; Park, Jaesung; Park, Jaehyuk; Woo, Jiyong; Cha, Euijun; Lee, Sangheon; Moon, Kibong; Song, Jeonghwan; Koo, Yunmo; Hwang, Hyunsang

被引用次数: 39

2015

Switching mechanism of Al/La_{1-x}Sr_xMnO₃ resistance random access memory. I. Oxygen vacancy formation in perovskites

RSC ADVANCES

Lee, Nodo; Lansac, Yves; Hwang, Hyunsang; Jang, Yun Hee

Neuromorphic Hardware System for Visual Pattern Recognition With Memristor Array and CMOS Neuron

IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS

Chu, Myonglae; Kim, Byoungcho; Park, Sangsu; Hwang, Hyunsang; Jeon, Moongu; Lee, Byoung Hun; Lee, Byung-Geun

被引用次数: 240

2015

Threshold Selector With High Selectivity and Steep Slope for Cross-Point Memory Array

IEEE ELECTRON DEVICE LETTERS

Song, Jeonghwan; Woo, Jiyong; Prakash, Amit; Lee, Daeseok; Hwang, Hyunsang

被引用次数: 146

2015

Optimization of Conductance Change in Pr_{1-x}Ca_xMnO₃-Based Synaptic Devices for Neuromorphic Systems

IEEE ELECTRON DEVICE LETTERS

Jang, Jun-Woo; Park, Sangsu; Burr, Geoffrey W.; Hwang, Hyunsang; Jeong, Yoon-Ha

被引用次数: 250

2015

Accelerated Retention Test Method by Controlling Ion Migration Barrier of Resistive Random Access Memory

IEEE ELECTRON DEVICE LETTERS

Koo, Yunmo; Ambrogio, Stefano; Woo, Jiyong; Song, Jeonghwan; Ielmini, Daniele; Hwang, Hyunsang

被引用次数: 11

2015

Demonstration of Low Power 3-bit Multilevel Cell Characteristics in a TaO_x-Based RRAM by Stack Engineering

IEEE ELECTRON DEVICE LETTERS

Prakash, Amit; Park, Jaesung; Song, Jeonghwan; Woo, Jiyong; Cha, Eui-Jun; Hwang, Hyunsang

被引用次数: 119

2015

Experimental Demonstration and Tolerancing of a Large-Scale Neural Network (165 000 Synapses) Using Phase-Change Memory as the Synaptic Weight Element

IEEE TRANSACTIONS ON ELECTRON DEVICES

Burr, Geoffrey W.; Shelby, Robert M.; Sidler, Severin; di Nolfo, Carmelo; Jang, Junwoo; Boybat, Irem; Shenoy, Rohit S.; Narayanan, Pritish; Virwani, Kumar; Giacometti, Emanuele U.; Kuerdi, Bulent N.; Hwang, Hyunsang

被引用次数: 755

2015

Improved threshold switching characteristics of multi-layer NbO_x for 3-D selector application

MICROELECTRONIC ENGINEERING

Park, Jaehyuk; Cha, Euijun; Lee, Daeseok; Lee, Sangheon; Song, Jeonghwan; Park, Jaesung; Hwang, Hyunsang

被引用次数: 24

2015

The band-gap energy dependence of metal oxides on non-linear characteristics in the HfO₂-based resistive random access memory

MICROELECTRONIC ENGINEERING

Lee, Sangheon; Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Park, Jaesung; Moon, Kibong; Song, Jeonghwan; Hwang, Hyunsang

被引用次数: 6

2015

Electronic system with memristive synapses for pattern recognition

SCIENTIFIC REPORTS

Park, Sangsu; Chu, Myonglae; Kim, Jongin; Noh, Jinwoo; Jeon, Moongu; Lee, Byoung Hun; Hwang, Hyunsang; Lee, Boreom; Lee, Byung-geun

被引用次数: 150

2015

Dependence of reactive metal layer on resistive switching in a bi-layer structure Ta/HfO_x filament type resistive random access memory

APPLIED PHYSICS LETTERS

Lee, Daeseok; Woo, Jiyong; Park, Sangsu; Cha, Euijun; Lee, Sangheon; Hwang, Hyunsang

被引用次数: 21

2014

Tunnel barrier engineering of titanium oxide for high non-linearity of selector-less resistive random access memory

APPLIED PHYSICS LETTERS

Lee, Sangheon; Woo, Jiyong; Lee, Daeseok; Cha, Euijun; Park, Jaesung; Moon, Kibong; Song, Jeonghwan; Koo, Yunmo; Hwang, Hyunsang

被引用次数: 15

2014

Low-temperature spin-on-glass method involving high-pressure annealing for filling high-aspect-ratio structures

JAPANESE JOURNAL OF APPLIED PHYSICS

Lee, Daeseok; Woo, Jiyong; Park, Sangsu; Cha, Euijun; Lee, Sangheon; Hwang, Hyunsang

被引用次数: 1

2014

Internal resistor of multi-functional tunnel barrier for selectivity and switching uniformity in resistive random access memory

NANOSCALE RESEARCH LETTERS

Lee, Sangheon; Woo, Jiyong; Lee, Daeseok; Cha, Euijun; Hwang, Hyunsang

被引用次数: 16

2014

Hardware implementation of associative memory characteristics with analogue-type resistive-switching device

NANOTECHNOLOGY

Moon, Kibong; Park, Sangsu; Jang, Junwoo; Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Lee, Sangheon; Park, Jaesung; Song, Jeonghwan; Koo, Yunmo; Hwang, Hyunsang

被引用次数: 43

2014

Neuromorphic Character Recognition System With Two PCMO Memristors as a Synapse

IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS

Sheri, Ahmad Muqeem; Hwang, Hyunsang; Jeon, Moongu; Lee, Byung-geun

被引用次数: 59

2014

Engineering Oxygen Vacancy of Tunnel Barrier and Switching Layer for Both Selectivity and Reliability of Selector-Less ReRAM

IEEE ELECTRON DEVICE LETTERS

Lee, Sangheon; Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Park, Jaesung; Hwang, Hyunsang

被引用次数: 21

2014

Effects of RESET Current Overshoot and Resistance State on Reliability of RRAM

IEEE ELECTRON DEVICE LETTERS

Song, Jeonghwan; Lee, Daeseok; Woo, Jiyong; Koo, Yunmo; Cha, Euijun; Lee, Sangheon; Park, Jaesung; Moon, Kibong; Misha, Saiful Haque; Prakash, Amit; Hwang, Hyunsang

被引用次数: 38

2014

Optimized Lightning-Rod Effect to Overcome Trade-Off Between Switching Uniformity and On/Off Ratio in ReRAM

IEEE ELECTRON DEVICE LETTERS

Lee, Daeseok; Song, Jeonghwan; Woo, Jiyong; Park, Jaesung; Park, Sangsu; Cha, Euijun; Lee, Sangheon; Koo, Yunmo; Moon, Kibong; Hwang, Hyunsang

被引用次数: 6

2014

Control of Cu Conductive Filament in Complementary Atom Switch for Cross-Point Selector Device Application

IEEE ELECTRON DEVICE LETTERS

Woo, Jiyong; Lee, Daeseok; Cha, Euijun; Lee, Sangheon; Park, Sangsu; Hwang, Hyunsang

被引用次数: 29

2014

A nitrogen-treated memristive device for tunable electronic synapses

SEMICONDUCTOR SCIENCE AND TECHNOLOGY

Park, Sangsu; Siddik, Manzar; Noh, Jinwoo; Lee, Daeseok; Moon, Kibong; Woo, Jiyong; Lee, Byoung Hun; Hwang, Hyunsang

被引用次数: 13

2014

Access devices for 3D crosspoint memory

JOURNAL OF VACUUM SCIENCE & TECHNOLOGY B

Burr, Geoffrey W.; Shenoy, Rohit S.; Virwani, Kumar; Narayanan, Pritish; Padilla, Alvaro; Kurdi, Buelent; Hwang, Hyunsang

被引用次数: 345

2014

Effects of High-Pressure Hydrogen Annealing on the Formation of Conducting Filaments in Filament-Type Resistive Random-Access Memory

JOURNAL OF ELECTRONIC MATERIALS

Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Lee, Sangheon; Hwang, Hyunsang

被引用次数: 1

2014

Multilayer-oxide-based bidirectional cell selector device for cross-point resistive memory applications

APPLIED PHYSICS LETTERS

Woo, Jiyong; Lee, Daeseok; Cha, Euijun; Lee, Sangheon; Park, Sangsu; Hwang, Hyunsang

被引用次数: 17

2013

Thermally activated non-linearity of device in resistance-switching memory for cross-point array applications

APPLIED PHYSICS LETTERS

Woo, Jiyong; Kim, Seonghyun; Lee, Wootae; Lee, Daeseok; Park, Sangsu; Choi, Godeuni; Cha, Euijun; Hwang, Hyunsang

被引用次数: 16

2013

Nanoscale RRAM-based synaptic electronics: toward a neuromorphic computing device

NANOTECHNOLOGY

Park, Sangsu; Noh, Jinwoo; Choo, Myung-lae; Sheri, Ahmad Muqeem; Chang, Man; Kim, Young-Bae; Kim, Chang Jung; Jeon, Moongu; Lee, Byung-Geun; Lee, Byoung Hun; Hwang, Hyunsang

被引用次数: 120

2013

Vertically Stacked ReRAM Composed of a Bidirectional Selector and CB-RAM for Cross-Point Array Applications

IEEE ELECTRON DEVICE LETTERS

Woo, Jiyong; Lee, Daeseok; Cha, Euijun; Lee, Sangheon; Park, Sangsu; Hwang, Hyunsang

被引用次数: 25

2013

Highly Reliable Resistive Switching Without an Initial Forming Operation by Defect Engineering

IEEE ELECTRON DEVICE LETTERS

Lee, Sangheon; Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Park, Jaesung; Song, Jeonghwan; Moon, Kibong; Koo, Yunmo; Attari, Behnoush; Tamanna, Nusrat; Haque, Misha Saiful; Hwang, Hyunsang

被引用次数: 18

2013

Defect Engineering Using Bilayer Structure in Filament-Type RRAM

IEEE ELECTRON DEVICE LETTERS

Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Park, Sangsu; Lee, Sangheon; Park, Jaesung; Hwang, Hyunsang

被引用次数: 14

2013

Complementary Resistive Switching in Niobium Oxide-Based Resistive Memory Devices

IEEE ELECTRON DEVICE LETTERS

Liu, Xinjun; Sadaf, Sharif Md.; Park, Sangsu; Kim, Seonghyun; Cha, Euijun; Lee, Daeseok; Jung, Gun-Young; Hwang, Hyunsang

被引用次数: 54

2013

Hydrogenated IGZO Thin-Film Transistors Using High-Pressure Hydrogen Annealing

IEEE TRANSACTIONS ON ELECTRON DEVICES

Oh, Se-I; Choi, Godeuni; Hwang, Hyunsang; Lu, Wu; Jang, Jae-Hyung

Selector-less RRAM with non-linearity of device for cross-point array applications

MICROELECTRONIC ENGINEERING

Woo, Jiyong; Lee, Daeseok; Choi, Godeuni; Cha, Euijun; Kim, Seonghyun; Lee, Wootae; Park, Sangsu; Hwang, Hyunsang

被引用次数: 34

2013

Interface engineering for low power and uniform resistive switching in bi-layer structural filament type ReRAM

MICROELECTRONIC ENGINEERING

Lee, Daeseok; Woo, Jiyong; Cha, Euijun; Kim, Seonghyun; Lee, Wootae; Park, Sangsu; Hwang, Hyunsang

被引用次数: 3

2013

Threshold-switching characteristics of a nanothin-NbO₂-layer-based Pt/NbO₂/Pt stack for use in cross-point-type resistive memories

MICROELECTRONIC ENGINEERING

Kim, Seonghyun; Park, Jubong; Woo, Jiyong; Cho, Chunhum; Lee, Wootae; Shin, Jungho; Choi, Godeuni; Park, Sangsu; Lee, Daeseok; Lee, Byoung Hun; Hwang, Hyunsang

被引用次数: 61

2013

Improved switching uniformity in resistive random access memory containing metal-doped electrolyte due to thermally agglomerated metallic filaments

APPLIED PHYSICS LETTERS

Lee, Wootae; Park, Jubong; Kim, Seonghyun; Woo, Jiyong; Shin, Jungho; Lee, Daeseok; Cha, Euijun; Hwang, Hyunsang

被引用次数: 36

2012

Characterization of ZnO Nanowire Field Effect Transistors by Fast Hydrogen Peroxide Solution Treatment

JAPANESE JOURNAL OF APPLIED PHYSICS

Kwon, Taehyeon; Park, Woojin; Choe, Minhyeok; Yoon, Jongwon; Park, Sangsu; Lee, Sangchul; Hwang, Hyunsang; Lee, Takhee

被引用次数: 4

2012

Defect engineering: reduction effect of hydrogen atom impurities in HfO₂-based resistive-switching memory devices

NANOTECHNOLOGY

Kim, Seonghyun; Lee, Daeseok; Park, Jubong; Jung, Seungjae; Lee, Wootae; Shin, Jungho; Woo, Jiyong; Choi, Godeuni; Hwang, Hyunsang

被引用次数: 32

2012

Improved Switching Variability and Stability by Activating a Single Conductive Filament

IEEE ELECTRON DEVICE LETTERS

Park, Jubong; Jung, Seungjae; Lee, Wootae; Kim, Seonghyun; Shin, Jungho; Lee, Daeseok; Woo, Jiyong; Hwang, Hyunsang

被引用次数: 31

2012

Operation Voltage Control in Complementary Resistive Switches Using Heterodevice

IEEE ELECTRON DEVICE LETTERS

Lee, Daeseok; Park, Jubong; Jung, Seungjae; Choi, Godeuni; Lee, Joonmyoung; Kim, Seonghyun; Woo, Jiyong; Siddik, Manzar; Cha, Eujun; Hwang, Hyunsang

被引用次数: 17

2012

MIM-type cell selector for high-density and low-power cross-point memory application

MICROELECTRONIC ENGINEERING

Shin, Jungho; Choi, Godeuni; Woo, Jiyong; Park, Jubong; Park, Sangsu; Lee, Wootae; Kim, Seonghyun; Son, Myungwoo; Hwang, Hyunsang

被引用次数: 15

2012

Programmable analogue circuits with multilevel memristive device

ELECTRONICS LETTERS

Park, S.; Park, J.; Kim, S.; Lee, W.; Lee, B. H.; Hwang, H.

被引用次数: 3

2012

Resistive switching characteristics and mechanism of thermally grown WO_x thin films

JOURNAL OF APPLIED PHYSICS

Biju, Kuyyadi P.; Liu, Xinjun; Siddik, Manzar; Kim, Seonghyun; Shin, Jungho; Kim, Insung; Ignatiev, Alex; Hwang, Hyunsang

被引用次数: 76

2011

TiO₂-based metal-insulator-metal selection device for bipolar resistive random access memory cross-point application

JOURNAL OF APPLIED PHYSICS

Shin, Jungho; Kim, Insung; Biju, Kuyyadi P.; Jo, Minseok; Park, Jubong; Lee, Joonmyoung; Jung, Seungjae; Lee, Wootae; Kim, Seonghyun; Park, Sangsu; Hwang, Hyunsang

被引用次数: 120

2011

Excellent resistive switching in nitrogen-doped Ge₂Sb₂Te₅ devices for field-programmable gate array configurations

APPLIED PHYSICS LETTERS

Kim, Seonghyun; Park, Jubong; Jung, Seungjae; Lee, Wootae; Woo, Jiyong; Cho, Chunhum; Siddik, Manzar; Shin, Jungho; Park, Sangsu; Lee, Byoung Hun; Hwang, Hyunsang

被引用次数: 20

2011

Effect of interfacial oxide layer on the switching uniformity of Ge₂Sb₂Te₅-based resistive change memory devices

APPLIED PHYSICS LETTERS

Woo, Jiyong; Jung, Seungjae; Siddik, Manzar; Cha, Euijun; Sadaf, Sharif Md.; Hwang, Hyunsang

被引用次数: 15

2011

Flexible resistive random access memory using solution-processed TiO_x with Al top electrode on Ag layer-inserted indium-zinc-tin-oxide-coated polyethersulfone substrate

APPLIED PHYSICS LETTERS

Jung, Seungjae; Kong, Jaemin; Song, Sunghoon; Lee, Kwanghee; Lee, Takhee; Hwang, Hyunsang; Jeon, Sanghun

被引用次数: 17

2011

Parallel memristive filaments model applicable to bipolar and filamentary resistive switching

APPLIED PHYSICS LETTERS

Liu, Xinjun; Biju, Kuyyadi P.; Lee, Joonmyoung; Park, Jubong; Kim, Seonghyun; Park, Sangsu; Shin, Jungho; Sadaf, Sharif Md.; Hwang, Hyunsang

被引用次数: 21

2011

Electrical characteristics of wrinkle-free graphene formed by laser graphitization of 4H-SiC

APPLIED PHYSICS LETTERS

Hwang, Hyeon Jun; Cho, Chunhum; Lim, Sung Kwan; Lee, Seung Yong; Kang, Chang Goo; Hwang, Hyunsang; Lee, Byoung Hun

被引用次数: 16

2011

Nonlinear current-voltage behavior of the isolated resistive switching filamentary channels in CuC nanolayer

APPLIED PHYSICS LETTERS

Kim, Doo-In; Yoon, Jaesik; Park, Ju-Bong; Hwang, Hyunsang; Kim, Young Moon; Kwon, Se Hun; Kim, Kwang Ho

被引用次数: 13

2011

Highly asymmetric bipolar resistive switching in solution-processed Pt/TiO₂/W devices for cross-point application

CURRENT APPLIED PHYSICS

Biju, Kuyyadi P.; Liu, Xinjun; Shin, Jungho; Kim, Insung; Jung, Seungjae; Siddik, Manzar; Lee, Joonmyoung; Ignatiev, Alex; Hwang, Hyunsang

被引用次数: 23

2011

Bipolar resistance switching in the Pt/WO_x/W nonvolatile memory devices

CURRENT APPLIED PHYSICS

Biju, Kuyyadi P.; Liu, Xinjun; Kim, Seonghyun; Siddik, Manzar; Shin, Jungho; Lee, Joonmyoung; Hwang, Hyunsang

被引用次数: 20

2011

Estimation of Interfacial Fixed Charge at Al₂O₃/SiO₂ Using Slant-Etched Wafer for Solar Cell Application

JAPANESE JOURNAL OF APPLIED PHYSICS

Ahn, Youngkyoung; Choudhury, Sakeb Hasan; Lee, Daeseok; Sadaf, Sharif Md.; Siddik, Manzar; Jo, Minseok; Park, Sungeun; Kim, Young Do; Kim, Dong Hwan; Hwang, Hyunsang

被引用次数: 10

2011

Improved Resistive Switching Properties of Solution-Processed TiO_x Film by Incorporating Atomic Layer Deposited TiO₂ layer

JAPANESE JOURNAL OF APPLIED PHYSICS

Kim, Insung; Jung, Seungjae; Shin, Jungho; Biju, Kuyyadi P.; Seo, Kyungah; Siddik, Manzar; Liu, Xinjun; Kong, Jaemin; Lee, Kwanghee; Hwang, Hyunsang

被引用次数: 11

2011

Analog memory and spike-timing-dependent plasticity characteristics of a nanoscale titanium oxide bilayer resistive switching device

NANOTECHNOLOGY

Seo, Kyungah; Kim, Insung; Jung, Seungjae; Jo, Minseok; Park, Sangsu; Park, Jubong; Shin, Jungho; Biju, Kuyyadi P.; Kong, Jaemin; Lee, Kwanghee; Lee, Byoung hun; Hwang, Hyunsang

被引用次数: 259

2011

Effect of Program/Erase Speed on Switching Uniformity in Filament-Type RRAM

IEEE ELECTRON DEVICE LETTERS

Shin, Jungho; Park, Jubong; Lee, Joonmyoung; Park, Sangsu; Kim, Seonghyun; Lee, Wootae; Kim, Insung; Lee, Daeseok; Hwang, Hyunsang

被引用次数: 30

2011

Excellent State Stability of Cu/SiC/Pt Programmable Metallization Cells for Nonvolatile Memory Applications

IEEE ELECTRON DEVICE LETTERS

Lee, Wootae; Park, Jubong; Son, Myungwoo; Lee, Joonmyoung; Jung, Seungjae; Kim, Seonghyun; Park, Sangsu; Shin, Jungho; Hwang, Hyunsang

被引用次数: 32

2011

New Set/Reset Scheme for Excellent Uniformity in Bipolar Resistive Memory

IEEE ELECTRON DEVICE LETTERS

Park, Jubong; Jo, Minseok; Jung, Seungjae; Lee, Joonmyoung; Lee, Wootae; Kim, Seonghyun; Park, Sangsu; Shin, Jungho; Hwang, Hyunsang

被引用次数: 16

2011

Improved Switching Uniformity and Speed in Filament-Type RRAM Using Lightning Rod Effect

IEEE ELECTRON DEVICE LETTERS

Park, Jubong; Jo, Minseok; Lee, Joonmyoung; Jung, Seungjae; Kim, Seonghyun; Lee, Wootae; Shin, Jungho; Hwang, Hyunsang

被引用次数: 38

2011

Resistive switching characteristics of ultra-thin TiOx

MICROELECTRONIC ENGINEERING

Park, Jubong; Jung, Seungjae; Lee, Joonmyoung; Lee, Wootae; Kim, Seonghyun; Shin, Jungho; Hwang, Hyunsang

被引用次数: 32

2011

Resistive switching characteristics of solution-processed TiOx for next-generation non-volatile memory application; transparency, flexibility, and nano-scale memory feasibility

MICROELECTRONIC ENGINEERING

Jung, Seungjae; Kong, Jaemin; Song, Sunghoon; Lee, Kwanghee; Lee, Takhee; Hwang, Hyunsang; Jeon, Sanghun

Improved switching uniformity of a carbon-based conductive-bridge type ReRAM by controlling the size of conducting filament

MICROELECTRONIC ENGINEERING

Park, Jubong; Jo, Minseok; Lee, Joonmyoung; Jung, Seungjae; Lee, Wootae; Kim, Seonghyun; Park, Sangsu; Shin, Jungho; Hwang, Hyunsang

被引用次数: 15

2011

Electrical properties of ZnO nanowire field effect transistors with varying high-k Al₂O₃ dielectric thickness

JOURNAL OF APPLIED PHYSICS

Choe, Minhyeok; Jo, Gunho; Maeng, Jongsun; Hong, Woong-Ki; Jo, Minseok; Wang, Gunuk; Park, Woojin; Lee, Byoung Hun; Hwang, Hyunsang; Lee, Takhee

被引用次数: 25

2010

Effect of ZrO_x/HfO_x bilayer structure on switching uniformity and reliability in nonvolatile memory applications

APPLIED PHYSICS LETTERS

Lee, Joonmyoung; Bourim, El Mostafa; Lee, Wootae; Park, Jubong; Jo, Minseok; Jung, Seungjae; Shin, Jungho; Hwang, Hyunsang

被引用次数: 134

2010

Characterization of fast charge trapping in bias temperature instability in metal-oxide-semiconductor field effect transistor with high dielectric constant

APPLIED PHYSICS LETTERS

Jo, Minseok; Kim, Seonghyun; Lee, Joonmyoung; Jung, Seungjae; Park, Ju-Bong; Jung, Hyung-Suk; Choi, Rino; Hwang, Hyunsang

被引用次数: 10

2010

Band bending effect induced by gate voltage on the charge loss behavior of charge trap flash memory devices

APPLIED PHYSICS LETTERS

Chang, M.; Hwang, H.; Jeon, S.

被引用次数: 8

2010

Asymmetric bipolar resistive switching in solution-processed Pt/TiO₂/W devices

JOURNAL OF PHYSICS D-APPLIED PHYSICS

Biju, Kuyyadi P.; Liu, XinJun; Bourim, El Mostafa; Kim, Insung; Jung, Seungjae; Siddik, Manzar; Lee, Joonmyoung; Hwang, Hyunsang

被引用次数: 42

2010

Analysis of interface switching for Nb doped SrTiO₃ single crystal device using complex impedance spectroscopy

CURRENT APPLIED PHYSICS

Lee, Joonmyoung; Bourim, El Mostafa; Shin, Dongku; Lee, Jong-Sook; Seong, Dong-jun; Park, Jubong; Lee, Wootae; Chang, Man; Jung, Seungjae; Shin, Jungho; Hwang, Hyunsang

被引用次数: 8

2010

Effect of Ag Nanoparticles on Resistive Switching of Polyfluorene-Based Organic Non-Volatile Memory Devices

JOURNAL OF THE KOREAN PHYSICAL SOCIETY

Kim, Tae-Wook; Oh, Seung-Hwan; Choi, Hyejung; Wang, Gunuk; Kim, Dong-Yu; Hwang, Hyunsang; Lee, Takhee

被引用次数: 4

2010

Rewritable Switching of One Diode-One Resistor Nonvolatile Organic Memory Devices

ADVANCED MATERIALS

Cho, Byungjin; Kim, Tae-Wook; Song, Sunghoon; Ji, Yongsung; Jo, Minseok; Hwang, Hyunsang; Jung, Gun-Young; Lee, Takhee

被引用次数: 183

2010

Reverse resistance switching in polycrystalline Nb₂O₅ films

THIN SOLID FILMS

Jo, Younghun; Sim, Hyunjun; Hwang, Hyunsang; Ahn, Ken; Jung, Myung-Hwa

被引用次数: 10

2010

Investigation of State Stability of Low-Resistance State in Resistive Memory

IEEE ELECTRON DEVICE LETTERS

Park, Jubong; Jo, Minseok; Bourim, El Mostafa; Yoon, Jaesik; Seong, Dong-Jun; Lee, Joonmyoung; Lee, Wootae; Hwang, Hyunsang

被引用次数: 58

2010

Effect of metal ions on the switching performance of polyfluorene-based organic non-volatile memory devices

ORGANIC ELECTRONICS

Kim, Tae-Wook; Oh, Seung-Hwan; Lee, Joonmyoung; Choi, Hyejung; Wang, Gunuk; Park, Jubong; Kim, Dong-Yu; Hwang, Hyunsang; Lee, Takhee

被引用次数: 21

2010

Advanced impurity trap memory with atomic-scale Ti impurities on LaAlO₃: Evidence for the origins of enhanced memory performance

APPLIED PHYSICS LETTERS

Jung, Seungjae; Choi, Hyejung; Ju, Yongkyu; Chang, Man; Jo, Minseok; Lee, Joonmyoung; Yoon, Jaesik; Lee, Choongman; Hwang, Hyunsang

被引用次数: 1

2009

Transient charge trapping and detrapping properties of a thick SiO₂/Al₂O₃ stack studied by short single pulse Id-Vg

APPLIED PHYSICS LETTERS

Chang, Man; Jo, Minseok; Jung, Seungjae; Lee, Joonmyoung; Jeon, Sanghun; Hwang, Hyunsang

被引用次数: 13

2009

Gate voltage dependence on hot carrier degradation at an elevated temperature in a device with ultrathin silicon oxynitride

APPLIED PHYSICS LETTERS

Jo, Minseok; Kim, Seonghyun; Cho, Chunhum; Chang, Man; Hwang, Hyunsang

被引用次数: 9

2009

Hybrid Complementary Logic Circuits of One-Dimensional Nanomaterials with Adjustment of Operation Voltage

ADVANCED MATERIALS

Jo, Gunho; Hong, Woong-Ki; Sohn, Jung Inn; Jo, Minseok; Shin, Jiyong; Welland, Mark E.; Hwang, Hyunsang; Geckeler, Kurt E.; Lee, Takhee

被引用次数: 32

2009

An electrically modifiable synapse array of resistive switching memory

NANOTECHNOLOGY

Choi, Hyejung; Jung, Heesoo; Lee, Joonmyoung; Yoon, Jaesik; Park, Jubong; Seong, Dong-Jun; Lee, Wootae; Hasan, Musarrat; Jung, Gun-Young; Hwang, Hyunsang

被引用次数: 115

2009

The effect of excimer laser annealing on ZnO nanowires and their field effect transistors

NANOTECHNOLOGY

Maeng, Jongsun; Heo, Sungho; Jo, Gunho; Choe, Minhyeok; Kim, Seonghyun; Hwang, Hyunsang; Lee, Takhee

被引用次数: 51

2009

Resistive switching characteristics of polymer non-volatile memory devices in a scalable via-hole structure

NANOTECHNOLOGY

Kim, Tae-Wook; Choi, Hyejung; Oh, Seung-Hwan; Jo, Minseok; Wang, Gunuk; Cho, Byungjin; Kim, Dong-Yu; Hwang, Hyunsang; Lee, Takhee

被引用次数: 58

2009

Characteristics of Traps Induced by Hot Holes Under Negative-Bias Temperature Stress in a pMOSFET

IEEE ELECTRON DEVICE LETTERS

Jo, Minseok; Chang, Man; Kim, Seonghyun; Jung, Seungjae; Park, Ju-Bong; Lee, Joonmyoung; Seong, Dong-Jun; Hwang, Hyunsang

被引用次数: 1

2009

Data retention characteristics of MANOS-type flash memory device with different metal gates at various levels of charge injection

MICROELECTRONIC ENGINEERING

Chang, Man; Kim, Tae-Wook; Lee, Joonmyoung; Jo, Minseok; Kim, Seonghyun; Jung, Seungjae; Choi, Hyejung; Lee, Takhee; Hwang, Hyunsang

被引用次数: 3

2009

Reliable impurity trap memory with high charge trap efficiency using ultrathin SiO₂ impurity host layer for nonvolatile memory application

MICROELECTRONIC ENGINEERING

Jung, Seungjae; Chang, Man; Kim, Seonghyun; Lee, Joonmyung; Cho, Chunhum; Lee, Choongman; Hwang, Hyunsang

被引用次数: 2

2009

Analysis of copper ion filaments and retention of dual-layered devices for resistance random access memory applications

MICROELECTRONIC ENGINEERING

Yoon, Jaesik; Lee, Joonmyoung; Choi, Hyejung; Park, Ju-Bong; Seong, Dong-jun; Lee, Wootae; Cho, Chunhum; Kim, Seonghyun; Hwang, Hyunsang

被引用次数: 21

2009

Charge loss behavior of a metal-alumina-nitride-oxide-silicon-type flash memory cell with different levels of charge injection

APPLIED PHYSICS LETTERS

Chang, Man; Jo, Minseok; Kim, Seonghyun; Ju, Yongkyu; Jung, Seungjae; Lee, Joonmyoung; Yoon, Jaesik; Hwang, Hyunsang; Lee, Choongman

被引用次数: 10

2008

Electrical and reliability characteristics of copper-doped carbon (CuC) based resistive switching devices for nonvolatile memory applications

APPLIED PHYSICS LETTERS

Pyun, Myeongbum; Choi, Hyejung; Park, Ju-Bong; Lee, Dongsoo; Hasan, Musarrat; Dong, Rui; Jung, Seung-Jae; Lee, Joonmyoung; Seong, Dong-jun; Yoon, Jaesik; Hwang, Hyunsang

被引用次数: 31

2008

Characteristics of Al₂O₃ gate dielectrics partially fluorinated by a low energy fluorine beam

APPLIED PHYSICS LETTERS

Kim, Sung Woo; Park, Byoung Jae; Kang, Se Koo; Kong, Bo Hyun; Cho, Hyung Koun; Yeom, Geun Young; Heo, Sungho; Hwang, Hyunsang

被引用次数: 11

2008

The effect of KrF laser annealing within an ultrashort time on metal-alumina-nitride-oxide-silicon-type flash memory devices

APPLIED PHYSICS LETTERS

Heo, Sungho; Chang, Man; Ju, Yongkyu; Jung, Seungjae; Hwang, Hyunsang

被引用次数: 4

2008

Effect of ruthenium oxide electrode on the resistive switching of Nb-doped strontium titanate

APPLIED PHYSICS LETTERS

Hasan, Musarrat; Dong, Rui; Choi, H. J.; Lee, D. S.; Seong, D. -J.; Pyun, M. B.; Hwang, Hyunsang

被引用次数: 21

2008

Modulation of TiSiN effective work function using high-pressure postmetallization annealing in dilute oxygen ambient

APPLIED PHYSICS LETTERS

Lee, Joonmyoung; Park, Hokyung; Choi, Hyejung; Hasan, Musarrat; Jo, Minseok; Chang, Man; Lee, Byoung Hun; Park, Chang Seo; Kang, Chang Yong; Hwang, Hyunsang

被引用次数: 9

2008

Reversible switching characteristics of polyfluorene-derivative single layer film for nonvolatile memory devices

APPLIED PHYSICS LETTERS

Kim, Tae-Wook; Oh, Seung-Hwan; Choi, Hyejung; Wang, Gunuk; Hwang, Hyunsang; Kim, Dong-Yu; Lee, Takhee

被引用次数: 65

2008

Stress-polarity-independent negative threshold voltage shift in HfO₂/TiN p-channel metal oxide semiconductor field-effect transistor

JAPANESE JOURNAL OF APPLIED PHYSICS

Park, Hokyung; Choi, Rino; Lee, Byoung Hun; Bersuker, Germadi; Hwang, Hyunsang

被引用次数: 1

2008

Memory characteristics of a self-assembled monolayer of Pt nanoparticles as a charge trapping layer

NANOTECHNOLOGY

Choi, Hyejung; Choi, Byung-Sang; Kim, Tae-Wook; Jung, Seung-Jae; Chang, Man; Lee, Takhee; Hwang, Hyunsang

被引用次数: 18

2008

Reliable organic nonvolatile memory device using a polyfluorene-derivative single-layer film

IEEE ELECTRON DEVICE LETTERS

Kim, Tae-Wook; Oh, Seung-Hwan; Choi, Hyejung; Wang, Gunuk; Hwang, Hyunsang; Kim, Dong-Yu; Lee, Takhee

被引用次数: 19

2008

Effect of oxygen postdeposition annealing on bias temperature instability of hafnium silicate MOSFET

IEEE ELECTRON DEVICE LETTERS

Jo, Minseok; Park, Hokyung; Lee, Joon-Myoung; Chang, Man; Jung, Hyung-Suk; Lee, Jong-Ho; Hwang, Hyunsang

被引用次数: 6

2008

Enhancement of Data Retention Time for 512-Mb DRAMs Using High-Pressure Deuterium Annealing

IEEE TRANSACTIONS ON ELECTRON DEVICES

Chang, Hyo Sik; Hwang, Hyunsang

被引用次数: 7

2008

Impact of high-pressure deuterium oxide annealing on the blocking efficiency and interface quality of metal-alumina-nitride-oxide-silicon-type flash memory devices

APPLIED PHYSICS LETTERS

Chang, Man; Hasan, Musarrat; Jung, Seungjae; Park, Hokyung; Jo, Minseok; Choi, Hyejung; Hwang, Hyunsang

被引用次数: 12

2007

Formation of TaN nanocrystals embedded in silicon nitride by phase separation methods for nonvolatile memory applications

APPLIED PHYSICS LETTERS

Choi, Hyejung; Jung, Seung-Jae; Park, Hokyung; Lee, Joon-Myung; Kwon, Moonjae; Chang, Man; Hasan, Musarrat; Choi, Sangmoo; Hwang, Hyunsang

被引用次数: 10

2007

Improved thermal stability of ruthenium oxide metal gate electrode on hafnium oxide gate dielectric

APPLIED PHYSICS LETTERS

Hasan, Musarrat; Park, Hokyung; Lee, Joon-myong; Hwang, Hyunsang

被引用次数: 8

2007

Droplet evaporation-induced ferritin self-assembled monolayer as a template for nanocrystal flash memory

APPLIED PHYSICS LETTERS

Kwon, Moonjae; Choi, Hyejung; Chang, Man; Jo, Minseok; Jung, Seung-Jae; Hwang, Hyunsang

被引用次数: 13

2007

Effects of channel-length scaling on In₂O₃ nanowire field effect transistors studied by conducting atomic force microscopy

APPLIED PHYSICS LETTERS

Jo, Gunho; Maeng, Jongsun; Kim, Tae-Wook; Hong, Woong-Ki; Jo, Minseok; Hwang, Hyunsang; Lee, Takhee

被引用次数: 30

2007

Resistance switching of copper doped MoO_x films for nonvolatile memory applications

APPLIED PHYSICS LETTERS

Lee, Dongsoo; Seong, Dong-jun; Jo, Inhwa; Xiang, F.; Dong, R.; Oh, Seokjoon; Hwang, Hyunsang

被引用次数: 136

2007

Ultralow work function of scandium metal gate with tantalum nitride interface layer for n-channel metal oxide semiconductor application

APPLIED PHYSICS LETTERS

Hasan, Musarrat; Park, Hokyung; Yang, Hyundoek; Hwang, Hyunsang; Jung, Hyung-Suk; Lee, Jong-Ho

被引用次数: 23

2007

Heteroepitaxial growth of Nb-doped SrTiO₃ films on Si substrates by pulsed laser deposition for resistance memory applications

APPLIED PHYSICS LETTERS

Xiang, Wenfeng; Dong, Rui; Lee, Dongsoo; Oh, Seokjoon; Seong, Dongjun; Hwang, Hyunsang

被引用次数: 23

2007

Reproducible hysteresis and resistive switching in metal-Cu_xO-metal heterostructures

APPLIED PHYSICS LETTERS

Dong, R.; Lee, D. S.; Xiang, W. F.; Oh, S. J.; Seong, D. J.; Heo, S. H.; Choi, H. J.; Kwon, M. J.; Seo, S. N.; Pyun, M. B.; Hasan, M.; Hwang, Hyunsang

被引用次数: 179

2007

Nonvolatile memory application of monodispersed ferritin as a template for iron nanocrystal

ELECTRONIC MATERIALS LETTERS

Kwon, Moonjae; Choi, Hyejung; Chang, Man; Jung, Seung-Jae; Hwang, Hyunsang

被引用次数: 1

2007

Metal gate and high-k gate dielectrics for sub 50 nm high performance MOSFETs

ELECTRONIC MATERIALS LETTERS

Park, Hokyung; Hasan, Musarrat; Jo, Minseok; Hwang, Hyunsang

被引用次数: 11

2007

Improvement of memory properties for MANOS-type nonvolatile memory devices with high-pressure wet vapor annealing

MICROELECTRONIC ENGINEERING

Chang, Man; Hasan, Musarrat; Jung, Seungjae; Park, Hokyung; Jo, Minseok; Choi, Hyejung; Kwon, Moonjae; Hwang, Hyunsang; Choi, Sangmoo

被引用次数: 7

2007

Band-edge metal gate materials for atomic-layer-deposited HfO₂ for future CMOS technology

MICROELECTRONIC ENGINEERING

Hasan, Musarrat; Park, Hokyung; Lee, Joon-myong; Jo, Minseak; Hwang, Hyunsang

被引用次数: 3

2007

Structural and electrical properties of epitaxial Nb-doped SrTiO₃ film deposited on Si (100) substrate

JOURNAL OF THE ELECTROCHEMICAL SOCIETY

Xiang, Wenfeng; Oh, Seokjoon; Choi, Hyejung; Dong, Rui; Lee, Dongsoo; Seong, Dongjun; Hwang, Hyunsang

被引用次数: 1

2007

Formation of a self-aligned hard mask using hydrogen silsesquioxane

APPLIED PHYSICS LETTERS

Im, K; Ahn, CG; Yang, JH; Baek, IB; Lee, S; Hwang, H; Cho, WJ

被引用次数: 4

2006

Memory characteristics of silicon nitride with silicon nanocrystals as a charge trapping layer of nonvolatile memory devices

APPLIED PHYSICS LETTERS

Choi, S; Yang, H; Chang, M; Baek, S; Hwang, H; Jeon, S; Kim, J; Kim, C

被引用次数: 60

2005

Highly thermally stable TiN nanocrystals as charge trapping sites for nonvolatile memory device applications

APPLIED PHYSICS LETTERS

Choi, S; Kim, SS; Chang, M; Hwang, H; Jeon, S; Kim, C

被引用次数: 46

2005

First-principles study of electronic structure and electron energy-loss-spectroscopy (EELS) of transition-metal aluminates as high-k gate dielectrics

APPLIED SURFACE SCIENCE

Samantaray, CB; Sim, H; Hwang, H

被引用次数: 13

2005

Systematic Investigation of Metal Gates on Atomic-Layer-Deposited HfO₂

ELECTRONIC MATERIALS LETTERS

Yang, Hyundoek; Hwang, Hyunsang

被引用次数: 1

2005

Resistance switching of the nonstoichiometric zirconium oxide for nonvolatile memory applications

IEEE ELECTRON DEVICE LETTERS

Lee, D; Choi, H; Sim, H; Choi, D; Hwang, H; Lee, MJ; Seo, SA; Yoo, IK

被引用次数: 179

2005

The electronic structures and optical properties of BaTiO₃ and SrTiO₃ using first-principles calculations

MICROELECTRONICS JOURNAL

Samantaray, CB; Sim, H; Hwang, H

被引用次数: 75

2005

Al₂O₃ with metal-nitride nanocrystals as a charge trapping layer of MONOS-type nonvolatile memory devices

MICROELECTRONIC ENGINEERING

Choi, S; Kim, SS; Yang, H; Chang, M; Jeon, S; Kim, C; Kim, DY; Hwang, H

被引用次数: 11

2005

Effects of high-pressure deuterium annealing on nonvolatile memory device with silicon nanocrystals embedded in silicon nitride

JOURNAL OF THE ELECTROCHEMICAL SOCIETY

Choi, S; Baek, S; Jang, M; Jeon, S; Kim, J; Kim, C; Hwang, H

Lateral current transport path, a model for GaN-based light-emitting diodes: Applications to practical device designs

APPLIED PHYSICS LETTERS

Kim, H; Park, SJ; Hwang, H; Park, NM

被引用次数: 97

2002

Effect of low-temperature preannealing on laser-annealed p+/n ultrashallow junctions

APPLIED PHYSICS LETTERS

Baek, S; Jang, T; Hwang, H

被引用次数: 15

2002

Design and fabrication of highly efficient GaN-based light-emitting diodes

IEEE TRANSACTIONS ON ELECTRON DEVICES

Kim, H; Park, SJ; Hwang, H

被引用次数: 29

2002

Electrical characteristics of high-k metal Oxide/SiO₂ stack gate dielectric prepared by reaction of metal with SiO₂

JOURNAL OF THE ELECTROCHEMICAL SOCIETY

Shin, J; Jeon, S; Hwang, H

被引用次数: 4

2002

Measurement of the physical and electrical thickness of ultrathin gate oxides

JOURNAL OF VACUUM SCIENCE & TECHNOLOGY B

Chang, HS; Yang, HD; Hwang, H; Cho, HM; Lee, HJ; Moon, DW

被引用次数: 31

2002

Effect of an oxidized Ni/Au p contact on the performance of GaN/InGaN multiple quantum well light-emitting diodes

JOURNAL OF APPLIED PHYSICS

Kim, H; Kim, DJ; Park, SJ; Hwang, H

被引用次数: 45

2001

Electrical characteristics of a Dy-doped HfO₂ gate dielectric

APPLIED PHYSICS LETTERS

Lee, H; Jeon, S; Hwang, H

被引用次数: 26

2001

Electrical characteristics of ZrO_xN_y prepared by NH₃ annealing of ZrO₂

APPLIED PHYSICS LETTERS

Jeon, S; Choi, CJ; Seong, TY; Hwang, H


被引用次数: 90

2001

Effects of sulfur treatment on electrical and optical performance of InGaN/GaN multiple-quantum-well blue light-emitting diodes

APPLIED PHYSICS LETTERS	
Huh, C; Kim, SW; Kim, HS; Kim, HM; Hwang, H; Park, SJ	
被引用次数: 44	2001
Effects of current spreading on the performance of GaN-based light-emitting diodes	
IEEE TRANSACTIONS ON ELECTRON DEVICES	
Kim, H; Park, SJ; Hwang, H	
被引用次数: 56	2001
Modeling of a GaN-based light-emitting diode for uniform current spreading	
APPLIED PHYSICS LETTERS	
Kim, H; Lee, JM; Huh, C; Kim, SW; Kim, DJ; Park, SJ; Hwang, H	
被引用次数: 116	2000
Hot carrier reliability characteristics of a bend-gate MOSFET	
SOLID-STATE ELECTRONICS	
Lee, W; Hwang, H	
被引用次数: 2	2000
Ultrashallow P+/N junction formation by plasma ion implantation	
JOURNAL OF THE KOREAN PHYSICAL SOCIETY	
Baek, SK; Choi, CJ; Seong, TY; Hwang, H; Moon, DW; Kim, HK	
被引用次数: 6	2000
Electromigration-induced failure of GaN multi-quantum well light emitting diode	
ELECTRONICS LETTERS	
Kim, H; Yang, H; Huh, C; Kim, SW; Park, SJ; Hwang, H	
被引用次数: 48	2000
Effect of statistical process variation of MOSFET on hot carrier lifetime	
SOLID-STATE ELECTRONICS	
Kim, H; Hwang, H	
被引用次数: 2	1999
The effects of screen oxide and low temperature BPSG anneal on titanium salicide formation	
THIN SOLID FILMS	
Lee, KN; Ahn, JG; Hwang, H; Byun, JS; Lee, YJ	
被引用次数: 0	1997

学术合作



Euijun Cha

浦项理工大学

合作次数: 27

Jaesung Park

浦项理工大学

合作次数: 19

Jongmyung Yoo

浦项理工大学

合作次数: 13

Jiyong Woo

庆北国立大学

合作次数: 12

Wooseok Choi

浦项理工大学

合作次数: 12

还有 52 个合作者