SF1530NP · THE NEW-GENERATION NP SERIES · 3 & 6 KW

SF1530NP FIBER LASER TECHNICAL SPECIFICATION

FIBER LASER CUTTING MACHINE











10 × 5 ft	3 & 6 kW	328 ft/min	1 G
WORKING AREA	MAXPHOTONICS SOURCE	MAXIMUM SPEED	MAXIMUM ACCELERATION

NovoTech Machine Tools Inc.
1365 Mid-Way Blvd, 26, Mississauga, ON L5T 2J5, Canada
NovoTechMachineTools.com | info@NovoTechMachineTools.com | +1 647 526 5510

FULL TECHNICAL SPECIFICATION · SF1530NP · 3 & 6 KW

CONTENTS

01 · Model 03
02 · Technical parameters 04
03 · Cutting parameters — stainless steel 05
03 · Cutting parameters — carbon steel 06
04 · Cutting parameters — brass, aluminum 07
05 · Cost-benefit analysis 08
06 · Configuration list 09
07 · Laser source, laser head 10
08 – 10 · Machine bed system 11
11 · Auto gas distribution system 14
12 · CNC system 15
13 · Automated metal fabrication solutions 16
14 · Personnel training, packaging and transportation, installation 17
15 · Customization 18
16 · Five-star fast service 19
17 · Customer testimonials 20

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

SOLD & SERVICED IN CANADA

by NovoTech Machine Tools — Mississauga, ON

01 · MODEL · THE NEW-GENERATION NP SERIES

SF1530NP

Fiber laser cutting machine.





Senfeng's campus in Jinan, China

1 HIGH-STRENGTH MACHINE TOOL BED

2 HIGH-STRENGTH ALUMINUM ALLOY BEAM

3 FULLY AUTOMATIC FOCUSING TECHNOLOGY

4 INTELLIGENT FOLLOWING SYSTEM

**The image is for reference only; the appearance and dimensions are subject to the actual product from the factory.*

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

02 · TECHNICAL PARAMETERS

TECHNICAL PARAMETERS · SF1530NP

ITEM	3 KW	6 KW
Working area (L × W)	10 × 5 ft (3,000 × 1,500 mm)	
X-axis travel	119.3″ (3,030 mm)	
Y-axis travel	59.4″ (1,510 mm)	
Z-axis travel	5.1″ (130 mm)	
X / Y axis positioning accuracy	±0.002″ (±0.05 mm)	
X / Y axis repeated positioning accuracy	±0.0008″ (±0.02 mm)	
Maximum speed	328 ft/min (100 m/min)	
Maximum acceleration	1 G	
Dimensions (L × W × H)	16.1 × 7.3 × 7.6 ft (4,921 × 2,225 × 2,317 mm)	
Maximum load	2,425 lb (1,100 kg)	
Weight	10,382 lb (4,709 kg)	11,530 lb (5,230 kg) including fire bricks
Phase	Three-phase	
Power supply rated voltage	380 V — in Canada: 208 / 240 / 480 / 600 V 3-phase 60 Hz through the transformer NovoTech supplies	
Frequency	50 / 60 Hz	
Overall power supply protection level	IP54	

1. Workpiece accuracy depends on factors like type, pre-treatment, sheet size and position.

2. Technical parameters are subject to change without notice. Final parameters are based on the order agreement.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

CUTTING PARAMETERS · 1 OF 3

STAINLESS STEEL

Cutting speed by laser source power in inches per minute; Senfeng's metres per minute below each value. "O_2" marks a value cut with oxygen where the row's gas is N_2 / air.

Material	Thickness	3 kW	6 kW	Gas
STAINLESS STEEL	**0.039"** 1 mm	1,181 – 1,772 30 – 45	1,772 – 2,165 45 – 55	N_2 / air
	0.079" 2 mm	787 – 984 20 – 25	1,181 – 1,378 30 – 35	N_2 / air
	0.118" 3 mm	315 – 394 8.0 – 10	709 – 866 18 – 22	N_2 / air
	0.157" 4 mm	197 – 236 5.0 – 6.0	394 – 551 10 – 14	N_2 / air
	0.197" 5 mm	118 – 142 3.0 – 3.6	315 – 394 8.0 – 10	N_2 / air
	0.236" 6 mm	79 – 118 2.0 – 3.0	169 – 197 4.3 – 5.0	N_2 / air
	0.315" 8 mm	39 – 59 1.0 – 1.5	118 – 157 3.0 – 4.0	N_2 / air
	0.394" 10 mm	20 – 39 0.5 – 1.0	71 – 98 1.8 – 2.5	N_2 / air
	0.472" 12 mm	16 – 24 0.4 – 0.6	39 – 59 1.0 – 1.5	N_2 / air
	0.551" 14 mm		31 – 47 0.8 – 1.2	N_2 / air
	0.630" 16 mm		24 – 39 0.6 – 1.0	N_2 / air
	0.787" 20 mm		16 – 28 0.4 – 0.7	air

Sample cutting only — full sheets cannot be processed at this power

1. Due to variations in material carbon content, the cutting parameters are for reference only; actual conditions prevail.

2. Shaded cells: full-sheet processing is not possible and only sample cutting is allowed.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

CUTTING PARAMETERS · 2 OF 3

CARBON STEEL

Cutting speed by laser source power in inches per minute; Senfeng's metres per minute below each value. "O_2" marks a value cut with oxygen where the row's gas is N_2 / air.

Material	Thickness	3 kW	6 kW	Gas
CARBON STEEL	**0.039"** 1 mm	1,181 – 1,575 30 – 40	1,575 – 1,772 40 – 45	N_2 / air
	0.079" 2 mm	591 – 787 15 – 20	787 – 1,102 20 – 28	N_2 / air
	0.118" 3 mm	138 – 177 3.5 – 4.5	472 – 669 12 – 17	N_2 / air
	0.157" 4 mm	118 – 138 3.0 – 3.5	315 – 394 8.0 – 10	N_2 / air
	0.236" 6 mm	98 – 138 2.5 – 3.5	98 – 130 2.5 – 3.3	O_2
	0.315" 8 mm	71 – 91 1.8 – 2.3	91 – 118 2.3 – 3.0	O_2
	0.394" 10 mm	55 – 71 1.4 – 1.8	79 – 98 2.0 – 2.5	O_2
	0.472" 12 mm	39 – 55 1.0 – 1.4	71 – 87 1.8 – 2.2	O_2
	0.551" 14 mm	31 – 39 0.8 – 1.0	55 – 67 1.4 – 1.7	O_2
	0.630" 16 mm	28 – 43 0.7 – 1.1	39 – 63 1.0 – 1.6	O_2
	0.787" 20 mm	20 – 28 0.5 – 0.7	24 – 47 0.6 – 1.2	O_2
	0.984" 25 mm		20 – 28 0.5 – 0.7	O_2

Sample cutting only — full sheets cannot be processed at this power

1. Due to variations in material carbon content, the cutting parameters are for reference only; actual conditions prevail.

2. Shaded cells: full-sheet processing is not possible and only sample cutting is allowed.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

CUTTING PARAMETERS · 3 OF 3

BRASS · ALUMINUM

Cutting speed by laser source power in inches per minute; Senfeng's metres per minute below each value. "O_2" marks a value cut with oxygen where the row's gas is N_2 / air.

Material	Thickness	3 kW	6 kW	Gas
BRASS	**0.039"** 1 mm	984 – 1,181 25 – 30	1,575 – 1,772 40 – 45	N_2 / air
	0.079" 2 mm	472 – 669 12 – 17	787 – 984 20 – 25	N_2 / air
	0.118" 3 mm	197 – 236 5.0 – 6.0	472 – 591 12 – 15	N_2 / air
	0.197" 5 mm	71 – 98 1.8 – 2.5	197 – 236 5.0 – 6.0	N_2 / air
	0.236" 6 mm	31 – 39 0.8 – 1.0	118 – 157 3.0 – 4.0	N_2 / air
	0.315" 8 mm		59 – 98 1.5 – 2.5	N_2 / air
	0.394" 10 mm		39 – 59 1.0 – 1.5	N_2 / air
	0.472" 12 mm		31 – 39 0.8 – 1	N_2 / air
ALUMINUM	**0.039"** 1 mm	1,181 – 1,378 30 – 35	1,969 – 2,165 50 – 55	N_2 / air
	0.079" 2 mm	551 – 787 14 – 20	984 – 1,181 25 – 30	N_2 / air
	0.118" 3 mm	315 – 394 8.0 – 10	512 – 630 13 – 16	N_2 / air
	0.157" 4 mm	197 – 256 5.0 – 6.5	394 – 512 10 – 13	N_2 / air
	0.197" 5 mm	98 – 138 2.5 – 3.5	197 – 236 5.0 – 6.0	N_2 / air
	0.236" 6 mm	47 – 59 1.2 – 1.5	118 – 157 3.0 – 4.0	N_2 / air
	0.315" 8 mm	28 – 51 0.7 – 1.3	79 – 118 2.0 – 3.0	N_2 / air
	0.394" 10 mm		39 – 79 1.0 – 2.0	N_2 / air
	0.472" 12 mm		28 – 47 0.7 – 1.2	N_2 / air
	0.551" 14 mm		20 – 39 0.5 – 1.0	N_2 / air
	0.630" 16 mm		16 – 24 0.4 – 0.6	N_2 / air

Sample cutting only — full sheets cannot be processed at this power

1. Due to variations in material carbon content, the cutting parameters are for reference only; actual conditions prevail.

2. Shaded cells: full-sheet processing is not possible and only sample cutting is allowed.

05 · COST-BENEFIT ANALYSIS

COST-BENEFIT ANALYSIS · SF1530NP

If the cutting auxiliary gas is dried compressed air, the cost includes the air compressor's electricity, the machine's power consumption and the consumables (protective lenses, cutting nozzles).

Item		3 kW			6 kW		
		Air	O_2	N_2	Air	O_2	N_2
PEAK POWER CONSUMPTION	Laser source (kW)	10			16		
	Chiller (kW)	3			6		
	Air compressor (kW)	15	/	/	15	/	/
	Machine tool host (kW)	7	7	7	7	7	7
	Dust removal (kW)	1.5	1.5	1.5	1.5	1.5	1.5
Consumables and gas consumption (CNY/h)		0.5	4.5	60.5	0.5	4.5	60.5
Total power (kW)		37	22	22	46	31	31
Total power consumption (kWh per hour)		22.2	13.2	13.2	27.6	18.6	18.6
Total operating cost (RMB per hour, at 1 RMB/kWh)		22.7	17.7	73.7	28.1	23.1	79.1

1. The electricity and gas prices are Senfeng's reference values in China (RMB) and may vary by region.

2. Auxiliary gas consumption varies with plate thickness; the values are based on 0.630" (16 mm) carbon steel for oxygen and 0.039" (1 mm) stainless steel for nitrogen, for reference.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

06 · CONFIGURATION LIST

CONFIGURATION LIST · SF1530NP

NO.	ITEM	QTY	BRAND
	LASER SOURCE		
1	Laser source	1	Maxphotonics
	LASER CUTTING HEAD		
1	Laser cutting head	1	RayTools
	MACHINE TOOL & HOST		
1	Transmission system	4	SENFENG
2	Machine tool and accessories	1	SENFENG
3	Reducer	3	SHIMPO, Japan
4	Electrical and pneumatic systems	1	SCHNEIDER, France · XINGYU ELECTRON
5	AC servo motor and driver	4	SCHNEIDER, France
6	Water chiller	1	HANLI
	CNC CUTTING SYSTEM		
1	CNC laser system	1	FSCUT

1. This is Senfeng's optimized configuration. Changes in brand or configuration may cause irreversible effects.

2. The warranty period for the entire machine (excluding consumables, force majeure natural disasters, war, improper operation and human damage) is 1 year.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

07 · CORE COMPONENTS

LASER SOURCE · LASER HEAD

SF1530NP LASER SOURCE





1. High-power and high-quality laser output
2. Uniformly distributed beam energy
3. Excellent performance and strong processing ability
4. Compact structure and maintenance-free
5. Wide range of applications

SF1530NP LASER HEAD



3 kW and below



4 – 6 kW

1. **Superior design:** optimized optical configuration and smooth, efficient airflow significantly improve cutting quality and efficiency.
2. **Auto focus:** automatic focusing minimizes manual intervention, with a focus range of –0.47″ to +0.39″ (–12 to +10 mm) and a positioning accuracy of 0.002″ (0.05 mm).
3. **Multiple protective lenses:** an additional protective lens safeguards the collimating lens, extending its service life.
4. **Drawer-type lens holder:** fast and easy replacement of the protective lenses.
5. **High compatibility:** multiple fiber interfaces, including QBH and QD, for a wide range of mainstream laser sources.

08 · MACHINE BED SYSTEM

SF1530NP MACHINE BED SYSTEM



1 · BRAND-NEW APPEARANCE

- The machine has an integrated screen and a platform leg-support design; the platform frame has transfer balls for easier loading.

2 · FULLY ENCLOSED LIFT DOOR

- Improves the main unit's sealing and the dust removal. CE protective acrylic laser shields; the lift door has safety locks on both sides for personnel safety.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

09 · MACHINE BED SYSTEM

SF1530NP MACHINE BED SYSTEM





3 · Tube welding bed

durable and non-deformable

- The reinforced welded bed frame is designed for high-speed movement, with aging treatment for precision and stability in long-term operation.
- The bed frame is annealed to eliminate internal stress and increase rigidity, then given secondary vibration aging and precision machining.
- The semi-hollow bed frame reduces thermal deformation, extends service life and keeps the cutting accurate.

4 · High-strength aluminum alloy beam

light weight and good dynamic performance

- The high-strength aluminum alloy beam is lightweight and has excellent dynamic performance.
- The beam is precision-machined after secondary vibration aging, ensuring its overall strength and stability.





5 · Intelligent spiral negative pressure dust removal

green and smart manufacturing

- The dust removal system controls the exhaust vents from the current cutting position, with time-based, zoned and segmented ventilation.
- With the return-type sealing structure at the bottom of the base, it achieves smoke-free cutting.

6 · Visual monitoring safety protection

ensures personal safety

- The all-around monitoring system significantly reduces blind spots, so cutting runs safely and stably.

10 · MACHINE BED SYSTEM

SF1530NP MACHINE BED SYSTEM





7 · Thermostatic electric control cabinet

makes laser cutting more stable

- The temperature-controlled electrical cabinet eliminates the need for an air-conditioned room.
- The constant-temperature, constant-humidity interior adapts the equipment to various conditions.
- It significantly extends the life of the control system's electronic components, ensuring stable cutting.

8 · Fully enclosed lift door

green and environmentally friendly

- Built-in laser source saves valuable floor space.





9 · Modular Z axis

safety protection, easy maintenance

- The Z axis is modular, with excellent sealing that resists contamination and lowers the failure rate.
- Modular installation and replacement significantly reduce maintenance time and difficulty.

10 · Internal material cart

easy to clean

- The material cart has an internal compartment, which makes collecting waste material and cleaning more convenient.

11 · AUTO GAS DISTRIBUTION SYSTEM

PRECISE CONTROL OF EACH GAS FLOW



The CNC laser cutting machine has two separate gas lines: nitrogen (air) and oxygen. Each gas line can be independently controlled for flow rate and pressure.

- The equipment software terminal has an automatic auxiliary gas selection feature.
- The type and pressure of the auxiliary gases are set and selected automatically through the CNC program — no manual operation.
- The actual gas pressure at the cutting head outlet is read and displayed on the panel in real time.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

12 · CNC SYSTEM

SF1530NP CNC SYSTEM



Bus cutting system — quick operation & efficient cutting

This intelligent bus system is designed specifically for fiber laser cutting. It integrates motion control, laser source control and cutting gas control, offering stability, reliability, easy deployment, simple debugging, production safety and a rich set of features with excellent performance. It offers modular, customizable, automated and informational solutions. The system has memory buffering and a comprehensive cutting process database with optimized parameters for various materials and thicknesses, for fast operation and efficient cutting — ideal for sheet metal, kitchenware and lighting.

- Supported file formats: direct processing of DXF files and high-speed reading and writing of LXDS and NRP files generated by CypNest.
- A cutting database allows real-time adjustments during cutting for optimal processing quality.
- Multi-stage piercing, sharp-corner entry and centering significantly improve high-power cutting efficiency and stability.
- Optimized rapid travel modes, including the “LeapFrog” function.


INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

13 · AFTER-SALES SERVICE

PROVIDING GLOBAL USERS WITH AUTOMATED METAL FABRICATION SOLUTIONS

Senfeng provides automated metal fabrication solutions globally, integrating cutting, bending, welding, cladding, automation and new energy. With core technologies in laser cutting, welding and cladding, the company also offers intelligent manufacturing systems such as flexible laser processing lines and panel benders. These solutions serve industries including automotive, construction, energy and petrochemicals, and are used in over 100 countries.



03
INTERNATIONAL PCT PATENTS

577
CHINESE TECHNOLOGY PATENTS

Senfeng has developed key components such as laser generators, processing heads, the Feng Cloud system and CNC systems, used in cutting, welding, cladding and automation. The company offers a complete industry chain, including laser cutting, welding, cladding and cleaning machines, bending centers and flexible production lines. These solutions are used in sectors such as power towers, construction machinery, shipbuilding, bridges and aerospace, helping businesses accelerate production and reduce costs for greater economic benefit.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

14 · AFTER-SALES SERVICE

TRAINING · PACKAGING · INSTALLATION

TECHNICAL TRAINING TO ENHANCE CUSTOMER PRODUCTION EFFICIENCY

01
BEFORE EQUIPMENT DELIVERY
The buyer can arrange for 1 – 2 operators to attend a one-week training at the Senfeng factory. The dates are confirmed with Senfeng's customer service department.

02
DURING THE WARRANTY PERIOD
The buyer can apply for one more session of free training for 1 – 2 operators at Senfeng.

03
TRAINING
Laser principles, equipment structure, process explanation, equipment maintenance, laser safety protection, operating procedures and basic troubleshooting.

04
REQUIREMENT
Trainees must be mechanical, electrical or optical engineers and pass assessments on equipment operation, laser principles, safety and maintenance before starting work.

PACKAGING & TRANSPORTATION TO ENSURE EQUIPMENT QUALITY







01
PACKAGING
Standard packaging, suitable for long-distance transportation, moisture-proof, rust-proof and shock-resistant. Designed for full lifting, with marked lifting points and center of gravity.

02
TRANSPORTATION
Domestic transportation within China is fully handled by Senfeng, including freight and insurance.

03
PACKING LIST & CERTIFICATE
Each package includes a packing list and a certificate of conformity. The user manual and other documents are inside the box; the packing list is on the outside.

INSTALLATION PROFESSIONAL AND HIGH-QUALITY

01
INSTALLATION
NovoTech engineers, with Senfeng, install the equipment at the customer's site.

02
EQUIPMENT DEBUGGING
After installation, the equipment is debugged for the customer's use.

03
DOOR-TO-DOOR TRAINING
On-site training on equipment maintenance, safety, operating procedures and basic troubleshooting, with 7 days of guaranteed usage.

04
ON-SITE ACCEPTANCE
After the steps above, the engineer leaves the site only after the customer's acceptance (the customer can veto).

15 · AFTER-SALES SERVICE

PREMIUM CUSTOMIZATION


In the digital era, intelligent transformation in metal processing is essential. Building unmanned factories is key to upgrading, with customized automation solutions a top priority.



01 · Senfeng understands the client's industry status and specific production processes, identifies issues and assesses their needs.



02 · Through in-depth on-site communication, metal fabrication automation solutions are customized to the client's pain points and needs.



03 · A tailored solution, different from competitors' standardized models.



04 · A one-stop R&D and production service from design to final machine, with thorough quality checks until customer satisfaction and acceptance.

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**


16 · AFTER-SALES SERVICE

FIVE-STAR FAST SERVICE



EFFICIENT

- Senfeng's repair hotline is available 24/7.
- A professional engineer responds to customer inquiries within 10 minutes and provides a repair plan within 1 hour.



PROFESSIONAL

- **Custom service:** service plans tailored to the customer's specific needs.
- **Service engineer certification:** each service engineer is rigorously trained and assessed before being certified to work.
- **Common issues training:** a manual of common issues for each equipment model, with certified engineers training customers.
- **Online guidance:** experienced senior engineers support customers by phone or video call.
- **Professional technical support:** the equipment is properly calibrated at the first installation, and similar issues are resolved in one go.





COMPREHENSIVE



- **Pre-service:** theoretical and hands-on operation training, common fault self-diagnosis training, quick repair guidance and usage reminders.
- **Regular service:** regular maintenance reminders, on-site services and periodic promotional activities.
- **Value-added service:** equipment software and hardware upgrades, financing lease services and extended warranty services.



17 · AFTER-SALES SERVICE

CUSTOMER TESTIMONIALS

Senfeng machines and customers around the world.


















NovoTech MACHINE TOOLS Inc.

LET'S FIND THE RIGHT FIBER LASER FOR YOUR SHOP.

Call or visit us for quotes, demonstrations, installation and service. In-stock machines ship fast from our Mississauga, ON location.

PHONE

+1 647 526 5510

WEB & EMAIL

NovoTechMachineTools.com
info@NovoTechMachineTools.com

ADDRESS

1365 Mid-Way Blvd, 26
Mississauga, ON L5T 2J5
Canada

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in China by Senfeng Laser — CE, FDA and ETL certified and CSA approved
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**









Specifications subject to change without notice. Imperial values are converted from Senfeng's metric data and rounded: sheet thicknesses in decimal inches, cutting speeds in inches per minute. Model numbers are manufacturer designations. Photos may show optional equipment.