"THE FUTURE IS HERE" · SOLD & SERVICED IN CANADA BY NOVOTECH

SMART FIBER LASER

FASTER CUTTING · HIGHER PRECISION · MAXIMUM EFFICIENCY



Since 1974
MANUFACTURING EXPERIENCE

3 – 40 kW
LASER SOURCE POWER

10 – 82 ft
TABLE LENGTH

Canada
PARTS & TECHNICAL SUPPORT

NovoTech Machine Tools Inc.
1365 Mid-Way Blvd, 26, Mississauga, ON L5T 2J5, Canada
NovoTechMachineTools.com | info@NovoTechMachineTools.com | +1 647 526 5510

MANUFACTURER · ESTABLISHED 1974

ABOUT DENER

Dener Makina was established in 1974 in the Kayseri Old Industrial Zone. Since 2000, the company has focused on the production of CNC Sheet Metal Processing Machines, manufacturing a wide range of products including Guillotine Shears, Hydraulic Press Brakes, Ball Screw Press Brakes, Servo-Electric Press Brakes, Plasma Cutting Machines, and Fiber Laser Cutting Machines.

In 2016, the company made a major investment by expanding its facilities to include 1,670,000 sq ft (155,000 m^2) of factory buildings and 290,000 sq ft (27,000 m^2) of social facilities on a 14,000,000 sq ft (1,300,000 m^2) site within the İncesu Organized Industrial Zone (O.S.B). In this new phase, Dener Makina began the production of CNC Metal Processing Machines such as Taksan Integrated Systems, Double Column Machining Centers, 5-Axis Simultaneous Machining Centers, Vertical Machining Centers, Lathes, and Grinding Machines.

With its extensive production range, over half a century of experience, skilled workforce, and multinational R&D center, Dener Makina holds a leading position globally by providing high-value industrial investment products in the fields of CNC Sheet Metal Processing and CNC Metal Processing Machines.

INCLUDED WITH EVERY NOVOTECH MACHINE

- ✓ Made in Turkey with European components
- ✓ CSA-approved electrical panel
- ✓ 1-year warranty
- ✓ **7-day money-back guarantee** (in-stock machines only)
- ✓ Spare parts & technical support readily available in Canada
- ✓ **Order Today with Just 10% Down — 0% Down Financing Available**
- ✓ **Installation and training available**

SOLD & SERVICED IN CANADA

by NovoTech Machine Tools — Mississauga, ON

CONTENTS THIS BROCHURE

Production Campus 03
Design Advantages 04
Smart Fiber Laser Cutting Machine 05
Precision Meets Performance 06
Software — CypNest 07
Laser Cutting Head 08
Equipment 09
Ease of Use & Security 11
Closed Type Series 12
Semi Closed Type Series 14
Service & Support 16
Dener Worldwide 17
Dener Product Range 18

DENER MAKINA · İNCESU ORGANIZED INDUSTRIAL ZONE, KAYSERI

DENER PRODUCTION CAMPUS



Dener production campus, Kayseri — 1,670,000 sq ft (155,000 m^2) of factory buildings on a 14,000,000 sq ft (1,300,000 m^2) site

- SHEET PROCESSING MACHINES PRODUCTION PLANT
- MACHINE TOOLS PRODUCTION PLANT
- PRODUCTION PLANT
- SHEET WELDING FACTORY
- SHEET CLADDING FACTORY
- TECHNOLOGY CENTER
- ADMINISTRATIVE BUILDING
- SOCIAL FACILITIES
- MAIN ENTRANCE
- VISITOR PARKING AREA
- HELICOPTER PAD

52+
YEARS OF EXPERIENCE

100+
EXPORT COUNTRIES

14,000,000 sq ft
PRODUCTION CAMPUS (1,300,000 M^2)

SMART SERIES

SMART SERIES — DESIGN ADVANTAGES



Smart with the front open: cutting area, CNC control unit and remote handset

Through optic technology, DENER Fiber Laser Machine is able to achieve high speed performance while cutting 2D sheet metal. Equipped with various cutting modes and well-known fiber laser source, Dener fiber laser can easily cut challenging parts. A well thought design that allows easy transport and installation with a machine equipped with a user friendly equipment. Speed achieved on X, Y and Z axis are significantly satisfying and allow a fast return on investment combined with cutting precision.

Our machine body with a stress relief robust body structure and a bridge designed with space geometry, the machine is ready to encounter high acceleration.


Six aspiration pneumatic compartments are also available on this model to facilitate the suction of polluted fume resulting from cutting. Small parts that fall during the cutting process can be found in one of the six scrap boxes mounted on suitable wheels that are easy to remove. The machine is adapted to work with an aspiration system that can collect all the fume resulting from the cutting process.

SMART FIBER LASER CUTTING MACHINE

SMART FIBER LASER CUTTING MACHINE

DESIGN ADVANTAGES

- Precise positioning
- Optimized energy efficiency
- Ergonomic and compact design
- Advanced safety standards
- Low maintenance cost





PRECISION MEETS PERFORMANCE

Advanced laser cutting for modern production



SUPERIOR
Cut accuracy

FASTER
Throughput

ENERGY
Efficient operation


LOWER
Operating cost

SMART Series delivers speed, precision and efficiency for modern production.

SMART SOFTWARE

CYPNEST NESTING SOLUTION

CypNest is a nesting software for CypCut/HypCut laser cutting systems. It offers advanced features like drawing modification, quick nesting, and toolpath optimization. It supports DWG, DXF files, and Excel-based batch import. The powerful algorithm enables efficient manual or automatic nesting, with smart toolpath strategies to minimize travel. CypNest also generates production and pricing reports, perfectly integrating with HypCut/CypCut software.



CypNest nesting software

SPEED UP PRODUCTION

- Drawing Modification and intelligent part recognition
- Supports DWG and DXF formats. Excel table-based part creation and import support.
- Nesting Strategy: Powerful algorithm for high efficiency and fast production rate
- No part quantity limitation, supports manual and automatic nesting, and free-form sheet placement
- Toolpath Optimization: Smart cutting path strategy to minimize travel length
- Smooth operation with toolpath adjustment options and multiple contact settings
- Generates production and pricing analysis reports. Technical and cutting parameters perfectly match HypCut/CypCut laser cutting software.

BLT SERIES SMART CUTTER · CLOSED-LOOP AUTOFOCUS

LASER CUTTING HEAD

Focusing on 2D, 3D and angle cutting, the cost-effective BLT Series Smart Cutter is available for power levels below 30 kW and offers excellent performance with stable cutting, easy installation and setup. Brand new optical solutions are available with closed-loop autofocus.

Slag-free cutting, nozzle cooling and water cooling sensor can be supported. Makes cutting more stable and efficient. Smart Drilling and Auto Re-cutting functions meet the most demanding air standard and N2 high-performance cutting, significantly increasing efficiency and productivity.

STABLE AND EFFICIENT CUTTING PROCESS

LED INDICATORS

LEDs on the laser head; communication. The sensors provide information that the power is working correctly.

> Equipped with advanced technology, it offers a cutting solution that combines high performance with affordable costs.



BLT cutting head — LED indicators: power, run, link and sensor



Ready-to-use optical drawers

EASY INSTALLATION AND LOW REPAIR COSTS

Lens change in 2 minutes with ready-to-use optical drawers.

RESONATOR · CHILLER · FSCUT CONTROL · SERVO DRIVES

EQUIPMENT



Resonator

Raycus RFL series

Raycus is a global brand that stands out in the laser processing industry with its reliability, long lifespan, and high performance. With stable power output, precise cutting quality, and an excellent price-to-performance ratio, it is one of the most preferred laser resonators worldwide.



Chiller

S&A CWFL series

Specially developed for fiber laser cutting machines, S&A chillers provide stable temperature control for resonators and optical systems, enhancing cutting quality and machine lifespan. Thanks to its dual-circuit cooling design, it independently balances the resonator and optical path. Its compact design allows for easy integration, while quiet operation and energy-efficient performance help lower operating costs. With low maintenance requirements, it is an ideal solution for long-term, uninterrupted operation.



FSCUT control unit

The FSCUT control unit, specially developed for fiber laser cutting machines, elevates cutting speed and quality to the next level thanks to its high performance and advanced software support. It intelligently optimizes cutting parameters, delivering stable and fast performance even in complex geometries. With its user-friendly interface, it offers easy programming capability, operates with fewer errors, and contributes to achieving higher overall efficiency.



Servo motor and motor driver

Inovance

For high-precision motion control in fiber laser cutting machines, Inovance motor and drive systems deliver superior performance and reliability. With high response speeds and stable torque output, they ensure maximum accuracy in axis movements. Advanced control algorithms minimize vibration, improving cutting quality and extending machine lifespan. Their compact design allows for easy installation and wiring. With energy-efficient operation and high dynamic performance, Inovance systems bring power.

REDUCER · RACK AND PINION · GAS REGULATOR · SCRAP BOXES

EQUIPMENT



Reducer

Techmech

Techmech gearboxes are specially preferred in fiber laser cutting machines for high-precision motion transmission. With their high torque capacity and low backlash design, they ensure maximum accuracy in axis movements. Their compact structure provides space efficiency in machine design, while the durable materials and high efficiency rate offer long-lasting and trouble-free operation.



Rack and pinion

TWEBOLUN

TWEBOLUN pinion and rack systems are specially designed for high-precision axis movements in fiber laser cutting machines. With low backlash and stable power transmission, they accurately follow cutting paths, ensuring high precision even in complex geometries. Durable materials and long-lasting design provide uninterrupted performance in production. Easy installation and low maintenance requirements enhance operational efficiency.



Gas regulator

SMC

SMC regulators provide high precision and stability in pressure control for fiber laser cutting machines. They contribute to the safe, efficient, and long-lasting operation of air systems, optimizing the overall performance of the machine. Produced by Japan-based SMC Corporation, these regulators offer a reliable solution worldwide for industrial automation and pneumatic control systems.



Scrap boxes

With an ergonomic design, scrap boxes are easy to pull and small parts and scrap can be easily reached. Optionally, a CNC-controlled conveyor can be included.

OPERATOR COMFORT AND SAFETY

EASE OF USE & SECURITY

EASE OF USE



HANDWHEEL

The machine has a handwheel for precise axis movement adjustments. It is especially useful when precise positioning is required to make small cuts from the remaining parts of metal sheets that have been previously used for cutting.



RESUME CUTTING AFTER AN ALARM

When the machine is stopped or paused for any reason, cutting can be started again from the desired point.

SECURITY



PROTECTING THE CUTTING HEAD

If the cutting head is very close to hitting a piece or pallet, the machine stops immediately to prevent damage. After the machine stops, the operator can check and resolve the issue, then press the start button to resume cutting from where it left off.



PROTECTIVE GLASSES

In order to prevent damage to the eyes caused by the fiber laser light, there are viewing glasses on the front doors of the machine suitable for the fiber laser wavelength.



EMERGENCY STOPS

An easy access to emergency stop button provides a safe working environment to the operator. A buzzer found on top of the machine shows in real time the working state of the machine.



SAFETY BARRIERS


Light safety barriers stop the pallet change process if breached, preventing injury. After a reset, the pallet change can be resumed in the desired direction.

SMART FIBER LASER · CLOSED TYPE SERIES

SMART FIBER LASER



Smart Laser 6020 — closed cabin



Smart closed type — shuttle table



CLOSED TYPE / DOUBLE TABLE

ENGINEERED FOR SPEED
BUILT FOR VALUE

TECHNICAL SPECIFICATIONS	CLOSED TYPE / DOUBLE TABLE
Machine model	Smart
Table size	3015 · 4020 · 6020 · 6025 · 8025 · 12526 10 × 5 · 13 × 6.6 · 20 × 6.6 · 20 × 8.2 · 26 × 8.2 · 41 × 8.5 ft
Power	3,000 W · 6,000 W · 12,000 W · 20,000 W · 30,000 W · 40,000 W
Precision	±0.0012" (±0.03 mm)
Max. speed	459 ft/min (140 m/min)
Max. acceleration	1 G
Voltage and frequency	380 V 50 Hz / 60 Hz

**Cutting thicknesses may vary due to factors such as material quality, operator settings, and cutting speed.*

Custom voltage available: 208 V, 240 V, 480 V or 600 V 3-phase. CSA-approved electrical panel.

INCLUDED WITH EVERY NOVOTECH MACHINE


- Made in Turkey with European components
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down — 0% Down Financing Available**
- **Installation and training available**

SMART FIBER LASER · SEMI CLOSED TYPE SERIES

SMART FIBER LASER



Smart semi closed type — single table, the cabin travels with the gantry









SEMI CLOSED TYPE / SINGLE TABLE

DESIGNED FOR FLEXIBILITY
BUILT FOR PRODUCTIVITY

TECHNICAL SPECIFICATIONS	SEMI CLOSED TYPE / SINGLE TABLE
Machine model	Smart
Table size	6025 · 8025 · 12525 · 14035 · 16045 · 25031 · 25040 20 × 8.2 · 26 × 8.2 · 41 × 8.2 · 46 × 11.5 · 52 × 15 · 82 × 10 · 82 × 13 ft
Power	3,000 W · 6,000 W · 12,000 W · 20,000 W · 30,000 W · 40,000 W
Precision	±0.0004" (±0.01 mm)
Max. speed	246 ft/min (75 m/min)
Max. acceleration	0.6 G
Voltage and frequency	380 V 50 Hz / 60 Hz

**Cutting thicknesses may vary due to factors such as material quality, operator settings, and cutting speed.*

Custom voltage available: 208 V, 240 V, 480 V or 600 V 3-phase. CSA-approved electrical panel.

INCLUDED WITH EVERY NOVOTECH MACHINE

- ✓ Made in Turkey with European components
- ✓ CSA-approved electrical panel
- ✓ 1-year warranty
- ✓ **7-day money-back guarantee** (in-stock machines only)
- ✓ Spare parts & technical support readily available in Canada
- ✓ **Order Today with Just 10% Down — 0% Down Financing Available**
- ✓ **Installation and training available**

DENER MAKINA · SERVICE, PARTS AND R&D

SERVICE & SUPPORT

FAST SERVICE AND SPARE PART DELIVERY



Dener Makina responds to service requests as quickly as possible to ensure production continuity. All service and parts needs received from our customers are systematically evaluated and processed by our experienced customer representatives. From the moment a malfunction is reported, the response process is meticulously managed. Our field teams are quickly deployed, minimizing production interruptions.

Our spare parts inventory management is fully aligned with our machinery. By constantly maintaining critical parts in stock, we offer our customers fast and reliable parts supply. This prevents time loss during service interventions and ensures the uninterrupted operation of your machines.

R&D SERVICE BACKUP



Dener Makina's R&D center actively works to develop service solutions tailored to customer needs. Based on feedback from field experience, existing machines are updated with software and hardware, and new functions are integrated. This allows the machines to easily adapt to changing production needs.

Technical requirements, particularly those encountered in production for specific processes and sectors, are analyzed by our engineering departments and solution-focused projects are developed.

This allows user-specific machines to be optimized for high efficiency. This R&D-supported approach is key to Dener's success.

REMOTE AND DIGITAL SUPPORT



Thanks to our remote access system integrated into our digital infrastructure, our machines can be accessed from anywhere in the world. This system allows software updates, error analysis, and setting checks to be performed instantly. In cases where urgent technical support is required, rapid solutions are provided before physical intervention, resulting in time and cost savings.

Our remote access support service is designed to be compatible with all our machine models. Being available to our customers whenever they need it is the cornerstone of our service approach. This digital support system increases efficiency, minimizes downtime, and ensures uninterrupted production.

GLOBAL MANUFACTURING & SALES NETWORK

DENER WORLDWIDE



52+
YEARS OF EXPERIENCE

100+
EXPORTS TO COUNTRIES

14,000,000 sq ft
PRODUCTION CAMPUS (1,300,000 M^2)

Dener Makina A.Ş. reserves the right to modify catalog information and machine specifications without obligation to notify.

"THE FUTURE IS HERE" · AVAILABLE THROUGH NOVOTECH

DENER PRODUCT RANGE

PRESS BRAKES



Hydraulic press brake



Tandem press brake



Servo-electric press brake



Ball-screw press brake

PANEL BENDER



Panel bender

SHEARS



CNC hydraulic shear



NC hydraulic shear

LASER CUTTING MACHINES



GFL fiber laser cutting machine



Smart fiber laser cutting machine



Tube profile laser cutting machine

MACHINE TOOLS



CNC lathe



CNC vertical milling machine



Double-column milling machine



5-axis machining center



NC grinding machine

NovoTech MACHINE TOOLS Inc.

LET'S FIND THE RIGHT FIBER LASER FOR YOUR SHOP.

Call or visit us for quotes, demonstrations, installation and service. In-stock machines ship fast from our Mississauga, ON location.

PHONE

+1 647 526 5510

WEB & EMAIL

NovoTechMachineTools.com
info@NovoTechMachineTools.com

ADDRESS

1365 Mid-Way Blvd, 26
Mississauga, ON L5T 2J5
Canada

INCLUDED WITH EVERY NOVOTECH MACHINE

- Made in Turkey with European components
- CSA-approved electrical panel
- 1-year warranty
- **7-day money-back guarantee** (in-stock machines only)
- Spare parts & technical support readily available in Canada
- **Order Today with Just 10% Down – 0% Down Financing Available**
- **Installation and training available**









Specifications subject to change without notice. Imperial values are converted from the manufacturer's metric data and rounded: plate thicknesses in common fractions (1/2, 1/4, 1/8, 1/16). Model numbers are manufacturer designations. Photos may show optional equipment.