

huneducation.com

Uzman bulgu dosyaları (ek)

Hazırlanma: 30 Ağustos 2026

Otorite ve dış bağlantı profili

Güven düzeyi: DÜŞÜK. Moz ve Bing Webmaster API anahtarları yapılandırılmamış. Elde yalnızca Common Crawl web grafiği ve doğrulama tarayıcısı vardı; backlink ajanı da oturum yeniden başlarken kesildi. Aşağıdakiler **eksiksiz bir bağlantı profili değildir** — referans veren alan adı sayısı, DA/PA ve zehirli bağlantı analizi için Ahrefs/Semrush/Moz gibi bir kaynak gerekir. Burada yalnızca doğrudan doğrulayabildiklerim var.

Doğrulan: varlık tutarlılığı

Sitenin yayınladığı dört sosyal profilin tamamı canlı:

Profil	Durum
instagram.com/huneducation	200 ✓
facebook.com/HunEducationGLB	200 ✓
twitter.com/huneducation	200 ✓
youtube.com/channel/UCtjkiFBPE4S-igdJ_GVbFUQ	200 ✓

Düzeltilme: Bunlar hiçbir yerde `sameAs` olarak bildirilmiyor (sitede yapısal veri yok). Organization düğümüne eklenmesi, arama motorunun kurumu tek varlık olarak tanıması için en ucuz adım. YouTube bağlantısı kanal kimliğiyle veriliyor; varsa `@kullanıcıadı` biçimi varlık eşleştirmesi için daha iyidir.

Bulgu: dış bağlantı neredeyse yok

Ana sayfadan çıkan **8 benzersiz dış alan adı** var ve bunların çoğu teknik (gmpg.org, fonts.gstatic.com, facebook.com piksel). Gerçek bir otorite kaynağına tek bağlantı: `immigration-portal.ec.europa.eu`.

Ücret, son başvuru tarihi ve kabul şartı yayınlayan bir sitede ****kaynak göstermemek**** hem E-E-A-T hem GEO açısından zayıflık. Üretken motorlar kaynak gösteren sayfaları tercih eder.

Düzeltilme: Rakam geçen her sayfaya, o rakamın alındığı üniversite sayfasına bağlantı ver. Bu aynı zamanda 20 üniversite sayfasıyla konu ilişkisini güçlendirir.

Bu niş için bağlantı kazanım planı

Öncelik sırasıyla, gerçekçi olandan zora doğru:

1. **Üniversitelerin kendi "partner/agent" sayfaları** — Hun Education 20

üniversiteyle çalışıyor. Çoğu Macar üniversitesi resmî temsilci listesi yayınlr. Bu, nişteki en yüksek otoriteli ve en kolay bağlantı.

1. **YÖK denklik ve konsolosluk kaynak sayfaları** — öğrenci vizesi ve denklik içeriği üretilirse, forum ve rehber sayfalarından doğal atıf gelir.

1. **Türk eğitim portalları ve forumları** — yurtdışı eğitim dizinleri, üniversite tercih forumları. Ücretli dizin değil, içerik katkısı yoluyla.

1. **Mezun ve öğrenci içeriği** — isimli öğrenci hikâyeleri hem E-E-A-T hem

paylaşılabilir varlık üretir; şu an </student-perspectives/> sayfasında tek bir isimli yorum yok.

1. **YouTube ve Instagram çapraz bağlantısı** — mevcut kanallar siteye bağlanmalı; sosyal bağlantılar sıralama geçirmez ama varlık tutarlılığı sağlar.

Yapılmaması gereken

Ücretli bağlantı, izin spam'i ve "guest post paketi" — bu nişte rakiplerin bir kısmı bunu yapıyor; kısa vadeli, riskli ve bu sitenin asıl sorununu (indekslenme ve yapısal veri) çözmiyor.

Score: (ölçülemedi — veri kaynağı yetersiz)

İçerik kalitesi ve E-E-A-T — bulgular

Kaynak: 500 sayfalık canlı tarama + örnekleme (10 program sayfası, /about-us/, /student-perspectives/, /costs/, /admission/) + WordPress veritabanından doğrudan okuma. Tarih: 2026-08-30.

Not: Bu dosya, denetimin içerik ajanı oturum yeniden başlarken kesildiği için orkestratör tarafından, ajanın topladığı doğrulanmış verilerle yazılmıştır. Kapsam bu yüzden ajanın planladığından dardır: 14 EN editoryal sayfanın tamamı değil, 4'ü tek tek incelendi.

Kritik

1. İngilizce ana sayfanın <title> etiketi tamamen Türkçe

`https://huneducation.com/` → `lang="en-US"`, H1 İngilizce ("Search Your Favorite Course Here"), ama başlık:

"HunEducation – Macaristan üniversiteleri, Macaristan yüksek lisans ve Macaristan'da üniversite okumak hakkında profesyonel danışmanlık hizmetleri veriyoruz."

Sitenin en değerli tek URL'si, İngilizce içerik sunarken Türkçe anahtar kelimelerle etiketlenmiş. Bu haliyle ne İngilizce sorgularda yarışabiliyor (başlıkta İngilizce kelime yok) ne de Türkçe sorgularda (sayfa İngilizce). Ayrıca 154 karakterle SERP'te kesiliyor.

Düzeltilme: İngilizce, 60 karakterin altında, birincil hedefe göre yeniden yazılmalı. Örn. "*Study in Hungary: English-Taught Degrees & Fees | Hun Education*".

2. Editoryal sayfaların başlıkları tek kelimelik

`/courses/` → "Courses – HunEducation", `/admission/` → "Admission – HunEducation", `/costs/` → "Costs – HunEducation". Hiçbirinde ülke adı, yıl, ücret aralığı ya da hedef sorgu yok. Bunlar sitenin para sayfaları.

3. 494/500 sayfada meta description yok

Google snippet'i gövdeden uydurmak zorunda. Kök sebep: Yoast pasif.

Yüksek

4. 338 program sayfasında hiç açıklama metni yok

984 program kaydının **646'sında** `post_content` dolu, **338'inde tamamen boş**.

Bu sayfalar yalnızca alan bloğundan (seviye, başlangıç, dönem, son başvuru, ücret, üniversite, şehir) ibaret.

Açıklaması olanlar makul: örneklediğim 10 sayfa 222–486 kelime arasında (ortalama ~330), gerçek bir "Course Description" bölümü var. Yani sorun "hepsi ince" değil, **üçte biri boş**.

5. Bilgi amaçlı içerik katmanı hiç yok

Sitede **0 blog yazısı** var. Dönüşüm öncesi bütün sorgular karşılıksız: öğrenci vizesi süreci ve red sebepleri, YÖK denkliği, apostil, ikamet kartı,

çalışma izni, ilk ay kontrol listesi, yurt başvurusu. Bunlar hem organik giriş noktası hem de para sayfalarına iç bağlantı kaynağı olurdu.

SXO tarafındaki bulguyla örtüşüyor: **Macaristan öğrenci vizesi için ayrı bir sayfa dahi yok** ve o sorgu tamamen vize/seyahat acentelerine bırakılmış.

6. E-E-A-T: kurum var, kişi yok

/about-us/ 851 kelime ve doğru şeyleri söylüyor ("expert academic advisers", "independent, receiving no support from the government", 1999'dan beri). Ama:

- Danışmanların **adı, unvanı, özgeçmişi yok** — "expert advisers" soyut kalıyor
- Yazar kimliği hiçbir sayfada yok; içerik kimin kaleminden belirsiz
- Üyelik/sertifika/akreditasyon rozeti yok
- /student-perspectives/ 481 kelime ama **tek bir isimli öğrenci yorumu yok**;

sayfa öğrenci deneyimi vadedip genel pazarlama metni veriyor

Ailelerin yılda ~10.000 € taahhüt ettiği bir hizmette bu, güvenin en zayıf halkası. Rakipler aynı boşlukta.

Orta

7. Tıp sayfasında iki başlık aynı şeyi söylüyor

/macaristanda-tip-egitimi-ve-macaristanda-tip-okumak/ içinde:

"Macaristan'da Tıp Okumak İçin Gerekenler" ve "Macaristan'da Tıp Okuma Şartları"

— aynı konu, iki H2. Ayrıca sayfada **hiç tablo yok**, oysa sorgu üniversite-üniversite karşılaştırma istiyor.

8. Tarih sinyali yok

Hiçbir sayfada "son güncelleme" tarihi görünmüyor; yapısal veri de olmadığı için `dateModified` de yok. Ücret ve son başvuru tarihi yayınlayan bir sitede tazelik sinyalinin yokluğu hem kullanıcı güvenini hem tazelik sıralamasını düşürüyor.

Bilgi — iyi durumda olanlar

- Program sayfalarının açıklaması olanlar **ince değil** (~330 kelime, gerçek prosa + benzersiz alan verisi). "Scaled content abuse" kapsamına girmezler: veriye dayalı katalog sayfası deseni, üretilmiş dolgu değil.
- /about-us/ bağımsızlık beyanı ve kuruluş yılı gibi doğru güven unsurlarını içeriyor; eksik olan somutlaştırma.
- İçerik iki dilde gerçekten ayrı yazılmış; makine çevirisi izlenimi vermiyor.

Öncelikli düzeltmeler

- EN ana sayfa başlığını İngilizceye çevir (*dakikalar*)
- 14+14 editoryal sayfaya başlık + meta description yaz (*bir gün*)
- 338 boş program sayfasına en az bir paragraf açıklama üret (*şablon + veri*)

4. Danışman ekibini isim, unvan ve deneyimle yayınla; öğrenci yorumlarını

isimlendir (E-E-A-T'nin en hızlı kazancı)

1. Vize / denklik / apostil eksenli bilgi içeriği katmanını başlat

Score: 34/100

GEO / AI Search Readiness Audit — huneducation.com & tr.huneducation.com

Audit date: 2026-08-30

Scope: huneducation.com (international/English host) and tr.huneducation.com (Turkish host), both WordPress + Elementor, ~984 course pages, 40 university pages, 14+14 editorial pages, 500-page crawl sample verified live during this session.

Note on method: Live SERP verification was attempted for the three benchmark queries via DuckDuckGo (returned a CAPTCHA challenge, no data obtained) and Bing (returned what appears to be a static "Hungary" country info-panel — tr.wikipedia.org/Macaristan, gezimanya.com, harita.gen.tr, ankara.mfa.gov.hu, transfermarkt.com.tr, avruparuyasi.com.tr, gidelimmi.com, ab.gov.tr, milliyet.com.tr — identical across all three distinct queries, which indicates an automation-triggered generic fallback rather than true per-query organic results). No DataForSEO MCP tools were available in this session. Competitive commentary below is therefore flagged qualitatively rather than presented as verified live rankings, and should be re-checked with a browser-based session or DataForSEO before final client presentation.

1. AI Crawler Accessibility — Both Hosts

Verified live from `https://huneducation.com/robots.txt` and `https://tr.huneducation.com/robots.txt` (byte-identical on both hosts):

...

User-agent: *

Disallow: /wp-admin/

Allow: /wp-admin/admin-ajax.php

Sitemap: https://[host]/sitemap.xml

Sitemap: https://[host]/sitemap.html

...

There is **no bot-specific block anywhere in robots.txt on either host** — no named user-agent stanzas for GPTBot, OAI-SearchBot, ChatGPT-User, ClaudeBot, Claude-User, PerplexityBot, Google-Extended, Applebot-Extended, CCBot, or Bytespider. All of them inherit the wildcard `User-agent: *` rule, which disallows only `/wp-admin/`. Practical effect, per crawler:

Crawler	Status	Basis
GPTBot	Allowed	Falls under * , no override
OAI-SearchBot	Allowed	Falls under * , no override
ChatGPT-User	Allowed	Falls under * , no override
ClaudeBot	Allowed	Falls under * , no override
Claude-User	Allowed	Falls under * , no override
PerplexityBot	Allowed	Falls under * , no override
Google-Extended	Allowed	Falls under * , no override
Applebot-Extended	Allowed	Falls under * , no override
CCBot	Allowed (unblocked, even though the skill brief lists this as optional-to-block for training-only use cases)	Falls under * , no override
Bytespider	Allowed (same caveat as CCBot)	Falls under * , no override

This was cross-checked against the 500-page live crawl: `urllib.robotparser` evaluated every one of the 500 fetched URLs and blocked **zero** (`engelli: []`), and **zero** pages carried a `noindex` robots meta tag. Both hosts are also plain server-rendered WordPress (confirmed `is_spa: false`, raw HTML `Content-Length ~50KB` returned without JS execution) — there is no client-side-rendering barrier, so any crawler that respects robots.txt can read full content on first fetch. **Robots.txt is not the problem on this site; it is one of the only things already correct.** The real accessibility problems are (a) broken sitemap discovery and (b) a language-signal bug on the primary domain, both detailed below.

2. Why Zero Schema + Zero Meta Descriptions + Zero OG Is a GEO Problem (Not Just SEO)

Confirmed site-wide across the 500-page crawl: **0/500 pages contain any "@type" JSON-LD block, 0/500 carry an og:title tag, 494/500 (98.8%) have no <meta name="description">, and 0/500 carry hreflang.**

In classic SEO terms these are minor — meta description mostly affects SERP click-through, not ranking; JSON-LD mostly unlocks rich-result decoration. In a GEO context they are structural, because of how answer engines actually consume a page:

- **No entity/fact graph to parse.** AI engines (Perplexity, ChatGPT search/browse, Google AI Overviews, Bing Copilot) run an extraction pass before generating an answer, trying to resolve "what entity is this page about, what facts does it assert, who provides them, at what price/duration." With zero `Organization / EducationalOrganization / Course / CollegeOrUniversity / FAQPage` markup, every one of those facts must be inferred from unstructured Elementor `<div>` markup. A competing source that ships the same fact pre-structured (e.g. a university's own admissions page with `Course` schema) is functionally easier and safer for a model to extract from and cite — this site is competing with one hand tied behind its back on every query where a schema-marked competitor exists.
- **No meta-description safety net.** Several answer engines (Bing Copilot in particular, Google AI Overviews as a fallback) use the meta description as a candidate summary when passage-level extraction from the body is ambiguous. 494/500 pages have nothing to fall back on.
- **No OG tags means broken citation cards.** When a link is shared, pasted into a chat, or surfaced as a citation card (Perplexity's citation strip, ChatGPT's link preview, LinkedIn/X previews used to build off-site brand signal),

`og:title` / `og:description` / `og:image` are what render that card. Zero OG tags means even a *successful* citation is likely to show a blank or malformed preview, which reduces click-through and perceived credibility at the exact moment a user is deciding whether to trust the source.

- **No hreflang means the two hosts look like duplicate/unrelated content rather than a deliberate bilingual pair**, so an engine has no signal for which host to prefer per query language — compounded by the title-tag bug in section 5.

3. Passage-Level Citability of the Editorial Pages

Corrected baseline (per coordinator sampling of 10 course pages): **course pages average ~330 words of real content (range 222–486 words)**. My own spot-check of the same course page with `render_page.py`'s `trafilatura`-based `extracted_text` (boilerplate-stripped, the closest proxy to what an automated answer-engine ingestion pipeline actually recovers) returned only **76 words** for `/course/medicine-pecs-university/`, and 73–81 words for `/costs/` and `/about-us/`. This is not a contradiction — it is itself a finding: **roughly 70-80% of the nominal on-page copy is structurally invisible to boilerplate-stripping extraction**, because Elementor renders content as deeply nested, non-semantic `<div class="elementor-element...">` containers with no `<article>` / `<main>` boundary `trafilatura`-class tools can anchor on, so they grab the first coherent block and drop the rest. AI crawlers with lighter-weight extraction than Googlebot are likely to see the same truncated ~75-90 words, not the full ~330.

Concrete examples:

- `/course/medicine-pecs-university/` (`trafilatura` sees 76 words): "The General Medicine course at Pécs is structured to provide a solid foundation... six years of both pre-clinical and clinical studies, spanning ten semesters, along with one year dedicated to clinical rotations." This is reasonably self-contained and states a real fact (6 years / 10 semesters + 1 clinical year), but: no question-phrased heading, no tuition figure on the page itself (that lives only on `/costs/`, disconnected), no date, no link to Pécs's own official programme page for corroboration.
- `/costs/` contains the single best citation-bait on the entire site and it is being wasted: buried in the body text (not a table, not a schema `Offer`, not tied to a question-heading) are specific, extractable figures — "Hungarian Dentistry: Starting from 17,350 EUR annually," "Hungarian Medical Education: Starting from 16,500 USD annually," "Hungarian Pilot Training: Semesterly 7,500–13,500 USD," "Hungarian Psychology Bachelor's/Master's: Starting from 7,800 EUR," "English Preparatory: Starting from 2,500 EUR per semester." This is exactly the kind of statistic AI engines prefer to cite, and it answers "Macaristan tıp fakültesi ücretleri" / "Hungary medical school fees" almost directly — but: (a) zero `<table>` elements exist on the page (confirmed via HTML grep), the numbers are comma-separated inline text; (b) currency is inconsistent — some figures in USD, others in EUR, on the same page; (c) the relevant H2 is "Hungarian Universities Departments Prices," not phrased as a question ("Macaristan'da tıp fakültesi ücreti ne kadar?"); (d) no source link to the issuing university or to Study in Hungary/Tempus Public Foundation for corroboration; (e) no date ("2026/27 academic year") attached to any figure.
- `/about-us/` (81 words extracted): "more than 24 years of experience" is a usable specific claim but has no anchor founding year, and is not attributed to a named person (see section 4).
- No outbound links to any authoritative third party were found on any sampled editorial page (About, Costs) — the only outbound links present are the company's own Twitter/X, Facebook, Instagram, and YouTube profiles. Zero citations to government sources (e.g. Study in Hungary, Tempus Public Foundation, the Hungarian embassy) or to the universities' own official pages.
- `publication_date` extraction (`htmldate`) fell back to a generic default guess on every sampled page — there is no real, detectable `datePublished` / `dateModified` signal anywhere, and no visible "last updated" text on-page. Recency is a real weighting factor for Perplexity and Bing Copilot in particular; this site currently supplies none.
- Heading structure exists (course pages average 2 H2s; `/costs/` has 9 H2/H3s) but none are phrased as questions, and there is no FAQPage-style Q&A pattern anywhere on the crawled 500 pages.

4. Entity Resolution: "Hun Education"

What exists (real, usable signals):

- A real registered legal entity: **HUN EDUCATION KFT.**, address **1204 Budapest, Bethlen utca 17, Hungary**, phone **+36 70 296 35 31**, email **info@huneducation.com** — but this NAP block appears in exactly one place found in this audit (the `/contact/` page body text), not in schema, not in a sitewide footer block, not repeated identically on the TR host in a way I could verify in this session.

- Two real, named staff members with direct contact details on `/contact/`: **Beyza Kantarcı** (beyza@huneducation.com, +90 534 260 00 27) and **Çağla Nur Türken** (cagla@huneducation.com, +36 20 360 2472) — genuine Person-level entity material that is currently disconnected from any content (no author bylines anywhere).
- A regional partner entity also listed on `/contact/`: **Aim Intermed Ltd.**, Bangkok, Thailand — evidence of a real multi-country operation, again unstructured.
- Social profiles: X/Twitter `@huneducation`, Facebook `/HunEducationGLB`, Instagram `@huneducation`, YouTube channel `UCtjkiFBPE4S-igdJ_GVbFUQ`. None of these are wired into any `sameAs` schema (because there is no schema at all), and none could be verified for follower/activity levels in this session (YouTube's about page requires JS rendering not exercised here).

What is missing:

- **No Wikipedia article.** A direct search of English Wikipedia for "Hun Education" as a Hungary study-abroad consultancy returned zero results ("no results matching the query").
- **No verifiable Wikidata item** (not independently queried via SPARQL in this session, but the absence of any Wikipedia article makes an existing, populated Wikidata node unlikely).
- **No LinkedIn company page** surfaced in any of the sampled pages (About, Costs, Contact) — a real gap for a B2B-adjacent consultancy, and directly relevant since the skill brief's own brand-signal table ranks Wikipedia entity presence and Reddit/YouTube mentions as the strongest AI-citation correlates, both of which are currently unconfirmed-to-absent here.
- **No third-party citations of "Hun Education" found** in this session's checks (Bing panel for the three benchmark queries surfaced only generic Hungary-country sources, never an education-consultancy domain, though see the data-reliability caveat at the top of this document).
- **No author/Person schema** connecting the two real named advisors to any of the editorial content they presumably wrote or could credibly review.

Net effect: the organization is real and has genuine NAP/people/social assets, but none of it is machine-legible or externally corroborated — from an entity-resolution standpoint (Google Knowledge Graph, and by extension the entity backbones many LLMs are trained/grounded against), "Hun Education" is effectively an unresolved entity today.

5. Niche Queries and Citation Prospects

Query (TR / EN)	Intent	Current citation prospects for huneducation.com
"Macaristan'da üniversite okumak" / "studying at university in Hungary"	Broad informational	Low. This is precisely the query the homepage title should own, but the homepage <code><title></code> on the international host is a run-on Turkish marketing sentence (see below) with no meta description, no schema, and the page competes against Wikipedia, official Hungary/EU government pages, and general travel/education portals for broad "Hungary" intent.
"Macaristan tıp fakültesi ücretleri" / "Hungary medical school tuition fees"	Commercial/informational, high-intent for this business	Moderate potential, currently unrealized. <code>/costs/</code> holds genuinely specific, accurate-looking figures (dentistry from 17,350 EUR/yr, medicine from 16,500 USD/yr) that match this query almost exactly, but zero schema, zero table, mixed currencies, no date, and no third-party corroboration make it a weak citation candidate against university admissions pages that publish the same class of figure in a structured, sourced format.
"Macaristan öğrenci vizesi" / "Hungary student visa"	Transactional/informational	Very low today. No dedicated visa page was found among the crawled editorial set (visa content, if any, is folded into <code>/admission/</code>); official consulate/embassy and government sources naturally dominate this query type, and this site currently supplies no competing structured, dated, sourced content.

Because AI engines increasingly reward exactly the signals this site lacks — dated, sourced, schema-tagged, question-answering passages — and because only an estimated ~11% of domains get cited by *both* ChatGPT and Google AI Overviews (per the skill brief), Hun Education should treat each platform as a distinct optimization target rather than assuming one fix serves all four.

Qualitative platform readiness (no live DataForSEO/browser verification available this session — re-verify before client presentation):

Platform	Est. readiness	Rationale
Google AI Overviews	~20/100	No schema, 494/500 pages missing meta description, broken sitemap discovery all suppress the organic base AIO typically draws from.
ChatGPT (search/browse)	~15/100	GPTBot/OAI-SearchBot/ChatGPT-User are all crawl-allowed, but zero entity resolution (no Wikipedia/Wikidata) and content fragmented by Elementor markup make confident citation unlikely.
Perplexity	~25/100	PerplexityBot is crawl-allowed and <code>/costs/</code> has the statistic-density Perplexity favors, but no dates, no schema, no source attribution undercut trust scoring.
Bing Copilot	~25/100	Slightly higher because Copilot still leans on classic title/meta signals more than pure-LLM engines; the corrupted EN title tag directly damages this platform specifically.

6. Recommended `llms.txt`

Neither host returns anything at `/llms.txt` (confirmed 404 on both). Drafts below — treat as a starting template; the TR page slugs are inferred from on-site Turkish navigation labels and were not individually crawl-confirmed in this session (only `/iletisim/` was verified live), so confirm each URL against <https://tr.huneducation.com/sitemap.html> before publishing.

<https://huneducation.com/llms.txt>

```markdown

# HunEducation

HunEducation (legal entity: HUN EDUCATION KFT., registered in Budapest, Hungary) is an independent educational consultancy that helps international students apply to Bachelor's, Master's, and preparatory programmes at accredited Hungarian universities, taught in English and German. HunEducation receives no government funding and provides free application, visa, and enrolment guidance.

## Company

- [About Us](https://huneducation.com/about-us/): Company background and 24+ years of combined advisory experience.
- [Contact](https://huneducation.com/contact/): Registered address (1204 Budapest, Bethlen utca 17, Hungary), phone +36 70 296 35 31, email [info@huneducation.com](mailto:info@huneducation.com), named academic advisors.

## Guides

- [Why Hungary](https://huneducation.com/why-hungary/): Why international students choose Hungary for higher education.
- [Education in Hungary](https://huneducation.com/education-in-hungary/): Overview of the Hungarian higher-education system.
- [Costs](https://huneducation.com/costs/): Tuition ranges by field (medicine, dentistry, pilot training, psychology, preparatory year) and living costs.
- [Admission](https://huneducation.com/admission/): Application requirements and process.
- [Studying Medicine in Hungary](https://huneducation.com/studying-medicine-in-hungary-and-pursuing-a-medical-degree-in-hungary/): Medical degree structure, duration, clinical training.
- [Master's Education in Hungary](https://huneducation.com/masters-education-in-hungary/): Master's programme options and requirements.
- [Pilot Training at Hungarian Universities](https://huneducation.com/pilot-training-at-hungarian-universities/): 0-to-ATPL and aviation engineering pathways.
- [Student Perspectives](https://huneducation.com/student-perspectives/): First-person accounts of studying and living in Hungary.

## Universities and Courses

- [Universities](https://huneducation.com/universities/): Index of 15+ partner Hungarian universities (Semmelweis University, University of Pécs, Corvinus University of Budapest, Budapest Metropolitan University, University of Dunaújváros, and others).
- [Courses](https://huneducation.com/courses/): Searchable catalogue of ~980 English/German-taught degree programmes.

## Optional

- [Sitemap (HTML)](https://huneducation.com/sitemap.html): Human-readable page index. (Note: the site's XML sitemap is currently non-functional — see Technical Accessibility findings — do not rely on it for discovery until fixed.)

...

<https://tr.huneducation.com/llms.txt>

```markdown

HunEducation (Türkçe)

HunEducation (yasal unvanı: HUN EDUCATION KFT., Budapeşte, Macaristan merkezli), Macaristan'daki akredite üniversitelerde İngilizce ve Almanca eğitim veren lisans, yüksek lisans ve hazırlık programlarına uluslararası öğrenci yerleştiren bağımsız bir eğitim danışmanlığı şirkettir. Hükümetten destek almaz; başvuru, vize ve kayıt süreçlerinde ücretsiz danışmanlık sağlar.

Şirket

- [Hakkımızda](https://tr.huneducation.com/hakkimizda/): Şirket geçmişi ve 24+ yıllık danışmanlık deneyimi.
- [İletişim](https://tr.huneducation.com/iletisim/): Adres (1204 Budapeşte, Bethlen utca 17, Macaristan), telefon +36 70 296 35 31, e-posta info@huneducation.com, isimli akademik danışmanlar.

Rehberler

- [Neden Macaristan'da Eğitim](https://tr.huneducation.com/neden-macaristanda-egitim/): Uluslararası öğrencilerin Macaristan'ı tercih etme nedenleri.
- [Macaristan'da Üniversite Okumak](https://tr.huneducation.com/macaristanda-universite-okumak/): Macaristan yükseköğretim sistemine genel bakış.
- [Macaristan Üniversite Fiyatları](https://tr.huneducation.com/macaristan-universite-fiyatları/): Alana göre öğrenim ücretleri (tıp, diş hekimliği, pilotluk, psikoloji, hazırlık) ve yaşam maliyetleri.
- [Başvuru Koşulları](https://tr.huneducation.com/basvuru-kosullari/): Başvuru gereklilikleri ve süreci.
- [Macaristan'da Tıp Eğitimi](https://tr.huneducation.com/macaristanda-tip-egitimi-ve-macaristanda-tip-okumak/): Tıp eğitiminin yapısı, süresi ve klinik eğitim.
- [Macaristan Yüksek Lisans](https://tr.huneducation.com/macaristan-yuksek-lisans/): Yüksek lisans programı seçenekleri ve şartları.
- [Macaristan Üniversiteleri Pilotluk Eğitimi](https://tr.huneducation.com/macaristan-universiteleri-pilotluk-egitimi/): 0'dan ATPL'ye pilotluk ve havacılık mühendisliği programları.
- [Öğrenci Görüşleri](https://tr.huneducation.com/ogrenci-gorusleri/): Macaristan'da okuyan öğrencilerin deneyimleri.

Üniversiteler ve Bölümler

- [Üniversiteler](https://tr.huneducation.com/universiteler/): 15+ ortak Macaristan üniversitesi dizini (Semmelweis Üniversitesi, Pécs Üniversitesi, Corvinus Üniversitesi, Budapest Metropolitan Üniversitesi, Dunaújváros Üniversitesi ve diğerleri).
- [Bölümler](https://tr.huneducation.com/bolumler/): İngilizce/Almanca eğitim veren ~980 lisans/yüksek lisans programı kataloğu.

İsteğe Bağlı

- [Site Haritası (HTML)](<https://tr.huneducation.com/sitemap.html>): İnsan tarafından okunabilir sayfa dizini. (Not: XML site haritası şu anda çalışmıyor — bkz. Teknik Erişilebilirlik bulguları.)

...

7. Prioritised GEO Actions

Critical

1. **Fix the EN-host homepage <title> language bug.** <https://huneducation.com/> (declared `lang="en-US"`, English nav/body copy, confirmed via live fetch) currently renders `<title>HunEducation – Macaristan üniversiteleri, Macaristan yüksek lisans ve Macaristan'da üniversite okumak hakkında profesyonel danışmanlık hizmetleri veriyoruz.</title>` — pure Turkish text on the international/English domain. Any language-classification step in an AI crawler's pipeline will see a title/body language mismatch on the exact page meant to own English-language "study in Hungary" queries. Likely cause: a shared SEO-plugin title field duplicated across the EN/TR WordPress installs. Effort: **Low** (single settings fix). Impact: site-wide, since this is the entity's primary international landing page.
2. **Repair sitemap infrastructure on both hosts.** The robots.txt-declared `sitemap.xml` resolves to a `sitemapindex` pointing only to `sitemap-misc.xml`, which contains exactly 2 URLs (homepage + `/sitemap.html`). The native `/wp-sitemap.xml` returns an empty `<urlset/>` on both hosts. **Zero of the ~984 course pages, 40 university pages, or 28 editorial pages are declared in any machine-readable sitemap**, on either huneducation.com or tr.huneducation.com. Discovery depends entirely on AI crawlers following raw internal links from the homepage, with no lastmod/priority signal. Fix: retire the abandoned "Google Sitemap Generator" plugin (generator comment shows `arnebrachhold.de`, v4.1.23, a long-discontinued plugin) in favor of Yoast/RankMath/core WP sitemaps configured for the `course` and `university` custom post types, then update robots.txt to point at the new sitemap. Effort: **Medium**. Impact: unlocks discoverability for essentially the entire content inventory.
3. **Add JSON-LD site-wide (currently 0/500 pages).** Minimum set: `Organization` / `EducationalOrganization` sitewide (name, url, logo, address, telephone, `sameAs` to the four social profiles); `Course` schema on the ~984 programme pages (name, provider, `educationalCredentialAwarded`); `CollegeOrUniversity` on the 40 university pages; `FAQPage` on `/costs/`, `/admission/`, and any visa-related content. Templatable across the shared course/university templates. Effort: **Medium-High** (dev time, but one-time templated build). Impact: gives every AI engine an unambiguous fact graph instead of forcing inference from Elementor markup.

High

1. **Write real meta descriptions for the 494/500 pages missing one**, in 40–60 word direct-answer form (not marketing copy) — templatable by course type/tuition tier for the ~984 programme pages, manual for the ~28 editorial pages. Effort: Medium.
2. **Restructure `/costs/` (and the other core editorial pages) around the numeric answers they already contain.** Move the existing tuition figures (dentistry 17,350 EUR/yr, medicine 16,500 USD/yr, pilot training 7,500–13,500 USD/semester, psychology 7,800 EUR, preparatory 2,500 EUR/semester) into the first 40–60 words under a question-phrased H2 ("Macaristan'da tıp fakültesi ücreti ne kadar?"), normalize to one currency, render as an actual `<table>` (currently zero `<table>` elements exist on this page), and wrap in `FAQPage` / `Course` schema. Effort: Medium.
3. **Add real dated signals.** `htmldate` could not extract a genuine publish/modified date from any sampled page (fell back to a default guess) and no visible "last updated" text exists. Add `datePublished` / `dateModified` schema plus a visible "Son güncelleme" / "Last updated" line, and anchor pricing to an academic year ("2026/27 tuition"). Effort: Low-Medium.
4. **Build real hreflang + deep cross-linking between the two hosts.** Today the only EN⇌TR connection is a manual nav link to the other host's homepage, and 0/500 pages carry `hreflang`. Add reciprocal `hreflang="en"` / `hreflang="tr"` tags per equivalent page pair and deep-link the language switcher (course-to-course, university-to-university) instead of homepage-to-homepage. Effort: Medium.

Medium

1. **Publish the `llms.txt` files drafted in Section 6** on both hosts; low effort, immediate.
2. **Build entity presence.** Create a Wikidata item for HUN EDUCATION KFT. (confirmed zero Wikipedia article and, by inference, no populated Wikidata node); add a LinkedIn Company Page (none found linked from About/Costs/Contact); connect the four existing social profiles via `sameAs` schema once JSON-LD exists (item 3).

- 3. **Add author/Person schema using the two real named advisors** (Beyza Kantarcı, Çağla Nur Türken) already listed with direct contact details on /contact/ — attach them as content authors/reviewers on the editorial pages. Low effort, genuine E-E-A-T gain since these are real people who already exist in the source, just disconnected from content.
- 4. **Add third-party source attribution** on every pricing/duration/visa claim — link to the specific university's own admissions page or to Study in Hungary/Tempus Public Foundation. Zero such outbound citations were found on the sampled pages (About, Costs); only the company's own social links appear.
- 5. **Build a genuine informational layer** answering the niche's actual long-tail questions directly ("Macaristan öğrenci vizesi nasıl alınır?", step-by-step with named requirements) — "Blog" already appears in the nav but resolves to 0 posts. Highest effort, highest ceiling item on this list.

Low

- 1. Robots.txt is already fully AI-crawler-permissive on both hosts; no functional change required. Optionally add explicit named `User-agent` stanzas for GPTBot/OAI-SearchBot/ClaudeBot/PerplexityBot with `Allow: /` purely for documentation/clarity — behavior does not change, since the wildcard rule already allows them.
- 2. Fix image alt text: 1,851 of 2,614 images sitewide (70.8%) have no `alt` attribute (crawl-verified), which weakens multi-modal/image-citation potential (e.g. Google AI Overviews' use of image context) at negligible fix cost per image once a workflow exists.

8. Dimension Scoring (0-100, skill weighting)

| Dimension | Weight | Score | Weighted |
|---------------------------|--------|-------|----------|
| Citability | 25% | 35 | 8.75 |
| Structural Readability | 20% | 30 | 6.0 |
| Multi-Modal Content | 15% | 25 | 3.75 |
| Authority & Brand Signals | 20% | 25 | 5.0 |
| Technical Accessibility | 20% | 45 | 9.0 |

Total: 32.5 → 33/100

Rationale for Technical Accessibility (45, the highest of the five despite the sitemap/title bugs): robots.txt is fully permissive to every AI crawler on both hosts and the site is plain server-rendered HTML with no JS-rendering barrier — both genuinely good foundations — but this is offset by a completely non-functional sitemap layer (0 of ~1,050+ pages declared) and the EN-host title-language bug, which is why the score sits at 45 rather than materially higher.

Score: 33/100

On-Page SEO — bulgular

Kaynak: 500 sayfalık canlı tarama (`crawl.json` , 2026-08-30) + doğrudan doğrulama.

Kapsam: huneducation.com (EN) ve tr.huneducation.com (TR).

Kritik

1. Meta description 500 sayfanın 494'ünde yok

Yalnızca 6 sayfada açıklama var (5 üniversite + 1 program sayfası). Ana sayfa dâhil hiçbir editoryal sayfada yok. Google snippet'i gövdeden uydurmak zorunda kalıyor; tıklama oranı üzerinde doğrudan etki.

Kanıt: `/university/university-of-pecs/` var; `/` , `/courses/` , `/admission/` , `/costs/` ve 494 sayfa daha yok.

Kök sebep: Yoast SEO kurulu ama **pasif**. Şablon seviyesinde açıklama üretimi kapalı.

Düzeltilme: Yoast'ı etkinleştir, CPT bazlı açıklama şablonu tanımla

(`course : %%title% - %%ct_course-city% · yıllık %%cf_course_price%% %%cf_course_price_currency%%`), 14+14 editoryal sayfaya elle yaz.

2. Open Graph etiketi hiç yok (500/500)

WhatsApp ve Instagram bu işin ana paylaşım kanalları; paylaşılan her bağlantı başlıksız/görselsiz görünüyor. Sosyal tıklama doğrudan kaybediliyor.

3. hreflang hiç yok (500/500)

İki dil iki ayrı alan adında (WPML domain-per-language) ve aralarında hiçbir dil bağı bildirilmemiş. WPML SEO eklentisi kurulu ama **pasif**.

Yüksek

4. 25 sayfalama URL'si aynı başlık ve aynı H1 ile

`/courses/` , `/courses/2/` ... `/courses/25/` — hepsinin `<title>` değeri

"Courses – HunEducation", hepsinin H1'i "Courses". `rel=next/prev` yok

(deprecated ama yine de sinyal), self-canonical var (doğru).

Düzeltilme: başlığa sayfa numarası (`Courses – Page 3`), H1'e de aynı şekilde; ya da sayfalamayı filtreli katalog sayfasına çevir.

5. 92 sayfada başlık 30 karakterin altında

Program sayfalarının başlığı yalnızca `<program adı> – HunEducation` . Ne şehir, ne üniversite, ne ücret, ne seviye. Uzun kuyruk sorgularının hiçbirini hedeflemiyor.

Ortalama başlık uzunluğu 42 karakter — SERP'te ~60 karaktere kadar yer var, yani sayfa başına ~18 karakterlik hedefleme alanı kullanılmıyor.

6. 17 tekrar eden başlık

Aynı `<title>` birden çok URL'de. Örnekler: "Hungary s Universities HunEducation" (2),

"Electrical Engineering BME HunEducation" (2) — aynı programın iki kaydı.

Orta

7. /contact/ sayfasında 4 adet H1

Tek H1 kuralı ihlali; sayfanın ana konusu belirsizleşiyor.

8. Başlıklarda apostrof kaybı

"Hungary s Universities", "Macaristan da üniversite okumak" — apostrof HTML'e düz metin olarak yazılmış ve kaybolmuş. Marka algısı ve tam eşleşme sorgular için zarar verici.

Bilgi

- Canonical: 500/500 sayfada var ve **hiçbiri** yanlış hedefe işaret etmiyor. Bu iyi.
- `noindex` yanlışlıkla konmuş sayfa yok.
- TR ana sayfası (/macaristanda-universite/) doğru şekilde köke canonical veriyor.
- robots.txt her iki alan adında da tarama engellemiyor.

Görsel (Images)

| Ölçüm | Değer |
|------------------------------------|--------------------|
| Taranan sayfalardaki toplam görsel | 2.614 |
| Alt metni olmayan | 1.851 (%71) |
| Sayfa başına ortalama görsel | 5,2 |
| 4+ alt metinsiz görseli olan sayfa | 450 / 500 |

Alt metin eksikliği hem erişilebilirlik hem görsel arama kaybı. Çoğu Elementor şablonundan geliyor — şablon seviyesinde düzeltilirse tek seferde çözülür.

Not: yanlış pozitif

Taramada `https://huneducation.com/itemDataObject.url` 404 verdi. Bu **site hatası değil**: JetMenu'nün Vue şablonu `<script type="text/x-template">` içinde `:href="itemDataObject.url"` taşıyor ve benim tarayıcım script içinden href çıkardı. Gerçek tarayıcılar script içeriğini bağlantı saymaz. Yine de bu şablonun her sayfada ham olarak gönderildiğini gösteriyor — performans tarafında ayrıca değerlendirilmeli.

Performance Audit — huneducation.com

Date: 2026-08-30

Tooling: Lighthouse 13.4.1 (CLI, mobile default preset, simulated throttling), run against a local Playwright Chromium binary. PageSpeed Insights API and CrUX/GSC field data were **not available** in this environment (no Google API key configured; the anonymous PSI quota returned `429 rate limit exceeded` on every attempt).

Coverage — read this first

Only the homepage (<https://huneducation.com/>) was successfully measured before the turn budget for this task ran out. The other three required URLs were **not measured**:

- <https://huneducation.com/courses/> — NOT MEASURED
- <https://huneducation.com/course/pharmacy/> — NOT MEASURED
- <https://tr.huneducation.com/macaristanda-universite/> — NOT MEASURED

Everything below the homepage numbers (plugin-cost breakdown, caching analysis, prioritized fixes) is derived from the homepage trace plus static knowledge of the declared plugin stack, and is called out as inferred/not directly measured where it applies to the other three URLs. Given that `/courses/` is stated to be 653 KB of HTML (2.4x the homepage) and JetEngine/JetSearch-heavy, it should be treated as the **highest-risk unmeasured page** and re-tested first once PSI/CrUX access or a stable Lighthouse run is available.

Lab vs. field data — explicit caveat

This is 100% lab data from a single Lighthouse run. No CrUX field data, no Google Search Console field data, no PSI field percentiles were available (no credentials configured). Lab data reflects one simulated mobile device/network condition, not the distribution of real user visits, and Google's Core Web Vitals pass/fail assessment is based on the **75th percentile of real-user (CrUX) data**, which cannot be computed here. Treat every number below as directional/diagnostic, not a ranking-determining figure. FID is not referenced anywhere (correctly deprecated); INP has no lab equivalent in Lighthouse, so **Total Blocking Time (TBT) is used as the INP proxy**, per standard practice.

Homepage — <https://huneducation.com/> (measured)

Lighthouse Performance score: 60/100 (mobile, simulated throttling)

| Metric | Value | CWV threshold | Status |
|--|--|---|--|
| LCP (headline, simulated/Lantern) | 12.7 s | good is 2.5s or less | Poor (over 4.0s) |
| LCP breakdown (trace-observed, see caveat) | TTFB 0.83s + load delay 0.62s + load duration 0.43s + render delay 0.02s, sums to about 1.9s | — | See note below |
| TBT (INP proxy) | 39 ms | INP good is 200ms or less | Good-range proxy, but TBT under-predicts real INP when 51 render-blocking resources + 3 GTM containers are present |
| CLS | 0.056 | good is 0.1 or less | Good |
| FCP | 5.3 s | — | Poor |
| Speed Index | 5.8 s | — | Poor |
| Time to Interactive | 16.6 s | — | Poor |
| Max Potential FID (legacy diagnostic, not a CWV) | 97 ms | — | informational only |
| TTFB (server-response-time audit) | 493 ms (root document) | Well above the roughly 200ms "good" TTFB guidance | Poor — confirms "no active caching" |
| Total transferred bytes | 2,074 KiB (about 2.03 MB) | — | Heavy for a homepage |
| Total requests | 125 | — | High |

Note on the LCP discrepancy: Lighthouse's headline LCP (12.7s) is computed via simulated/Lantern throttling over the full resource dependency graph, while the `lcp-breakdown-insight` sums the trace-observed sub-phases to only about 1.9s. These two Lighthouse-internal computation methods diverge sharply on this page — a strong signal in itself that the resource graph (51 render-blocking requests queued over HTTP/1.1, max about 6 connections/origin) is the bottleneck Lantern is penalizing. Both figures are lab estimates; neither should be read as an exact real-world LCP without CrUX confirmation.

Render-blocking resources (51 items flagged, top offenders by estimated cost)

`render-blocking-insight`: **Est. savings of 3,800 ms.** Worst individual blockers:

- `wp-content/plugins/wp-whatsapp-chat/.../style.css` (Social Chat plugin) — 7.6 KB, **1,034 ms** wasted (single biggest render-blocking cost on the page)
- `wp-includes/js/jquery/jquery.min.js` — 30.8 KB, 1,240 ms wasted
- `wp-content/cache/asp/style.basic-...css` (Ajax Search Pro) — 4.6 KB, 827 ms
- `wp-content/plugins/jet-search/assets/css/jet-search.css` — 8.2 KB, 827 ms
- `wp-includes/js/jquery/jquery-migrate.min.js` — 5.3 KB, 827 ms
- Multiple per-post Elementor CSS files (`post-1630.css` , `post-8607.css` , `post-393.css` , `post-10.css` , etc.) — 621–827 ms each
- Elementor-Pro widget CSS (nav-menu, sticky, testimonial-carousel, slides, form, carousel-module-base) — 621 ms each
- `jet-search/assets/lib/chosen/chosen.min.css` — 621 ms

All 51+ blocking resources load over HTTP/1.1 (`modern-http-insight` : est. 3,310 ms savings from moving to HTTP/2+) — confirmed no CDN/HTTP2-terminating proxy is in front of the origin.

Biggest byte offenders (by transfer size)

| Size | Type | Resource |
|--------------------|----------|---|
| 451.4 KiB | Image | <code>wp-content/uploads/2023/03/background-students.jpg</code> (hero background, 28% of page weight alone) |
| 186.6 KiB | Script | GTM container <code>G-88T4Y5BXLQ</code> |
| 163.7 KiB | Script | GTM container <code>G-BE3QXVJREL</code> (dataLayerPYS = PixelYourSite) |
| 123.4 KiB | Script | GTM/gtag container <code>UA-200599493-1</code> — legacy Universal Analytics property, dead since GA4 migration; UA stopped processing in mid-2024 — pure waste |
| 105.1 KiB | Script | <code>connect.facebook.net/en_US/fbevents.js</code> (Facebook Pixel, via PixelYourSite) |
| 74.7 KiB | Font | JetMenu Font Awesome <code>fa-solid-900.woff2</code> (full icon set for a handful of menu icons) |
| 66.8 KiB | Script | Facebook Pixel signals/config beacon |
| 49.8 KiB | Document | homepage HTML itself |
| 40.1 KiB | Script | PixelYourSite <code>tld.min.js</code> |
| 39.2 KiB | Script | Elementor Swiper carousel lib (22.7 KB unused) |
| 36.7 KiB | Font | Google Fonts Roboto woff2 |
| 33.7 KiB | Script | JetMenu's bundled Vue 2 runtime (<code>vue.min.js?ver=2.6.11</code>) |
| 30.9 KiB | Script | Ajax Search Pro cached bundle (21.3 KB unused/dead code) |
| 30.0 KiB | Script | jQuery core |
| 27.4–27.7 KiB each | Images | <code>hungary-2.png</code> , plus <code>idea.png</code> / <code>books.png</code> / <code>graduated.png</code> — all served at 512x512 but displayed at 106x106 (about 66 KB combined wasted from missing responsive sizing) |

Unused code found: **33 KiB unused CSS** (jet-elements.css 21.6 KB unused, jet-menu Font Awesome CSS 12.4 KB unused) and **358 KiB unused/uncached-appropriately JS**, dominated by the 3 GTM containers, Facebook pixel, jet-elements.min.js (23.5 KB unused) and Swiper (22.7 KB unused).

Google Fonts: **3 separate font families loaded** (Roboto, Open Sans, Poppins) totaling 119.5 KB, render-blocking via `<link>` CSS, contributing to `font-display-insight` 's 120ms est. savings (FOIT risk).

Third-party cost, broken down by plugin/vendor

| Vendor / Entity | Transfer size | Main-thread time | Likely source plugin(s) in this stack |
|--|--|----------------------------|--|
| Google Tag Manager (3 separate containers: 2x GA4 + 1x legacy UA) | 484,988 bytes (about 474 KB) | 62.5 ms | MonsterInsights (GA/UA) + PixelYourSite (GTM/GA4 duplication) — running two analytics plugins is firing 3 overlapping Google tags on every pageview |
| Facebook (Pixel + Conversions API beacon) | 176,104 bytes (about 172 KB) | 37.5 ms | PixelYourSite |
| Google Analytics (legacy <code>analytics.js</code> + collect beacon) | 21,816 bytes | 4.6 ms | MonsterInsights |
| Google Fonts | 119,509 bytes | 0 ms (but render-blocking) | Theme/Elementor global fonts, not a plugin in the stack list but compounds the same "too many external origins" problem |
| Third-party total | about 802 KB (about 39% of total page weight) | — | — |

Plugin assets that load site-wide from the declared stack, evidenced directly in this trace:

- **JetMenu:** Vue 2 runtime (33.7 KB) + Font Awesome icon webfont (74.7 KB) + `public.css` /theme-integration CSS (all HTTP/1.1, several flagged render-blocking) — loads on every page regardless of whether the mega-menu is the active nav widget on that template.
- **Elementor Pro nav-menu widget CSS** (`widget-nav-menu.min.css`) was *also* enqueued alongside JetMenu's own menu CSS on the homepage — worth verifying only one mega-menu system is actually rendered; if Elementor Pro's native nav menu isn't used anywhere, its widget CSS/JS should be excluded via Elementor's "unused widget" controls.
- **JetElements:** `jet-elements.css` / `.js` loaded with 21.6 KB CSS + 23.5 KB JS unused on this specific page — indicates JetElements widgets are enqueued sitewide even where none of its widgets are placed on the page.
- **Ajax Search Pro (JetSearch assets also present in the trace):** CSS/JS + a "chosen" select-box library loading on the homepage even though the visible search widget is likely a single input — 827 ms of blocking cost from just its CSS.
- **Social Chat** (`wp-whatsapp-chat` plugin): single biggest render-blocking CSS cost on the page (1,034 ms) plus 56.6 ms of JS bootstrap — for a floating chat bubble that could be deferred until after first paint.
- **PixelYourSite:** orchestrates the GTM containers + Facebook Pixel load (about 660 KB combined) plus its own 40.1 KB `tld.min.js` — the single largest contributor to third-party weight.
- **JetTabs / JetTricks:** not directly visible in the homepage's top-cost lists (they likely contribute smaller CSS/JS bundles that still register in `modern-http-insight`'s HTTP/1.1 list but weren't singled out in top-15 by size) — **not conclusively isolated in this trace; verify on templates that don't use tabs, e.g. `/course/pharmacy/`, once that URL is retested.**

Caching plugins: all four installed, all four inactive — evidence and impact

Confirmed directly from response headers (captured separately via header fetch of `/`):

...

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Set-Cookie: PHPSESSID=... (a PHP session is started on every anonymous homepage hit)

Server: Apache

...

Combined with `modern-http-insight` showing every single asset served over **HTTP/1.1** (no HTTP/2, no HTTP/3, no CDN edge), this is conclusive: **no page cache, no object cache, no HTTP/2 termination, and no image optimization are active anywhere in the delivery path**, matching the stated "installed but inactive" status of WP Rocket, WP Fastest Cache, LiteSpeed Cache and Smush.

Two specific blockers worth fixing before/while turning caching plugins on:

1. **Set-Cookie: PHPSESSID fires on every anonymous request.** A live PHP session on every hit will bypass or fragment full-page HTML caching in WP Rocket/WP Fastest Cache/LiteSpeed Cache unless the plugin/theme starting the session (commonly Ajax Search Pro or a login/cart-adjacent plugin) is configured not to start sessions for anonymous visitors. This must be resolved or the cache hit-rate will be poor even after activation.
2. **Server: Apache, not LiteSpeed Web Server (LSWS/OpenLiteSpeed).** The LiteSpeed Cache plugin's headline benefit (server-level page cache + ESI) requires an actual LiteSpeed-family web server; on plain Apache it degrades to a slower, PHP-driven equivalent of WP Rocket. **Do not run LiteSpeed Cache and WP Rocket simultaneously** — pick one full-page cache plugin (WP Rocket is the more complete choice here given its JS-delay and CSS-optimization features) and leave the others deactivated to avoid double-caching conflicts.

Plausible impact of turning caching on (estimates from measured baseline, not re-tested):

- **TTFB 493-830 ms to about 80-150 ms:** serving cached static HTML instead of a full WP bootstrap on every request typically cuts TTFB by 70-85% on comparable Apache/WordPress stacks (assuming the PHPSESSID issue above is fixed first).
- **Render-blocking savings (3,800 ms Lantern estimate) largely recoverable:** WP Rocket's CSS/JS minify+combine and "load JS after user interaction" (delay JS) features are a near-exact match for this page's problem (3 GTM containers + FB pixel + ASP + WhatsApp chat all currently parse-blocking on load).

- **Smush reactivation** directly targets the two measured image findings: `image-delivery-insight` (175 KB est. savings from WebP/AVIF + correct sizing) and the 66 KB wasted on the three 512x512 icon PNGs displayed at 106x106.
- **HTTP/2 (via CDN or LiteSpeed/Enterprise hosting change)** recovers the 3,310 ms `modern-http-insight` estimate by removing the 6-connections-per-origin bottleneck that is currently serializing 125 requests.

None of the above are re-measured post-fix (no before/after test was run); they are extrapolations from the specific Lighthouse findings above and standard behavior of these plugins on comparable WordPress/Apache stacks.

Pages NOT measured (explicitly out of scope for this report)

- `/courses/` (**653 KB HTML, heaviest page**): expected to be the worst performer — JetEngine listing grids + JetSearch/Ajax Search Pro filtering UI + likely dozens of course thumbnail images. Should be retested first.
 - `/course/pharmacy/` (**141 KB HTML**): a single detail page; useful to confirm whether JetTabs/JetTricks assets are being loaded here even if unused, and to check LCP on a page with a different hero treatment.
 - `tr.huneducation.com/macaristanda-universite/` (**233 KB, Turkish homepage**): on a subdomain — worth checking whether it shares the same caching/no-cache header pattern, and whether it duplicates the same 3x GTM/analytics tags for a second time (double-counting if PixelYourSite/MonsterInsights are configured per-subdomain).
-

Prioritized remediation list

| # | Fix | Plugin/area | Expected impact | Effort |
|---|---|---------------------------------|---|---|
| 1 | Fix the anonymous <code>PHPSESSID</code> session start, then activate one full-page cache (WP Rocket recommended) with CSS/JS minify + combine + "delay JS execution" enabled | Core WP + WP Rocket | TTFB 493 to about 100ms; recovers much of the 3,800ms render-blocking estimate; single highest-leverage fix available | Medium (session fix needs debugging which plugin starts it; cache config is quick) |
| 2 | Reactivate Smush, enable WebP/AVIF + auto-resize; compress <code>background-students.jpg</code> and resize <code>idea.png</code> / <code>books.png</code> / <code>graduated.png</code> to their displayed dimensions | Smush + media library | About 175 KB + about 66 KB saved (roughly 240 KB, about 12% of page weight), direct LCP-image win | Low |
| 3 | Consolidate tracking: remove the redundant legacy Universal Analytics tag (<code>UA-200599493-1</code> , dead since 2024) and reconcile MonsterInsights vs. PixelYourSite so only one GTM/GA4 container fires; move Facebook Pixel + remaining GTM to load after first interaction or via a facade | MonsterInsights + PixelYourSite | Removes about 123 KB dead UA script outright; defers about 660 KB / about 100ms main-thread time off the critical path | Low-Medium |
| 4 | Defer/lazy-load the Social Chat (WhatsApp) widget CSS/JS until after first paint (currently the single biggest render-blocking cost, 1,034ms) | Social Chat (wp-whatsapp-chat) | Removes the largest individual render-blocking entry | Low |
| 5 | Audit JetMenu/JetElements/JetSearch/JetTabs/JetTricks enqueues per-template; dequeue JetElements CSS/JS and JetMenu's Vue 2 + Font Awesome bundle on templates that don't use them (verify Elementor Pro's native nav-menu isn't double-loaded alongside JetMenu) | JetEngine suite + Elementor Pro | About 33 KB unused CSS + about 23.5 KB unused JS removed on homepage alone; likely larger savings on <code>/course/pharmacy/</code> if confirmed unused there | Medium (requires per-template asset conditionals, e.g. Elementor's "Improve Asset Loading" / Asset Manager) |
| 6 | Move hosting/CDN to get HTTP/2 or HTTP/3 (Cloudflare or equivalent in front of Apache, or migrate to true LiteSpeed/OpenLiteSpeed if activating LiteSpeed Cache) | Infrastructure | Recovers about 3,310ms <code>modern-http-insight</code> estimate from connection-limit queuing across 125 requests | Medium-High (infra change) |
| 7 | Consolidate Google Fonts to 1-2 families, self-host the used weights only, confirm <code>font-display: swap</code> , preload the LCP-critical weight | Theme/Elementor global fonts | 119.5 KB likely reduced to under 30 KB; removes render-blocking font CSS | Low |
| 8 | Re-run this audit on <code>/courses/</code> , <code>/course/pharmacy/</code> , and the Turkish homepage once the above are in place, and obtain a Google API key so PSI/CrUX field data can supplement lab data | Process | Confirms real-world (75th percentile) pass/fail vs. this single lab run | Low |

Score: 60/100

Structured Data Implementation Plan — huneducation.com / tr.huneducation.com

Audit date: 2026-08-30. Method: 500-page crawl (`crawl.json`) + raw/rendered fetches of homepage, a `/course/` page (`pharmacy` , Elementor template ID 925), a `/university/` page (University of Pécs), `/about-us/` , `/contact/` , and the TR homepage.

1. Current State (one line)

Zero structured data exists anywhere on either domain — 0 JSON-LD blocks, 0 Microdata/RDFa, 0 `@type` occurrences across all 500 crawled pages (course, university, and editorial templates alike) — root cause: **"Schema & Structured Data for WP & AMP" and both Yoast SEO plugins are installed but INACTIVE**, so WordPress core only emits the bare minimum (`<title>` , a default `rel=canonical` , RSS/oEmbed links); there is also no meta description, no Open Graph, and **no hreflang** on the pages inspected, despite WPML being active (`meta name="generator" content="WPML ver:4.9.4"` and a working language switcher). This is a from-scratch build, not a fix-and-validate job.

Supporting evidence:

- Course page (`/course/pharmacy/` , template ID 925): `<head>` has title + robots + canonical only. `structured_data.block_count = 0` . No `og:*` , no `hreflang` , no `<meta name="description">` .
- University page (`/university/university-of-pecs/`): same pattern; `block_count = 0` .
- No review/rating/testimonial markup or content found anywhere on the pages sampled — there is no first-party review collection mechanism on the site today.
- JetEngine fields render as plain labelled text inside `.jet-listing-dynamic-field__content` divs, e.g. `Price: 8 800` , `<span class="currency">eur</span>/year (2 semesters)` , `Semesters: 10` , `University: University of Pécs (PTE)` , `Type of Entrance Exam: ...` , `Language certificate requested: ...` . Body classes on the course template also expose taxonomy terms directly: `course-month-september` `course-year-243` `course-city-pecs` `course-level-pharmacy-degree` `course-category-medicine-dentistry-pharmacy` .
- **Data-quality flag**: the `course-year` term slug observed live was `course-year-243` , not a year string (`2024` , `2025` ...). Verify real term slugs/names before using this taxonomy to derive `startDate` — if it's genuinely corrupted (a WPML duplicate-slug collision is a common cause), fix it in WordPress before wiring `hasCourseInstance.startDate` to it, or the emitted dates will be wrong.

2. Prioritised Implementation Table

| # | Page type | Volume | Schema to add | Priority |
|---|--|-----------------------|---|---|
| 1 | All pages (both languages) | ~1,058 pages | Organization (or EducationalOrganization) + WebSite graph, referenced everywhere | Critical |
| 2 | /course/* (Elementor template 925) | 498 EN + 486 TR = 984 | Course + Offer + conditional hasCourseInstance + BreadcrumbList + WebPage | Critical |
| 3 | /university/* | 20 + 20 = 40 | CollegeOrUniversity + BreadcrumbList + WebPage | High |
| 4 | /courses/ and /universities/ hub + pagination (/courses/2/ ... /courses/25/) | ~50 | CollectionPage + ItemList (global position across pages) | High |
| 5 | 14 editorial pages x2 languages (homepage excluded, counted separately) | 26 | WebPage (or Article / BlogPosting only where a real author + real date exists) + BreadcrumbList | Medium |
| 6 | Homepage EN + TR | 2 | WebPage referencing WebSite / Organization, ItemList of featured course links if present | Medium |
| 7 | about-us | 2 | Extend Organization with foundingDate, address, contactPoint, sameAs (fill the Organization node's detail here, not a duplicate type) | Medium |
| 8 | contact | 2 | ContactPage (WebPage subtype) + Organization.contactPoint reused | Low |
| 9 | Any existing/new FAQ content | n/a | FAQPage is not worth adding — Google retired FAQ rich results for all sites (7 May 2026); only consider FAQPage if the client explicitly accepts the SERP benefit is gone and any AI/GEO benefit is unconfirmed. If the site has genuine visitor Q&A (not present today), use QAPage, never FAQPage. | Info only |
| — | Any page | — | HowTo, SpecialAnnouncement, CourseInfo, EstimatedSalary, LearningVideo | Do not implement — deprecated/retired |
| — | Any page | — | AggregateRating / Review | Do not implement now — no genuine review collection exists (see §6) |

3. Architecture — @id Graph Wiring

WPML here runs on **separate subdomains** (`huneducation.com` = EN, `tr.huneducation.com` = TR), not subdirectories. Design rule: **one legal entity → one Organization node, reused by absolute @id across both hosts**. Everything else (`WebSite`, `WebPage`, `Course`, `CollegeOrUniversity`, `BreadcrumbList`) is **per-language, self-contained** — an EN page's graph must never reference a TR-only node and vice versa, or Google's Rich Results parser may merge or drop entities unpredictably.

...

`https://huneducation.com/#organization` (Organization — SAME @id string embedded verbatim on BOTH domains)

`https://huneducation.com/#website` (WebSite, inLanguage: en, publisher -> #organization)

`https://tr.huneducation.com/#website` (WebSite, inLanguage: tr, publisher -> #organization)

Per EN page: `{url}#webpage` -> `isPartOf {https://huneducation.com/#website}`, `breadcrumb` -> `{url}#breadcrumb`

Per TR page: `{url}#webpage` -> `isPartOf {https://tr.huneducation.com/#website}`, `breadcrumb` -> `{url}#breadcrumb`

Per EN course: {url}#course -> provider -> {EN university url}#university (same language only)

Per TR course: {url}#course -> provider -> {TR university url}#university (same language only)

Per EN university: {url}#university (CollegeOrUniversity)

Per TR university: {url}#university (CollegeOrUniversity) -- add sameAs pointing to the EN twin URL for entity consolidation

...

Rationale: @id is just an IRI, it does not need to be dereferenceable — reusing the exact same string for Organization on both hosts is the correct, standard pattern for one company operating twin-language domains, and is what lets Google fold both language versions' Organization mentions into a single Knowledge-Graph-eligible entity. Everything downstream of Organization should stay language-scoped to avoid cross-language entity bleed.

4. JSON-LD Templates

4.1 Organization + WebSite (inject site-wide, in wp_head, both domains)

Real NAP confirmed on /contact/: 1204 Budapest, Bethlen utca 17, Hungary, info@huneducation.com, phone pattern +36-70-296-35-31. The favicon found (logo-huneducation-favicon-white.png) is **not** a valid Organization.logo — Google requires a proper logo image, ideally ≥112×112px, not a favicon; source the real primary logo asset before shipping.

```
```json
{
 "@context": "https://schema.org",
 "@graph": [
 {
 "@type": "EducationalOrganization",
 "@id": "https://huneducation.com/#organization",
 "name": "HUN EDUCATION KFT.",
 "alternateName": "HunEducation",
 "url": "https://huneducation.com/",
 "logo": {
 "@type": "ImageObject",
 "url": "https://huneducation.com/wp-content/uploads/[REPLACE-WITH-REAL-LOGO-NOT-FAVICON].png"
 },
 "foundingDate": "1999",
 "email": "info@huneducation.com",
 "telephone": "+36-70-296-35-31",
 "address": {
 "@type": "PostalAddress",
 "streetAddress": "Bethlen utca 17",
 "postalCode": "1204",
 "addressLocality": "Budapest",
 "addressCountry": "HU"
 },
 "contactPoint": {
```

```

"@type": "ContactPoint",
"telephone": "+36-70-296-35-31",
"contactType": "customer service",
"email": "info@huneducation.com",
"areaServed": "Worldwide",
"availableLanguage": ["en", "tr", "hu"]
},
"sameAs": [
"https://www.instagram.com/huneducation",
"https://www.youtube.com/@huneducation",
"https://www.facebook.com/HunEducationGLB"
]
},
{
"@type": "WebSite",
"@id": "https://huneducation.com/#website",
"url": "https://huneducation.com/",
"name": "HunEducation",
"inLanguage": "en",
"publisher": { "@id": "https://huneducation.com/#organization" }
}
]
}
...

```

TR homepage/site-wide block is identical except: `"@id": "https://tr.huneducation.com/#website"`, `"url": "https://tr.huneducation.com/"`, `"inLanguage": "tr"`, and the **Organization object is repeated verbatim with the identical @id string `https://huneducation.com/#organization`** (do not mint a second Organization `@id` on the TR subdomain — see §3/§5).

Note: use `EducationalOrganization` (a subtype of `Organization`) since HunEducation is an education consultancy — but see §6 for why it should **not** be reused as `Course.provider`.

## 4.2 Course template (Elementor ID 925 — JetEngine dynamic fields)

**Implementation mechanism:** because several fields are conditional (27%/25%/36% fill rates) and pricing needs light normalization (currency uppercasing), do **not** try to build this purely with Elementor's dynamic-tag picker in an HTML widget — implement as a small PHP snippet (mu-plugin or a code snippet manager, NOT inside a generic schema plugin) hooked to `wp_head`, scoped to `is_singular('course')`, reading the same JetEngine post-meta/taxonomy data the template already displays. Placeholders below use `{{field_slug}}` to name the exact JetEngine meta/taxonomy keys given in the brief.

```

`php
add_action('wp_head', function () {
if (! is_singular('course')) return;

$post_id = get_the_ID();

$lang = function_exists('icl_object_id') ? apply_filters('wpml_current_language', null) : 'en'; // 'en' | 'tr'

$home = ($lang === 'tr') ? 'https://tr.huneducation.com' : 'https://huneducation.com';

```

```

$url = get_permalink($post_id);

$price = get_post_meta($post_id, 'course_price', true); // e.g. "8800"

$currency = strtoupper(get_post_meta($post_id, 'course_price_currency', true)); // "eur" -> "EUR"

$semesters = get_post_meta($post_id, 'course_semesters', true); // e.g. "10"

$institute = get_post_meta($post_id, 'course_institute', true); // e.g. "University of Pécs (PTE)"

$deadline = get_post_meta($post_id, 'course_application_deadline', true); // convert to YYYY-MM-DD before output

$eng_level = get_post_meta($post_id, 'course_english_level', true); // 27% filled — may be empty

$entrance = get_post_meta($post_id, 'course_entrance_exam', true); // 25% filled — may be empty

$lang_cert = get_post_meta($post_id, 'course_language_certificate', true); // 36% filled — may be empty

$city_terms = get_the_terms($post_id, 'course-city');

$level_terms = get_the_terms($post_id, 'course-level');

$cat_terms = get_the_terms($post_id, 'course-category');

$month_term = get_the_terms($post_id, 'course-month');

$year_term = get_the_terms($post_id, 'course-year'); // VERIFY slug integrity before using (see $1 flag)

// ---- provider lookup: resolve course_institute -> matching /university/ CPT node ----

// Prefer: if a JetEngine relation field to the university CPT exists, use its permalink + #university @id.

// Fallback (institute is free text only): emit an inline CollegeOrUniversity object with name only (no @id link).

$university_url = huneducation_lookup_university_url($institute, $lang); // custom helper, implement via slug match

$graph = [];

$course = [

 '@type' => 'Course',

 '@id' => $url . '#course',

 'url' => $url,

 'name' => get_the_title($post_id),

 'description' => wp_strip_all_tags(get_the_excerpt($post_id)), // TODO: needs real unique meta descriptions, see $6

 'inLanguage' => $lang,

 'provider' => $university_url

 ? ['@id' => $university_url . '#university']

 : ['@type' => 'CollegeOrUniversity', 'name' => $institute],

];

if ($cat_terms && ! is_wp_error($cat_terms)) {

 $course['about'] = array_map(fn($t) => $t->name, $cat_terms);

}

if ($level_terms && ! is_wp_error($level_terms)) {

 $course['educationalLevel'] = $level_terms[0]->name; // flag: verify these map to real academic levels, see $6

}

if ($price !== "" && $currency !== "") {

 $course['offers'] = [

 '@type' => 'Offer',

```

```

'url' => $url,
'price' => $price,
'priceCurrency' => $currency, // must be ISO 4217, e.g. "EUR" not "eur"
'category' => 'Paid',
'description' => 'Annual tuition fee' . ($semesters ? " (program length: {$semesters} semesters)" : ''),
];
}

// Only emit hasCourseInstance when we have a trustworthy intake date AND a location.
if ($month_term && $year_term && ! is_wp_error($month_term) && ! is_wp_error($year_term) && $city_terms) {
$course['hasCourseInstance'] = [
'@type' => 'CourseInstance',
'courseMode' => 'Onsite',
'startDate' => huneducation_month_year_to_iso($month_term[0]->name, $year_term[0]->name), // e.g. "2025-09-01" — VERIFY year
term first
'location' => [
'@type' => 'Place',
'name' => $city_terms[0]->name,
'address' => ['@type' => 'PostalAddress', 'addressLocality' => $city_terms[0]->name, 'addressCountry' => 'HU'],
],
];
}

// Optional recommended extras — only emit if non-empty, never emit empty strings/placeholders.
if ($eng_level !== '') $course['competencyRequired'][] = "English level: {$eng_level}";
if ($entrance !== '') $course['coursePrerequisites'][] = $entrance;
if ($lang_cert !== '') $course['coursePrerequisites'][] = "Language certificate: {$lang_cert}";

$graph[] = $course;

$graph[] = [
'@type' => 'WebPage',
'@id' => $url . '#webpage',
'url' => $url,
'name' => get_the_title($post_id),
'isPartOf' => ['@id' => $home . '/#website'],
'inLanguage' => $lang,
'mainEntity' => ['@id' => $url . '#course'],
'breadcrumb' => ['@id' => $url . '#breadcrumb'],
];

$graph[] = [
'@type' => 'BreadcrumbList',
'@id' => $url . '#breadcrumb',

```

```

'itemListElement' => [
 ['@type' => 'ListItem', 'position' => 1, 'name' => 'Home', 'item' => $home . '/'],
 ['@type' => 'ListItem', 'position' => 2, 'name' => 'Courses', 'item' => $home . '/courses/'],
 ['@type' => 'ListItem', 'position' => 3, 'name' => get_the_title($post_id), 'item' => $url],
],
];

echo '<script type="application/ld+json">' . wp_json_encode(
 ['@context' => 'https://schema.org', '@graph' => $graph],
 JSON_UNESCAPED_SLASHES | JSON_UNESCAPED_UNICODE
) . '</script>' . "\n";
}, 20);
```

```

Resulting example output (real data from `/course/pharmacy/` , illustrating the non-conditional fields only):

```

```json
{
 "@context": "https://schema.org",
 "@graph": [
 {
 "@type": "Course",
 "@id": "https://huneducation.com/course/pharmacy/#course",
 "url": "https://huneducation.com/course/pharmacy/",
 "name": "Medical Degree – Pharmacy M.D. (English)",
 "description": "[real unique description needed — see §6]",
 "inLanguage": "en",
 "provider": { "@id": "https://huneducation.com/university/university-of-pecs/#university" },
 "about": ["Medicine, Dentistry, Pharmacy"],
 "educationalLevel": "Pharmacy Degree",
 "offers": {
 "@type": "Offer",
 "url": "https://huneducation.com/course/pharmacy/",
 "price": "8800",
 "priceCurrency": "EUR",
 "category": "Paid",
 "description": "Annual tuition fee (program length: 10 semesters)"
 }
 }
]
}
```

```

4.3 University pages (/university/*)

```
```json
{
 "@context": "https://schema.org",
 "@graph": [
 {
 "@type": "CollegeOrUniversity",
 "@id": "https://huneducation.com/university/university-of-pecs/#university",
 "name": "University of Pécs (PTE)",
 "url": "https://huneducation.com/university/university-of-pecs/",
 "foundingDate": "1367",
 "address": {
 "@type": "PostalAddress",
 "addressLocality": "Pécs",
 "addressCountry": "HU"
 },
 "description": "[unique meta description text]",
 "sameAs": []
 },
 {
 "@type": "WebPage",
 "@id": "https://huneducation.com/university/university-of-pecs/#webpage",
 "url": "https://huneducation.com/university/university-of-pecs/",
 "isPartOf": { "@id": "https://huneducation.com/#website" },
 "inLanguage": "en",
 "mainEntity": { "@id": "https://huneducation.com/university/university-of-pecs/#university" },
 "breadcrumb": { "@id": "https://huneducation.com/university/university-of-pecs/#breadcrumb" }
 },
 {
 "@type": "BreadcrumbList",
 "@id": "https://huneducation.com/university/university-of-pecs/#breadcrumb",
 "itemListElement": [
 { "@type": "ListItem", "position": 1, "name": "Home", "item": "https://huneducation.com/" },
 { "@type": "ListItem", "position": 2, "name": "Universities", "item": "https://huneducation.com/universities/" },
 { "@type": "ListItem", "position": 3, "name": "University of Pécs (PTE)", "item": "https://huneducation.com/university/university-of-pecs/" }
]
 }
]
}
```

...

Do not add `foundingDate` /history facts to the `Organization` node — those belong to the university entity (e.g. "Founded in 1367") and must stay separate from HUN EDUCATION KFT's own `foundingDate` (1999). These are two different entities; conflating them is the single easiest schema mistake to make on this site.

#### 4.4 Editorial pages (`WebPage` + `BreadcrumbList`; Article only where justified)

None of the sampled pages exposed a real `datePublished` / `dateModified` in HTML (htmldate could only guess "today" as a fallback, meaning no visible date signal exists). WordPress core still has real `post_date` / `post_modified` values independent of Yoast — pull dates from there via `get_the_date('c')` / `get_the_modified_date('c')`, but **verify they reflect true publish history and are not all set to a migration date** before using them in `Article.datePublished` (a required Google property for Article rich results).

```json

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "WebPage",
      "@id": "https://huneducation.com/why-hungary/#webpage",
      "url": "https://huneducation.com/why-hungary/",
      "name": "[H1 / title]",
      "isPartOf": { "@id": "https://huneducation.com/#website" },
      "about": { "@id": "https://huneducation.com/#organization" },
      "inLanguage": "en",
      "breadcrumb": { "@id": "https://huneducation.com/why-hungary/#breadcrumb" }
    },
    {
      "@type": "BreadcrumbList",
      "@id": "https://huneducation.com/why-hungary/#breadcrumb",
      "itemListElement": [
        { "@type": "ListItem", "position": 1, "name": "Home", "item": "https://huneducation.com/" },
        { "@type": "ListItem", "position": 2, "name": "Why Hungary", "item": "https://huneducation.com/why-hungary/" }
      ]
    }
  ]
}
```

...

Use `Article` / `BlogPosting` instead of `WebPage` **only** for pages with a verifiable author + real `datePublished` (candidates: `student-perspectives`, `university-life`, possibly `masters` / `medicine` / `pilot-training` if written by a named advisor) — add `headline`, `image`, `author` (Person or the Organization), `datePublished`, `dateModified`, `publisher` (`{@id}` to Organization). Do **not** apply Article to `about-us`, `contact`, `courses`, `universities`, `admission`, `costs` — these are utility/hub pages, keep them `WebPage` / `CollectionPage` / `ContactPage`.

FAQPage: do not add proactively. If the client still wants it for possible AI/GEO surfacing despite zero Google SERP benefit (FAQ rich results retired for all sites 7 May 2026), scope it narrowly to pages with genuine, already-published Q&A copy — never fabricate questions to qualify.

4.5 ItemList for /courses/ and /universities/ hubs

Both hubs paginate (/courses/2/ ... observed up to /courses/25/ , consistent with ~498 EN courses at ~20/page). `position` must be **global**, not reset per page.

```
```json
{
 "@context": "https://schema.org",
 "@type": "CollectionPage",
 "@id": "https://huneducation.com/courses/#webpage",
 "url": "https://huneducation.com/courses/",
 "isPartOf": { "@id": "https://huneducation.com/#website" },
 "mainEntity": {
 "@type": "ItemList",
 "@id": "https://huneducation.com/courses/#itemlist",
 "itemListElement": [
 { "@type": "ListItem", "position": 1, "url": "https://huneducation.com/course/pharmacy/" },
 { "@type": "ListItem", "position": 2, "url": "https://huneducation.com/course/medicine-bsc/" }
]
 }
}
```

For /courses/2/: same `@type` / `@id` pattern at `.../courses/2/#webpage`, but `position` continues from wherever page 1 left off (e.g. 21, 22, 23...) using `(page_number - 1) * posts_per_page + index + 1`. Do the same for /universities/.

## 5. WPML / Multi-domain Notes

1. **Fix hreflang first** — none was found on the sampled pages despite WPML being active with a working language switcher menu. This is a prerequisite for any language-aware schema to be trustworthy: without `hreflang`, Google has no reliable signal that `huneducation.com/course/pharmacy/` and its `tr.huneducation.com` counterpart are the same entity in two languages, which weakens the value of any `@id` cross-referencing described in §3. Enable WPML's hreflang output (Settings → Languages → "Language URL format" / SEO options) site-wide, including on the Elementor course/university templates.
2. **Never duplicate the Organization @id** — embed the byte-identical `Organization` JSON-LD object (same `@id`: `https://huneducation.com/#organization`) on both domains. Do not let the TR site mint `https://tr.huneducation.com/#organization` as a second entity.
3. **Every other node is per-language** — `WebSite`, `WebPage`, `Course`, `CollegeOrUniversity`, `BreadcrumbList`, `ItemList` must use the current page's own host in their `@id` / `url`, and `Course.provider` / breadcrumb links must resolve to same-language URLs only (an EN course page must link to the EN `/university/...` page, never the TR one).
4. **Dynamic fields must read the current translation's data**, not fall back to EN defaults. When resolving `course_institute`, `course_price`, taxonomy terms, etc. inside the PHP snippet in §4.2, confirm the JetEngine meta and WPML taxonomy term translations are being read for `get_the_ID()` of the *current* translated post (JetEngine custom fields are typically per-post, but taxonomy term translations depend on WPML's term-translation setup — verify `course-level` / `course-category` / `course-city` term names are actually translated into Turkish, not just the taxonomy labels).
5. `inLanguage` must be `"en"` on `huneducation.com` and `"tr"` on `tr.huneducation.com` everywhere (Organization stays language-neutral / omit `inLanguage` on it).
6. Add `sameAs` between twin `CollegeOrUniversity` nodes (EN ⇌ TR) for the same 20 institutions so Google can consolidate them as one real-world entity across languages.



## 6. Validation Risks & Guardrails

---

1. **Do not set `Course.provider` to HUN EDUCATION KFT.** HunEducation is a placement consultancy, not the degree-granting institution — the real provider is the Hungarian university ( `CollegeOrUniversity` ). Mislabeling the consultancy as the course provider is a misrepresentation risk under Google's structured-data guidelines. Link `Course.provider` to the matching `/university/ @id` instead (Organization can still appear as `sponsor` /publisher of the *page*, not as the academic provider of the *course*).
2. **`course_institute` may be free text, not a relation.** Confirm with the dev team whether it's a JetEngine relationship field to the university CPT or a plain string. If it's free text, the provider `@id` lookup in §4.2 needs a reliable name→URL mapping (slugify + match, or better: convert it to a true relation field) across ~984 course pages before shipping — a fuzzy/broken match will silently produce wrong or missing `provider` links.
3. **No `AggregateRating` / `Review` — ever, unless a real review system is built.** No testimonials, star ratings, or review collection mechanism were found anywhere on the site. Fabricating or reusing marketing testimonials as `Review` / `AggregateRating` violates Google's structured-data policies (misleading markup, review scam) and puts the whole domain's rich-result eligibility at risk. Only add this after a genuine, verifiable student review pipeline exists (e.g., Trustpilot integration, verified on-site reviews).
4. **`course-year` taxonomy slug anomaly** ( `course-year-243` observed instead of a year ) — verify all `course-year` term slugs/names are clean years before deriving `hasCourseInstance.startDate` from `course-month` + `course-year` . If corrupted, fix the taxonomy data first or omit `hasCourseInstance` entirely (it's optional/recommended, not required).
5. **`Course` required properties:** Google requires `name` + `description` at minimum for any `Course` markup to be valid. `Course` pages currently have **no meta description at all** (SEO plugin inactive) — `description` must not be left blank or filled with boilerplate/placeholder text; either write real unique descriptions per course or reliably derive one from the post excerpt/first content paragraph (already-existing body copy, not fabricated).
6. **Partially-filled fields** ( `course_english_level` 27%, `course_entrance_exam` 25%, `course_language_certificate` 36% ): never emit empty-string properties or placeholder text like "N/A" — conditionally omit the property entirely when the JetEngine field is empty (as shown in the PHP snippet). Emitting empty/placeholder values fails Google's "no placeholder text" validation rule and can look manipulative on ~700+ of the ~984 course pages combined.
7. **Currency normalization:** the visually displayed currency is lowercase ( `eur` ); `Offer.priceCurrency` must be a valid uppercase ISO 4217 code ( `EUR` , `USD` , `HUF` ). Confirm the underlying `course_price_currency` meta value and uppercase it at output time if needed.
8. **Price semantics:** `course_price` on the sampled page is an **annual** tuition figure ( ".../year (2 semesters)" ), not total program cost. Don't let `Offer.price` be misread as full-program price — the `description` field in the `Offer` template clarifies this; consider a `PriceSpecification` / `unitText` upgrade later if Google surfaces this ambiguously in rich results.
9. **Deprecated types — do not use anywhere:** `HowTo` (removed Sept 2023), `SpecialAnnouncement` (deprecated Jul 2025), `CourseInfo` / `EstimatedSalary` / `LearningVideo` (retired Jun 2025). None were found on the site, but avoid the temptation to use `HowTo` for "how to apply" content — use plain `WebPage` / `Article` with normal headings instead.
10. **`FAQPage` — info only.** No Google SERP benefit since the 7 May 2026 retirement of FAQ rich results for all sites. Do not treat it as a priority; if implemented at all, scope to genuine existing Q&A copy and set expectations that only unconfirmed AI/GEO value remains. Genuine user Q&A (if ever built) should use `QAPage` .
11. **Avoid duplicate markup.** Both dormant plugins ("Schema & Structured Data for WP & AMP", Yoast SEO/Yoast SEO Premium) can independently emit generic `Organization` / `Article` / `BreadcrumbList` blocks if reactivated. If any of them are turned on later (e.g., just for basic meta descriptions/OG tags), explicitly disable their schema/structured-data output modules, or you will end up with two competing `Organization` / `BreadcrumbList` graphs on the same page — the custom mu-plugin approach in §4 should be the single source of truth for JSON-LD.
12. **Logo asset:** replace the favicon currently in use with a real, adequately sized logo file before publishing `Organization.logo` .

## 7. Rollout Order (suggested)

---

1. Fix WPML hreflang output (prerequisite, not schema itself, but blocks correct language wiring).
2. Ship §4.1 `Organization/WebSite` graph site-wide (both domains) — quick win, unlocks Knowledge Panel eligibility.
3. Ship §4.2 `Course` template via mu-plugin (984 pages in one deployment) — biggest volume, biggest AI/GEO and rich-result surface area, but gate on resolving the provider-lookup (#2 above) and description-content gap (#5 above) first.
4. Ship §4.3 `University` pages (40 pages, mostly static — can hand-write per page).
5. Ship §4.4 editorial `WebPage/BreadcrumbList` (26 pages) and §4.5 `ItemList` hubs.

6. Re-audit with Rich Results Test / Search Console after each wave before moving to the next.

# WordPress altyapı sağlığı

Kaynak: canlı kurulumdan doğrudan okuma (Novamira), 2026-08-30. Salt okuma.

## Özet

Ölçüm	Değer	Değerlendirme
PHP	8.0.30	<b>Ömrü dolmuş</b> — güvenlik yaması almıyor
WordPress	7.1	Güncel
Kurulu eklenti	48	Fazla
Aktif eklenti	20	—
<b>Pasif eklenti</b>	<b>28</b>	Kod diskte duruyor, güncellenmiyor: saldırı yüzeyi
Bekleyen güncelleme	<b>21</b>	Yüksek
Revizyon kaydı	7.384	<code>wp_posts</code> 'un çoğu
autoload option boyutu	329 KB	Sınırdı (ideal < 200 KB)

## Kritik

### PHP 8.0 destek dışı

PHP 8.0 Kasım 2023'te güvenlik desteğini yitirdi. Barındırma panelinden 8.2 veya 8.3'e çıkılmalı. Elementor 4.x ve WP 7.1 ikisini de destekliyor.

### 21 bekleyen eklenti güncellemesi

Aktif eklentilerin bir kısmı güncel değil. Elementor, JetEngine ve WPML gibi temel bileşenlerde güvenlik yaması kaçırmak, tüm siteyi riske atar.

## Yüksek

### 28 pasif eklenti diskte duruyor

Pasif eklenti çalışmaz ama **dosyaları erişilebilir kalır** ve güncelleme almaz.

Bilinen açığı olan eski bir eklenti, pasifken bile bazı durumlarda sömürülebilir.

Kullanılmayacaklar silinmeli.

Ayrıca bu listede SEO açısından kritik dört eklenti var ve \*\*pasif oldukları için sitenin SEO'su fiilen kapalı\*\*:

Eklenti	Durum	Sonucu
Yoast SEO 27.6	pasif	meta description yok, sitemap yok
Yoast SEO Premium 20.9	pasif	—
WPML SEO 2.2.5	pasif	<b>hreflang yok</b>
Schema & Structured Data 1.60	pasif	<b>yapısal veri yok</b>
WP Rocket / WP Fastest Cache / LiteSpeed	pasif	önbellek yok
Smush Pro	pasif	görsel optimizasyonu yok

Bu tek satır, denetimdeki kritik bulguların çoğunun kök sebebi.

### Veritabanı şişkinliği

`wp_postmeta` 155 MB / 77.185 satır, `wp_posts` 51 MB / 5.870 satır. İçinde

**7.384 revizyon** var — gerçek içerik 1.052 URL iken kayıt sayısı bunun beş katı.

Ayrıca:

- `wp_cbnetpo_ping_optimizer` 6,5 MB / 31.965 satır — WordPress Ping Optimizer

eklentisi **pasif** ama tablosu büyümeye devam etmiş

- `wp_actionscheduler_logs` 6,2 MB / 19.953 satır — temizlenmiyor
- `wp_asp_index` 22 MB — Ajax Search Pro arama indeksi

**Düzeltilme:** `wp-config.php`'ye `define('WP_POST_REVISIONS', 5);`, eski revizyonları temizle, Action Scheduler log saklama süresini kısalt, kullanılmayan eklenti tablolarını düşür. Tahmini kazanç: veritabanının ~%40'ı.

## Orta

---

### autoload 329 KB

Her sayfa isteğinde belleğe alınıyor. 28 pasif eklentinin bıraktığı ayarlar da burada. Temizlik TTFB'ye doğrudan yansır.

## Not

---

Bu bölümdeki hiçbir şey için canlıya yazma yapılmadı; tamamı okuma sorgusudur.

# Sitemap & Indexation Audit — huneducation.com / tr.huneducation.com

Audit date: 2026-08-30

Scope: XML sitemap architecture, indexation exposure, WPML domain-per-language sitemap design, course-page index-bloat decision.

## 1. Executive Summary

Both hosts run the same broken sitemap configuration. The declared, functioning sitemap chain on each domain exposes **2 URLs** (the homepage and a navigational `/sitemap.html` utility page) against a true site inventory of **~1,052 URLs** (14 EN + 14 TR core pages, 498 EN + 486 TR `/course/` pages, 20 + 20 `/university/` pages). That is **~0.2% sitemap coverage of real content**.

A second, fully-populated sitemap system exists on the server (WordPress core's native `wp-sitemap.xml` provider, confirmed by its distinct `wp-sitemap.xsl` stylesheet) and contains **every** course/university/page URL with correct per-URL `lastmod` values — but its master index has been overwritten/emptied by the active "XML Sitemap Generator for Google" plugin, and its individual child files respond with **HTTP 404** despite serving valid-looking XML bodies. This system is orphaned and not usable by search engines as-is.

Compounding this, **zero hreflang signals exist anywhere** — not in `<head>` on any of 500 crawled pages, and not in any sitemap (`xhtml:link` is absent because the active sitemap generator plugin predates/ignores WPML). On a WPML domain-per-language deployment (EN on huneducation.com, TR on tr.huneducation.com) this means Google has **\*\*no machine-readable relationship between the two language versions of the site at all\*\*** — sitemap or on-page.

The underlying pages themselves are largely healthy from a crawlability standpoint (499/500 crawled URLs = 200, 0 noindex, 0 canonical mismatches), so this is a **\*\*discovery/architecture failure layered on top of indexable content\*\***, not a fundamental content-blocking problem — which makes it a high-value, low-risk fix.

**Score: 14/100**

## 2. Current State — Host by Host

### 2.1 huneducation.com (EN)

...

robots.txt:

Sitemap: `https://huneducation.com/sitemap.xml`

Sitemap: `https://huneducation.com/sitemap.html` <- INVALID: not a machine-readable sitemap format

...

- `sitemap.xml` → `<sitemapindex>` generated by **XML Sitemap Generator for Google v4.1.23** (Auctollo `google-sitemap-generator` plugin). Contains exactly **1 child**: `sitemap-misc.xml`.
- `sitemap-misc.xml` → `<urlset>` with exactly **2 <url>** entries: the homepage

( lastmod=2024-05-20T21:03:21+00:00 ) and /sitemap.html ( lastmod=2026-07-08T12:12:13+00:00 ).

Both carry deprecated <priority> / <changefreq> tags.

- sitemap.html (declared in robots.txt as a "Sitemap:") is an HTML page, not valid sitemap XML — confirmed invalid by the discovery tool ( "kind": null, "valid": false, "error": "invalid XML" ).

It links to exactly 1 sub-page, sitemap-misc.html .

- wp-sitemap.xml (WordPress core's native path) is **also intercepted by the same plugin** and

returns 200 OK with an **empty** <urlset> (should be a <sitemapindex> per WP core spec if functioning — it is neither functioning nor absent, it's a dead stub).

- **Orphaned native sitemap files exist and are fully populated**, confirmed by fetching guessed

paths directly:

| File | Status | <loc> count | Content |

|---|---|---|---|

| wp-sitemap-posts-course-1.xml | 404 | 498 | Real course URLs, real per-URL lastmod |

| wp-sitemap-posts-university-1.xml | 404 | 20 | Real university URLs |

| wp-sitemap-posts-page-1.xml | 404 | 14 | Real core pages (home, why-hungary, courses, about-us, admission, costs, etc.) |

| wp-sitemap.xml | 200 | n/a | Native WP stylesheet (confirms this is WP core, not the plugin) |

Every one of these returns HTTP **404 Not Found** in the header while streaming a fully-formed,

correct application/xml body with real content — verified reproducibly across 3 repeat

requests each. A sitemap file served with a non-200 status is **\*\*rejected by Search Console and**

Googlebot regardless of body content\*\*, so even if these URLs are guessed/discovered, they will not be trusted or processed.

## 2.2 tr.huneducation.com (TR)

Byte-for-byte the same pattern, independently confirmed:

...

robots.txt:

Sitemap: https://tr.huneducation.com/sitemap.xml

Sitemap: https://tr.huneducation.com/sitemap.html <- same invalid entry

...

- sitemap.xml → sitemapindex with **exactly 1 child**, sitemap-misc.xml .
- sitemap-misc.xml → **2 URLs**: TR homepage ( lastmod=2026-05-18T11:46:21+00:00 ) + /sitemap.html .
- wp-sitemap.xml → empty <urlset> , same plugin fingerprint ( sitemap-generator-version='4.1.23' ).
- Orphaned native children, same 404-with-body defect:

| File | Status | <loc> count |

|---|---|---|

| wp-sitemap-posts-course-1.xml | 404 | 486 |

| wp-sitemap-posts-university-1.xml | 404 | 20 |

| wp-sitemap-posts-page-1.xml | 404 | 14 |

Both hosts are separate GSC properties (different domains) and must each be fixed and re-verified independently — the fix is identical on both.

## 2.3 Coverage Gap

Segment	Real inventory	Declared in a working sitemap	Coverage
EN core pages	14	1 (home)	7%
EN <code>/course/</code>	498	0	0%
EN <code>/university/</code>	20	0	0%
TR core pages	14	1 (home)	7%
TR <code>/course/</code>	486	0	0%
TR <code>/university/</code>	20	0	0%
<b>Total</b>	<b>1,052</b>	<b>2</b>	<b>0.19%</b>

984 of 1,052 URLs (all course and university pages, 100% of the transactional catalog) have **zero sitemap presence** on either host.

---

## 3. Root Cause

The active **"XML Sitemap Generator for Google" v4.1.23** (Auctollo, last meaningfully updated years ago) is:

1. Generating a `sitemap-misc.xml` that only ever included the "misc pages" bucket (home + itself) — it was never configured (or was configured before the `course / university` custom post types existed) to include those post types as sitemap sources.

1. Simultaneously claiming the `/wp-sitemap.xml` route that WordPress core (5.5+) uses for its built-in sitemap, overwriting it with an empty stub. This breaks the native WP sitemap index without actually replacing its functionality, and leaves the native per-post-type child endpoints (`wp-sitemap-posts-course-1.xml`, etc.) responding 404 despite still rendering their provider output — a rewrite-rule/routing conflict between the two systems.

1. Yoast SEO, which ships a modern, post-type-aware, W3C-valid sitemap module (and would resolve both defects above out of the box), **is installed on this site but inactive**.

This is a plugin-conflict problem with a known-good, already-installed fix sitting unused, not a fundamental platform limitation.

---

## 4. Exact Fix

1. **Deactivate** "XML Sitemap Generator for Google" (Auctollo) on **both** WordPress environments (EN and TR — confirmed active on both via identical version fingerprint).

1. **Activate Yoast SEO** on both. Confirm its XML Sitemaps module is enabled (default on). Flush permalinks (Settings → Permalinks → Save) on both after deactivation so WP's rewrite rules regenerate cleanly and no route conflict persists.

1. In Yoast, verify the `course` and `university` custom post types are **not** excluded from the sitemap (Yoast → Settings → Content Types), so they get their own child sitemap automatically.

1. Update both `robots.txt` files:

- Remove Sitemap: `https://<host>/sitemap.html` (invalid entry, not machine-readable XML/TXT).
- Replace Sitemap: `https://<host>/sitemap.xml` with the new Yoast index,

`https://<host>/sitemap_index.xml`.

1. Re-submit `https://huneducation.com/sitemap_index.xml` and

`https://tr.huneducation.com/sitemap_index.xml` in their respective Search Console properties

(verify a TR-specific GSC property exists — flag as an open action item if not).

1. Do not leave the legacy plugin's sitemap files live post-cutover; once Yoast is confirmed

healthy, let the old `sitemap.xml` / `sitemap-misc.xml` / `sitemap.html` routes 404 naturally

(do not need special redirects — they were never meaningfully indexed given the coverage gap above).

---

## 5. Target Sitemap Architecture for This WPML Domain-Per-Language Setup

---

**Per-host index (keep the current split — it is correct):**

- `https://huneducation.com/sitemap_index.xml` — declared only in `huneducation.com/robots.txt`
- `https://tr.huneducation.com/sitemap_index.xml` — declared only in `tr.huneducation.com/robots.txt`

Do **not** try to unify EN and TR into a single cross-domain sitemap file — with domain-per-language

WPML, each domain is its own crawlable root/GSC property and must self-declare its own index.

**Per-post-type children, one file per type per host** (all well under the 50k URL / 50MB cap, no pagination needed at current volumes):

- `sitemap-pages.xml` — 14 core pages
- `sitemap-course.xml` — 498 (EN) / 486 (TR) course CPT entries
- `sitemap-university.xml` — 20 / 20 university CPT entries
- Omit a taxonomy/category sitemap unless those archive pages are canonical, indexable, and

actually intended as landing pages — don't add index bloat for non-canonical archives.

**lastmod policy:** use the post's true `post_modified_gmt` (already correct and varied in the orphaned native provider — e.g., real per-course timestamps like `2025-02-22T20:33:26+00:00`), not a blanket "generated-on" plugin timestamp. Two problems to fix during migration:

- The current live homepage `lastmod` (2024-05-20) is stale relative to a site that is clearly still being edited (TR home shows 2026-05-18, other TR utility pages 2026-07-08) — inconsistent freshness across the (broken) sitemap is itself a Low-severity flag once the set is real again.

- `lastmod` should reflect **significant content edits** (price, curriculum, dates, copy), not every trivial re-save (widget/plugin metadata touches). WordPress bumps `post_modified` on nearly any save; if Yoast's dates look artificially "always today" after cutover, that's a sign a caching/optimization plugin or scheduled resave job is touching post rows without real edits.
- Drop `priority` / `changefreq` entirely (Yoast does not emit them by default — correct; Google has ignored both since ~2012).

**`xhtml:link` alternates — use them, but as a secondary signal, not the primary fix:**

- The absence of hreflang here is total: no on-page `<link rel="alternate" hreflang>` tags on any



of 500 crawled pages, and no `xhtml:link` in any sitemap. On a WPML domain-per-language site this is the single highest-leverage indexation fix available, because Google currently has **no signal at all** connecting `huneducation.com/course/medicine-bsc/` to its TR equivalent — risk of wrong-language SERP serving and no consolidated language/region equity.

- **Priority 1: enable WPML's native hreflang output** (WPML → Languages → Search Engine Optimization → "Add hreflang language and region meta tags"). This is a built-in toggle already paid for and is the standard, most reliable mechanism (on-page, present on every request, independent of sitemap freshness).
- **Priority 2, additive: mirror the same relationships as `xhtml:link` in each sitemap** once a WPML→Yoast integration is active, using WPML's translation-relationship API — not a naive "swap the domain" mapping. This matters because EN and TR catalogs are **not 1:1** (498 EN vs 486 TR courses — a 12-course gap). Only emit `xhtml:link` alternates for URLs with a genuine WPML-linked translation; use `x-default` pointing at the source-language version for untranslated items. Do not fabricate alternates for the 12 mismatched courses.
- Sitemap-level hreflang is explicitly supported by Google as an alternative/supplement to on-page tags, but it only helps if it's reciprocal and accurate — do not ship it before the on-page fix, and do not ship it as a substitute for the on-page fix.

## 6. Should All ~984 Course Pages Be in the Sitemap? (Bloat vs. Discovery)

**\*\*Position:** include them, but gate inclusion on a content-remediation pass — do not ship them into the new sitemap unmodified, and do not exclude them indefinitely either.\*\*

Evidence gathered (crawl.json, n=500 crawled URLs, 444 of them `/course/`):

Signal	Finding
Word count	Healthy by raw length: min 318, median 419, max 1,482 words — <b>not</b> classically thin (<300w)
Meta descriptions	<b>443/444 (99.8%) empty</b> — no per-page differentiation in SERP snippets
Structured data	<b>0/444</b> have any schema.org markup (no <code>Course / EducationalOccupationalProgram</code> )
Duplicate title/H1	<b>15 groups, 30 pages</b> with identical <code>&lt;title&gt;</code> and <code>&lt;h1&gt;</code> — true duplicates, independent of the general template question
Canonical	0 mismatches — self-referential, technically clean
Content overlap (sampled)	Two course pages ( <code>medicine-pecs-university</code> vs <code>medicine-bsc</code> ) share <b>~48% of 6-word sequences</b> — i.e. roughly <b>52% unique content</b> , below the 60% quality-gate bar. <b>Sample size n=2 — directional, not exhaustive; recommend a full-corpus similarity pass before final go/no-go.</b>
Scale	984 course+university pages is <b>~20x over</b> the 50-page HARD STOP threshold in this audit's quality gates

By page count alone, this trips the **HARD STOP** gate and requires explicit user sign-off before mass-submission. By content character, these pages are closer to a legitimate **product catalog** (differentiated by subject, degree level, and university — a real multi-variable entity) than to a classic doorway pattern (single variable like city name swapped over identical boilerplate). That distinction is what keeps this in "include with remediation" territory rather than "exclude."

Recommended sequence:

1. **Do not block sitemap inclusion outright.** These are live, 200-status, non-noindexed, canonically-clean pages already being crawled organically (444 of the top 500 crawled URLs are course pages) — removing them from the sitemap doesn't stop indexing, it only slows discovery and recrawl prioritization for a deep, currently low-authority section. At ~984 URLs the sitemap is nowhere near the 50k/50MB technical ceiling, so there is no *hard* technical argument for exclusion.

1. **Fix the 15 duplicate title/H1 groups first** — these are unambiguous duplicate-content violations regardless of the broader thin-content debate; highest ROI, smallest effort.

1. **Populate unique meta descriptions programmatically** from existing structured fields (university name, degree type, duration, language of instruction) — closes the 99.8% gap cheaply and directly improves per-page differentiation.

1. **Add `Course / EducationalOccupationalProgram` schema** — free differentiation signal for both Google and the doorway-page heuristic, and enables rich results.

1. **Re-run a full-corpus (not n=2) near-duplicate content check** after steps 2–4. If measured unique-content ratio clears 60%+ site-wide, proceed with full inclusion. If a subset remains below the bar, prioritize consolidating or noindexing those specific low-differentiation pages rather than the whole catalog.

1. Ship `sitemap-university.xml` (40 URLs total) and `sitemap-pages.xml` (28 URLs total)

**immediately** — well under the 30-page warning threshold, healthier word counts (405–1,341), no scale-driven risk.

1. Per this audit's HARD STOP protocol: since course+university pages exceed 50 pages, **\*\*explicit user justification is required before mass sitemap submission\*\*** — this report surfaces that requirement; sign-off should be obtained by the site owner/stakeholder before step 5's rollout, informed by the remediation status.

---

## 7. Findings Table (Priority-Tagged)

#	Finding	Severity	Evidence
1	Only 2 of 1,052 real URLs (0.19%) are declared in a functioning sitemap, on both hosts	Critical	sitemap-misc.xml on both hosts contains exactly 2 <url> entries
2	Orphaned native WP core sitemap child files serve valid XML bodies under HTTP 404	Critical	wp-sitemap-posts-course-1.xml (498/486 URLs), -university-1.xml (20/20), -page-1.xml (14/14) all return 404 status, confirmed 3x on both hosts
3	Zero hreflang signals anywhere — no on-page tags (0/500 crawled), no sitemap xhtml:link	High	hreflang: 0 on all 500 crawl.json records; no plugin support for WPML in sitemap output
4	Yoast SEO installed but inactive; legacy Auctollo plugin (v4.1.23) active and causing the conflict	High	Plugin comment sitemap-generator-version='4.1.23' on every sitemap response, both hosts
5	robots.txt declares an HTML page via Sitemap: directive on both hosts	High	Sitemap: https://<host>/sitemap.html, confirmed invalid XML by discovery tool
6	984 course/university pages (20x the 50-page hard-stop threshold) currently absent from any sitemap	High	Coverage table §2.3
7	15 duplicate title/H1 groups (30 pages) among course pages	Medium	crawl.json title/H1 Counter analysis
8	443/444 (99.8%) crawled course pages have empty meta description	Medium	crawl.json desc field
9	Sampled course-page pair shows ~48% 6-gram content overlap (~52% unique) — below 60% gate; n=2, needs full-corpus confirmation	Medium	medicine-pecs-university vs medicine-bsc n-gram comparison
10	lastmod freshness inconsistent in current live sitemap (2024 vs 2026 dates)	Low	homepage 2024-05-20 vs sitemap.html 2026-07-08
11	Deprecated priority / changefreq tags present in current output	Info	present in every <url> block, both hosts
12	Underlying content is otherwise healthy: 499/500 crawled = 200, 0 noindex, 0 canonical mismatches	Info (positive)	crawl.json status/noindex/canonical fields

Score: 14/100

# SXO Analysis — huneducation.com (Turkish market priority)

Scope note (per orchestrator instruction mid-task): deep SERP analysis narrowed to the four highest-value Turkish queries below. Eight additional queries (pilotaj, yüksek lisans, öğrenci vizesi, YKS'siz yurtdışı üniversite, and the three English queries) were also searched and are used only as **supplementary** evidence for the "untapped intent" finding — they were not classified/tabled with the same rigor as the four primary queries. This is stated explicitly rather than inferred.

---

## 1. Query → Page-Type → Ranker → Match Table

#	Query	Winning page type (SERP consensus)	Who ranks	HunEducation page (EN/TR)	Verdict	
1	"Macaristan'da üniversite okumak"	<b>Hybrid (Service + Content)</b> — single consolidated agency "mega-guide" covering universities + costs + admission + language requirements on ONE url	Turkish study-abroad agencies: elt.com.tr, gedu.com.tr, gowest.com.tr, studyhungary.education, kayzinternational.com, derdanismanlik.com, academix.com.tr — no .edu, no forums, no video	/education-in-hungary/ \	/macaristanda-universite-okumak/ (768/1051 words, 6 H2s, no schema)	<b>MISMATCH (HIGH)</b> — right business-page category, but HunEducation split the topic across 4 siloed pages (this page + admission + costs + universities) instead of the one comprehensive page competitors rank with. Page did not surface in top results for its own target phrase.
2	"Macaristan üniversite ücretleri"	<b>Comparison/reference table synthesized as a fee table by department + a living-cost table by accommodation type</b> (business/eng. €3-4k, medicine €8-18k, dorm €150-300, rental €300-600, guesthouse €200-400)	Same agency set: elt.com.tr, ıcesturkey.com, edulife.com.tr, gedu.com.tr, kayzinternational.com, mtyedu.com — <b>tr.huneducation.com/macaristan-universite-fiyatlari/ appears in results (~pos. 7)</b>	/costs/ \	/macaristan-universite-fiyatlari/ — confirmed has_table: False on both language versions; costs live in prose under H2 "Hungarian Universities Departments Prices" and a single worked example under H2 "Sample Education and Living Wage Calculation"	<b>MISMATCH (HIGH)</b> — page partially ranks (proves topical relevance) but is structurally the wrong type: it needs to <i>be</i> a table/calculator, not prose that happens to contain numbers.

#	Query	Winning page type (SERP consensus)	Who ranks	HunEducation page (EN/TR)	Verdict	
3	"Macaristan'da tıp okumak"	<b>Comparison guide with a structured entrance-exam point breakdown</b> (English 40 pts / medical English 20 / biology 20 / chemistry-physics 20 + oral interview) and per-university tuition (~\$15,500) with explicit YÖK-recognition callouts; one competitor (kayzinternational.com) year-stamps the page "2026" for freshness	elt.com.tr, gedu.com.tr, in-bee.com, kayzinternational.com, sofiauni.com	/studying-medicine-in-hungary-and-pursuing-a-medical-degree-in-hungary/ \	TR equivalent — 1,280 words, <b>duplicate H2 "Requirements for Studying Medicine in Hungary" appears twice</b> (content bug), no year-stamp, no per-university comparison table	<b>MISMATCH (CRITICAL)</b> — highest-stakes query in the set (parents comparing medical schools); page is a flat prose guide when the query demands a side-by-side university comparison table. Did not surface in this query's top results.
4	"Macaristan üniversite başvuru şartları"	<b>Procedural/checklist guide</b> (document list, apostille requirement, language-test thresholds, department-specific exceptions e.g. portfolio for arts, entrance exam for medicine); one competitor (iecc.com.tr) year-stamps "2026-2027"	elt.com.tr, igesturkey.com, gedu.com.tr, iecc.com.tr, edulife.com.tr, poseidon-tr.com, <b>and HunEducation twice</b>	/admission/ and /macaristan-universite-basvuru-sartlari/ <b>both appear in the same SERP</b>	<b>PARTIAL MATCH, but self-cannibalizing</b> — the page's underlying structure (H3 checklist: Age Limit → Visa → Eligibility → Application → Pre-Acceptance → Final Acceptance) is close to the right type. But two of the site's own URLs compete for the same query. Confirmed root cause: <b>zero real hreflang tags exist anywhere on the site</b> (grep found only RSS/oEmbed <code>rel="alternate"</code> links — no <code>hreflang="tr"</code> / <code>hreflang="en"</code> on any of the 18 pages fetched), so Google has no signal for which URL to serve to Turkish searchers.	

**SERP consensus across the 4 queries:** ~90%+ of visible organic results are Turkish study-abroad **agency** pages (Hybrid Service+Content type) — no Hungarian university (.edu/.hu) domains, no forums, no video results, no shopping/ads observed. HunEducation is fighting the correct competitive set (other agencies), not a category of publisher it can't compete with. The losses are structural, not category-level.

## 2. Three Clearest Page-Type Mismatches (structural fixes, not "add more content")

---

### Mismatch 1 — `/costs/` and `/macaristan-universite-fiyatlari/` need to become a **comparison table + cost calculator**, not prose

- Current: `has_table=False`; a single narrative "Sample Education and Living Wage Calculation" example, buried under an H2, not an interactive element.
- Fix: Replace the prose fee narrative with (a) a sortable **table**: university × department × annual tuition (EUR) × application fee, matching the exact breakdown Google already rewards (business/engineering €3-4k, medicine/dentistry €8-18k), and (b) an above-the-fold **interactive calculator**: dropdowns for city, degree level, department → outputs estimated annual tuition + living cost range. This is a Tool/Interactive page-type requirement, not a copywriting fix.

### Mismatch 2 — `/studying-medicine-in-hungary...` needs to become a **university comparison table**, not a single narrative guide

- Current: one flat article; duplicate H2 "Requirements for Studying Medicine in Hungary"; no per-university breakdown.
- Fix: Add a **Comparison Page** module: rows = Semmelweis / Debrecen / Pécs / Szeged, columns = tuition (EUR/year), entrance exam format + point weights, duration, campus city, YÖK-equivalence status. This is the exact structure competitors' synthesized answers already contain — the page needs the table, not more paragraphs.

### Mismatch 3 — `/universities/` and `/macaristan-universiteleri/` need to become a **city/campus comparison or filterable directory**, not 12 sequential prose blurbs

- Current: 615 words, 18 images, one H2 per university (12 universities) written as sequential text blocks — no sortable data, no map, no city grouping (Budapest vs. Debrecen vs. Pécs vs. Szeged).
- Fix: Restructure as either (a) a **city-page cluster** — separate landing pages for "Study in Budapest" / "Study in Debrecen" / "Study in Pécs" (each with its own local intent: cost of living in that city, campuses located there, transport), mirroring how "study in Hungary" SERPs increasingly reward city-level content, or (b) a single **filterable comparison table** (university × city × QS/THE ranking × English programs count × tuition range), reusing the Ajax Search Pro filter component already built for `/courses/`.

**Bonus structural/technical fix (ties into Mismatch 4 in the query table):** implement real `hreflang="en"` / `hreflang="tr"` link tags between the `huneducation.com` and `tr.huneducation.com` page pairs. This is a one-time template fix that resolves the self-cannibalization seen on the admission query and likely affects all 9 page pairs, not just admission.

---

## 3. Biggest Untapped Intent

---

**A dedicated Hungary student-visa page does not exist anywhere in HunEducation's money-page set**, despite visa being a mandatory, high-anxiety step every persona must clear. The supplementary search on "Macaristan öğrenci vizesi" returned an entirely different competitor set — visa/travel agencies (`vizemerkezi.com`, `ligarbatravel.com`, `mkmtur.com`, `endlessabroad.com.tr`) — none of which are education consultancies. Their winning page type is a simple **procedural checklist**: required documents, biometric photo specs, accommodation proof, flight reservation proof, processing time ("15-30 business days"), and total service cost ("~350 €"). HunEducation, as an agency that already handles visa support for its placed students, has stronger authority to win this than pure visa-processing shops (real success/approval-rate data, real applicant stories) but currently cedes the entire query to them. A close second: "YKS'siz yurtdışı üniversite" is an awareness-stage entry query where HunEducation's core differentiator (no exam required) should dominate, but no page frames Hungary against the other no-exam destinations (Poland, Georgia, Malta) the way competitor `yelkenegitim.com`'s comparison content does.

---

## 4. Persona Scoring

Persona	Journey stage	Relevance /25	Clarity /25	Trust /25	Action /25	Total /100	Rating
Turkish high-school senior + paying parent	Awareness→Consideration	14	11	8	12	<b>45</b>	Needs Work
Bachelor's graduate seeking a master's	Consideration→Decision	15	12	9	13	<b>49</b>	Needs Work
Medicine applicant comparing countries	Decision (high-stakes)	13	10	7	11	<b>41</b>	Needs Work

**Turkish high-school senior + paying parent** — must visit 4 separate pages (why-hungary, education-in-hungary, costs, admission) to assemble the answer competitors give on one page (Relevance 14). No table means the parent can't quickly compare department fees (Clarity 11). Zero schema, zero testimonials, no visible accreditation badges or "since [year]" credibility markers for a parent trusting an agency with tuition money (Trust 8 — weakest cell across all three personas). CTA is generic "Get in Touch"/WhatsApp with no parent-specific offer (e.g., "Free eligibility check" or a downloadable cost PDF) (Action 12).

**Top fix:** add an Organization/EducationalOrganization schema block with verifiable placement numbers + a parent-facing "Is my child eligible? — free 10-minute check" CTA on the admission and costs pages.

**Bachelor's graduate seeking a master's** — masters page covers general advantages and a few field examples (Psychology, Business, Engineering) but doesn't link prominently to the actual filterable 490-programme catalogue at `/courses/`, so the persona must rediscover filtering on a separate page (Relevance 15, Clarity 12). No alumni outcomes or recognition proof beyond a generic "internationally recognized diploma" claim (Trust 9). CTA is "Learn More"/"Get in Touch," not "Browse Master's Programmes →" pre-filtered to level=Master's (Action 13).

**Top fix:** cross-link `/masters-education-in-hungary/` directly into a pre-filtered `/courses/` view by degree level, and add at least one graduate outcome/testimonial.

**Medicine applicant comparing countries** — this persona is explicitly evaluating Hungary against Poland/Georgia/Czechia etc., and the medicine page contains zero comparative-country framing (Relevance 13 — weakest relevance score of the three). The duplicated H2 and absence of a university-by-university exam/tuition table make the page hard to scan for a decision this consequential (Clarity 10). No accreditation/recognition proof (WHO/ECFMG-style listing, residency/pass-rate data), no named medical-education expert byline for E-E-A-T (Trust 7 — lowest trust score overall). Single generic "Get In Touch Now" CTA with no medicine-specific consultation offer (Action 11).

**Top fix:** fix the duplicate-H2 bug, add the Semmelweis/Debrecen/Pécs/Szeged comparison table (see Mismatch 2), and add a medicine-specific "Book a free entrance-exam readiness consultation" CTA.

**Systemic issue across all three personas:** Trust is the lowest-scoring dimension for every persona (7–9/25) — driven by the site-wide absence of schema markup ( `schema:` [ ] confirmed on all 18 pages checked), testimonials, accreditation badges, and visible freshness/update dates (all 18 pages fetched carry no real "last updated" date; image upload timestamps trace back to 2023, and `htmldate`'s fallback guess of 2026-01-01 is not a real publication date signal).

## 5. Limitations

- WebSearch is not a verified google.com.tr session — results may not exactly match localized Turkish SERP ranking order, ads, PAA boxes, or AI Overview presence/citations. No PAA questions, related-searches list, or featured-snippet format could be directly confirmed; query-intent inference is based on the synthesized answer content and the domains that ranked.
- Per the narrowed scope, only 4 of the original 12 target queries were analyzed to full rigor. The other 8 (pilotaj eğitimi, yüksek lisans, öğrenci vizesi, YKS'siz yurtdışı üniversite, and the 3 English queries) were searched and results exist, but were used only as supporting evidence for the untapped-intent finding, not tabled/scored.
- Page-type classification of competitor URLs is based on WebSearch's synthesized summaries and titles, not a full render+parse of each competitor page (out of scope/turn budget) — treat competitor classification as directional, not verified line-by-line.
- No rank-tracking tool was used, so "position ~7" references are inferred from result order returned by WebSearch, not confirmed SERP position.



- Ads, AI Overview citations, and PAA clusters could not be independently confirmed for any of the 4 queries.
- 

## Cross-Skill Recommendations

---

- Schema is absent site-wide (18/18 pages show `schema: []`) → recommend `/seo schema` for Organization, EducationalOrganization, Course, and FAQPage generation.
- Duplicate-H2 content bug on the medicine page and thin 615-word `/universities/` page → recommend `/seo page` for page-level audits.
- No E-E-A-T signals (author bylines, accreditation, outcomes data) on medicine/pilot/masters pages → recommend `/seo content` for a deep E-E-A-T pass.
- Missing hreflang between huneducation.com and tr.huneducation.com, confirmed across all 9 page pairs → technical SEO fix, flag in the main technical audit.

Score: 38/100

# Technical SEO Audit — huneducation.com / tr.huneducation.com

Date: 2026-08-30

Scope: 500-page crawl of huneducation.com ( `crawl.json` ) plus live verification of both hosts (huneducation.com = EN, tr.huneducation.com = TR, separate WPML-linked installs). Root cause for most content-layer gaps: Yoast SEO, Yoast SEO Premium, WPML SEO and "Schema & Structured Data for WP & AMP" are installed but **inactive** (confirmed by site owner; corroborated below by zero frontend footprint from any of these plugins).

## Critical

### C1. Sitemap effectively empty against a ~1,050-URL site — caused by a separate broken legacy plugin, not just the inactive Yoast install

- Evidence: `robots.txt` on both hosts declares `Sitemap: https://huneducation.com/sitemap.xml` and `Sitemap: https://huneducation.com/sitemap.html`. `sitemap.xml` is a valid `sitemapindex` pointing to one child, `sitemap-misc.xml`, which contains exactly **2 <url> entries**: the homepage and `/sitemap.html`. `/sitemap.html` itself is not valid XML (fails as a sitemap format — confirmed via `sitemap_discovery.py`). Identical structure on tr.huneducation.com (2 URLs: TR homepage + `/sitemap.html`).
- Root cause identified: the XML is generated by **"Google Sitemap Generator" by Arne Brachhold** ( `wp-content/plugins/google-sitemap-generator/sitemap.xml`, generator version `4.1.23` ), a plugin abandoned since roughly 2015/pre-WP5.5. This plugin is *active* (it is actively regenerating output with today's timestamp/Request-ID) but its post/page sitemap generation is broken or misconfigured — it emits no `sitemap-pt-*` (posts/pages/CPT) sub-files at all ( `sitemap-pt-post-p1.xml`, `sitemap-pt-page-p1.xml`, `sitemap-pt-egitim-p1.xml`, `sitemap-tax-category.xml`, `sitemap-author.xml` all return 404). It also appears to intercept `/wp-sitemap.xml` (WordPress core's native sitemap URL) and returns an **empty <urlset>** there too — meaning WP's built-in fallback sitemap is not available either.
- Impact: ~1,050 URLs (498 EN courses, 486 TR courses, ~40 university pages, ~28 core pages) have **no sitemap discovery path**. Google/Bing must find them purely by crawling the `/courses/` pagination and internal links.
- Fix: Deactivate/delete `google-sitemap-generator` (unmaintained, conflicts with core sitemaps). Activate Yoast SEO (already installed) to generate `sitemap_index.xml` with proper post-type sub-sitemaps, or, if Yoast is not activated, simply remove the legacy plugin so WordPress core's native `/wp-sitemap.xml` takes over automatically. Resubmit the new sitemap URL in GSC/Bing Webmaster Tools for both hosts.

### C2. Zero structured data, zero hreflang, zero Open Graph tags on all 500 crawled pages (confirmed, and independently re-verified)

- Evidence: `sema` (schema types) is `[]` and `og` is `false` on all 500 rows in `crawl.json`; `hreflang` count is `0` on every row. Independently re-checked by directly fetching and grepping the homepage source on both hosts ( `scratch_home.html`, `scratch_home_tr.html` ): zero `application/ld+json` blocks, zero `og:` / `twitter:` meta tags, zero `hreflang=` attributes on either EN or TR homepage. `render_page.py`'s structured-data extractor independently confirms `block_count: 0` on the homepage.
- Root cause: Yoast SEO / Yoast SEO Premium (would emit JSON-LD + OG), WPML SEO (would emit `hreflang` alternates), and "Schema & Structured Data for WP & AMP" are all installed-but-inactive.
- Mitigating detail found: WPML's **language-switcher UI is functioning** — `wpml-ls-` CSS classes and a `wpml-ls-item-tr` entry are present and wired up in the EN homepage markup, and the TR homepage links back to EN pages (e.g. `huneducation.com/about-us/`, `huneducation.com/courses/`). So cross-language user navigation exists; only the SEO signal layer\* (`hreflang <link>` tags, and by extension Google's language/region association) is missing. This confirms the hreflang gap is a plugin-activation gap, not a broken WPML core install.
- Impact: no rich-result eligibility (Organization/Course/Breadcrumb schema all absent), no social-share preview cards (missing `og:image/og:title` hurts CTR on shared links), and Google has no explicit signal associating huneducation.com/EN pages with tr.huneducation.com/TR equivalents (risk of the two hosts self-competing for shared course-topic intent).
- Fix: Activate Yoast SEO (configure Course/Organization schema for the relevant CPTs) and WPML SEO (hreflang). Once active, add reciprocal `hreflang="en"` / `hreflang="tr"` / `hreflang="x-default"` on paired course URLs — note the EN (498) and TR (486) course counts don't match 1:1, so slug-pair mapping needs to be confirmed before hreflang rollout (see "not verified" section).

### C3. No HTTP security headers at all, on either host

- Evidence: full response headers captured for both `https://huneducation.com/` and `https://tr.huneducation.com/` contain only: `Date`, `Server`, `Expires`, `Cache-Control`, `Pragma`, `Link`, `Set-Cookie`, `Vary`, `Content-Type`. Explicitly absent on both hosts (confirmed via targeted grep against the header dump): `Strict-Transport-Security` (HSTS), `X-Content-Type-Options`, `X-Frame-Options`, `Content-Security-Policy`, `Referrer-Policy`, `Permissions-Policy`.
- Impact: no HSTS means every `http://` link or typo-navigation does one clear-text round trip before the 301 (a small SSL-stripping/MITM window); no clickjacking protection; no MIME-sniffing protection. These also directly feed Lighthouse's "Best Practices" score.
- Fix: add via `.htaccess` (Apache confirmed as the server) or a security-headers plugin:

```
Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains; preload"
```

```
Header always set X-Content-Type-Options "nosniff"
```

```
Header always set X-Frame-Options "SAMEORIGIN"
```

```
Header always set Referrer-Policy "strict-origin-when-cross-origin"
```

```
Header always set Permissions-Policy "geolocation=(), microphone=(), camera=()"
```

Roll out on huneducation.com first and confirm no third-party embed (WhatsApp widget, GTM, YouTube) breaks under a CSP before adding one; add HSTS `preload` only after confirming all subdomains (including tr.) are HTTPS-only.

---

## High

### H1. No caching layer — every request is `Cache-Control: no-store, no-cache, must-revalidate` and sets a fresh

#### `PHPSESSID` cookie

- Evidence: identical header block on the homepage, the `/courses/` archive, `/courses/2/` through `/courses/25/`, individual course pages, and even 301 redirect responses: `Cache-Control: no-store, no-cache, must-revalidate` / `Pragma: no-cache` / `Set-Cookie: PHPSESSID=...; path=/`. No `CF-Cache-Status`, `X-Cache`, `Age`, or any CDN/edge-cache header on any response checked. The plugin inventory pulled from the homepage source (elementor, elementor-pro, jet-engine/elements/menu/search/tabs/tricks, google-analytics-for-wordpress/MonsterInsights, pixelyoursite, sitepress-multilingual-cms/WPML, wp-whatsapp-chat) contains **no caching plugin** (no WP Rocket/W3TC/WP Super Cache/LiteSpeed Cache) and **no image-optimization plugin**.
- Impact: every page view is a fresh, uncached PHP execution with a brand-new session; across ~1,050 live URLs this is a real TTFB/LCP risk under real traffic or crawl load, and it prevents any browser/proxy caching of HTML (repeat visits re-download the full page every time).
- Fix: install and configure a caching plugin (WP Rocket, or LiteSpeed Cache if the host runs LiteSpeed) with page caching for anonymous visitors. Separately, audit what is calling `session_start()` /setting `PHPSESSID` on every front-end request — sessions should not be created for anonymous visitors on pure content pages; gate it to only the pages that actually need session state (e.g. the contact/lead form).

### H2. Course listing pages are 650–735 KB of raw HTML each, with 36–47 separate render-blocking CSS requests and unoptimized web-font loading

- Evidence: the heaviest pages in the 500-page crawl are all `/courses/N/` pagination pages — `/courses/24/` at 735,378 bytes, `/courses/10/` at 714,402 bytes, `/courses/11/` at 710,096 bytes (site-wide average is 159,880 bytes). Direct fetch of `/courses/` and `/courses/2/` show **36 separate `<link rel="stylesheet">` requests each**, one file per Elementor widget (`widget-image.min.css`, `widget-heading.min.css`, `widget-icon-list.min.css`, `widget-social-icons.min.css`, etc.) — indicating Elementor's "Improved CSS Loading" asset combination is not enabled. On top of that, 3 full Google Fonts families are requested via the legacy blocking API with **every weight and style** (100–900, italic): `fonts.googleapis.com/css?family=Poppins:100,100italic,...,900,900italic` (same pattern for Roboto and Open Sans). Only one `preconnect` hint exists (`fonts.gstatic.com`); none to `fonts.googleapis.com` itself.
- Impact: a heavy render-blocking CSS chain plus an oversized font payload directly threatens LCP on exactly the page type (course listings) most likely to be a search entry point; the large HTML size on 25 near-identical archive pages also inflates crawl cost for no ranking benefit.

- Fix: in Elementor > Settings > Advanced, enable "Improved CSS/Asset Loading" to consolidate per-widget CSS; trim the Google Fonts request to only the weights actually used in the design (typically 2–4 per family); add `rel=preconnect` for `fonts.googleapis.com` in addition to the existing `fonts.gstatic.com` one; consider a lighter listing-card template to shrink per-page HTML weight.

### H3. 70.8% of images sitewide are missing `alt` attributes

- Evidence: aggregated across all 500 crawled pages from `crawl.json`: 2,614 `<img>` tags found in main content, 1,851 without a non-empty `alt` attribute (70.8%).
- Impact: an accessibility failure (WCAG), and a loss of image-search/alt-text ranking signal sitewide, including on all 444 crawled course detail pages.
- Fix: bulk-audit against the media library; since Elementor image widgets pull `alt` from `wp_postmeta._wp_attachment_image_alt` by default, fixing alt text at the media-library level will propagate across all usages of each image in one update.

### H4. 494/500 pages have no meta description (confirmed, independently reproduced on TR home)

- Evidence: `crawl.json` shows 494/500 EN pages with an empty `desc` field. Independently re-checked the TR homepage directly — no `<meta name="description">` present there either, confirming the gap is not EN-only.
- Impact: Google will auto-generate snippets from body copy across roughly 1,050 URLs, typically hurting CTR relative to a deliberately written description.
- Fix: activate Yoast SEO and use bulk/template variables (e.g. "`%%title%% — Study %%course_name%% in Hungary | HunEducation`") to backfill descriptions for the 444 EN + roughly 430 TR course pages programmatically, then hand-write descriptions for the ~28 core pages (home, about, admission, costs, contact).

### H5. Large, unbounded faceted/filtered course-search URLs are crawlable

- Evidence: the TR homepage links directly to EN filtered results such as `huneducation.com/courses/?asp_ls=&asp_active=1&p_asid=1&p_asp_data=1&aspf%5Bcourse_institute__6%5D=&termset%5Bcourse-month%5D%5B%5D=-1&...&termset%5Bcourse-category%5D%5B%5D=33&filters_initial=1&filters_changed=0&wpmL_lang=en&qtranslate_lang=0&current_page_id=199` (from an Ajax-Search-Pro-style filter widget on the course archive). Confirmed by direct fetch: this URL returns `HTTP 200`, and — importantly — **self-corrects** with `<link rel="canonical" href="https://huneducation.com/courses/">` (no query string), so canonical signal consolidation is working correctly. `robots.txt` has no `Disallow` rule for query strings, so these remain freely crawlable even though not indexable.
- Impact: crawl-budget waste — every combination of course category/institute/month/year/city/level is a distinct crawlable URL returning ~650KB of HTML, even though the canonical tag protects against actual duplicate indexation.
- Fix: add a `Disallow` rule scoped to the filter parameters (e.g. patterns matching `asp_ls=`, `termset%5B`, `aspf%5B`) or configure equivalent handling in Bing Webmaster Tools' URL-parameter settings, to stop crawl-budget spend on filter permutations. Re-verify the canonical tag still resolves correctly after the robots.txt change (it should, since `Disallow` only affects crawling, not the already-indexed canonical URL).

---

## Medium

### M1. `/courses/` pagination set (25 pages, confirmed) has no `rel="next"/"prev"` and template-thin, near-duplicate titles

- Evidence: `/courses/`, `/courses/2/` ... `/courses/25/` are 25 distinct URLs (confirmed count in `crawl.json`), each with a **correct, self-referencing canonical** — individually verified pages 1, 2, 3 and 25 each canonicalize to themselves, not to `/courses/` (no canonical-collapsing bug). However, no `rel="next" / rel="prev"` link tags were found on any of the checked pagination pages (direct grep against raw HTML: zero matches), and all 25 pages carry the same generic title pattern differentiated only by page number: "Courses HunEducation" / "Courses Page 2 HunEducation" / "Courses Page 3 HunEducation" / ... / "Courses Page 25 HunEducation" — no unique value proposition per page, and (per H4) none of them carry a meta description.
- Impact: `rel=next/prev` is deprecated by Google (since 2019) but is still consulted by Bing; on its own this is minor, but combined with the thin/undifferentiated titling and zero meta descriptions across all 25 pages, it's a real (if secondary) weak-content signal for a 25-page URL set that has no chance of ranking for anything on its own merits.

- Fix: this is low-cost to improve — write a distinct, descriptive title/meta description template per page (if the taxonomy allows batching by featured country, degree level, or intake period, use that to differentiate). Add `rel="next"/"prev"` for Bing's benefit; optional since Google ignores it.

## M2. WordPress/plugin version disclosure via generator meta tags

- Evidence: the homepage `<head>` contains three separate disclosure tags: `<meta name="generator" content="WordPress 7.1" />`, `<meta name="generator" content="WPML ver:4.9.4 stt:1,53;" />`, and an Elementor generator tag disclosing Elementor 4.1.1 plus feature flags.
- Impact: minor attack-surface fingerprinting — an attacker can target known CVEs for the exact WP/WPML/Elementor build without guessing. Not a ranking factor directly; flagged as security hygiene.
- Fix: strip the WordPress generator tag via `remove_action('wp_head', 'wp_generator')`, and add equivalent filters/removal for the WPML and Elementor generator tags, ideally as part of the same hardening pass as C3.

## M3. Two redirect hops for the www variant before reaching the canonical URL

- Evidence: `http://www.huneducation.com/` → 301 → `https://www.huneducation.com/` → 301 → `https://huneducation.com/` (2 hops, confirmed via header trace on each leg). By contrast, `http://huneducation.com/` → 301 → `https://huneducation.com/` is a clean single hop.
- Impact: minor extra latency/crawl-budget hop for any inbound link built with a `www.` prefix; low volume concern but easy to eliminate.
- Fix: add a single rewrite rule sending both `http://www` and `https://www` directly to `https://huneducation.com` in one hop, instead of protocol-upgrading the `www` host first and only then stripping `www`.

## M4. Duplicate <title> tags across distinct URLs

- Evidence: 17 duplicate-title groups spanning 34 pages in the 500-page crawl, including exact duplicate pairs such as "Electrical Engineering BME HunEducation", "Chemical Engineering BME HunEducation", "Computer Science Engineering BME HunEducation", "MA Sociology HunEducation" — same title text, different URLs.
- Impact: title-tag collisions between distinct course entries either indicate genuinely duplicate/near-duplicate course listings (worth a content audit) or a title template that fails to disambiguate variants (e.g. the same course offered at two intake dates or degree levels).
- Fix: confirm with the content team whether each of the 17 pairs is a true duplicate (merge + 301 if so) or a legitimate variant (extend the title template with a differentiator such as intake term, degree level, or campus).

---

## Low

---

### L1. Case-insensitive URLs resolve without a normalizing redirect

- Evidence: `https://huneducation.com/COURSES/` returns `HTTP 200` directly (no redirect to the lowercase `/courses/`), serving equivalent content.
- Impact: a theoretical duplicate-path exposure if any external link ever uses mixed case. Real-world risk is low since all internal links are consistently lowercase; canonical tags are template-generated from the resolved permalink rather than the raw request path, so they likely still self-correct to the lowercase canonical — but I did not fetch-and-confirm the canonical tag value from the uppercase request itself (see "not verified" below).
- Fix: add a case-normalizing redirect at the webserver level if straightforward in the current Apache config; low priority otherwise.

### L2. Crawlability is otherwise clean (pass, listed for completeness)

- Evidence: 0/500 crawled pages carry a `noindex` robots meta tag; 0/500 were blocked by `robots.txt` (the crawler's own blocked-URL list is empty); `robots.txt` on both hosts only disallows `/wp-admin/` (with `admin-ajax.php` correctly carved out as `Allow`) — a minimal, correct configuration with no over-blocking.

### L3. No JS-rendering dependency (pass, listed for completeness)

- Evidence: `render_page.py --mode auto` against the homepage reports `is_spa: False`, and the automatic SPA-shell detector did not even trigger a Playwright render — meaning full content, titles, and links are present in the raw server response. The site is Elementor-generated static HTML, not client-side rendered.

- Google/Bing do not need to execute JavaScript to see course content, titles, or internal links.

#### L4. Mobile viewport correctly configured (pass, listed for completeness)

- Evidence: `<meta name="viewport" content="width=device-width, initial-scale=1">` is present and correctly configured on both the EN and TR homepages (independently confirmed on both hosts).

#### L5. Canonical tag implementation is technically correct across the crawled set (pass, worth stating explicitly)

- Evidence: across all 500 crawled EN pages, 0 have a canonical pointing to a different URL than themselves (aside from the expected `/courses/N/` self-referencing pagination canonicals, individually verified), 0 canonicalize cross-domain to `tr.huneducation.com`, and only 1 page (the single 404) has an empty canonical field.
- This directly answers the audit brief's "canonical correctness (incl. cross-language)" ask: no cross-language canonical leakage was found in the crawled set.

---

### What I could NOT verify (flagging so the report does not overclaim)

- **IndexNow / "Instant Indexing" plugin behavior:** no supporting evidence found — no IndexNow key file at the domain root, no "indexnow"/"rankmath"/"instant indexing" string anywhere in the homepage source, and best-effort probes against a few known plugin-slug `readme.txt` paths (`wp-indexnow`, `index-now`, `rank-math-pro`) all returned 404. This suggests no active IndexNow integration, but I was not able to browse the actual wp-admin plugin list or a full plugin-directory listing, so absence of frontend evidence is not fully conclusive (some IndexNow implementations submit purely server-side/via cron with no frontend footprint). **Recommend confirming directly in wp-admin > Plugins.**
- **Canonical tag value specifically on the uppercase `/COURSES/` request** (L1) — confirmed the page returns 200 with content, but did not re-fetch that exact response and inspect its canonical tag value.
- **Course catalog EN↔TR slug-pair mapping** (referenced under C2) — I did not build a full 498×486 URL-pair comparison; the roughly 12-course gap between the EN and TR catalogs is inferred from counts already supplied, not independently reconciled URL-by-URL. This should be done before rolling out hreflang pairs.
- **Course-page average word count:** measured directly from `crawl.json`'s word-count field for all 444 crawled `/course/{slug}/` singular pages: average 445.1 words, minimum 318, maximum 1,482 — zero pages under 150 words. This is higher than an earlier ~330-word estimate raised during this audit; flagging the discrepancy rather than silently adopting either figure. Either way, the conclusion holds: thin content is not a real issue on course detail pages.
- **Full Core Web Vitals field/lab data** (actual LCP/INP/CLS measurements in milliseconds): this audit is source-and-header inspection only — no CrUX/PageSpeed Insights API call and no Lighthouse run were performed. Findings above (H2 in particular: unoptimized fonts, missing image dimensions, no caching layer) are risk indicators derived from HTML/header inspection, not measured metric values, and should be confirmed with a real PSI/CrUX pull before prioritizing engineering time.
- **Working-folder artifacts** (`screenshots/`, `render-home.json`, `render-home.err`, `t.html`) present in the audit directory were not incorporated into this analysis — treated as prior working files and not re-verified against the findings above.

---

### Score: 32/100

Rationale: the site is technically reachable, crawlable, and correctly canonicalized — clean redirect behavior, no `noindex/robots` blocking, no JS-rendering dependency, correct mobile viewport, and zero canonical mismatches across all 500 crawled pages. But it is failing on almost every layer that actually drives visibility and click-through at scale: no working discovery path for roughly 1,050 URLs (a broken legacy sitemap plugin), zero structured data/hreflang/Open Graph sitewide, zero HTTP security headers, no caching layer on a template-heavy Elementor+Jet stack, and 70.8% of images missing alt text. Nearly all of this traces back to a small, fixable set of causes — reactivate three or four already-installed plugins, remove one abandoned plugin, add a caching layer, and add one security-headers rule — which is why the score is low while the fix effort is disproportionately small relative to the impact.

# Görsel ve mobil değerlendirme

Kaynak: 20 ekran görüntüsü (5 sayfa × masaüstü/mobil × üst kısım/tam sayfa),

screenshots/ klasöründe. Mobil 390×844, masaüstü 1440×900.

Not: Görsel ajanı yakalamayı tamamladı ama analiz dosyasını yazamadan oturum yeniden başladı. Bu dosya, yakalanan görüntüler doğrudan incelenerek yazıldı.

## Kritik

### 1. Program kartlarında ilan edilen son başvuru tarihlerinin %100'ü geçmiş

`courses_mobile_abovefold.png` — ilk kartta büyük puntıyla:

**Application deadline: June 30, 2025**

Bugün 2026-08-30. Veritabanından doğruladım: tarih girilmiş \*\*965 programın

965'inde\*\* son başvuru tarihi geçmiş.

Son başvuru yılı	Program
2023	3
2024	68
<b>2025</b>	<b>892</b>
2026	2

`course-year` taksonomisi de aynı: 953 program "2025", 31 program "2024", \*\*2026

kayı yok\*\*. En son düzenlenen program: 2026-03-09 — yaklaşık altı ay önce.

Yani sitenin ana varlığı olan ~984 sayfalık katalog, ziyaretçiye 14 ay önce

kapanmış başvuru dönemlerini gösteriyor. Bu hem dönüşümü doğrudan öldürür hem de

arama motorlarına bayatlık sinyali verir. Teknik bir SEO sorunu değil — ticari

bir sorun.

### 2. İngilizce sitede Türkçe WhatsApp widget'ı

Beş ekran görüntüsünün hepsinde, alt kısımda sabit duran yeşil düğme:

**"Size Nasıl Yardımcı Olabiliriz?"** — `huneducation.com` (lang="en-US")

üzerinde. İngilizce ziyaretçi anlamadığı bir dille karşılanıyor.

Türkçe `<title>` bulgusuyla aynı sınıftan: dil ayrımı yapılandırılmamış.

## Yüksek

### 3. Ana sayfanın üst kısmında değer önerisi yok, arama formu var

`home_mobile_abovefold.png` : ilk ekranın tamamı H1 + 6 filtre alanı + 2 düğme.

- H1 **"Search Your Favorite Course Here"** — bir arayüz talimatı; hedeflediği

hiçbir sorgu yok. Sitenin en değerli sayfasının H1'i bu.

- Değer önerisi ("The best Hungarian universities' majors in English & German")

H1'in altında küçük punto, tamamı büyük harf — okunması zor.



- Ne telefon numarası, ne "1999'dan beri", ne öğrenci sayısı, ne bir güven

işareti. Ailenin yılda ~10.000 € taahhüt edeceği bir kararda ilk ekran

hiçbir güven unsuru taşıyor.

- "English & German" ifadesi sitenin geri kalanıyla çelişiyor (her yerde

İngilizce eğitim deniyor).

#### 4. Katalog mobilde kullanılamayacak kadar yavaş ilerliyor

`courses_mobile_full.png` : filtre formu ilk ekranı tamamen kaplıyor, ilk program

kartı ancak ikinci ekranda başlıyor ve tek kart neredeyse bir ekran yüksekliğinde.

490 program, sayfa başına ~20 kayıt, 25 sayfa. Telefonda programa ulaşmak için

önce formu geçmek, sonra sayfalama yapmak gerekiyor.

Kartın içeriği iyi (seviye, başlangıç, son başvuru, ücret, üniversite) — sorun

yoğunluk ve gezinme.

## Orta

#### 5. Hero görselinin üzerindeki gradyan görüntüyü yok ediyor

Sarı→camgöbeği degrade, arkadaki öğrenci fotoğrafını neredeyse tamamen bastırıyor.

Fotoğraf var ama görünmüyor; hem estetik hem güven açısından boşa harcanmış alan.

#### 6. Katalog başlığındaki kırmızı bant

`Courses` başlığı düz kırmızı zemin üzerinde; sitenin lacivert/sarı kimliğiyle

ilişkisz. Şablon varsayılanı izlenimi veriyor.

## Bilgi — iyi olanlar

- **Yatay taşma yok:** beş sayfanın hiçbirinde, iki görünümde de

(`horizontalOverflow: 0`). Bu gerçek bir artı.

- Dokunma hedefleri geniş; form alanları ve düğmeler 44 px eşiğinin üzerinde.
- Yazı tipi boyutları mobilde okunabilir.
- Program kartındaki bilgi mimarisi doğru: kullanıcının sorduğu beş şey

(seviye, tarih, süre, ücret, üniversite) tek bakışta görünüyor.

## Ölçülen yükleme davranışı

Sayfa	DOMContentLoaded	load	Belge yüksekliği (mobil)
Ana sayfa	3,28 sn	5,09 sn	14.790 px
Ana sayfa (mobil)	3,36 sn	5,17 sn	—

Beş saniyeye yakın yükleme, mobil bağlantıda daha da uzayacaktır.

Score: 42/100