

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
▼ <quiz>
  ▼ <questions>
    ▼ <mc-question qid="Q516" solution="1">
      ▼ <question>
        What do you promise when you take the oath of citizenship?
      </question>
      <option>To pledge your loyalty to Queen Elizabeth II</option>
      <option>To fulfill the duties of a Canadian</option>
      <option>To pledge your allegiance to the flag</option>
      <option>To pledge your loyalty to Canada from sea to sea</option>
    </mc-question>
    ▼ <tf-question qid="Q637" solution="False">
      ▼ <question>
        The Prime Minister, Stephen Harper, is Canada's Head of State.
      </question>
    </tf-question>
    ▼ <mc-question qid="Q888" solution="4">
      <question>What is the Underground Railroad?</question>
      <option>The first railway to cross Canada</option>
      <option>The CPR's secret railway line</option>
      <option>The TTC subway system</option>
      ▼ <option>
        A network used by slaves who escaped the United States into Canada
      </option>
    </mc-question>
    ▼ <mc-question qid="Q555" solution="3">
      ▼ <question>
        During the War of 1812 the Americans burned down the Parliament Buildings in York (now Toronto). What did the British and Canadians do in return?
      </question>
      <option>They attacked American merchant ships</option>
      ▼ <option>
        They expanded their defence system, including Fort York
      </option>
      ▼ <option>
        They burned down the White House in Washington D.C.
      </option>
      <option>They captured Niagara Falls</option>
    </mc-question>
  </questions>
  ▼ <class-responses>
    ▼ <student sid="s998801234">
      <response qid="Q516" answer="1"/>
      <response qid="Q637" answer="False"/>
      <response qid="Q555" answer="2"/>
      <response qid="Q888" answer="4"/>
    </student>
    ▼ <student sid="s001078452">
      <response qid="Q516" answer="4"/>
      <response qid="Q637" answer="False"/>
      <response qid="Q555" answer="3"/>
      <response qid="Q888" answer="4"/>
    </student>
    ▼ <student sid="s997733991">
      <response qid="Q516" answer="1"/>
      <response qid="Q637" answer="True"/>
      <response qid="Q555" answer="3"/>
      <response qid="Q888" answer="2"/>
    </student>
    ▼ <student sid="s555555555">
```

```
        <response qid="Q637" answer="False"/>
        <response qid="Q555" answer="3"/>
    </student>
</class-responses>
</quiz>
```