Tracking system compatibility for the Restricted Security Area Surveillance Plugin

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Intrusion area import	Sensor position import	Target tracking	Target classification	Device event Mapping	Inter-System Gateway (IS Gateway)	Failover compatibility	License part	Developed by Genetec	User Guide
AIM Robotics	Short-range sensor	AIM-DD-S1 Stationary Drone Detection System AIM-DD-P1 Portable Drone Detection System	Wilco SafeAirspace 1.0		80/443/ 3200			✓	✓	✓ (Drone, Pilot)	✓	✓		GSC-GAP-RSA-1SRS		
ASDT	Radar		SENDESBridge API	Client	443	✓			✓	✓	✓	✓	✓	GSC-GAP-RSA-1RAD	✓	
Axis	Short-range sensor	AXIS D2XXX family (radar device) AXIS Q1XXX family (fusion device)	Firmware 10.6.0 Firmware 11.9.63	Client	554			✓	✓	✓		✓	✓	GSC-GAP-RSA-1SRS	✓	
	Short-range sensor	Axis Perimeter Defender	3.1.0.33049	Client	80				✓	✓		✓			✓	
Bosch	Short-range sensor	Bosch IVA cameras	Bosch IVA 7.80.0128	Client	554				✓	✓		✓	✓	GSC-GAP-RSA-1SRS	✓	
Dedrone	Radar	Radiobox	Dedrone API v3.0	Client/Server	443	✓	✓	✓	✓	✓	✓	✓	✓	GSC-GAP-RSA-1RAD	✓	
Echodyne	Radar	Echoguard	SW Suite 15.0	Client	29979 29982	✓			✓		✓	✓	✓	GSC-GAP-RSA-1RAD	✓	
EPSI	Radar	PSR 200 PSR 500	v2.0	Client	80	✓	✓	✓	✓		✓	✓	✓	GSC-GAP-RSA-1RAD	✓	
HGH	Radar	Spynel cameras	Cyclope 6.6.1.15580	Client	8000	✓		✓	✓	✓		✓	✓	GSC-GAP-RSA-1RAD	✓	
i-PRO	Short-range sensor	AI-VMD	AI-VMD v3.80 or later	Client	443 HTTPS/ 80 HTTP/ 554 RTSP	✓			✓	✓ (Person, Vehicle, Bicycle) ✓ (Person, Vehicle, Others)		✓	✓	GSC-GAP-RSA-1SRS		
		WV-RD5500-CSE WV-RD5500-CS WV-RD5500-CE WV-RD5500-C	v1.00	Client	80 or 443	✓			✓			✓	✓	GSC-GAP-RSA-1SRS		
Magnasphere (by Inxpect)	Short-range sensor	MSK-101-POE-MM	Tsecs Macs Rest API 1.0.2	Client		✓		✓	Partial		✓	✓		GSC-GAP-RSA-1SRS	✓	
Magos	Radar	SR-150 SR-250 SR-500 AR-300 SR-1000	MASS SDK 3.23.10	Client	3000		✓		✓	✓	✓	✓	✓	GSC-GAP-RSA-1SRS GSC-GAP-RSA-1RAD (SR-1000 model only)	✓	
Navtech Radar	Radar	Navtech radars	ICD-001 - Witness Software 4.8.0.621	Client	1100	✓		✓	✓	✓		✓	✓	GSC-GAP-RSA-1RAD	✓	
Opsys technologies	Laser	ALTOS-70 ALTOS-150 ALTOS-300	SW version 6.2	Client	443			✓	✓	✓ (Person, Vehicle)				GSC-GAP-RSA-1SRS		
OPTEX	Laser	PIE-1	PIE-1	Client/Server	80/443 50001				Partial		✓	✓		GSC-GAP-RSA-1SRS	✓	
Ouster	Laser			Client	1883				✓	✓		✓	✓	GSC-GAP-RSA-1SRS		

© 2026 Genetec Inc. All rights reserved.

Last updated: October 21, 2026

Tracking system compatibility for the Restricted Security Area Surveillance Plugin

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Intrusion area import	Sensor position import	Target tracking	Target classification	Device event Mapping	Inter-System Gateway (IS Gateway)	Failover compatibility	License part	Developed by Genetec	User Guide
Outsight	Short-range sensor			Client				✓	✓	✓		✓	✓	GSC-GAP-RSA-1SRS		
Quanergy	Laser	M8	Qortex DTC v2.2 (Not compatible with	Client	17161 17168		✓		✓	✓	✓	✓	✓	GSC-GAP-RSA-1SRS	✓	🔗
Robin Radar	Radar	Elvira	Elvira 2.3.0	Client	16810	✓			✓	✓		✓	✓	GSC-GAP-RSA-1RAD	✓	🔗
Secure Sense Innovations	Radar		CoreCommand v4.1 and above		443		✓	✓	✓	✓	✓	✓		GSC-GAP-RSA-1RAD		
SightLogix	Short-range sensor		Sightlogix metadata 1.13	Client		✓		✓	✓			✓	✓	GSC-GAP-RSA-1SRS	✓	🔗
Sperry Marine	Radar		IEC 61162 TLL	Server		✓			✓			✓		GSC-GAP-RSA-1RAD	✓	🔗
Spotter Global	Radar	C Series, CK Series, A Series, 3D Series Cerbair System	NetworkedIO 4.10.1	Client/Server	80	✓	✓	✓	✓	✓		✓	✓	GSC-GAP-RSA-1RAD	✓	🔗
TechnoAware	Short-range sensor (camera)	All cameras supported by VTrack (refer to the TechnoAware website)	VTrack		30403 30402				✓	✓		✓		GSC-GAP-RSA-1SRS		
Teledyne FLIR	Radar	FLIR Ranger R1, R2, R20SS, R3, R6SS, R3D,	PSR System v9.2.3 CC/XML	Server	8005		✓	✓	✓		✓	✓	✓	GSC-GAP-RSA-1RAD	✓	🔗
Uavionix	Radar	Ping Station	Ping Station	Client/Server	30000 80	✓		✓	✓	✓			✓	GSC-GAP-RSA-1RAD	✓	

© 2026 Genetec Inc. All rights reserved.

Perimeter intrusion system compatibility for the Restricted Security Area Surveillance Plugin

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Sensor position import	Target pipoint	Target classification	Device event Mapping	Inter-System Gateway (IS Gateway)	Failover compatibility	License part	Developed by Genetec	User Guide
Aragon Photonics	Perimeter	Hector HDAS	Hector_2_v1.4 CommsAPI_v1.0.1	Server	To configure			✓			✓	✓	GSC-GAP-RSA-1FEN		
CATIS	Perimeter	HIS Series		Server	7000		✓	✓	✓ (people and unknown only)	✓	✓		GSC-GAP-RSA-1FEN		
CIAS	Perimeter	CIAS perimeter devices	IB System v3.10	Client	10001			Partial		✓			GSC-GAP-RSA-1FEN	✓	🔗
Crown Solar	Perimeter							Partial	✓		✓		GSC-GAP-RSA-1FEN		
Fiber SenSys	Perimeter	Echopoint	EP9301/9302 XML Protocol (software versions 2.4.4 and 4.2.5)	Client	789	✓		✓		✓	✓		GSC-GAP-RSA-1FEN	✓	🔗
Future Fibre Technologies	Perimeter	FFT Aura FFT Aura AI FFT Secure	FFR 3.12.29.1186	Client	80	✓	✓	✓	✓	✓	✓	✓	GSC-GAP-RSA-1FEN	✓	🔗
Ksense	Perimeter	KDas	1.2.6	Client/Server	5082	✓		✓	✓		✓	✓	GSC-GAP-RSA-1FEN		
Mira technologies	Perimeter	MIRA FPS central units		Server (TCP listener)	8090								GSC-GAP-RSA-1FEN		
Omnisens	Perimeter						✓	✓	✓	✓	✓	✓	GSC-GAP-RSA-1FEN		

© 2026 Genetec Inc. All rights reserved.

Perimeter intrusion system compatibility for the Restricted Security Area Surveillance Plugin

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Sensor position import	Target pipoint	Target classification	Device event Mapping	Inter-System Gateway (IS Gateway)	Failover compatibility	License part	Developed by Genetec	User Guide
OptaSense	Perimeter		OS6.15.0	Client	8009 (configurable)		✓		✓ (Digging, mechanical digging, vehicle, person, walk, climb, fence cut, unknown)	✓ (Process crashed, critical process stopped, disk failed, no database, no comms, rolling recorders out of disk space, slow rolling recorder disk, cannot manual record, fatal log present)	✓		GSC-GAP-RSA-1FEN		
RBTEC	Perimeter	RaySense v1	RaySense Websocket terminal	Client	57006			Partial			✓	✓	GSC-GAP-RSA-1FEN	✓	
Remcon Security	Perimeter	Remcon Fence Controller (REM 250)	Firmware Version: 5.31	TCP/IP (Persistent TCP connection)	9191 443 80					✓ (Alarm Cleared (Restore alarm), Active alarm (Alarm), System fault (Trouble), Device Connected, Device Disconnected)	✓		GSC-GAP-RSA-1FEN		
Ronyo Technologies	Perimeter	Varya Perimeter	Varya Perimeter	Client	161 162		✓		✓	✓	✓		GSC-GAP-RSA-1FEN		
Senstar	Perimeter	FiberPatrol FiberPatrol 400	Network Manager Interface 2.53	Client	850 to 859	✓	✓	✓	✓	✓	✓	✓	GSC-GAP-RSA-1FEN	✓	
		OmniTrax (ISG only)						✓	✓	✓	✓	✓			
		FlexZone (ISG only)						✓	✓	✓	✓	✓			
Sieza	Perimeter	Peridect+ Peridect-CUP+	Peridect+ API	Client	80					✓	✓	✓	GSC-GAP-RSA-1FEN		
Sintela	Perimeter	Onyx	Onyx 6.4.13	Client	8081		✓	✓		✓	✓		GSC-GAP-RSA-1FEN		

© 2026 Genetec Inc. All rights reserved.

Perimeter intrusion system compatibility for the Restricted Security Area Surveillance Plugin

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Sensor position import	Target pipoint	Target classification	Device event Mapping	Inter-System Gateway (IS Gateway)	Failover compatibility	License part	Developed by Genetec	User Guide
Sorhea/Protech	Perimeter	G-Fence 600 G-Fence 600Z G-Fence 2400 Maxibus	SmartBridge 4.5.0					Partial			✓	✓	GSC-GAP-RSA-1FEN		
Southwest Microwave	Perimeter	Micropoint POE-S	Device SDK (IppServices 2.0)	Client	50001 (default service port)	✓		✓		✓	✓	✓	GSC-GAP-RSA-1FEN	✓	
		Microwave 316-POE-S, 334-POE-S, 336-POE-S		Client						✓	✓	✓			
		Microwave Model 390/395		Client						✓	✓	✓			

© 2026 Genetec Inc. All rights reserved.

Deprecated tracking system compatibility (Starting with RSA 5.1)

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Intrusion area import	Sensor position import	Target location	Target classification	Device event mapping	Failover compatibility	License part	Developed by Genetec	User Guide
Avon	Radar	NDA	Asterix Cat-100	Client	65635	✓			✓	✓		✓	GSC-GAP-RSA-1RAD	✓	
Axis	Short-range sensor	AXIS D2050-VE AXIS D2110-VE	Firmware 10.6.0 Firmware 10.6.0	Client	554			✓	✓	✓		✓	GSC-GAP-RSA-1SRS	✓	
Blighter	Radar	A400 Series, Revolution 360 Radar, B400 Series, B303 Radar, B202 MK2 Radar, C400 Series	BlighterView HMI v2.2.3.14	Client	9811	✓		✓	✓		✓	✓	GSC-GAP-RSA-1RAD	✓	
CIAS	Perimeter	CIAS perimeter devices	IB System v3.10	Client	10001				Partial		✓	✓	GSC-GAP-RSA-1FEN	✓	
DEA	Perimeter	DEA perimeter devices	DeaMap Library 1.1	Client	8889 8890				Partial		✓	✓	GSC-GAP-RSA-1FEN	✓	
Fiber SenSys	Perimeter	FiberSenSys APU	Device SDK 2.2.0	Client	10001	✓		✓	Partial		✓	✓	GSC-GAP-RSA-1FEN	✓	
Kiwi	Short-range sensor	Any camera	KiwiVision Video Analytics 4.5			✓			✓			✓	GSC-GAP-RSA-1SRS	✓	
Magos	Radar	SR-150-C, SR-150-F, SR-150-I, SR-250-F, SR-250-I, SR-500-F, SR-500-I, Scepter-C, SR-1000-F, SR-1000-I	MASS SDK 3.20.7	Client	3000		✓	✓	✓	✓	✓	✓	GSC-GAP-RSA-1RAD	✓	
Navtech Radar	Radar	Navtech radars	ICD-001 - Witness Software 4.10	Client	1100	✓		✓	✓	✓		✓	GSC-GAP-RSA-1RAD	✓	
OWL	Radar	GA1360 GA3360 GA4120 GA9120	Web version 1.3.9	Client	2 ports defined manually		✓		✓	✓		✓	GSC-GAP-RSA-1RAD		
SAMM	Perimeter	FOTAS	.Net Lib v1.0.0.1	Client	80			✓	✓	✓	✓	✓	GSC-GAP-RSA-1FEN	✓	
Sensurity	Perimeter	Halo Vigil	Sensurity v1.x, v2.0.0.1	Client	8080			✓	✓		✓	✓	GSC-GAP-RSA-1FEN	✓	
SICK	Laser	LMS5xx	CoLa Protocol	Client	2111			✓				✓	GSC-GAP-RSA-1SRS		
Sieza	Perimeter	Peridect+ Peridect-CUP+	Peridect+ API	Client	80						✓	✓	GSC-GAP-RSA-1FEN		
Southwest Microwave	Perimeter	MicroPoint POE-S Microwave POE-S TX-RX 316, 334, 336 Microwave 390/395	Intrepid POE SDK Protocol 2.0	Client Client Client	50001	 ✓		✓		✓ ✓ ✓			GSC-GAP-RSA-1FEN		

© 2026 Genetec Inc. All rights reserved.

Deprecated tracking system compatibility (Starting with RSA 5.1)

Manufacturer	Category	Device model	Latest supported version	Connection type	Ports	FIPS compliant	Intrusion area import	Sensor position import	Target location	Target classification	Device event mapping	Failover compatibility	License part	Developed by Genetec	User Guide
Spotter Global	Radar	C-CK Series, A-Series, 3D-Series Cerbair System	NetworkedIO 4.10.1	Client/Server	80	✓	✓	✓	✓	✓		✓	GSC-GAP-RSA-1RAD	✓	
Sysco	Perimeter	NeoLine	Sense Control 0.2.46 with protocol 1.6.0	Client	8888			✓			✓	✓	GSC-GAP-RSA-1FEN	✓	
FLIR Teledyne	Radar	FLIR Ranger R1, R2, R20SS, R3, R6SS, R3D, R5, R5D, R8SS, R8SS-3D	FLIR ICD_0100 910-0001-02-DEV-R05	Server	8005		✓	✓	✓		✓		GSC-GAP-RSA-1RAD	✓	

Driver compatibility

All IS Gateway drivers are compatible with IS Gateway 1.1 and newer.
All DLL drivers are compatible with RSA 5.0 and newer.

Feature descriptions

Zone import (for tracking systems only)
Zones can be imported from the tracking system to create RSA zones on Security Center

Tracking system position import (for tracking systems only)
A map-object is automatically added to the Security Center map when the tracking system is added to Security Center. For PIDS, the field devices can be imported to create RSA “segments” in Security Center maps.

Target tracking/Target pinpoint
The intrusion system can retrieve the location of targets, so that targets are displayed on Security Center maps.

Target classification
The tracking system cam classify targets.

Intrusion event
Events from the intrusion system can trigger actions and alarms in Security Center. With this feature, the system can also be deployed using the RSA Surveillance Standard package (it doesn’t require RSA zones in Plan Manager).

Developed by Genetec
The driver was developed by Genetec Inc. Some drivers are developed by the partner using RSA APIs.

Inter-System Gateway (IS Gateway)
The IS Gateway is a Windows service that provides Security Center applications access to independent systems running as containers on a virtualization platform. The IS Gateway
provides tracking system drivers access to the RSA Surveillance plugin.

FIPS compliant
The tracking system is compliant with the Federal Information Processing Standard (FIPS).

© 2026 Genetec Inc. All rights reserved.