Supported plugins in Security Center

Last updated: 2026-10-22

Click here for the most recent version of this document.

© 2010-2026 Genetec Inc. All rights reserved.

1. Supported plugins in Security Center
2. Barcode and QR scanning
3. Biometrics
4. Computer aided dispatch
5. Displays and video walls
6. Elevator destination dispatch
7. Evacuation management
8. Evidence management
9. Guard tour
10. Gunshot detection
11. Identity management
12. Integrated access control
13. Integrated automatic license plate recognition systems
14. Intelligent keys
15. Intrusion monitoring
16. IoT
17. Key and asset management
18. Maintenance and health monitoring
19. Parking management
20. Perimeter protection
21. Traffic management
22. Transaction monitoring
23. Workflow management

© 2010-2026 Genetec Inc. All rights reserved.

1 | Supported plugins in Security Center

Before installing or upgrading your Genetec™ plugin or extension, we recommend that you consult the product compatibility list for your integration.

Product compatibility indicates that the product supports and can run with specific versions of other products. A product is compatible when it meets one of the following certification levels:

Certified
Genetec Inc. has tested and validated the product.

Supported by design
The product has similar characteristics or is a newer version of a certified version, but Genetec Inc. has not tested or validated the product.
NOTE: Minor versions of a major release are supported by design. For example, if 5.11.1.0 is listed, then subsequent 5.11.*n*.0 are supported by design. If a major release is not listed, then it is not supported.

To be eligible for technical support, you must install the Security Center and third-party software versions that are listed as certified or supported by design in the following table.

For a list of plugins that have reached end-of-sale or end-of-life, refer to Product Lifecycle page on the Genetec Portal.

© 2010-2026 Genetec Inc. All rights reserved.

2 | Barcode and QR scanning

The following barcode and QR scanning plugin is compatible with the Security Center versions and products listed in the table.

Plugin	Third-party version	Certified Security Center version
TagTracker 3.0	Certified: • KeyGrabber key loggers • Datalogic DS2400N Supported by design: • Datalogic DX8210 • USB connected BarCode readers	5.10 and 5.11

© 2010-2026 Genetec Inc. All rights reserved.

3 | Biometrics

The following biometrics plugin is compatible with the Security Center versions and products listed in the table.

Plugin	Third-party version	Certified Security Center version
Morpho Biometrics 3.1	Certified: MorphoManager 9.8.6, 14.6.0.23, 15.3, and 16.6 Not supported: MorphoManager 16.3	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

4 | Computer aided dispatch

The following Computer Aided Dispatch plugin is compatible with the Security Center versions and products listed in the table.

Plugin	Third-party version	Certified Security Center version
Dispatch System Connector 5.10	• New World CAD by Tyler Technologies • Hexagon CAD • Versaterm CAD • Higherground Live911 • Peregrine CAD	• 5.10: 5.10.4.27 (5.10.4111.27010) and later 5.10 versions. • 5.11: 5.11.3.15 (5.11.3130.15018) and later 5.11 versions. • 5.12: 5.12.2.2 (5.12.2181.2030) and later 5.12 versions. • Any version of 5.13.

© 2010-2026 Genetec Inc. All rights reserved.

5 | Displays and video walls

The following display and video wall plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Barco CMS 4.2	Certified: • Barco CMS 2.8 Hotfix 1 • Barco CMS 2.9 Hotfix 6 • Barco CMS 2.10 Hotfix 3 • Barco CMS 3.0 • Barco CMS 3.2 • Barco CMS 3.9 • Barco CMS 3.14 • Barco CMS 3.20 • Barco CMS 3.21	5.10, 5.11, 5.12, 5.13, and 5.14
EIZO Video Wall 3.3.0	For a list of supported versions, see the Genetec Inc. supported device list.	5.10, 5.11, 5.12, 5.13, and 5.14
Video Wall 3.2.0	For a list of supported versions, see the Genetec Inc. supported device list.	5.10 and 5.11
Video Wall 3.1	For a list of supported versions, see the Genetec Inc. supported device list.	5.10

© 2010-2026 Genetec Inc. All rights reserved.

6 | Elevator destination dispatch

The following elevator destination dispatch plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
KONE Destination Dispatch 3.0.2	Certified: KONE Polaris 800/900 and KONE Destination 820/880 for GCAC 1 protocol support	5.10, 5.11, 5.12, 5.13, and 5.14
KONE Destination Dispatch 3.0.1	Certified: KONE Polaris 800/900 and KONE Destination 820/880 for GCAC 1 protocol support	5.10, 5.11 and 5.12
KONE Destination Dispatch 3.0	Certified: KONE Polaris 800/900 and KONE Destination 820/880 for GCAC 1 protocol support	5.10 and 5.11
KONE Access 1000 1.0.0	Certified:KONE AK-API version 1.0	5.13 and 5.14 NOTE: Full activity trails reporting is only supported with Security Center 5.13.3.1 and later. For plugins running on Security Center 5.13.3.0 and earlier, only the *Entity export started* activity is reported.
MCE Sentry Destination Dispatch 3.0.1	Certified: MCE Security Protocol Specification Revision 17	5.10.4.0, 5.11, 5.12, 5.13, and 5.14
MCE Sentry Destination Dispatch 3.0.0	Certified: MCE Security Protocol Specification Revision 17	5.10.4.0, 5.11 and 5.12
Otis Compass 3.2.2	Certified: Otis CompassPlus™ ICD (Interface Control Document) version 1.0, 2.1, 2.2, 3.0, and 3.1	5.10.4, 5.11, 5.12, 5.13, and 5.14
Otis Compass 3.2.1	Certified: Otis CompassPlus™ ICD (Interface Control Document) version 1.0, 2.1, 2.2, 3.0, and 3.1	5.10.4, 5.11, 5.12, 5.13, and 5.14
Otis Compass 3.2	Certified: Otis CompassPlus™ ICD (Interface Control Document) version 1.0, 2.1, 2.2, 3.0, and 3.1	5.10
Schindler PORT Elevator 3.0	Certified: Schindler PORT communications protocol V1.3	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
ThyssenKrupp 3.2.0	• ThyssenKrupp Destination Dispatch Ethernet Security Specification Certified: v2.1 and 2.7 Supported by design: v2.2, v2.3, v2.4, v2.5, and v2.6 • ThyssenKrupp Agile	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

7 | Evacuation management

The following evacuation management plugins are compatible with the Security Center versions and products listed in the table.

Plugin	Third-party version	Certified Security Center version
Evacuation Assistant 1.4.2	Certified: Coppernic C-One² mobile readers	5.10, 5.11, 5.12, 5.13, and 5.14
Mustering 3.2.1	Not applicable	5.10, 5.11, 5.12, 5.13, and 5.14
Mustering 3.2.0	Not applicable	5.10, 5.11, 5.12 and 5.13 Bundled with Security Center 5.10.1.0 to 5.13.x.
Mustering 3.1.0	Not applicable	5.9, 5.10 and 5.11 Bundled with Security Center 5.9.1.0 to 5.10.0.x.
Mustering 3.0.0	Not applicable	5.9 and 5.10 Bundled with Security Center 5.9.0.0.

© 2010-2026 Genetec Inc. All rights reserved.

8 | Evidence management

The following evidence management plugin is compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Clearance plugin 3.6.2.0	Not applicable	5.11, 5.12, 5.13, and 5.14
Clearance plugin 3.6.1.0	Not applicable	5.11, 5.12 and 5.13
Clearance plugin 3.5.253.0	Not applicable	5.10, 5.11, 5.12 and 5.13
Clearance plugin 3.5.229.0	Not applicable	5.10, 5.11, 5.12 and 5.13
Clearance plugin 3.5.116.0	Not applicable	5.10, 5.11, 5.12 and 5.13
Clearance plugin 3.5.98.0	Not applicable	5.10, 5.11, 5.12 and 5.13
Clearance plugin 3.5.63.0	Not applicable	5.10, 5.11, and 5.12
Clearance plugin 3.5.47.0	Not applicable	5.10, 5.11, and 5.12
Clearance plugin 3.5.38.0	Not applicable	5.10, and 5.11
Clearance plugin 3.5.14.0	Not applicable	5.10, and 5.11

© 2010-2026 Genetec Inc. All rights reserved.

9 | Guard tour

The following guard tour plugin is compatible with the Security Center versions and products listed in the table.

Plugin	Third-party version	Certified Security Center version
SPS CheckPoint 3.0.1	Not applicable	5.10, 5.11, 5.12, 5.13, and 5.14
SPS CheckPoint 3.0	Not applicable	5.10, 5.11, and 5.12

© 2010-2026 Genetec Inc. All rights reserved.

10 | Gunshot detection

The following gunshot detection plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
SDS Guardian 3.3.0.0	Certified: • Guardian Gateway R3.3a • Guardian Gateway R3.31	5.10, 5.11 and 5.12
ShotSpotter Gunshot Detection 3.0	Certified: SST Notification API Release 2.7.3	5.10, 5.11 and 5.12

© 2010-2026 Genetec Inc. All rights reserved.

11 | Identity management

The following identity management plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Advanced Enrollment 3.3.0	Certified: • HID Fargo driver 5.2.0.1 and 5.4.0.1 • HID Fargo driver 1.0.1.39.2 for HDP 6600 card printer • HID Asure ID Developer Exchange 7.8.6.537 • HID Asure ID SDK 7.8.6.537	5.10.4.0, 5.11, 5.12, 5.13, and 5.14
Advanced Enrollment 3.2.0	Certified: • HID Fargo driver 5.2.0.1 and 5.4.0.1 • HID Fargo driver 1.0.1.39.2 for HDP 6600 card printer • HID Asure ID Developer Exchange 7.8.6.536 • HID Asure ID SDK 7.8.6.536	5.10.4.0, 5.11, 5.12, 5.13, and 5.14
Airport Badging Solution 3.8.0	Certified: • Aware LiveScan 3.14.1 • Aware NISTPack 5.23.6.1 • Gemalto Document Reader driver (latest) • MorphoKit TopSlim driver 5.27 • Topaz Signature Pad driver (latest)	5.12, 5.13, and 5.14
Airport Badging Solution 3.7.1	Certified: • Aware LiveScan 3.14.1 • Aware NISTPack 5.23.6.1 • Gemalto Document Reader driver (latest) • MorphoKit TopSlim driver 5.27 • Topaz Signature Pad driver (latest)	5.12, 5.13, and 5.14
Airport Badging Solution 3.7	Certified:	5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
	• Aware LiveScan 3.14.1 • Aware NISTPack 5.23.6.1 • Gemalto Document Reader driver (latest) • MorphoKit TopSlim driver 5.27 • Topaz Signature Pad driver (latest)	
Airport Badging Solution 3.6	Certified: • Aware LiveScan 3.14.1 • Aware NISTPack 5.23.6.1 • Gemalto Document Reader driver (latest) • MorphoKit TopSlim driver 5.27 • Topaz Signature Pad driver (latest)	5.12, 5.13, and 5.14
Airport Badging Solution 3.5	Certified: • Aware LiveScan 3.14.1 • Aware NISTPack 5.23.6.1 • Gemalto Document Reader driver (latest) • MorphoKit TopSlim driver 5.27 • Topaz Signature Pad driver (latest)	5.12, 5.13, and 5.14
Airport Badging Solution 3.4	Certified: • Aware LiveScan 3.14.1 • Aware NISTPack 5.23.6.1 • Gemalto Document Reader driver (latest) • MorphoKit TopSlim driver 5.27 • Topaz Signature Pad driver (latest)	5.10, 5.11, 5.12, and 5.13
Card Synchronization 4.1.1	Certified for on-premise deployments: • Microsoft SQL Server 2014 • Microsoft Azure SQL Database • Microsoft Entra ID using Microsoft Graph API • Open Database Connectivity (ODBC) • Oracle Database 12c Certified for Security Center SaaS Edition (Classic) deployments:	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
	• Microsoft Azure SQL Database • Microsoft Entra ID using Microsoft Graph API	
Genetec ClearID™ plugin	Not applicable	5.11 and later
Genetec™ Enhanced Cardholder Management 1.0.0	Not applicable	5.10.3 and 5.13
ID Scanner 3.4.0	Multiple ID Scanner devices. See release notes.	5.10.4.0, 5.11, 5.12, 5.13, and 5.14
ID Scanner 3.2.1	Multiple ID Scanner devices. See release notes.	5.10, 5.11 and 5.12
Personal Identification Verification Manager 1.0.0	HID SDK 5.30.7	5.12.2.0, 5.13, and 5.14
Security Center Office Manager 3.0	Not applicable	5.10 and 5.11
Transact Campus ID One Card 1.1.0	Transact ACI on TSE 4.1.7	5.13.1.0 and later
Transact Campus ID One Card 1.0.0	Transact ACI on TSE 4.1.7	5.13.1.0 and later

© 2010-2026 Genetec Inc. All rights reserved.

12 | Integrated access control

The following integrated access control plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
AMAG Symmetry 3.3.1	Certified: • Symmetry Security Management Software 9.4 • Symmetry XML Open Integration Module version 9.4	5.10.4, 5.11, 5.12, 5.13, and 5.14
CCURE 9000 Access Control 3.9.2	Certified: Software House CCURE 9000 2.90 and 3.0 IMPORTANT: The Software House CCURE 9000 3.10 is incompatible with Security Center. Do not upgrade your Software House CCURE 9000 to version 3.10.	5.12.2.0, 5.13, and 5.14
CCURE 9000 Access Control 3.9.1	Certified: Software House CCURE 9000 2.90 and 3.0 IMPORTANT: The Software House CCURE 9000 3.10 is incompatible with Security Center. Do not upgrade your Software House CCURE 9000 to version 3.10.	5.12.2.0, 5.13, and 5.14
CCURE 9000 Access Control 3.8.0	Certified: Software House CCURE 9000 2.90 and 3.0	5.10.2, 5.10.3, 5.10.4, 5.11 and 5.12
CCURE 9000 Video Integration 3.7.1	Certified: Software House CCURE 9000 2.90, and 3.0	5.10.4.19, 5.11.3.7, and 5.12.0.0
CCURE 9000 Video Integration 3.7.0	Certified: Software House CCURE 9000 2.90	5.10 and 5.11
Genetec™ Data Exporter Plugin Guide 1.0.0	Not applicable	5.11.3.10, 5.12.2.0, and 5.13.0.0
Lenel Video Translator 4.1.2	Certified: 8.3 and 8.4	5.12, 5.13 and 5.14 Limitation: Lenel Video Translator 4.1.2 is only compatible with Security Center SDK 5.12.2.
Lenel Video Translator 4.1.1	Certified: 8.1 and 8.2	5.11 and 5.12
Lenel Video Translator 4.0	Certified: 7.6, and 8.0	5.10
OnGuard 5.3.0	Certified: 8.3 and 8.4	5.12, 5.13 and 5.14
OnGuard 5.2.2	Certified: 8.1 and 8.2	5.11 and 5.12

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
OnGuard 5.2.0	Certified: 8.1 and 8.2	5.11 and 5.12
OnGuard 5.1.3	Certified: 8.0 and 8.1	5.10.4.0 and 5.11
SALTO Virtual Network (SVN) 3.4.0	Certified: • SALTO SHIP service 1.37a and 1.45a • SALTO ProAccess SPACE 6.3.3.0 and 6.11.3.0	5.10, 5.11, 5.12, 5.13, and 5.14
SALTO Virtual Network (SVN) 3.2	Certified: • SALTO SHIP service 1.31a • SALTO ProAccess SPACE 5.3.3.0	5.10
Siemens SiPass 3.4.1	Certified: SiPass Integrated 2.90	5.10.4, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

13 | Integrated automatic license plate recognition systems

The following Integrated automatic license plate recognition system plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Third-Party ALPR 5.10	• ALPR systems: ◦ Vigilant Learn ◦ Safe Fleet • ALPR cameras ◦ Axis License Plate Verifier ◦ Hanwha ◦ Macq ◦ Neural Labs ◦ Genetec ALPR API ◦ Vaxtor VaxLPR ◦ Vaxtor VaxOCR	5.10 and later NOTE: Some features require adequate versions of Fleet Monitoring and Third-Party ALPR.

© 2010-2026 Genetec Inc. All rights reserved.

14 | Intelligent keys

The following intelligent key plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
ASSA ABLOY CLIQ 3.0.1	Certified: CLIQ Web Manager 9.0.2 and later.	5.10, 5.11, 5.12, 5.13, and 5.14
iLOQ 5 Series Digital Locking System 1.0.0	Not applicable	5.10.4, 5.11, 5.12, 5.13, and 5.14
Medeco XT Intelligent Keys 3.1.1	Certified: • Medeco XT Slim Line keys G2 v 1.2.3 and G3S v 1.0.9 • Medeco XT Desktop USB programming stations CAUTION: If you have different generations of keys (G2 and G3), contact Medeco. Older programming stations fail to program different versions of keys consistently. • Genetec IPD programming stations Supported by design: • Medeco XT G4 Slim Line keys and G4 Rugged keys • Medeco XT Industrial keys G2 firmware v 1.2.3 • All Medeco XT Intelligent cylinders	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

15 | Intrusion monitoring

The following intrusion monitoring plugins are compatible with the Security Center versions and third-party products listed in the table.

Genetec™ Intrusion Protocol plugins

Plugin	Third-party version	Certified Security Center version
Genetec™ Intrusion Protocol Core 6.0.3	Certified: • Bosch Intrusion Panel extension 6.0.2 • DSC PowerSeries Neo Intrusion Panel extension 6.0.0 • Satel Intrusion Panel extension 6.0.0	• 5.10 • 5.11.0.0 to 5.11.3.26 • 5.12 • 5.13 • 5.14
Bosch intrusion panel extension 6.0.2 for Genetec™ Intrusion Protocol	Certified: • Genetec Intrusion Protocol 6.0.3 • For a list of supported hardware, see the supported Bosch devices in the Bosch Intrusion Panel 6.0.2 for Genetec Intrusion Protocol extension guide	• 5.10 • 5.11.0.0 to 5.11.3.26 • 5.12 • 5.13 • 5.14
DSC PowerSeries Neo Intrusion Panel 6.0.0 for Genetec™ Intrusion Protocol Extension Guide	Certified: • Genetec Intrusion Protocol 6.0.3 • For a list of supported hardware, see the supported DSC PowerSeries Neo devices in the DSC PowerSeries Neo Intrusion Panel 6.0.0 for Genetec Intrusion Protocol extension guide	5.11, 5.12, and 5.13
Satel intrusion panel extension 6.0.0 for Genetec™ Intrusion Protocol	Certified: • Genetec Intrusion Protocol 6.0.3 • For a list of supported hardware, see the supported Satel devices in the Satel Intrusion Panel 6.0.0 for Genetec Intrusion Protocol extension guide	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
Satel intrusion panel extension 5.2.0 for Genetec™ Intrusion Protocol	Certified: • Genetec Intrusion Protocol 5.2.0 • For a list of supported hardware, see the supported Bosch devices in the Satel Intrusion Panel 5.2.0 for Genetec Intrusion Protocol extension guide	5.10, 5.11, 5.12, and 5.13.1.0
Satel intrusion panel extension 5.0.0 for Genetec Intrusion Protocol	Certified: • Genetec Intrusion Protocol 5.0.0 • For a list of supported hardware, see the supported Satel devices in the Genetec Intrusion Protocol extension guide 5.0.0	5.10 and 5.11
Telenot intrusion panel extension 5.0.0 for Genetec Intrusion Protocol	Certified: • Genetec Intrusion Protocol 5.0.0 • For a list of supported hardware, see the supported Telenot devices in the Genetec Intrusion Protocol extension guide 5.0.0	5.10 and 5.11

Intrusion monitoring plugins

Plugin	Third-party version	Certified Security Center version
Bosch intrusion panel extension 4.4.1	See the Bosch Intrusion Panel Extension Guide for supported devices and firmware versions. NOTE: UL 864 Fire Application mode is incompatible with this integration and is not supported.	5.10, 5.11, 5.12, 5.13, and 5.14 IMPORTANT: Download the Bosch intrusion panel with the build number 4.4.75.0 or later from the Genetec Portal after installing Security Center 5.13.3.0 on a fresh system.
Bosch Map 5000 intrusion panel 3.0	Certified: • Remote Programming Service (RPS) Map 1.21.0.68 • Intrusion alarm system models running firmware version 1.42.0: ◦ ICP-MAP5000-2 ◦ ICP-MAP5000-COM ◦ ICP-MAP5000-S ◦ ICP-MAP5000-SC	5.10, 5.11, 5.13, and 5.14 IMPORTANT: Download the Bosch Map 5000 intrusion panel with the build number 3.0.53.0 or later from the Genetec Portal after installing Security Center 5.13.3.0 on a fresh system.

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
BuyTime 3.0	Not applicable	5.10, 5.11, 5.12, 5.13, and 5.14
DSC PowerSeries extension 4.0	Certified: PC1864 version 4.6, firmware 1.1.2	5.10, 5.11, 5.12, 5.13, and 5.14
DMP intrusion panel extension 4.5.0	Certified: • XR150DN firmware 109, 171, 183, 191, 193, 202, 211, 212, 213, 221, 231, 243, and 252 • XR550DN firmware 109, 171, 183, 191, 193, 202, 211, 212, 213, 221, 231, 243, and 252 • XR150INT firmware 683, 691, 702, 711, 713, 721, and 731 • XR550INT firmware 683, 691, 702, 711, 713, 721 and 731 NOTE: DMP panels programmed for fire or mixed fire/intrusion operation are not supported by this integration.	5.10.4.0, 5.11, 5.12, and 5.13
DMP intrusion panel extension 4.4.0	Certified: • XR150DN firmware 109, 171, 183, 191, 193, 202, 211, 212 and 213 • XR550INT firmware 683, 691, 702, 711, and 713 • XR550DN firmware 109, 171, 183, 191, 193, 202, 211, 212, 213 NOTE: DMP panels programmed for fire or mixed fire/intrusion operation aren't supported by this integration.	5.10.4.0, 5.11, 5.12, 5.13, and 5.14 IMPORTANT: Download the DMP intrusion panel with the build number 4.4.57.0 or later from the Genetec Portal after installing Security Center 5.13.3.0 on a fresh system.
DMP intrusion panel extension 4.3.0	Certified: • XR150N firmware 109, 171, 183, 191, 193, 202, 211, 213, 683, 691, 702, 711, and 713 • XR500N firmware 212 • XR550N firmware 109, 171, 183, 191, 193, 202, 211, 213, 683, 691, 702, 711, 713 Supported by design: • XR100N firmware 212 NOTE: DMP panels programmed for fire or mixed fire/intrusion operation aren't supported by this integration.	5.10, 5.11, and 5.12

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
Honeywell Galaxy intrusion panel extension 3.2.1	Certified: • GD-520 intrusion panel • FX0100 intrusion panel Supported by design: • GD-48, GD-96, and GD-264 intrusion panels • FX-020 and FX-050 intrusion panels	5.10, 5.11, 5.12, 5.13, and 5.14
Receiver extension 3.3.0	Certified: • Bosch Conettix D6100 Communications Receiver/Gateway using the Contact ID or SIA (DC-03) protocols • DMP SCS-VR Virtual Receiver using the SCS-150 Host Communication V104 Supported by design: • Bosch Connettix D6600 Communications Receiver/Gateway using the Contact ID or SIA (DC-03) protocols • DSC Sur-Gard SG-System III Receiver using the SIA protocol.	5.10.4, 5.11, 5.12, 5.13, and 5.14 IMPORTANT: Download the Receiver extension with the build number 3.3.32.0 or later from the Genetec Portal after installing Security Center 5.13.3.0 on a fresh system.
Receiver extension 3.2.0	Certified: • Bosch Conettix D6100 Communications Receiver/Gateway using the Contact ID or SIA (DC-03) protocols • DMP SCS-VR Virtual Receiver using the SCS-150 Host Communication V104 Supported by design: • Bosch Connettix D6600 Communications Receiver/Gateway using the Contact ID or SIA (DC-03) protocols • DSC Sur-Gard SG-System III Receiver using the SIA protocol.	5.10, 5.11, 5.12, and 5.13

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
Restricted Security Area (RSA) Surveillance 5.3.0	For a list of supported systems and devices, see Tracking System Compatibility for Restricted Security Area Surveillance.	5.10, 5.11, 5.12, 5.13, and 5.14 NOTE: RSA 5.3.0 is compatible with Inter-System Gateway 1.4.0 or later.
Restricted Security Area (RSA) Surveillance 5.2.1	For a list of supported systems and devices, see Tracking System Compatibility for Restricted Security Area Surveillance.	5.10, 5.11, 5.12, and 5.13 NOTE: RSA 5.2.1 is compatible with Inter-System Gateway 1.3 or later.
Restricted Security Area (RSA) Surveillance 5.2	For a list of supported systems and devices, see Tracking System Compatibility for Restricted Security Area Surveillance.	5.10, 5.11, 5.12, and 5.13 NOTE: RSA 5.2 is compatible with Inter-System Gateway 1.3 or later.
Restricted Security Area (RSA) Surveillance 5.1	For a list of supported systems and devices, see Tracking System Compatibility for Restricted Security Area Surveillance.	5.10, 5.11, and 5.12 (versions older than 5.12.2) NOTE: RSA 5.1 is compatible with Inter-System Gateway 1.2 or later.
Restricted Security Area (RSA) Surveillance 5.0	For a list of supported systems and devices, see Tracking System Compatibility for Restricted Security Area Surveillance.	5.10, 5.11, and 5.12 NOTE: Some tracking systems require Inter-System Gateway 1.1.
Restricted Security Area (RSA) Surveillance 4.3	For a list of supported systems and devices, see Tracking System Compatibility for Restricted Security Area Surveillance.	5.10, 5.11 and 5.12 NOTE: Some tracking systems require Inter-System Gateway 1.1.
Synergis IX extension 3.2.0 NOTE: Only available in Australia and New Zealand.	Not applicable	5.10, 5.11, 5.12, and 5.14 NOTE: Synergis IX is installed with Security Center.
Synergis IX extension 3.1.1 NOTE: Only available in Australia and New Zealand.	Not applicable	5.10 and 5.11 NOTE: Synergis IX is installed with Security Center.
Synergis™ IX extension 3.1 NOTE: Only available in Australia and New Zealand.	Not applicable	5.10 NOTE: Synergis IX is installed with Security Center.
UTC Advisor Master and Advanced extension 3.3.1	See the UTC Advisor Master and Advanced Intrusion Panel Extension Guide for supported devices and firmware versions.	5.10, 5.11, 5.12, 5.13, and 5.14
Vanderbilt SPC extension 3.3.1	Certified: Firmware version 3.6.6 Supported by design: Firmware version 3.8.5	5.10, 5.11, 5.13, and 5.14 IMPORTANT: Download the intrusion panel with the build number 3.3.24.0 or later from the Genetec Portal after installing Security Center 5.13.3.0 on a fresh system.

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
Vanderbilt SPC extension 3.3.0	Certified: Firmware version 3.6.6 Supported by design: Firmware version 3.8.5	5.10 and 5.11

© 2010-2026 Genetec Inc. All rights reserved.

16 | IoT

The following Industrial Internet of Things (IIoT) plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Industrial IoT 6.0.0.0	Certified: • The Industrial IoT plugin supports BACnet objects from BACnet IP devices. • The Industrial IoT plugin supports Modbus registers from devices that use the Modbus TCP. • The Industrial IoT plugin supports OPC tags and node IDs from OPC UA servers. • The Industrial IoT plugin supports OIDs from devices that uses SNMPv2 or SNMPv3. • The Industrial IoT plugin supports devices that can send HTTP requests in JSON or RAW format to an HTTP server. • The Industrial IoT plugin supports devices that can subscribe or publish data to an MQTT broker in JSON or RAW format.	5.11, 5.12, 5.13, and 5.14
Industrial IoT 5.5.0.0	Certified:	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
	• The Industrial IoT plugin supports BACnet objects from BACnet IP devices. • The Industrial IoT plugin supports Modbus registers from devices that use the Modbus TCP. • The Industrial IoT plugin supports OPC tags and node IDs from OPC UA servers. • The Industrial IoT plugin supports OIDs from devices that uses SNMPv2 or SNMPv3. • The Industrial IoT plugin supports devices that can send HTTP requests in JSON or RAW format to an HTTP server. • The Industrial IoT plugin supports devices that can subscribe or publish data to an MQTT broker in JSON format.	
Industrial IoT 5.4.0.0	Certified: • The Industrial IoT plugin supports BACnet objects from BACnet IP devices. • The Industrial IoT plugin supports Modbus registers from devices that use the Modbus TCP. • The Industrial IoT plugin supports OPC tags and node IDs from OPC UA servers. • The Industrial IoT plugin supports OIDs from devices that uses SNMPv2 or SNMPv3. • The Industrial IoT plugin supports devices that can send HTTP requests in JSON format to an HTTP server. • The Industrial IoT plugin supports devices that can subscribe or publish data to an MQTT broker in JSON format.	5.10, 5.11, 5.12 and 5.13
Industrial Protocol Interface 3.2.0.0	• SNMP managers support SNMPv2c or SNMPv3. • BACnet server.	5.10, 5.11, 5.12, and 5.13

© 2010-2026 Genetec Inc. All rights reserved.

17 | Key and asset management

The following key and asset management plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
deister proxSafe 3.2.2	Certified: deister proxSafe Commander 4.8 and 4.11	5.10, 5.11, 5.12, 5.13, and 5.14
Key Systems Security Asset Manager 3.0.3	Certified: Firmware 20201117a, 20210305a, and 20230721a	5.10, 5.11, 5.12, 5.13, and 5.14
Key Systems Security Asset Manager 3.0.2	Certified: Firmware 20201117a, 20210305a, and 20230721a	5.10, 5.11, 5.12, 5.13, and 5.14
Morse Watchmans KeyWatcher Touch 3.0.1	Certified: KeyWatcher Server version 1.8.1, 1.8.2, and 2.1	5.10, 5.11, 5.12, 5.13, and 5.14
Traka Asset Management 3.4.4	Certified: Traka Integration Engine Suite 2.17.03, 2.22.0, and 2.23.5	5.10.4, 5.11, 5.12, 5.13, and 5.14
Traka Asset Management 3.2.1	Certified: Traka Integration Engine Suite 2.12.2 and 2.17.03	5.10 and 5.11

© 2010-2026 Genetec Inc. All rights reserved.

18 | Maintenance and health monitoring

The following maintenance and health monitoring plugin is compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Streamvault™ Maintenance 3.0	Required: iDRAC9 7.00 or later	5.10, 5.11, 5.12, 5.13, and 5.14
Streamvault Maintenance 2.0	Required: iDRAC9 6.00 or later	5.10, 5.11, 5.12, 5.13, and 5.14
Streamvault Maintenance 1.1	Required: iDRAC9 6.00 or later	5.10, 5.11, 5.12 and 5.13

© 2010-2026 Genetec Inc. All rights reserved.

19 | Parking management

The following parking management plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Flowbird GO 1.0	Flowbird GO API v1	5.10, 5.11, 5.12, 5.13, and 5.14
Free-Flow Multi-tenant 9.5.0	Not applicable	5.11.3.7, 5.12, 5.13, and 5.14 NOTE: Requires Pay-by-Plate Sync 5.5
Free-Flow 9.3.0	Not applicable	5.10.4.0, 5.11, 5.12, 5.13, and 5.14 NOTE: Requires Pay-by-Plate Sync 5.5
Free-Flow Credential Report 1.0	Not applicable	5.10, 5.11, 5.12, 5.13, and 5.14
Free-Flow Data Exporter 2.1	Not applicable	5.13.1.0 to 5.13.3 0 and 5.14
Hotlist and Permit Updater 3.1	Not applicable	5.11.3.0, 5.12, 5.13, and 5.14
Pay-by-Plate Sync 5.8	Multiple parking providers. See release notes.	5.13.1.0 to 5.13.3.0 and 5.14
Plate Pairing 1.0	Not applicable	5.10.4, 5.11, 5.12, 5.13, and 5.14
Post-Payment 1.0	Flowbird StreetSmart 1.0 Q2C FPS Server 1.0	5.10, 5.11, 5.12, 5.13, and 5.14
SKIDATA PlateTech 1.0	Not applicable	Not applicable
T2 PARCS 1.0	Not applicable	Not applicable

© 2010-2026 Genetec Inc. All rights reserved.

20 | Perimeter protection

The following perimeter protection plugin is compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Southwest Microwave RPM II 3.1.1	Certified: Remote Polling Module II (RPM II) for integrating INTREPID™ Series II sensors and auxiliary devices	5.10, 5.11, 5.12, 5.13, and 5.14

© 2010-2026 Genetec Inc. All rights reserved.

21 | Traffic management

The following traffic management plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
ALPR Analysis Reports 1.0.1	Not applicable	5.12.2 and 5.13
AutoVu ALPR Report Activity Trails 1.0.2	Not applicable	5.12.1, 5.12.2, 5.13, and 5.14
Digital Signage Management 5.10	Certified: • NTCIP 1203 V3 compliant signs using SNMP v3 (preferred) NOTE: SNMP v2 & v1 are supported but not secure. • Daktronics parking signs using DF-2052 or DF-2053 • Michat parking signs	5.10, 5.11, 5.12, 5.13, and 5.14
Fleet Monitoring 5.10	• NMEA (0183 RMC and GGA sentences) • Trimble ASCII Interface Protocol (TAIP) • Genetec GPS: XML format V1 for location and metadata ◦ GPS SDK ◦ MQTT ◦ REST ◦ UDP • Icomera • Windows Location API • Actia SDK (Actia Plugin): Actia SDK version 1.4.2 • Onboard devices ◦ Axiomtex Accelerometer ◦ Matrix Orbital display unit Certified: Model ELK204 • Geotab API • GTFS (General Transit Specification Service) NOTE: Supported as a data source in the Vehicle Monitoring plugin and used for metadata in the Fleet Monitoring plugin. • Samsara for vehicle status NOTE: For a complete list of supported devices, refer to the Vehicle Monitoring Plugin topic.	• 5.10: 5.10.4.27 (5.10.4111.27010) and later 5.10 versions. • 5.11: 5.11.3.15 (5.11.3130.15018) and later 5.11 versions. • 5.12: 5.12.2.2 (5.12.2181.2030) and later 5.12 versions. • Any version of 5.13 or 5.14. NOTE: Some Fleet Monitoring and Vehicle Monitoring features require at least the corresponding version of Vehicle Monitoring to be installed.

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
Kashef Third-Party Matcher 1.0	Kashef Secured Gate 3.0	5.10
NJ SNAP 1.1.2	Not applicable	5.12.2, 5.13, and 5.14
Red Light Violation Detection 2.1.0	Not applicable	5.10, 5.11, 5.12, and 5.13 NOTE: Requires SharpOS 12.7 or later
Roaming Recorder Gateway 5.10	Not applicable	5.12 and 5.13
Stakeout - ALPR Frequency Monitor 1.1.0	Not applicable	5.12.2 and 5.13
Transportation Sensor Management 5.10	• AXIS Object Analytics • Bosch IVA • CitiLog SmartTraffic-TD ACAP on Axis camera • CitiLog Media Server • Digital Inputs • Genetec AutoVu™ • Hella People Counter • KiwiVision People Counting • NTCIP • Quanergy QProfile • Sensys SNAPS • Sprinx • Wavetronix • Xovis	• 5.10: 5.10.4.27 (5.10.4111.27010) and later 5.10 versions. • 5.11: 5.11.3.15 (5.11.3130.15018) and later 5.11 versions. • 5.12: 5.12.2.2 (5.12.2181.2030) and later 5.12 versions. • Any version of 5.13 or 5.14.

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
Transportation Sensor Management 2.3	• Bosch IVA Certified: Firmware v6.5 • Genetec AutoVu ALPR Manager • Quanergy QProfile • Sensys SNAPS Certified: SNAPS Professional v2.16, Sensys Networks VDS240 Wireless Vehicle Detection System • Sprinx (TCP Message – JSON Format – Version 2.1.0) • Citilog Media Server Certified: V8.0R2E23.P10 • Citilog SmartTraffic-TD ACAP on Axis camera • NTCIP • Wavetronix • KiwiVision People Counting	5.10, and 5.11
Vehicle Monitoring 5.10	• NMEA (0183 RMC and GGA sentences) • Trimble ASCII Interface Protocol (TAIP) • Genetec GPS: XML format V1 for location and metadata ◦ GPS SDK ◦ MQTT ◦ REST ◦ UDP • Icomera • Windows Location API • Actia SDK (Actia Plugin): Actia SDK version 1.4.2 • Onboard devices ◦ Axiomtex Accelerometer ◦ Matrix Orbital display unit Certified: Model ELK204 • Geotab API • GTFS (General Transit Specification Service) NOTE: Supported as a data source in the Vehicle Monitoring plugin and used for metadata in the Fleet Monitoring plugin.	• 5.10: 5.10.4.27 (5.10.4111.27010) and later 5.10 versions. • 5.11: 5.11.3.15 (5.11.3130.15018) and later 5.11 versions. • 5.12: 5.12.2.2 (5.12.2181.2030) and later 5.12 versions. • Any version of 5.13 or 5.14. NOTE: Some Fleet Monitoring and Vehicle Monitoring features require at least the corresponding version of Vehicle Monitoring to be installed.

© 2010-2026 Genetec Inc. All rights reserved.

Plugin	Third-party version	Certified Security Center version
	NOTE: To review the list of supported devices, refer to the *Supported devices* topic of the applicable version of the Vehicle Monitoring Plugin guide.	

© 2010-2026 Genetec Inc. All rights reserved.

22 | Transaction monitoring

The following transaction monitoring plugins are compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Diebold ATM Integration 3.0	Certified: • Diebold ATM running Agilis	5.10
Transaction Finder 3.2	Certified: • CSV parser 3.1 • Diebold parser 3.1 • GK Software parser 3.1 • InfoGenesis parser 3.1 • IntelliQ parser 3.1 • Line Aggregator parser 3.1 • Maitre'D parser 3.1 • NCR parser 3.1 • NewStore parser 3.1 • Squirrel parser 3.1 • Verifone parser 3.1 Transaction Finder 3.2 can connect to custom parsers using the Gateway API that is deployed as part of the plugin. Parsers are developed separately from the plugin and provided in an installation package that's separate from the plugin. For more information, please consult your Genetec Inc. representative.	5.10.1.0, 5.11, 5.12 and 5.13
Transaction Finder 3.1	Certified: • Maitre'D parser 3.1 • IntelliQ parser 3.1 • GK Software parser 3.1 • InfoGenesis parser 3.1 • CSV parser 3.1 The parsers listed above are included in the plugin installation package. Other parsers are available. Consult your Genetec Inc. representative for details.	5.10

© 2010-2026 Genetec Inc. All rights reserved.

23 | Workflow management

The following workflow management plugin is compatible with the Security Center versions and third-party products listed in the table.

Plugin	Third-party version	Certified Security Center version
Record Management Systems Connector 5.10	Not applicable	5.10, 5.11, 5.12, and 5.13

© 2010-2026 Genetec Inc. All rights reserved.