

UniFi UISP Branding

Q

Search UniFi products

Cloud Gateways Switching WiFi Physical Security Door Access Integrations Accessories

WiFi Integrated > Dream Wall



Dream Wall

UDW



Datasheet

In The Box


Marketing Images

Accessories

Installation Guide



*Requires a memory card with at least 128 GB of storage.



Overview

Dimensions

549 x 342 x 62 mm
(21.6 x 13.5 x 2.4")

UniFi Application Suite

Network <i>i</i>	✓
Protect <i>i</i>	✓
Access <i>i</i>	✓

Connect ⓘ	✓
Managed UniFi Devices	100+
Managed Cameras	(12) HD (7) 2K (4) 4K
Simultaneous Users Connected	300+
Max. WAN Port Count	8
Default WAN Ports	(1) 2.5 GbE RJ45 (1) 10G SFP+
Port Layout	
1 GbE RJ45	17 (4 PoE++; 4 PoE+; 4 PoE (1G/100M/10M)
2.5 GbE RJ45	1 (2.5G/1G/100M)
10G SFP+	2 (10G/1G)
IDS/IPS Throughput	3.5 Gbps
Form Factor	Wall-mounted
Redundancy	(2) Hot-Swappable PSUs
Coverage Area	140 m² (1,500 ft²)
^ Security	
Stateful Firewall	✓
Application-Aware Layer 7 Firewall	✓
DPI & Traffic Identification	✓
Zone-Based Firewall Advanced Filtering (Regions, Domains, Apps)	✓
Content Filtering	✓
Intrusion Prevention (IPS/IDS)	✓
Ad Blocking	✓

VLAN/Subnet-based Traffic Segmentation	✓
--	---

^ VPN & SD-WAN

License-Free SD-WAN	✓
---------------------	---

Site-to-Site VPN

Site Magic	✓
------------	---

IPsec	✓
-------	---

OpenVPN	✓
---------	---

VPN Server

Identity Endpoint One-Click VPN	✓
---------------------------------	---

Teleport Zero-Configuration VPN	✓
---------------------------------	---

WireGuard	✓
-----------	---

OpenVPN	✓
---------	---

L2TP	✓
------	---

VPN Client

OpenVPN	✓
---------	---

WireGuard	✓
-----------	---

^ Networking

Multi-WAN Load Balancing	✓
--------------------------	---

Dynamic Routing

OSPF	✓
------	---

BGP	✓
-----	---

Advanced QoS	✓
--------------	---

Multicast DNS (mDNS)	✓
----------------------	---

Advanced NAT (SNAT / DNAT / Masquerade / NAT Pooling / 1-to-1 NAT)	✓
--	---

RADIUS over TLS (RadSec)	✓
Additional Internet Failover with UniFi LTE Backup	✓
Internet Quality and Outage Reporting	✓
MAC Address Table Size	8,000
Policy-based WAN and VPN Routing	✓
Customizable DHCP Server	✓
IPv6 ISP Support	✓
IGMP Proxy	✓
Virtual Network Override	✓
All Traffic Flows	✓
^ Integrated WiFi	
WiFi Standard	802.11a/b/g/n/ac/ax (WiFi 6)
Throughput	
5 GHz	2.4 Gbps
2.4 GHz	300 Mbps
MIMO	
5 GHz	4 x 4 (DL/UL MU-MIMO)
2.4 GHz	2 x 2 (DL/UL MU-MIMO)
Antenna Gain	
5 GHz	6 dBi
2.4 GHz	5.9 dBi
Max. TX Power	
5 GHz	26 dBm
2.4 GHz	23 dBm
Wireless Security	WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3/PPSK)



Supported Data Rates

802.11ax (WiFi 6)	7.3 Mbps to 2.4 Gbps (MCS0 - MCS11 NSS1/2/3/4, HE 20/40/80/160)
802.11ac (WiFi 5)	6.5 Mbps to 1.7 Gbps (MCS0 - MCS9 NSS1/2/3/4, VHT 20/40/80/160)
802.11n	6.5 Mbps to 300 Mbps (MCS0 - MCS15, HT 20/40)
802.11g	6, 9, 12, 18, 24, 36, 48, 54 Mbps
802.11b	1, 2, 5.5, 11 Mbps
802.11a	6, 9, 12, 18, 24, 36, 48, 54 Mbps

^ **Hardware**

NVR Storage	Pre-installed 512 GB microSD for NVR Built-in 128 GB SSD for detection recordings
Expansion Slot	MicroSD Card
PoE Budget	420W
Max. PoE Wattage per Port by PSE	
PoE	15.4W
PoE+	30W
PoE++	60W
Voltage Range PoE Mode	PoE: 44-57V PoE+/PoE++: 50-57V
Max. Power Consumption	532W (Including PoE Output)
Power Method	Universal AC input 100-240V AC, 7A Max., 50/60Hz
Power Supply	(2) Hot-Swappable AC/DC 550W PSU (1) Pre-installed PSU
Supported Voltage Range	100-240V AC
Heat Dissipation	382 BTU/hr (Excluding PoE Output)
Processor	Quad-core ARM® Cortex®-A57 at 1.7 GHz
System Memory	4 GB

Pre-installed 512 GB microSD card

Weight8.6 kg (19 lb)

Enclosure MaterialPolycarbonate, galvanized steel, aluminum alloy

Mount MaterialStainless steel

LCM Display4.7" touchscreen

ManagementEthernet
Bluetooth

LEDs

Ethernet✓

SFP+✓

Button(1) Factory reset

ESD/EMP ProtectionAir: ± 8kV, contact: ± 4kV

Ambient Operating Temperature-10 to 40° C (14 to 104° F)

Ambient Operating Humidity5 to 95% noncondensing

NDAA Compliant✓

CertificationsCE, FCC, IC, Anatel: 18314-23-08356

^ Software

VLAN802.1Q

Guest Traffic Isolation✓

Stay in Touch

Email

Subscribe





© 2026 Ubiquiti, Inc. All rights reserved.