Topics trig. subs. involving secant and tangent; completing the square; partial fractions **Reference:** §7.3, §7.4

Examples to study first

Example Evaluate $\int \frac{6}{x^2 + 2x + 8} dx$.

Solution

$$\int \frac{6}{x^2 + 2x + 8} dx \stackrel{\text{complete}}{=} \int \frac{6}{(x+1)^2 + 7} dx \qquad u = x+1$$

$$= 6 \int \frac{1}{u^2 + 7} du$$

$$= 6 \left(\frac{1}{\sqrt{7}}\right) \arctan\left(\frac{u}{\sqrt{7}}\right) + C$$

$$(\text{``a-rule''}, \text{ or by substituting } v = u/\sqrt{7})$$

$$= \left[\frac{6}{\sqrt{7}} \arctan\left(\frac{x+1}{\sqrt{7}}\right) + C\right]$$

Example Evaluate $\int_{-2}^{1} \frac{6}{x^2 + 2x - 8} dx$.

Solution

$$\int_{-3}^{1} \frac{6}{x^2 + 2x - 8} dx \stackrel{\text{factor}}{=} \int_{-3}^{1} \frac{6}{(x - 2)(x + 4)} dx$$

$$\stackrel{\text{PFD}}{=} \int_{-3}^{1} \frac{1}{x - 2} - \frac{1}{x + 4} dx \qquad \text{(see algebra below)}$$

$$= \ln|x - 2| - \ln|x + 4| \Big|_{-3}^{1}$$

$$= \ln|-1| - \ln 5 - (\ln|-5| - \ln 1)$$

$$= 0 - \ln 5 - \ln 5 + 0$$

$$= \boxed{-2 \ln 5}$$

Partial Fractions Decomposition:
$$\frac{6}{(x-2)(x+4)} = \frac{A}{x-2} + \frac{B}{x+4}$$

Clearing the denominator yields:

$$6 = A(x+4) + B(x-2) = Ax + 4A + Bx - 2B = (A+B)x + (4A-2B)$$

so that A + B = 0 and 4A - 2B = 6.

Solve to obtain A = 1 and B = -1.

Problems to hand in

Compute each of the following Integrals. Simplify when possible.

1.
$$\int \frac{1}{\sqrt{4-4x-x^2}} dx$$

2.
$$\int_{-1}^{1} \frac{1}{x^2 + 4x + 7} \ dx$$

$$3. \int \sqrt{3-2x-x^2} \ dx$$

4.
$$\int \frac{x+4}{x^2+2x+5} dx$$

5.
$$\int_{3}^{5} \frac{6}{x^2 - 4x + 7} \ dx$$

6.
$$\int_0^3 \frac{6}{x^2 - 4x - 5} \ dx$$

7.
$$\int_0^1 \frac{x-4}{x^2-5x+6} \ dx$$

8.
$$\int \frac{\arctan x}{x^2} dx = \int \arctan x \cdot (x^{-2}) dx$$

9.
$$\int_{\ln 2}^{\ln 5} \frac{2e^x}{e^{2x} - 1} \ dx$$

10.
$$\int \frac{10}{(x-1)(x^2+9)} \ dx$$

$$\frac{2}{u^2 - 1} = \frac{2}{(u - 1)(u + 1)}$$
\(\gamma\) hint:
$$= \frac{A}{u - 1} + \frac{B}{u + 1}$$

$$\frac{2}{u^2 - 1} = \frac{2}{(u - 1)(u + 1)}$$

$$= \frac{A}{u - 1} + \frac{B}{u + 1}$$

$$\uparrow \text{ use PFD } \frac{10}{(x - 1)(x^2 + 9)} = \frac{A}{x - 1} + \frac{Bx + C}{x^2 + 9}$$