

Post-build Actions

Description

ServiceNowAutomation

[Plain text] [Preview](#)

Jira site

https://racecar.atlassian.net/

- ☐ Enable project-based security
- ☐ Discard old builds
- ☒ This project is parameterized

String Parameter

Name

testname

Default Value

Description

[Plain text] [Preview](#)

☐ Trim the string

String Parameter

Name

ExecuteFromHPALM

Default Value

Y

Description

[Plain text] [Preview](#)

☐ Trim the string

Add Parameter

- ☐ Throttle builds
- ☐ Prepare an environment for the run
- ☐ Disable this project
- ☐ Execute concurrent builds if necessary
- ☒ Restrict where this project can be run

Label Expression

Save

Apply

General

Source Code Management

Build TriggersBuild EnvironmentPre StepsBuildPost StepsBuild Settings

Post-build Actions

Source Code Management

None

Git

Mercurial

Subversion

Modules

Repository URL

http://10.240.130.250:92/svn/SNOW

Credentials

pnookala/***** (pnookala_latestpwd)

Add

Local module directory

.

Repository depth

infinity

Ignore externals

Cancel process on externals fail

Add module...

Additional Credentials

Add additional credentials...

Check-out Strategy

Use 'svn update' as much as possible

Use 'svn update' whenever possible, making the build faster. But this causes the artifacts from the previous build to remain when a new build starts.

Quiet check-out

Repository browser

(Auto)

Advanced...

Build Triggers

Build whenever a SNAPSHOT dependency is built

Schedule build when some upstream has no successful builds

Trigger builds remotely (e.g., from scripts)

Authentication Token

QAUSER

Use the following URL to trigger build remotely:
JENKINS_URL/view/SNOW%20Jobs/job/QA_Job_SeviceNow_ALM_Keyword_First/build?token=TOKEN_NAME or /buildWithParameters?token=TOKEN_NAME
Optionally append &cause=Cause+Text to provide text that will be included in the recorded build cause.

Build after other projects are built

Build periodically

Build when a change is

Poll Mailbox Trigger

Save

Apply

General

Source Code Management

Build Triggers

Build Environment

Pre Steps

Build

Post Steps

Build Settings

Post-build Actions

☒ Delete workspace before build starts

Advanced...

☐ Use secret text(s) or file(s)

☐ Provide Configuration files

☐ Abort the build if it's stuck

☐ Add timestamps to the Console Output

☐ Generate Release Notes

☐ Inject environment variables to the build process

☐ Inject passwords to the build as environment variables

☐ Show tests in progress

☐ Vault Plugin

☐ With Ant

Pre Steps

Execute Windows batch command

Command

C:\Jenkinslave\workspace\QA_Job_SevicNow_ALM_Keyword_First\ExecuteJava.bat
C:\Jenkinslave\workspace\QA_Job_SevicNow_ALM_Keyword_First\Runmanager.jar %testname%

See [the list of available environment variables](#)

Advanced...

Add pre-build step

Build

Root POM

pom.xml

Goals and options

install

Advanced...

Post Steps

☒ Run only if build succeeds ☐ Run only if build succeeds or is unstable ☐ Run regardless of build result

Should the post-build steps run only for successful builds, etc.

Execute Windows batch command

Command

Save

Apply

General

Source Code Management

Build Triggers

Build Environment

Pre Steps

Build

Post Steps

Build Settings

Post-build Actions

```
if errorlevel 14 echo FAIL MISM XTRA & goto endError
if errorlevel 13 echo FAIL MISM COPY & goto endError
if errorlevel 12 echo FAIL MISM & goto endError
if errorlevel 11 echo FAIL XTRA COPY & goto endError
if errorlevel 10 echo FAIL XTRA & goto endError
if errorlevel 9 echo FAIL COPY & goto endError
if errorlevel 8 echo FAIL & goto endError
if errorlevel 7 echo MISM XTRA COPY & goto endError
if errorlevel 6 echo MISM XTRA & goto endError
if errorlevel 5 echo MISM COPY & goto endError
if errorlevel 4 echo MISM & goto endError
if errorlevel 3 echo XTRA COPY & goto endSuccess
if errorlevel 2 echo XTRA & goto endSuccess
if errorlevel 1 echo COPY & goto endSuccess
if errorlevel 0 echo -no change- & goto endSuccess

:endSuccess
exit 0
:endError
```

See [the list of available environment variables](#)

Advanced...

Add post-build step

Build Settings

☐ E-mail Notification

Post-build Actions

Editable Email Notification

Disable Extended Email Publisher ☒

Allows the user to disable the publisher, while maintaining the settings

Project From

Project Recipient List

\$DEFAULT_RECIPIENTS

Comma-separated list of email address that should receive notifications for this project.

Project Reply-To List

\$DEFAULT_REPLYTO

Comma-separated list of email address that should be in the Reply-To header for this project.

Content Type

Default Content Type

Default Subject

JECT

Default Content

Save

Apply

General

Source Code Management

Build Triggers

Build Environment

Pre Steps

Build

Post Steps

Build Settings

Post-build Actions

Attachments



Can use wildcards like 'module/dist/**/*'.zip'. See the [@includes of Ant fileset](#) for the exact format. The base directory is [the workspace](#).

Attach Build Log

Do Not Attach Build Log



Content Token Reference



Advanced Settings...

Add post-build action

Save

Apply