











Project Name

CEE81A structural drafting assignment

Team Name:

Group 23

Team Members

Ronak Saraiya
Eian Braithwaite
Niamh Buenaventura
Alexander De Santiago
Nathaniel Jordan

Sheet Name

detsils

Sheet Number

S-5

Date: 6/14/24

Checked By:

Drawn By: Nathaniel Jordan

# Beam/Column Support Components




**Title: Exercise 4.7**
**Size: 11x17**
**Scale: 1:2500**

**Name: Nathaniel Jordan**
**ID: 68401316**
**Lab: Thurs. 3:30-6:20 pm**

# Generic Housing Blueprint



LONGITUDINAL PROFILE OF PIPELINE

| POINT No. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVEL [m.a.s.l.] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DISTANCE [m] | 2.415 | 4.175 | 2.115 | 4.885 | 1.520 | 1.915 | 1.915 | 3.77 | 4.32 | 3.47 | 4.875 | 4.335 | 3.365 | 5.780 | 2.440 | 2.26 | 2.275 | 1.995 | 2.62 | 4.12 | 3.575 | 2.405 | 2.165 | 1.545 | 0.88 | 0.83 | 0.665 | 0.54 | 1.48 | 1.07 | 1.17 | 1.675 | 12.03 | 2.375 | 4.925 |
| Cumulative DISTANCE [m] | 2.415 | 6.590 | 8.705 | 13.59 | 15.11 | 17.025 | 18.940 | 22.71 | 27.03 | 30.5 | 35.375 | 39.71 | 43.075 | 48.855 | 51.295 | 53.555 | 55.83 | 57.825 | 60.445 | 64.565 | 68.14 | 70.545 | 72.71 | 74.255 | 75.135 | 75.965 | 76.630 | 77.17 | 78.65 | 79.72 | 80.89 | 82.565 | 94.595 | 96.97 | 101.895 |
| PROJECT LEVEL [m.a.s.l.] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Slope % | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 432.09% | 432.09% | 432.09% | 432.09% | 432.09% | 432.09% | 432.09% | 432.09% | 432.09% | 432.09% | -77.40% | -77.40% | -77.40% |

note:
hor. scale 1u = 0.5m
vert. scale 1u = 1m



LONGITUDINAL PROFILE OF PIPELINE

| POINT No. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GROUND LEVEL [m.a.s.l.] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DISTANCE [m] | 3.890 | 7.440 | 5.630 | 3.125 | 2.255 | 2.670 | 4.025 | 4.765 | 1.665 | 1.255 | 2.100 | 1.865 | 1.235 | 1.415 | 1.785 | 2.015 | 3.320 | 3.860 | 2.395 | 3.675 | 2.300 | 2.540 | 1.830 | 2.050 | 1.020 | 1.170 | 0.555 | 0.635 | 2.960 | 8.015 | 1.790 | 1.020 | 1.875 | 5.810 | 3.925 |
| Cumulative DISTANCE [m] | 3.890 | 11.33 | 16.96 | 20.085 | 22.34 | 25.01 | 29.035 | 33.80 | 35.465 | 36.72 | 38.82 | 40.685 | 41.92 | 43.335 | 45.12 | 47.135 | 50.455 | 54.315 | 56.71 | 60.385 | 62.685 | 65.225 | 67.055 | 69.105 | 70.125 | 71.295 | 71.850 | 72.485 | 75.455 | 83.47 | 85.260 | 86.280 | 87.155 | 92.965 | 96.89 |
| PROJECT LEVEL [m.a.s.l.] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Slope % | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 242.35% | 19.08% | 19.08% | 19.08% | 19.08% | 19.08% | 19.08% | 19.08% |

note:
hor. scale 1u = 0.5m
vert. scale 1u = 1m

# Longitudinal Piping Profiles w/calculations

| )INT No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 1 |
|---|---|---|---|---|---|---|---|---|---|---|
| ROUND LEVEL [m.a.s.l.] | 1620.00 | 1625.00 | 1630.00 | 1635.00 | 1640.00 | 1645.00 | 1650.00 | 1655.00 | 1660.00 | |
| STANCE [m] | 2.415 | 4.175 | 2.115 | 4.885 | 1.520 | 1.915 | 1.915 | 3.77 | 4.32 | |
| umulative DISTANCE [m] | 2.415 | 6.590 | 8.705 | 13.59 | 15.11 | 17.025 | 18.940 | 22.71 | 27.03 | |
| ROJECT LEVEL [m.a.s.l.] | 1620.00 | 1623.72 | 1630.15 | 1633.40 | 1640.95 | 1643.27 | 1646.21 | 1650.76 | 1656.57 | |
| ope % | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | 151.70% | |

ote:
or. scale 1u = 0.1m
ert. scale 1u = 1m

LONGITUDINAL PROFILE OF PIPELINE




| POINT No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|
| GROUND LEVEL [m.a.s.l.] | 1620.00 | 1625.00 | 1630.00 | 1635.00 | 1640.00 | 1645.00 | 1650.00 |
| DISTANCE [m] | 3.890 | 7.440 | 5.630 | 3.125 | 2.255 | 2.670 | 4.0 |
| Cumulative DISTANCE [m] | 3.890 | 11.33 | 16.96 | 20.085 | 22.34 | 25.01 | 29. |
| PROJECT LEVEL [m.a.s.l.] | 1620.00 | 1625.06 | 1634.38 | 1641.52 | 1645.48 | 1648.35 | 1651.73 |
| Slope % | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148.75% | 148 |

note:
hor. scale 1u = 0.1m
vert. scale 1u = 1m

LONGITUDINAL PROFILE OF PIPELINE