
## Region 1

WWF

"ArcNet" scenario 33 achievement for region 1. Use Accenter for advanced mode.



CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
2057	Steller Sea Lion rookeries and buffer zone around them	173.6%	100.0%	100.0%
2053	Sea otter distribution range	141.6%	94.4%	81.6%
2056	Steller Sea Lion foraging areas	90.9%	82.2%	52.8%
6046	Stellers eider (Polysticta stelleri) Pacific wintering grounds	90.8%	81.1%	47.9%
5057	Humpback whale summer feeding areas in Eastern Aleutians	338.2%	62.4%	40.6%
2055	Steller Sea Lion habitats of critical importance	69.9%	42.0%	40.3%
6074	King eider (Somateria spectabilis) Pacific winetring grounds	64.5%	44.5%	31.2%
7055	cold corals of the Pacific	45.3%	38.1%	24.0%
7221	Kelp forests along the Bering Sea coast of southern Alaska and Aleutian Islands	159.0%	42.2%	23.8%
6085	Horned puffin (Fratercula corniculata) breeding colonies	62.8%	28.4%	22.6%
5097	Right whale critical habitat in the Eastern Bering Sea	75.2%	74.3%	20.3%
6017	Long-tailed duck (Clangula hyemalis) East Asian wintering grounds	24.2%	23.5%	18.6%
5054	Harbour porpoise feeding areas in the Bering Sea	254.1%	48.4%	16.9%
7247	seagrasses of the High Arctic	41.7%	22.9%	12.5%
6067	Common eider (Somateria mollissima v-nigrum) wintering grounds	16.8%	13.8%	11.3%
4025	Feeding/migration area of the Coho Salmon (Oncorhynchus kisutch) (F 25)	166.9%	17.9%	10.1%
4084	Fish zoogeography, Pacific Region, 6 - high-boreal and 7 - low-boreal districts of the Eastern North-Pacific subregion	118.1%	27.3%	10.1%
4026	Feeding/migration area of the Chinook Salmon (Oncorhynchus tshawytscha) (F 26)	144.8%	15 <mark>.8%</mark>	8.8%
6079	Thick-billed murre (Uria lomvia arrra) breeding colonies	11.3%	10. <mark>6%</mark>	8.2%
4033	Feeding area of the Dolly Varden (Salvelinus malma) (F 30)	62.9%	13. <mark>0%</mark>	7.6%
5047	Fin whale summer feeding areas in the Bering Sea	34.5%	30.2%	7.5%
6103	6103 Urilomviarrrbreeding colonies	14.0%	10. <mark>6%</mark>	6.8%
6107	6107 Fratercula corniculata breeding colonies	27.8%	10. <mark>8%</mark>	6.8%
6102	6102 Uriaalge inornatbreeding colonies	18.7%	11. <mark>1%</mark>	6.7%
5063	Killer whale feeding areas in the Bering Sea	50.3%	13.9%	6.0%
2032	Northern Fur seal range	78.1%	14 <mark>.9%</mark>	5.9%
6100	6100 Risstridactylpollicarius breeding colonies	8.5%	8.5 <mark>%</mark>	5.6%
6087	Red-legged kittiwake (Rissa brevirostris) wintering grounds	26.1%	12. <mark>0%</mark>	5.6%
7090	I.3.1.4. Middle and outer shelf of eastern Bering Sea	138.4%	14 <mark>.1%</mark>	5.5%
4065	Range of the Pacific Halibut (Reinhardtius hippoglossoides matsuurae) (F 50)	170.8%	17.6%	5.2%
6078	Common murre (Uria aalge inornata) wintering grounds	26.2%	16.6%	5.1%
6084	Thick-billed murre (Uria Iomvia) Pacific wintering grounds	19.7%	16.6%	5.1%
6077	Common murre (Uria aalge inornata) breeding colonies	8.7%	5.4%	4.7%
4044	Range of the Pacific cod (Gadus macrocephalus) (F 38)	149.2%	10. <mark>1%</mark>	4.7%
4024	Distribution of the Chum Salmon (Oncorhynchus keta) (F24)	75.0%	8.9%	4.6%
4005	Spawning areas of the Pacific Capelin (Mallotus villosus catervarius) in Alaska (F11)	24.9%	6.5 <mark>%</mark>	4.5%
2034	Ribbon seal foraging areas in the Bering Sea	61.8%	10.0%	3.9%
4050	Range of the Pollock (Theragra chalcogramma) (F 43)	61.8%	9.0%	3.9%
1017	Pacific Walrus haulouts	5.3%	5.2 <mark>%</mark>	3.8%
7097	I.3.2.3. northeastern canyons of Bering Sea	10.6%	10. <mark>5%</mark>	3.7%
4023	Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)	55.9%	8.4%	3.5%
4006	Feeding/nursery area of the Pacific rainbow smelt (Osmerus dentex) (F12)	18.4%	6.9%	3.5%
4042	Range of the Saffron cod (Eleginus gracilis) (F 36)	54.7%	8.1 <mark>%</mark>	3.4%
7095	I.3.2.1. Bering Sea northeastern slope	20.1%	14.7%	3.0%
4004	Range of the Pacific Capelin (Mallotus villosus catervarius) (F11)	89.5%	6.5 <mark>%</mark>	2.9%
4070	Local forms of the White-Sea herring (Clupea pallasii) (F8)	10.9%	6.1 <mark>%</mark>	2.7%
4058	Range of the Arctic flounder (Liopsetta glacialis) (F48)	43.8%	5.7%	2.7%
6048	Black-legged kittiwake (Rissa tridactyla tridactyla) breeding colonies	3.3%	2.4%	2.1%
6045	Stellers eider (Polysticta stelleri) Pacific moulting&migration stopovers	3.2%	2.9%	1.7%

CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
1018	Pacific Walrus Summer-Autumn Distribution	4.5%	1.9%	1.1%
1019	Pacific Walrus Winter Distribution	3.2%	1.7%	0.8%
3017	Marginal Ice Zone distribution in April in the Eastern Bering Sea LME	4.3%	1.4%	0.7%
2054	Spotted seal foraging areas	2.2%	0.4%	0.3%
7089	I.3.1.3. Bristol Bay and Kuskokwin Bay inner shelf	1.5%	0.4%	0.2%
4035	Feeding area of the Lake trout (Salvelinus namaycush) (F32)	0.9%	0.4%	0.1%
4011	Feeding area of the Lake whitefish (Coregonus clupeaformis) (F 16)	0.2%	0.2%	0.1%
6088	6088 Aethipusillbreeding colonies	0.1%	0.0%	0.0%
5058	Humpback whale summer feeding areas in the Eastern Bering Sea	0.1%	0.1%	0.0%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	0.0%	0.0%	0.0%