











Region 31

“ArcNet” scenario 33 achievement for region 31.
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
7252	7252 I 1 1 5 1	101.8%	95.5%	72.2%
7068	I.1.1.5.1. Shallow (< 100 m) shelf banks	276.5%	39.1%	25.9%
4040	Larvae distribution of the Polar Cod (<i>Boreogadus saida</i>) in the Barents Sea (F35)	45.0%	25.9%	22.0%
7056	cold seeps and mud volcanoes	28.6%	27.3%	21.4%
6093	6093 Little auk breeding colonies of <i>A. alle alle</i> Svalbard	45.3%	21.2%	17.2%
2015	Bearded seal whelping areas in Spitsbergen region	90.4%	23.0%	17.2%
5061	Humpback whale summer feeding areas in Norway	115.3%	32.2%	14.9%
6082	Thick-billed murre (<i>Uria lomvia lomvia</i>) breeding colonies	13.2%	11.2%	9.5%
6090	6090 <i>Fratercularctica</i> naumanni breeding colonies	17.4%	11.0%	8.9%
2020	Harp seal foraging areas in the Barents Sea	33.6%	33.5%	8.8%
1005	Atlantic Walrus Winter Distribution in Spitsbergen and FJL region	26.4%	10.2%	7.7%
6022	Atlantic puffin (<i>Fratercula arctica</i> naumanni) breeding colonies	10.6%	8.0%	7.6%
6056	Common eider (<i>Somateria mollissima borealis</i>) Spitsbergen breeding&moulting grounds	13.2%	7.6%	7.3%
5051	Fin whale summer feeding areas in Norway	23.9%	17.5%	6.9%
3026	Marginal Ice Zone distribution in April in the Barents Sea LME	51.9%	12.3%	6.6%
4094	Subarctic fish complex of the Barents region	92.9%	17.2%	6.0%
4054	Range of the Shorthorn Sculpin (<i>Myoxocephalus scorpius</i>) (F 46), European populations	154.1%	11.3%	4.9%
5099	White-beaked dolphin feeding area in the Eastern North Atlantic	36.7%	13.2%	4.8%
6047	Black-legged kittiwake (<i>Rissa tridactyla pollicarius</i>) breeding colonies	7.3%	6.3%	4.7%
6098	6098 <i>Pagophileburne</i> Svalbard breeding colonies	10.5%	6.2%	4.6%
7066	I.1.1.3. Shelf plains	97.5%	8.0%	3.9%
4057	Range of the American Plaice (<i>Hippoglossoides platessoides</i>) (F 47), American populations	113.9%	10.3%	3.7%
9003	polar bear of the BS (Barents Sea) subpopulation distribution	13.1%	6.4%	3.7%
4027	Feeding/migration area of the Atlantic salmon (<i>Salmo salar</i>) American populations (F27)	16.8%	11.5%	3.7%
6004	Little Auk (<i>Alle alle</i> polaris) wintering grounds	18.4%	10.3%	3.6%
4076	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, N Barents – Kara-Sea District	43.7%	11.3%	3.4%
4001	Arctic fish complex of the Barents region	49.1%	8.9%	3.3%
6106	6106 <i>Urilmomvilomv</i> breeding colonies	6.2%	4.6%	3.2%
4049	Range of the Haddock (<i>Melanogrammus aeglefinus</i>) (F 42)	46.2%	7.4%	3.0%
6099	6099 <i>Rissa tridactyla tridactyla</i> breeding colonies	3.8%	3.8%	2.6%
5067	Minke whale feeding areas in the Northeast Atlantic	19.6%	6.0%	2.5%
6101	6101 <i>Uriaalge aalge</i> breeding colonies	6.9%	4.8%	2.5%
5046	Bowhead whale of the Spitsbergen population home range	11.7%	11.7%	2.4%
3121	polynya Svalbard	18.0%	2.3%	2.2%
4087	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Murman – Spitsbergen aquatory of the Barents District	10.3%	6.5%	2.0%
7067	I.1.1.4. Shelf troughs	53.4%	8.6%	1.9%
6023	Atlantic puffin (<i>Fratercula arctica</i> naumanni) wintering grounds	6.8%	5.5%	1.8%
4046	Range of the Thorny Skate (<i>Amblyraja radiata</i>) (F 3)	23.1%	4.3%	1.8%
4045	Feeding/migration area of the Pink Salmon (<i>Oncorhynchus gorbuscha</i>), native distribution (F23)	24.9%	4.1%	1.6%
6033	Little auk (<i>Alle alle alle</i>) breeding colonies in Spitsbergen	3.0%	1.6%	1.6%
4059	Range of the Greenland Halibut (<i>Reinhardtius hippoglossoides</i>) (F 49)	49.3%	4.1%	1.6%
6049	Black-legged kittiwake (<i>Rissa tridactyla tridactyla</i>) wintering grounds	4.4%	4.4%	1.6%
4003	Range of the Atlantic Capelin (<i>Mallotus villosus</i>) (F10)	44.0%	3.7%	1.4%
4017	Feeding/ migration area of the Greenland Shark (<i>Somniosus microcephalus</i>) (F1)	5.7%	3.4%	1.3%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	2.3%	1.9%	1.0%
4038	Feeding area of the Polar cod in the Barents Sea (F 35)	3.0%	2.2%	0.8%
6009	Brent goose (<i>Branta bernicla hrota</i>) Greenland, Svalbard and FJL breeding&moulting grounds	4.1%	0.8%	0.7%
4041	Range of the Polar Cod (<i>Boreogadus saida</i>) (F35)	3.7%	1.4%	0.5%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
4039	Spawning areas of the Polar Cod (<i>Boreogadus saida</i>) in the Barents Sea (F 35)	0.7% <div></div>	0.5% <div></div>	0.5% <div></div>
1008	Atlantic Walrus haulouts in Spitsbergen and FJL region	0.4% <div></div>	0.4% <div></div>	0.4% <div></div>
6040	Ivory gull (<i>Pagophila eburnea</i>) postbreeding grounds in the Barents and the Kara Sea	1.2% <div></div>	0.6% <div></div>	0.3% <div></div>
9038	polar bear denning areas of BS (Barents Sea) subpopulation	0.4% <div></div>	0.2% <div></div>	0.2% <div></div>
6015	Black guillemot (<i>Cepphus grylle mandti</i>) breeding grounds	1.5% <div></div>	0.3% <div></div>	0.2% <div></div>
4032	Range of the Arctic skate (<i>Amblyraja hyperborea</i>) (F2)	4.5% <div></div>	0.3% <div></div>	0.1% <div></div>
3037	Marginal Ice Zone distribution in July in the Barents Sea LME	0.4% <div></div>	0.1% <div></div>	0.1% <div></div>
6028	Glaucous gull (<i>Larus hyperboreus hyperboreus</i>) breeding grounds	0.5% <div></div>	0.1% <div></div>	0.1% <div></div>
1006	Atlantic Walrus Summer Distribution in Spitsbergen and FJL region	0.1% <div></div>	0.1% <div></div>	0.0% <div></div>
6083	Thick-billed murre (<i>Uria lomvia lomvia</i>) wintering grounds	0.1% <div></div>	0.1% <div></div>	0.0% <div></div>