
## Region 7

WWF

"ArcNet" scenario 33 achievement for region 7. Use Accenter for advanced mode.



CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
3003	Fast Ice distribution in the Wrangel Island region	1666.7%	100.0%	100.0%
3103	polynya Wrangel	832.9%	100.0%	100.0%
7006	Wrangel Island area of increased benthic biomass	101.6%	99.9%	76.1%
7246	Wrangel Island and Schmidt Cape kelp patches (24-26)	222.2%	100.0%	66.7%
6081	Thick-billed murre (Uria lomvia hecheri) breeding colonies	71.2%	40.3%	38.5%
6105	6105 Urilomviheckeri breeding colonies	93.8%	46.3%	34.5%
9022	polar bear denning areas of CS (Chukchi Sea) subpopulation	50.6%	49.6%	32.8%
2038	Ringed seal foraging areas in the Chukchi Sea	126.8%	49.8%	30.9%
5043	Bowhead whale of the Bering-Chukchi-Beaufort population autumn core distribution	42.1%	41.3%	30.6%
2001	Bearded seal foraging areas in the Chukchi Sea	115.7%	42.2%	28.2%
7044	Western Chukchi transitional zone	101.1%	43.8%	14.0%
9004	, , , , ,	35.2%	30.4%	11.6%
7081	I.2.1.5. Shelf valleys	37.9%	18.8%	10.1%
3030	,	38.3%	32.5%	9.3%
2008	. 3	34.0%	22.6%	8.3%
	Ringed seal whelping areas in the Chukchi Sea	33.2%	18.8%	8.1%
	6103 Urilomviarrrbreeding colonies	13.8%	10. <mark>4%</mark>	6.8%
	I.2.1.4. Shelf plains	173.3%	19.8%	6.6%
1017	Pacific Walrus haulouts	9.0%	8.8%	6.5%
6079	Thick-billed murre (Uria lomvia arrra) breeding colonies	8.5%	7.9%	6.1%
	Ribbon seal foraging areas in the Chukchi Sea	49.0%	13.5%	6.1%
	6107 Fratercula corniculata breeding colonies	24.0%	9.3%	5.9%
5116	5116 Beluga EBeaufort Sea autumn core	23.3%	17.1%	5.7%
6030	Glaucous gull (Larus hyperboreus pallidissimus) breeding grounds	47.0%	7.9%	5.6%
6100	6100 Risstridactylpollicarius breeding colonies	8.3%	8.3 <mark>%</mark>	5.5%
6048	Black-legged kittiwake (Rissa tridactyla tridactyla) breeding colonies	7.4%	5.4 <mark>%</mark>	4.8%
5105	Bowhead whale of the Bering-Chukchi-Beaufort population autumn distribution	12.8%	10. <mark>1%</mark>	3.8%
4078	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Wrangel – Beaufort District (10E)	21.1%	6.9 <mark>%</mark>	3.6%
6011	Brent goose (Branta bernicla nigricans) Asian breeding&moulting grounds	19.8%	7.3%	3.6%
6102	6102 Uriaalge inornatbreeding colonies	9.4%	5.6 <mark>%</mark>	3.6%
6066	Common eider (Somateria mollissima v-nigrum) breeding&moulting grounds	9.4%	9. <mark>2%</mark>	3.2%
4070	Local forms of the White-Sea herring (Clupea pallasii) (F8)	8.8%	4.9%	2.1%
4042	Range of the Saffron cod (Eleginus gracilis) (F 36)	33.4%	4.9%	2.0%
5052	Gray whale summer feeding areas	5.6%	2.6%	2.0%
4077	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Laptev – East-Siberian District (10D)	16.3%	8.6 <mark>%</mark>	2.0%
1018	Pacific Walrus Summer-Autumn Distribution	5.9%	2.5%	1.4%
	Horned puffin (Fratercula corniculata) breeding colonies	3.8%	1.7 <mark>%</mark>	1.4%
4058	Range of the Arctic flounder (Liopsetta glacialis) (F48)	22.4%	2.9%	1.3%
4065	Range of the Pacific Halibut (Reinhardtius hippoglossoides matsuurae) (F 50)	23.8%	2.4%	0.8%
6016	Long-tailed duck (Clangula hyemalis) East Asian moulting&migration stopovers	1.5%	1.1%	0.7%
6077	Common murre (Uria aalge inornata) breeding colonies	0.8%	0.5%	0.4%
4041	Range of the Polar Cod (Boreogadus saida) (F35)	2.6%	1.0%	0.3%
4037	Distribution of the Glacial cod (Arctogadus glacialis) (F34)	3.4%	0.8%	0.3%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	0.4%	0.4%	0.2%
7079	I.2.1.3. Banks and shoals	0.8%	0.5%	0.2%
4014	Feeding area of the Siberian whitefish (Coregonus pidschian) (F 18)	0.0%	0.0%	0.0%
3048	Multiyear Ice distribution in September in the Chukchi Sea LME	0.0%	0.0%	0.0%

CF	Name	Target Achieve- ment for Region	Proportion of Target Achie- vement in Region	Amount Propor- tion in Region
4004	Range of the Pacific Capelin (Mallotus villosus catervarius) (F11)	0.0%	0.0%	0.0%