











# Region 52

“ArcNet” scenario 33 achievement for region 52.  
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
5076	Narwhal Eclipse Sound stock summer distribution	197.7%	100.0%	94.9%
5075	Narwhal East Baffin Island stock summer core distribution	98.7%	92.3%	87.7%
7232	Kelp forests of north-east Baffin I. coast	264.0%	98.5%	86.7%
5070	Narwhal Admiralty Inlet stock summer core distribution	111.2%	100.0%	80.1%
5077	Narwhal Eclipse Sound stock summer core distribution	109.0%	100.0%	78.5%
5069	Narwhal Admiralty Inlet stock summer distribution	162.8%	100.0%	78.2%
5083	Narwhal Jones Sound stock summer core distribution	107.4%	99.5%	77.3%
8038	Baffin and Bylot Islands glacial termini	231.7%	78.9%	75.5%
9011	polar bear of the LS (Lancaster Sound) subpopulation distribution	192.6%	86.9%	65.3%
6094	6094 PagophileburneCanadian breeding colonies	140.6%	80.8%	63.3%
5005	Beluga of the Baffin Bay summer core distribution	82.3%	76.9%	62.8%
9033	polar bear denning areas of NW (Norwegian Bay) subpopulation	79.9%	79.2%	58.9%
9029	polar bear denning areas of LS (Lancaster Sound) subpopulation	85.1%	85.0%	56.4%
5082	Narwhal Jones Sound stock summer distribution	93.7%	89.9%	52.5%
3052	Multiyear Ice distribution in September in the Baffin Bay LME	252.7%	60.6%	47.1%
9015	polar bear of the NW (Norwegian Bay) subpopulation distribution	123.8%	92.7%	44.4%
6035	Ivory gull (Pagophila eburnea) Canadian breeding colonies	56.0%	44.3%	38.6%
7216	Canadian Archipelago kelp patches (2-9)	128.2%	74.9%	38.5%
7215	Canadian Archipelago kelp patches (2-9)	120.5%	68.4%	38.3%
6008	Brent goose (Branta bernicla hrota) Canadian High Arctic breeding&moulting grounds	130.4%	64.5%	32.6%
8042	Queen Elizabeth Island glacial termini	97.1%	37.0%	29.5%
3126	polynya Baffin	146.9%	31.0%	29.5%
1011	Atlantic Walrus haulouts in Nunavut and West Greenland	30.0%	30.0%	29.1%
3034	Marginal Ice Zone distribution in July in the Baffin Bay LME	112.8%	46.5%	28.5%
9021	polar bear denning areas of BB (Baffin Bay) subpopulation	36.3%	36.3%	26.2%
7257	7257 I I I 3 1 1 1	36.1%	25.3%	25.3%
7053	cold corals of the High Arctic	50.0%	37.7%	25.0%
5004	Beluga of the Baffin Bay summer distribution	46.7%	29.4%	23.7%
7146	III.2.2.1. Archipelago slope in Baffin Bay and Lancaster Sound	389.4%	50.9%	21.8%
7021	Eastern Canadian Archipelago region	211.7%	35.2%	21.8%
6007	Brent goose (Branta bernicla hrota) Atlantic breeding&moulting grounds	113.0%	42.6%	20.8%
2007	Bearded seal whelping areas in the Baffin Bay	79.2%	27.6%	20.1%
7134	III.1.1. 1. Canadian Arctic Archipelago shelf	221.4%	36.8%	17.2%
7019	Baffinian region	48.5%	35.2%	16.0%
5006	Beluga of the Baffin Bay winter distribution	32.1%	16.4%	15.4%
8036	Salt marshes of the Baffin Bay LME	49.2%	32.2%	14.8%
2044	Ringed seal whelping areas in the Baffin Bay region	56.9%	27.7%	14.0%
1002	Atlantic Walrus Summer Distribution in Canada	38.3%	26.1%	13.4%
7133	III.1. Canadian Arctic Archipelago shelf and margin	304.8%	26.5%	13.3%
7136	III.1.1.3. Archipelago inner shelf of low and medium profile	185.6%	32.0%	13.1%
5093	Narwhal Somerset Island stock summer distribution	25.3%	25.3%	13.0%
2021	Harp seal foraging areas in the Baffin Bay region	50.8%	23.8%	12.5%
7150	III.3.1.2. NW Greenland glacial troughs	122.9%	20.3%	12.3%
9002	polar bear of the BB (Baffin Bay) subpopulation distribution	35.6%	29.4%	12.2%
6041	Ivory gull (Pagophila eburnea) postbreeding grounds in the Canadian Arctic	52.5%	20.4%	11.8%
5074	Narwhal Eeast Baffin Island stock summer distribution	20.1%	19.2%	11.1%
4074	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Canadian-Greenland District (10A)	127.3%	18.8%	9.8%
1003	Atlantic Walrus Wintering Areas in Canada	13.8%	12.1%	9.3%
7143	III.2.1.2. Baffinian glacial troughs	60.4%	22.9%	9.2%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
6029	Glaucous gull ( <i>Larus hyperboreus euceretes</i> ) breeding grounds	<div><div></div></div> 70.3%	<div><div></div></div> 16.1%	<div><div></div></div> 8.9%
2014	Bearded seal whelping areas in the north of the Canadian Archipelago	<div><div></div></div> 32.1%	<div><div></div></div> 20.6%	<div><div></div></div> 8.2%
5041	Bowhead whale summer concentrations in the Baffin Bay	<div><div></div></div> 16.4%	<div><div></div></div> 15.8%	<div><div></div></div> 8.1%
7014	Core of Canadian - Greenland Province of Arcto-Atlantic zoogeographical region	<div><div></div></div> 98.7%	<div><div></div></div> 13.7%	<div><div></div></div> 7.7%
7137	III.1.1.4. Canadian Archipelago glacial troughs	<div><div></div></div> 145.3%	<div><div></div></div> 22.5%	<div><div></div></div> 7.5%
4009	Feeding / nursery area of the Arctic Cisco ( <i>Coregonus autumnalis</i> ), American populations (F 14)	<div><div></div></div> 17.7%	<div><div></div></div> 13.0%	<div><div></div></div> 7.4%
5065	Killer whale summer feeding areas in the North West Atlantic	<div><div></div></div> 115.8%	<div><div></div></div> 11.8%	<div><div></div></div> 7.4%
4029	Feeding area of the Arctic charr ( <i>Salvelinus alpinus</i> ), anadromous populations (F28)	<div><div></div></div> 17.8%	<div><div></div></div> 15.4%	<div><div></div></div> 7.1%
3033	Marginal Ice Zone distribution in July in the Northern Canadian Archipelago LME	<div><div></div></div> 27.7%	<div><div></div></div> 17.3%	<div><div></div></div> 7.0%
6099	6099 Rissa tridactyla tridactyla breeding colonies	<div><div></div></div> 10.4%	<div><div></div></div> 10.4%	<div><div></div></div> 7.0%
3006	Fast Ice distribution in the Canadian Archipelago region	<div><div></div></div> 106.1%	<div><div></div></div> 25.1%	<div><div></div></div> 6.8%
4053	Range of the Fourhorn Sculpin ( <i>Myoxocephalus quadricornis</i> ) (F 45), Euro-Asian populations	<div><div></div></div> 208.6%	<div><div></div></div> 12.4%	<div><div></div></div> 6.6%
5103	Bowhead whale Baffin population spring-autumn distribution	<div><div></div></div> 25.8%	<div><div></div></div> 14.1%	<div><div></div></div> 6.3%
6015	Black guillemot ( <i>Cepphus grylle mandti</i> ) breeding grounds	<div><div></div></div> 49.4%	<div><div></div></div> 10.6%	<div><div></div></div> 6.2%
4062	Range of the White Sea eelpout ( <i>Lycodes marisalbi</i> ), American population (F 51)	<div><div></div></div> 98.8%	<div><div></div></div> 13.8%	<div><div></div></div> 6.1%
7149	III.3.1.1. NW Greenland medium and low profile shelf	<div><div></div></div> 54.7%	<div><div></div></div> 13.6%	<div><div></div></div> 6.1%
7148	III.3. 1. Northwest Greenland shelf	<div><div></div></div> 51.8%	<div><div></div></div> 12.8%	<div><div></div></div> 5.9%
6106	6106 Urilomvilomvibreeding colonies	<div><div></div></div> 11.5%	<div><div></div></div> 8.4%	<div><div></div></div> 5.6%
4055	Range of the Shorthorn Sculpin ( <i>Myoxocephalus scorpius</i> ) (F 46), American populations	<div><div></div></div> 179.8%	<div><div></div></div> 10.2%	<div><div></div></div> 5.6%
2061	Ringed seal circumpolar foraging areas as predicted by MIZ distribution	<div><div></div></div> 20.2%	<div><div></div></div> 10.6%	<div><div></div></div> 5.2%
2037	Ringed seal foraging areas in the Baffin Bay region	<div><div></div></div> 19.3%	<div><div></div></div> 6.9%	<div><div></div></div> 4.6%
4007	Feeding/nursery area of the Cisco ( <i>Coregonus artedi</i> ) (F 13)	<div><div></div></div> 12.6%	<div><div></div></div> 8.9%	<div><div></div></div> 4.3%
2027	Hooded seal foraging areas	<div><div></div></div> 11.1%	<div><div></div></div> 9.6%	<div><div></div></div> 4.3%
7142	III.2.1.1. Baffinian shelf	<div><div></div></div> 56.7%	<div><div></div></div> 7.8%	<div><div></div></div> 3.9%
5096	Beluga and Narwhal wintering area in the North Water polynya	<div><div></div></div> 3.8%	<div><div></div></div> 3.7%	<div><div></div></div> 3.6%
9009	polar bear of the KB (Kane Basin) subpopulation distribution	<div><div></div></div> 10.8%	<div><div></div></div> 4.5%	<div><div></div></div> 3.5%
4037	Distribution of the Glacial cod ( <i>Arctogadus glacialis</i> ) (F34)	<div><div></div></div> 32.4%	<div><div></div></div> 7.8%	<div><div></div></div> 3.1%
6082	Thick-billed murre ( <i>Uria lomvia lomvia</i> ) breeding colonies	<div><div></div></div> 3.9%	<div><div></div></div> 3.3%	<div><div></div></div> 2.8%
4048	Feeding/nursery area of the ogac ( <i>Gadus ogac</i> ) (F 41)	<div><div></div></div> 20.5%	<div><div></div></div> 5.1%	<div><div></div></div> 2.5%
3051	Multiyear Ice distribution in September in the Northern Canadian Archipelago LME	<div><div></div></div> 12.3%	<div><div></div></div> 5.9%	<div><div></div></div> 2.5%
9027	polar bear denning areas of KB (Kane Basin) subpopulation	<div><div></div></div> 3.8%	<div><div></div></div> 3.7%	<div><div></div></div> 2.4%
2019	Harbour seal range in the North Atlantic region	<div><div></div></div> 39.3%	<div><div></div></div> 6.0%	<div><div></div></div> 2.4%
3123	polynya Greenland W	<div><div></div></div> 18.0%	<div><div></div></div> 3.0%	<div><div></div></div> 2.2%
6047	Black-legged kittiwake ( <i>Rissa tridactyla pollicarius</i> ) breeding colonies	<div><div></div></div> 3.3%	<div><div></div></div> 2.8%	<div><div></div></div> 2.1%
4059	Range of the Greenland Halibut ( <i>Reinhardtius hippoglossoides</i> ) (F 49)	<div><div></div></div> 68.0%	<div><div></div></div> 5.7%	<div><div></div></div> 2.1%
6083	Thick-billed murre ( <i>Uria lomvia lomvia</i> ) wintering grounds	<div><div></div></div> 7.8%	<div><div></div></div> 5.5%	<div><div></div></div> 1.9%
5042	Bowhead whale winter concentrations in the Baffin Bay	<div><div></div></div> 3.1%	<div><div></div></div> 2.1%	<div><div></div></div> 1.5%
4046	Range of the Thorny Skate ( <i>Amblyraja radiata</i> ) (F 3)	<div><div></div></div> 19.6%	<div><div></div></div> 3.7%	<div><div></div></div> 1.4%
4017	Feeding/ migration area of the Greenland Shark ( <i>Somniosus microcephalus</i> ) (F1)	<div><div></div></div> 6.3%	<div><div></div></div> 3.7%	<div><div></div></div> 1.4%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	<div><div></div></div> 3.3%	<div><div></div></div> 2.7%	<div><div></div></div> 1.3%
4041	Range of the Polar Cod ( <i>Boreogadus saida</i> ) (F35)	<div><div></div></div> 9.6%	<div><div></div></div> 3.7%	<div><div></div></div> 1.2%
4056	Distribution of the American Plaice ( <i>Hippoglossoides platessoides</i> ) (F 47), European populations	<div><div></div></div> 33.3%	<div><div></div></div> 2.1%	<div><div></div></div> 1.0%
4032	Range of the Arctic skate ( <i>Amblyraja hyperborea</i> ) (F2)	<div><div></div></div> 29.3%	<div><div></div></div> 2.2%	<div><div></div></div> 0.9%
3021	Marginal Ice Zone distribution in April in the Baffin Bay LME	<div><div></div></div> 6.5%	<div><div></div></div> 1.0%	<div><div></div></div> 0.8%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
2004	Bearded seal whelping areas in the south of the Canadian Archipelago	0.3% <div><div></div></div>	0.3% <div><div></div></div>	0.1% <div><div></div></div>
4003	Range of the Atlantic Capelin ( <i>Mallotus villosus</i> ) (F10)	2.0% <div><div></div></div>	0.2% <div><div></div></div>	0.1% <div><div></div></div>
3032	Marginal Ice Zone distribution in July in the Beaufort Sea LME	0.1% <div><div></div></div>	0.1% <div><div></div></div>	0.0% <div><div></div></div>
3050	Multiyear Ice distribution in September in the Beaufort Sea LME	0.0% <div><div></div></div>	0.0% <div><div></div></div>	0.0% <div><div></div></div>
5091	Narwhal Smith Sound stock summer distribution	0.0% <div><div></div></div>	0.0% <div><div></div></div>	0.0% <div><div></div></div>
4075	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Hudson District	0.0% <div><div></div></div>	0.0% <div><div></div></div>	0.0% <div><div></div></div>