PHOENIQS

MODEL LAUNCH · SOVEREIGN AI AGENTS

# Apertus 1.5 is live.

## Build AI agents on Switzerland’s open LLM

Released by EPFL, ETH Zürich and CSCS, and serving now on the PHOENIQS AI Model Service. A 262K context window, native tool calling and image & audio understanding: everything an AI agent needs, on a fully open model, with every layer of the stack under Swiss jurisdiction.

**Control your data. Control your future.**

PHOENIQS · Pfäffikon, Switzerland · July 2026

THE RELEASE

# Apertus 1.5 at a Glance

On 24 July 2026 the Swiss AI Initiative — EPFL, ETH Zürich and the Swiss National Supercomputing Centre (CSCS) — released Apertus 1.5, the next generation of Switzerland's fully open large language model, trained on the «Alps» supercomputer in Lugano. Weights, training data and code are public; the Apache 2.0 license permits unrestricted commercial use.

### 262,144-Token Context

Four times the window of Apertus 1.0. Entire document sets, codebases and long agent histories fit into a single prompt.

### Native Tool Calling

Improved tool integration for reliable, structured function calls, the core mechanic every AI agent is built on.

### Multimodal Input

Understands images and audio alongside text. Scanned documents, photos and voice become agent-readable input.

### Stronger Reasoning

Enhanced reasoning and instruction following, incorporating feedback from eight months of real-world Apertus 1.0 use.

### Fully Open · Apache 2.0

Open weights, open data, open code: reproducible, auditable, free of vendor lock-in and licensed for commercial use.

### Apertus Mini Suite

16 compact distilled and quantized companion models for edge and resource-constrained deployments.

| 70B | 262,144 | 17T + 2T | 1,000+ | 100% |
|---|---|---|---|---|
| Parameters | Token Context Window | Training Tokens · Text + Multimodal | Languages in Training Data | Open · Weights, Data, Code |

MODEL SERVING

# Serving Now on Swiss Soil

Apertus 1.5 is live on the PHOENIQS AI Model Service as **inference-apertus-v15-70b**, behind the same OpenAI-compatible API as the rest of the sovereign model catalog. Switching an existing application or agent is a one-line change of the model name.

| Deployment | Base Model | Context | Throughput (TPM) | Input / 1M | Output / 1M |
|---|---|---|---|---|---|
| inference-apertus-70b | Apertus-70B-Instruct (1.0) | 56,384 | 188,040 | CHF 0.62 | CHF 2.22 |
| **inference-apertus-v15-70b** | **Apertus-v1.5-70B** | **262,144** | **713,820** | **CHF 0.62** | **CHF 2.22** |

### OpenAI-Compatible

Standard API surface: every OpenAI-style SDK, framework and agent runtime works unchanged.

### Zero Retention

Model traffic is never logged or stored. Prompts and outputs leave no trace after the response.

### TEE-Sealed Inference

Confidential computing seals data in use; hardware attestation proves image, firmware and region.

### Billed in CHF

Swiss-franc pricing on Swiss infrastructure: no US CLOUD Act exposure, no currency surprises.

**4×**
Larger Context vs. 1.0

**3.8×**
Higher Throughput

**CHF 0.62 / 2.22**
Per 1M Tokens In / Out · Unchanged

**0**
Prompt Retention

WHY IT MATTERS

# The Missing Piece for Sovereign Agents

An AI agent is a loop: the model reads context, calls tools, evaluates results and acts again. That loop makes hard demands on the model. Until now, those demands forced sovereign stacks to fall back on foreign frontier models. Apertus 1.5 is the first Swiss model that meets all of them.

### Agents need context

Tool results, documents, history and instructions accumulate fast. **262K tokens** keep entire workflows in a single window.

### Agents need tools

Structured, reliable function calls are non-negotiable. Apertus 1.5 brings **native tool calling**, ready for MCP-based tool planes.

### Agents need senses

Real processes involve scans, screenshots and audio. **Multimodal input** turns them into structured, actionable text.

### Agents need trust

Agents act autonomously on your data. An **open, auditable model under Swiss law** is the only foundation regulators accept.

**The sovereignty gap is closed.** Until today, a «sovereign agent» still meant a foreign model at its core, or a Swiss model that couldn't hold the loop. With Apertus 1.5 on PHOENIQS, the model, the tools, the data and the infrastructure are Swiss: trained in Lugano, served in Basel and Zürich, governed under Swiss jurisdiction, end to end.

| 262K Context | Tool Calling | Multimodal | Apache 2.0 | Swiss End-to-End |
|---|---|---|---|---|
| 4× Apertus 1.0 | Native · MCP-ready | Image · Audio · Text | Commercial use | Trained · hosted · served |

REFERENCE ARCHITECTURE

# Anatomy of a Sovereign Agent

Every PHOENIQS agent is assembled from three sovereign planes — model, tools and data — wired together over open standards and deployed via GitOps. With Apertus 1.5, all three planes now run on Swiss technology.

### Model Plane

**Apertus 1.5 · AI Model Service**

Runs the agent loop: reasoning, planning, tool selection. 262K context · tool calling · multimodal · TEE-sealed, zero-retention inference.

### Tool Plane

**MCP Gateway**

One endpoint, many MCP servers: OAuth broker, role-scoped allowlists per sub-agent, type coercion and response-size guards — the sovereign bridge between model and systems.

### Data Plane

**AI Datapool**

Multi-tenant RAG and database pools on the PHOENIQS cloud: hard tenant isolation (FORCE RLS), AES-256-GCM at rest, per-user OAuth 2.1 — sovereign by architecture.

### Governed by GitOps

Agents, tools and the serving model are deployment config: edited in Git, gated by PR, reconciled by Flux CD. Pinning a supervisor to Apertus 1.5 is a one-line, fully audited change.

### Open Standards Only

MCP for tools, OAuth 2.0/2.1 for identity, OpenAI-compatible APIs for inference, Kubernetes underneath. No proprietary agent framework, no lock-in at any layer.

| GitOps | Per-User OAuth | TEE Inference | Zero Retention | Swiss Cloud Only |
|---|---|---|---|---|
| Every change audited | Identity-scoped tools | Sealed in use | Never logged | No CLOUD Act |

PROVEN IN PRODUCTION

# The PHOENIQS Agent Platform

This is not a concept. PHOENIQS already operates six supervisor agents with 42 specialist sub-agents on this architecture, spanning customer success, engineering, sales, delivery, finance and media intelligence. Every supervisor is model-agnostic: the serving model is pinned per deployment via GitOps and can be switched to Apertus 1.5 today.

### AURORA

Customer success & portal: quoting, ordering, live account state.

### VECTOR

DevOps intelligence: OpenShift, Flux, Git, containers, testing.

### PRISM

Sales operations: CRM pipeline, reports, inbox triage, events.

### ATLAS

PMO: tasks, capacity, project health, steering reports.

### FISCUS

Financial intelligence: audited figures, plan, unit economics.

### NEXUS

Newsroom research: Swissdox archive, 628 Swiss media sources.

### Your Agent

Built on the same platform, on Apertus 1.5, under your governance.

| 6 | 42 | 200+ | 4 | 100% |
|---|---|---|---|---|
| Supervisor Agents | Specialist Sub-Agents | MCP Tools Orchestrated | Languages · DE EN FR IT | Swiss-Sovereign Hosting |

TECHNOLOGY STACK

# Full-Stack Sovereignty

Sovereignty is only real if it holds at every layer. PHOENIQS operates the entire stack in Switzerland, from hardware to agent, connected through open interfaces. With Apertus 1.5, even the model itself is Swiss-made.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Agent Platform**<br>LAYER 5 | Supervisor agents | Sub-agents | PHOENIQS Chat | Skills MCP | | | |
| **Tool Plane**<br>LAYER 4 | MCP Gateway | OAuth 2.0 broker | MCP server registry | AI Datapool | | | |
| **AI Model Service**<br>LAYER 3 | **Apertus 1.5 · NEW** | GLM-5 | DeepSeek V3.2 | Llama 4 | gpt-oss-120b | Qwen3-VL 235B | Embeddings · Reranker · OCR · STT |
| **Sovereign Cloud**<br>LAYER 2 | Proprietary cloud OS | OpenShift / Kubernetes | Flux CD + SOPS | KMS / HSM: KYOK · BYOK | | | |
| **Swiss Infrastructure**<br>LAYER 1 | Own supercomputer infrastructure | IBM LinuxONE | Data centers: Basel · Zürich · Alps backup | | | | |

Model trained on the «Alps» supercomputer (CSCS, Lugano) · served on PHOENIQS supercomputers · governed by GitOps · sealed by Confidential Computing (TEE).

SECURITY ARCHITECTURE

# Defense in Depth: by Architecture, Not Policy

Agents act autonomously, so the platform enforces security structurally: data is encrypted in transit, at rest and in use; keys stay with the customer; every platform change is Git-gated and auditable.

### Data Protection

**Encrypted everywhere:** in transit, at rest and in use, with TEE-sealed inference.

**Zero retention:** model traffic is never logged or stored.

**Customer-held keys:** KYOK / BYOK in FIPS 140-2 L4 HSMs.

### Identity & Access

**Per-user OAuth 2.0:** MCP services authenticate each user.

**Role-scoped allowlists:** every sub-agent holds only the tools its role needs.

**Short-lived JWTs:** automation runs on 10-minute tokens, never static keys.

### Platform Operations

**GitOps source of truth:** no manual UI edits survive; drift is auto-corrected.

**SOPS-encrypted secrets:** encrypted at rest in Git.

**Complete audit trail:** every release tag pins which state it produced.

### Jurisdiction & Compliance

**Swiss ownership:** operated in Switzerland, independent of the US CLOUD Act.

**Certified:** ISO 27001 · ISAE 3402 Type II.

**Regulated industries:** FINMA 2018/3 outsourcing requirements supported.

| Confidential Computing | No CLOUD Act | KYOK / BYOK | Zero Retention | ISO 27001 |
|---|---|---|---|---|
| 14+ years in production | Swiss jurisdiction | Customer-held keys | Model traffic | ISAE 3402 Type II |

# Sovereign Inference Economics

Open-weight models on sovereign infrastructure change the cost base: list prices per million tokens are a fraction of proprietary frontier APIs, billed in Swiss francs, free of CLOUD-Act-driven compliance overhead.

| Provider | Model | Input / 1M | Output / 1M | Context | Jurisdiction |
|---|---|---|---|---|---|
| **PHOENIQS** | **Apertus 1.5 70B (Swiss sovereign LLM)** | **CHF 0.62** | **CHF 2.22** | **262,144** | **Switzerland** |
| PHOENIQS | gpt-oss-120b (open-weight) | CHF 0.12 | CHF 0.46 | 131,072 | Switzerland |
| PHOENIQS | DeepSeek V3.2 (open-weight) | CHF 0.62 | CHF 1.85 | 163,840 | Switzerland |
| PHOENIQS | Llama 4 Maverick (open-weight) | CHF 0.27 | CHF 1.08 | 1,048,576 | Switzerland |
| OpenAI | GPT-5.2 | USD 0.88 | USD 7.00 | — | USA · CLOUD Act |
| Google Vertex AI | Gemini 3 Pro (≤200K context) | USD 2.00 | USD 12.00 | — | USA · CLOUD Act |
| Anthropic | Claude Sonnet | USD 3.00 | USD 15.00 | — | USA · CLOUD Act |

List prices as of July 2026: documentation.phoeniqs.com/maas/active-models (credits ≈ CHF per 1M tokens) and the providers' public price pages. Proprietary frontier models and open-weight models differ in capability profile; validate model fit per use case.

WHO IT'S FOR

# Sovereign Agents for Regulated Switzerland

Wherever data must not leave Swiss jurisdiction, agents could not be built on foreign frontier APIs — until now. Apertus 1.5 on PHOENIQS unlocks agentic AI for the industries that need it most.

### Financial Services

Advisory, compliance and risk agents over client data:

- FINMA 2018/3 supported
- Keys under bank control
- No foreign compulsion path

### Healthcare & Life Sciences

Clinical documentation and research agents over patient data:

- TEE-sealed compute
- Hospital-held keys
- FADP-aligned

### Government & Defense

Citizen-service and analysis agents on classified material:

- Dual TEEs (x86 + IBM Z)
- Swiss-only operation
- Full auditability

### Industry & Manufacturing

Process and quality agents over CAD, MES and telemetry:

- Competitive IP stays on Swiss soil
- All processing inside the enclave

### Media & Journalism

Research agents over investigations and archives:

- Source protection by architecture
- Per-user OAuth
- No foreign exposure

### Education & Research

Research agents on the model your own institutions built:

- Fully open
- Reproducible
- Auditable
- Apache 2.0

| FINMA 2018/3 | FADP / GDPR | Swiss DC | Dual TEE | Quellenschutz |
|---|---|---|---|---|
| Supported | Aligned | Basel · Zürich | x86 + IBM Z | By architecture |

GET STARTED

# From API Key to Sovereign Agent

Apertus 1.5 is available to every PHOENIQS AI Model Service customer today: no waitlist, no migration project. Three steps from zero to a running sovereign agent.

**1**

### Get Access

Sign up at **console.phoeniqs.com**: 30-day evaluation with a monthly CHF 25 usage allowance. One API key unlocks the entire sovereign model catalog.

**2**

### Point Your Stack at Apertus 1.5

Set the model to **inference-apertus-v15-70b**. The OpenAI-compatible API works with every standard SDK, framework and agent runtime — a one-line change.

**3**

### Build Your Agents

Connect tools via the MCP Gateway, ground them in the AI Datapool, deploy via GitOps, or let PHOENIQS build and operate your agents with you.

ONE CALL · FULLY SOVEREIGN

```
curl $PHOENIQS_MAAS_ENDPOINT/v1/chat/completions \
  -H "Authorization: Bearer $PHOENIQS_API_KEY" \
  -d '{ "model": "inference-apertus-v15-70b", "tools": [...],
       "messages": [{ "role": "user", "content": "..." }] }'
```

**Model catalog & live status:** documentation.phoeniqs.com/maas/active-models · status.phoeniqs.com

**Talk to us:** contact@phoeniqs.swiss

PHOENIQS

# Control your data.
# Control your future.

**~70**
Employees in Switzerland

**3**
Supercomputers · 6 Swiss geolocations

**14+**
Years of Confidential Computing, Big Data & ML

**ISO 27001 · ISAE 3402 Type II · IBM HSMs with KYOK / BYOK (FIPS 140-2 L4)**
Certifications & key custody — Apertus 1.5 · Sovereign Agents · July 2026

CONTACT

**PHOENIQS**
Churerstrasse 54
8808 Pfäffikon, Switzerland
+41 44 500 86 41
contact@phoeniqs.swiss

**PHOENIQS.SWISS**