




Forest County, Wisconsin (WI041)			
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PaB	Padus sandy loam, 0 to 6 percent slopes	0.2	5.9%
PaC	Padus sandy loam, 6 to 15 percent slopes	2.2	94.1%
Totals for Area of Interest		2.4	100.0%

Argonne Experimental Forest - Marteloscope 1 - Soil Map



Forest County, Wisconsin

PaC—**Padus** sandy loam, 6 to 15 percent slopes

Map Unit Setting

- *National map unit symbol:* 2tny3
- *Elevation:* 840 to 1,840 feet
- *Mean annual precipitation:* 28 to 33 inches
- *Mean annual air temperature:* 39 to 45 degrees F
- *Frost-free period:* 90 to 135 days
- *Farmland classification:* Far

Description of **Padus**

Setting

- *Landform:* Hillslopes, kames, eskers
- *Landform position (two-dimensional):* Backslope, shoulder
- *Landform position (three-dimensional):* Side slope
- *Down-slope shape:* Convex
- *Across-slope shape:* Convex
- *Parent material:* Loamy glaciofluvial deposits over stratified sandy and gravelly outwash

Typical profile

- *A - 0 to 2 inches:* sandy loam
- *E - 2 to 3 inches:* sandy loam
- *Bs - 3 to 19 inches:* sandy loam
- *E/B - 19 to 26 inches:* sandy loam
- *B/E - 26 to 38 inches:* sandy loam
- *2C - 38 to 79 inches:* stratified sand to very gravelly coarse sand

Properties and qualities

- *Slope:* 6 to 15 percent
- *Depth to restrictive feature:* More than 80 inches
- *Drainage class:* Well drained
- *Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.60 to 2.00 in/hr)
- *Depth to water table:* More than 80 inches
- *Frequency of flooding:* None
- *Frequency of ponding:* None
- *Maximum salinity:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
- *Available water capacity:* Low (about 5.9 inches)

