

Auto-Generated Structure Test

Table of contents:

Data Dictionary: Summary of Variables	3
Variable Details and Notes	4
Instructions for Adding Project Overview	12
Instructions for Adding Data Structure File	14
Instructions for Adding Key Terms and Definitions	17

Auto-Generated Structure Test

Auto-Generated Structure Test

Data Dictionary: Summary of Variables

Note: Data structure was automatically generated from DataFrame analysis. Variable metadata may need review and updating for accuracy.

Variable Name	Data Type	Length	Categorical	Variable Label
person_id	Int			Variable Label Missing
name	String			Variable Label Missing
age	Int			Variable Label Missing
salary	Float			Variable Label Missing
department	String			Variable Label Missing
is_manager	String			Variable Label Missing
satisfaction	Int			Variable Label Missing

Auto-Generated Structure Test

Variable Details and Notes

The following pages provide details on each variable. Where applicable, notes provide links to verify data. Categorical variables include details on category codes.

Auto-Generated Structure Test

person_id: Variable Label Missing

Variable characteristic	Variable details
variable type	numeric (Int)
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
range	minimum value: 1.00 to maximum value: 5.00
mean	3.00
median	3.00
standard deviation	1.58
10th percentile	1.40
25th percentile	2.00
50th percentile	3.00
75th percentile	4.00
90th percentile	4.60

Variable Notes: person_id

****WARNING**:** Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

name: Variable Label Missing

Variable characteristic	Variable details
variable type	string
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
unique values	5
minimum length	5
maximum length	6
example 1	Diana
example 2	Bob
example 3	Charlie
example 4	Alice

Variable Notes: name

****WARNING****: Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

age: Variable Label Missing

Variable characteristic	Variable details
variable type	numeric (Int)
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
range	minimum value: 22.00 to maximum value: 40.00
mean	30.40
median	30.00
standard deviation	7.30
10th percentile	23.20
25th percentile	25.00
50th percentile	30.00
75th percentile	35.00
90th percentile	38.00

Variable Notes: age

****WARNING**:** Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

salary: Variable Label Missing

Variable characteristic	Variable details
variable type	numeric (Float)
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
range	minimum value: 45,000.00 to maximum value: 80,000.25
mean	62,400.30
median	65,000.75
standard deviation	14,707.14
10th percentile	47,000.20
25th percentile	50,000.50
50th percentile	65,000.75
75th percentile	72,000.00
90th percentile	76,800.15

Variable Notes: salary

****WARNING**:** Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

department: Variable Label Missing

Variable characteristic	Variable details
variable type	string
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
unique values	3
minimum length	7
maximum length	2
example 1	HR
example 2	IT
example 3	Finance
example 4	HR

Variable Notes: department

****WARNING****: Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

is_manager: Variable Label Missing

Variable characteristic	Variable details
variable type	string
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
unique values	2
minimum length	5
maximum length	4
example 1	False
example 2	True
example 3	False
example 4	True

Variable Notes: is_manager

****WARNING**:** Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

satisfaction: Variable Label Missing

Variable characteristic	Variable details
variable type	numeric (Int)
total cases	5
valid cases	5
missing cases	0
unit of measure	Unknown
unit of analysis	Unknown
range	minimum value: 3.00 to maximum value: 5.00
mean	4.20
median	4.00
standard deviation	0.84
10th percentile	3.40
25th percentile	4.00
50th percentile	4.00
75th percentile	5.00
90th percentile	5.00

Variable Notes: satisfaction

****WARNING**:** Auto-generated data structure - please review and update metadata as needed.

Auto-Generated Structure Test

Instructions for Adding Project Overview

Instructions for Project Overview

A project overview provides essential context that helps users understand the purpose, scope, and key details of your dataset. It orients new users, supports transparency, and ensures that the data is used appropriately and interpreted correctly.

Please include information about your project, such as:

Required:

Project title: Clear, descriptive name for your project or dataset

Principal Investigator(s): Lead researcher(s) with contact information

Good to have:

Required citations: How others should cite your work or dataset

Project description: What questions is this research trying to answer and why it matters

Funding source: Grant numbers, award names, and funding agency information

Data provenance: Detailed information about data sources, collection methods, and any synthetic/simulated elements

Good to include if survey data:

Data collection context - When, where, and how the data was collected

Target population - Who or what the data represents

Sample size and methodology - How many observations and what sampling approach

Time period - When the data was collected and what time frame it covers

Geographic scope - Location(s) where the data applies

Good to include if known:

Related works - Publications, reports, or other research using or related to this data

Keywords - Terms that help others discover and categorize your work

License - Legal terms governing how others may use your data

Limitations and considerations - Important caveats about data use and interpretation

File Format Requirements

When you have your project overview file completed, pypdfcodebook requires that this is saved as a **markdown file** (with `.md`` extension). Markdown is a text file with simple formatting options.

Formatting Support in PDF Output

Important: pypdfcodebook uses fpdf2 to convert your markdown content to PDF, which has limited formatting support. Only these markdown features will be rendered in the final PDF:

- **Bold text:** Use ``bold text``
- **Italic text*:* Use ``italic text``
- Underlined text: Use ``underlined text``

Formatting that will NOT appear in the PDF:

- Headers (`# ## ###`) - these are ignored in PDF rendering
- Bullet lists (`-` or `*`) - these become plain text
- Numbered lists (`1. 2. 3.`) - these become plain text
- Links `text` - only the text portion displays
- Code blocks or inline code - these become plain text

Auto-Generated Structure Test

Recommendations for Best Results

1. Use **descriptive text** rather than relying on headers for organization
2. Use **bold formatting** (``text``) to emphasize important information like section names
3. **Write in paragraph form** rather than using bullet lists, since lists won't format properly
4. **Keep it simple** - focus on clear, well-written content rather than complex formatting

Creating Your Files

For both project overview and key terms files:

- Save as ``md`` files (e.g., ``project_overview.md``, ``keyterms.md``)
- Use any text editor (Notepad, VS Code, etc.)
- Focus on clear content over complex formatting
- Use the simple bold/italic formatting sparingly for emphasis

This section was auto-generated using the default instruction mode in pypdfcodebook. To turn off instruction mode set `instruction_mode` to `False` in the codebook command. Please replace with actual project details relevant to your dataset and research.

Auto-Generated Structure Test

Instructions for Adding Data Structure File

Instructions for Data Structure File

A data structure file defines the metadata and specifications for each variable in your dataset. This Python dictionary provides essential information that pypdfcodebook uses to create comprehensive variable documentation in your PDF codebook.

Please create a DATA_STRUCTURE dictionary following this format:

```
DATA_STRUCTURE = {
    'variable_name' : {
        Required fields for all variables:
        'label' : 'Human-readable variable description',
        'DataType' : 'String|Int|Float|Bool', Data type as it appears in your data
        'pyType' : str|int|float|bool|"category", Python type for processing
        'AnalysisUnit' : 'What each row represents (e.g., Survey response, Person, etc.)',
        'MeasureUnit' : 'Units of measurement (e.g., Years, Dollars, Responses, etc.)',

        Optional but recommended:
        'notes' : 'Additional context, methodology, or important details about this variable',

        Required for categorical variables:
        'categorical' : True, Set to True if this is a categorical variable
        'categorical_type' : 'nominal|ordinal', Type of categorical variable
        'categories_dict' : {
            1 : '1. First category label',
            2 : '2. Second category label',
            ... continue for all categories
        },
        'categories' : [
            '1. First category label',
            '2. Second category label',
            ... list matching the categories_dict
        ],

        Optional for weighted analysis:
        'primary_key' : 'variable_name_of_unique_identifier',
        'weight_var' : 'variable_name_of_weight_variable',
    },
    Add additional variables following the same structure...
}
```

Example based on sample survey data:

```
DATA_STRUCTURE = {
    'rid': {
        'label': 'Random Survey Response ID',
        'DataType': 'String',
        'pyType': str,
        'AnalysisUnit': 'Survey response',
        'MeasureUnit': 'Responses',
        'notes': 'join([
            '1. Unique, non-missing key for sample data.',
```

Auto-Generated Structure Test

```
'2. Randomly generated 5 digit alphanumeric string identifier.',
'3. Range from A1000 to Z9999.'
])
},
'region': {
  'label': 'Geographic Region',
  'DataType': 'Int',
  'pyType': "category",
  'categorical': True,
  'categorical_type': 'nominal',
  'AnalysisUnit': 'Survey response',
  'MeasureUnit': 'Responses by Region',
  'categories_dict': {
    1: '1. North',
    2: '2. South',
    3: '3. East',
    4: '4. West'
  },
  'categories': [
    '1. North',
    '2. South',
    '3. East',
    '4. West'
  ],
  'primary_key': 'rid',
  'weight_var': 'weight'
},
'age': {
  'label': 'Age in Years',
  'DataType': 'Int',
  'pyType': int,
  'AnalysisUnit': 'Survey response',
  'MeasureUnit': 'Years',
  'notes': 'join([
    '1. Age of survey respondent at time of survey.',
    '2. Range from 18 to 99 years.',
    '3. Missing values indicate participant did not provide age information.',
    '4. Surveys completed between November 2025 and December 2025.'
  ])',
  'primary_key': 'rid',
  'weight_var': 'weight'
}
}
```

Field Specifications

Required Fields (all variables): **label** is a clear, descriptive name for the variable. **DataType** is the data type as stored ('String', 'Int', 'Float', 'Bool'). **pyType** is the Python type for processing (str, int, float, bool, or "category"). **AnalysisUnit** describes what each observation represents. **MeasureUnit** specifies units or scale of measurement.

Categorical Variables: Set **categorical** to True. Use **categorical_type** as 'nominal' for unordered categories, 'ordinal' for ordered categories. **categories_dict** should be a dictionary mapping numeric codes to labeled categories. **categories** should be a list of category labels matching the dictionary.

Auto-Generated Structure Test

Optional but Recommended: **notes** provides additional context, methodology notes, or important details. **primary_key** names the unique identifier variable (for analysis). **weight_var** names the weight variable (for weighted analysis).

Data Types Guide

'**String**' is for text data (names, IDs, open responses). '**Int**' is for whole numbers (ages, counts, categorical codes). '**Float**' is for decimal numbers (weights, measurements, percentages). '**Bool**' is for True/False values. **pyType "category"** should be used for categorical variables regardless of underlying storage type.

File Requirements

Save as Python file using .py extension (e.g., data_structure.py). **Variable naming** must use the exact column names from your dataset. **Dictionary format** must be valid Python dictionary syntax. **Category consistency** requires that categories_dict and categories list match exactly.

Notes Format

For multi-line notes, use the join pattern: 'notes': 'join(['1. First important point.', '2. Second important point.', '3. Additional context or methodology.'])

Creating Your Data Structure File

Create a new Python file with .py extension. Define your DATA_STRUCTURE dictionary using the exact variable names from your dataset. For each variable, include all required fields and any relevant optional fields. For categorical variables, make sure to include the categorical-specific fields. Save the file in your project directory where pypdfcodebook can access it.

Common Patterns

For survey data, typically include a unique identifier (like rid), demographic variables (like age, region), response variables (like satisfaction scores), and any weight variables for analysis. For experimental data, include treatment indicators, outcome measures, and control variables. For observational data, include all measured variables with appropriate data types and units.

This section was auto-generated using the default instruction mode in pypdfcodebook. To turn off instruction mode set instruction_mode to False in the codebook command. Please replace with your actual variable definitions.

Auto-Generated Structure Test

Instructions for Adding Key Terms and Definitions

Instructions for Key Terms and Definitions

Key terms provide essential definitions that ensure future data users do not have to assume what terms mean, promoting clear understanding and consistent interpretation of the dataset and its documentation.

Please define key terms related to your project, including:

- **Technical terminology** used in variable names or descriptions
- **Domain-specific concepts** relevant to your field of study
- **Measurement units** and their definitions
- **Categorical codes** and what they represent
- **Analysis concepts** that may not be familiar to all users

This process may require a literature review and communication with the data creator. If you do not know what a term in the dataset means it is ok to simply state "Definition unknown".

File Format Requirements

When you have your project overview file completed, pypdfcodebook requires that this is saved as a **markdown file** (with `.md`` extension). Markdown is a text file with simple formatting options.

Formatting Support in PDF Output

Important: pypdfcodebook uses fpdf2 to convert your markdown content to PDF, which has limited formatting support. Only these markdown features will be rendered in the final PDF:

- **Bold text:** Use ``bold text``
- **Italic text*:* Use ``italic text``
- Underlined text: Use ``underlined text``

Formatting that will NOT appear in the PDF:

- Headers (`# ## ###`) - these are ignored in PDF rendering
- Bullet lists (`-` or `*`) - these become plain text
- Numbered lists (`1. 2. 3.`) - these become plain text
- Links `text` - only the text portion displays
- Code blocks or inline code - these become plain text

Recommendations for Best Results

1. **Use descriptive text** rather than relying on headers for organization
2. **Use bold formatting** (``text``) to emphasize important information like section names
3. **Write in paragraph form** rather than using bullet lists, since lists won't format properly
4. **Keep it simple** - focus on clear, well-written content rather than complex formatting

Creating Your Files

For both project overview and key terms files:

- Save as `.md`` files (e.g., ``project_overview.md``, ``keyterms.md``)
- Use any text editor (Notepad, VS Code, etc.)
- Focus on clear content over complex formatting
- Use the simple bold/italic formatting sparingly for emphasis

Auto-Generated Structure Test

This section was auto-generated using the default instruction mode in pypdfcodebook. To turn off instruction mode set `instruction_mode` to `False` in the `codebook` command. Please replace with actual project details relevant to your dataset and research.