What problem are you trying to solve? (1 - 3 sentences)

A problem I have is that sometimes I tell myself I can have a little break from what I'm doing to scroll. However, when I do this, I often end up scrolling much longer than I intend to.

What are you going to build? (1 - 3 sentences)

I am going to build a script that will allow me to input a screen time session - what I want to do, and for how long. I will then make it so I can input how long the session actually was. I will then add this to a file and make a sort of database comparing the two.

What languages, libraries/commands, external tools, etc., are you going to use (bulleted list is fine)

- Language: Java
- Library: java.lang.IO (IO.readln)

List your milestones in order (5-10 steps). Each one of these should = 1 git commit


- Set up git repo and environment and create project
- Write user input (new session -> desired length, date, actual length, view sessions, exit)
- Write a method to calculate difference between desired and actual session lengths
- Write a method for writing a session to the CSV file
- Write a method to parse the CSV file
- Write a method to format and print the contents of the CSV file
- Write everything into a loop so the user can do multiple things with one run of the program

Link to Repository:
https://github.com/npsanga/CS193-Final-Project

Eisenhower Matrix Below:

	Urgent	**Not Urgent**
Important	• Write a program that allows the user to add a new screen time session (desired length, date) • After finishing the session, the user will input how long the session was, and the program will write it to a file (CSV likely) • Be able to ask for the file's contents and get a response formatted with every Session [number]: Desired length: [desired length], Actual length: [actual length], Difference: [difference], Date: [date]	• Compute a weekly average difference (adding up all the sessions for that week and dividing by the amount of sessions) • Error handling for incorrectly formatted responses (dates, times, lengths) • Make it runnable from the terminal or from a desktop file
Not important	• IO.readln instead of a custom input parser • Nothing else urgent would be something I would delegate	• Add a GUI for adding a session (drop-down menu for dates, times, etc.) • Add a GUI for viewing sessions as well (make it look cleaner) • Make it actively track time instead of inputting the session length • Add a streak system or a points system to make it incentivizing to not go over the limit that you set • Make it so that it connects to apple's screen time so you can confirm sessions • Make an app for it on a phone or desktop • Be able to set a desired weekly average difference between chosen length and actual length, if you go over it you lose points maybe • Far, far reach: make it so that it is able to block apps/webpages if you go over the desired length while on that app

Flow Chart:


Print formatted output to the terminal
Start (User runs program)
Prompt user: new screen time session, view sessions, or exit
Parse the current CSV file
View sessions
Read user input
New session
Exit
Prompt user for desired session length
Write all new data to CSV file
Read user input
End
Prompt user for the current date
Read user input
Calculate difference between actual and desired session lengths
Prompt user for actual session length (they will respond once they are done with their session)
Read user input