```python
In [1]:    # import modules
           import pandas as pd
           import os
           import warnings

           # Only show warning once in the notebook
           warnings.filterwarnings(action = 'ignore')

           # Adding options to display all of the rows of DataFrame w/o truncation
           pd.set_option('display.max_rows',None)
           pd.set_option('display.max_columns',None)
```

```python
In [2]:    # Create DataFrame from csv file
           path_to_csv = os.path.join('Resources','purchase_data.csv')
           purchase_df = pd.read_csv(path_to_csv)
           purchase_df.head()
```

Out[2]:

	Purchase ID	SN	Age	Gender	Item ID	Item Name	Price
0	0	Lisim78	20	Male	108	Extraction, Quickblade Of Trembling Hands	3.53
1	1	Lisovynya38	40	Male	143	Frenzied Scimitar	1.56
2	2	Ithergue48	24	Male	92	Final Critic	4.88
3	3	Chamassasya86	24	Male	100	Blindscythe	3.27
4	4	Iskosia90	23	Male	131	Fury	1.44

Player Count

```python
In [3]:    # Player Count
           total_players = purchase_df["SN"].nunique()
           pd.DataFrame({"Total Players":[total_players]})
```

Out[3]:

	Total Players
0	576

Purchasing Analysis (Total)

```
In [4]: total_number_of_unique_items = purchase_df["Item ID"].nunique()
        average_purchase_price = purchase_df["Price"].mean()
        total_number_of_purchases = purchase_df["Item ID"].count()
        total_revenue = purchase_df["Price"].sum()

        # Collect analysis in a summary data frame
        purchasing_analysis_df = pd.DataFrame({"Number of Unique Items":[total_number_of_unique_items],\
                    "Average Price":[average_purchase_price],\
                    "Number of Purchases":[total_number_of_purchases],\
                    "Total Revenue":total_revenue})

        # Change formatting for cleaner display
        purchasing_analysis_df.style.format({'Average Price': "${:,.2f}", \
                                             'Total Revenue': '${:,.2f}'})
```

Out[4]:

	Number of Unique Items	Average Price	Number of Purchases	Total Revenue
0	183	$3.05	780	$2,379.77

Gender Demographics

In [5]:

```
# Performing value_counts() on Gender column after
# dropping duplicate players from the data set
# Reasoning: A player may have bought items more than once and therefore
# may appear multiple times in transactions.
gender_df = pd.DataFrame(purchase_df.drop_duplicates("SN")["Gender"].value_counts())
gender_df = gender_df.rename(columns = {"Gender":"Total Counts"})
gender_df["Percentage of Players"] = gender_df["Total Counts"]/total_players*100

# Change formatting for cleaner display
gender_df.style.format({"Percentage of Players": "{:,.2f}%"})
```

Out[5]:

	Total Counts	Percentage of Players
Male	484	84.03%
Female	81	14.06%
Other / Non-Disclosed	11	1.91%

Purchasing Analysis (Gender)

In [19]:

```
# Groupby Gender to calculate gender demographics
purchase_count = (purchase_df.groupby(["Gender"])["Purchase ID"].count())
average_price = (purchase_df.groupby(["Gender"])["Price"].mean())
total_revenue = (purchase_df.groupby(["Gender"])["Price"].sum())
avg_price_per_person = (purchase_df.groupby(["Gender","SN"])['Price'].sum())

# Summary Table for purchasing analysis by Gender
summary_purchase_by_gender = pd.DataFrame({"Purchase Count": purchase_count,\
                                           "Average Purchase Price": average_price,\
                                           "Total Purchase Value": total_revenue})

# Calculate total price per ID per gender by adding all the prices per ID.
total_purchase_per_person = purchase_df.groupby(['Gender','SN'])['Price'].sum().reset_index()
avg_total_purchase_per_person = total_purchase_per_person.groupby('Gender').mean()

# using reset_index() to bring Gender as common column in both dfs
avg_total_purchase_per_person = avg_total_purchase_per_person.reset_index()

# Merge summary_purchase_by_gender with newly calculated avg_total_purchase_per_person
summary_purchase_by_gender_merged = pd.merge(summary_purchase_by_gender.reset_index(),\
                                             avg_total_purchase_per_person)
summary_purchase_by_gender_merged = summary_purchase_by_gender_merged.set_index('Gender')
summary_purchase_by_gender_merged = summary_purchase_by_gender_merged.rename(columns={'Price':'Avg Total Purcha

# summary_purchase_by_gender
# Change formatting for cleaner display
summary_purchase_by_gender_merged.style.format({'Average Purchase Price': "${:,.2f}",\
                                               'Total Purchase Value': '${:,.2f}','Avg Total Purchase per Person': '${:,.2f
```

Out[19]:

	Purchase Count	Average Purchase Price	Total Purchase Value	Avg Total Purchase per Person
Gender				
Female	113	$3.20	$361.94	$4.47
Male	652	$3.02	$1,967.64	$4.07
Other / Non-Disclosed	15	$3.35	$50.19	$4.56

Age Demographics

In [20]: ▶|
```python
# Drop duplicates for analysis on players
age_df = purchase_df.drop_duplicates(['SN'])

# Define age bins and labels
age_bins = [0,9,14,19,24,29,34,39,50]
age_labels = ['<10','10-14','15-19','20-24','25-29','30-34','35-39','40+']

age_df['Age Ranges'] = pd.cut(age_df['Age'], bins = age_bins, labels = age_labels)

# Calculate total counts per bin and percentage of players per bin
counts_per_age_bin = age_df.groupby(['Age Ranges'])['Age Ranges'].count()
percentage_per_age_bin = counts_per_age_bin/total_players*100

age_demo_df = pd.DataFrame({'Total Counts': counts_per_age_bin,\
                            'Percentage of Players': percentage_per_age_bin})

# Change formatting for cleaner display
age_demo_df.style.format({"Percentage of Players": "{:,.2f}%"})
```

Out[20]:

Age Ranges	Total Counts	Percentage of Players
<10	17	2.95%
10-14	22	3.82%
15-19	107	18.58%
20-24	258	44.79%
25-29	77	13.37%
30-34	52	9.03%
35-39	31	5.38%
40+	12	2.08%

Purchasing Analysis (Age)

In [54]:

```python
# Not Dropping duplicates for analysis on item purchases

# Define age bins and labels
age_bins = [0,9,14,19,24,29,34,39,50]
age_labels = ['<10','10-14','15-19','20-24','25-29','30-34','35-39','40+']

purchase_df['Age Ranges'] = pd.cut(purchase_df['Age'], bins = age_bins, labels = age_labels)

# Calculate total purchase count,
purchase_counts_per_age_bin = purchase_df.groupby(['Age Ranges'])['Purchase ID'].count()
avg_purchase_price_per_age_bin = purchase_df.groupby(['Age Ranges'])['Price'].mean()
total_purchase_value_per_age_bin = purchase_df.groupby(['Age Ranges'])['Price'].sum()
#avg_total_purchase_per_person = ???

summary_purchase_by_age_df = pd.DataFrame({'Purchase Count': purchase_counts_per_age_bin,\
                                'Average Purchase Price': avg_purchase_price_per_age_bin,\
                                'Total Purchase Value': total_purchase_value_per_age_bin})

# Calculate total price per ID per Age Ranges by adding all the prices per ID.
total_purchase_pp_per_age_group = (purchase_df.groupby(['Age Ranges','SN'])['Price'].sum().reset_index())
avg_total_purchase_pp_per_age_group = total_purchase_pp_per_age_group.groupby('Age Ranges').mean()

# using reset_index() to bring Age Ranges as common column in both dfs
avg_total_purchase_pp_per_age_group = avg_total_purchase_pp_per_age_group.reset_index()

# Merge summary_purchase_by_gender with newly calculated avg_total_purchase_per_person
summary_purchase_by_age_df_merged = pd.merge(summary_purchase_by_age_df.reset_index(),\
                                avg_total_purchase_pp_per_age_group)
summary_purchase_by_age_df_merged = summary_purchase_by_age_df_merged.set_index('Age Ranges')
summary_purchase_by_age_df_merged = summary_purchase_by_age_df_merged.rename(columns={'Price':'Avg Total Pur

# Change formatting for cleaner display
summary_purchase_by_age_df_merged.style.format({'Average Purchase Price': "${:,.2f}",\
                                'Total Purchase Value': '${:,.2f}',\
                                'Avg Total Purchase per Person': '${:,.2f}'})
```

Out[54]:

	Purchase Count	Average Purchase Price	Total Purchase Value	Avg Total Purchase per Person
Age Ranges				

	Purchase Count	Average Purchase Price	Total Purchase Value	Avg Total Purchase per Person
Age Ranges				
<10	23	$3.35	$77.13	$4.54
10-14	28	$2.96	$82.78	$3.76
15-19	136	$3.04	$412.89	$3.86
20-24	365	$3.05	$1,114.06	$4.32
25-29	101	$2.90	$293.00	$3.81
30-34	73	$2.93	$214.00	$4.12
35-39	41	$3.60	$147.67	$4.76
40+	13	$2.94	$38.24	$3.19

Top Spenders

In [22]:

```python
# Group by SN to study player statistics
purchase_count = (purchase_df.groupby(["SN"])["Item ID"].count())
average_price = (purchase_df.groupby(["SN"])["Price"].mean())
total_revenue = (purchase_df.groupby(["SN"])["Price"].sum())

# Summary Table for purchasing analysis by SN
summary_purchase_by_SN = pd.DataFrame({"Purchase Count": purchase_count,\
                "Average Purchase Price": average_price,\
                "Total Purchase Value": total_revenue})

# Sort summary DataFrame by Total purchase value first before performing formatting
summary_purchase_by_SN = summary_purchase_by_SN.sort_values(["Total Purchase Value"],ascending = False)

# Change formatting for cleaner display
summary_purchase_by_SN.head().style.format({'Average Purchase Price': "${:,.2f}", 'Total Purchase Value': '$
```

Out[22]:

SN	Purchase Count	Average Purchase Price	Total Purchase Value
Lisosia93	5	$3.79	$18.96
Idastidru52	4	$3.86	$15.45
Chamjask73	3	$4.61	$13.83
Iral74	4	$3.40	$13.62
Iskadarya95	3	$4.37	$13.10

Most Popular Items

In [23]:

```python
purchase_count = purchase_df.groupby(['Item ID','Item Name','Price'])['Item ID'].count()
total_purchase_value = purchase_df.groupby(['Item ID','Item Name','Price'])['Price'].sum()

popular_df = pd.DataFrame({'Purchase Count': purchase_count,\
                           'Total Purchase Value': total_purchase_value}).reset_index()
popular_df = popular_df[['Item ID','Item Name','Purchase Count','Price','Total Purchase Value']]
popular_df = popular_df.rename(columns = {'Price':'Item Price'})
popular_df = popular_df.set_index(['Item ID','Item Name'])
popular_df = popular_df.sort_values(['Purchase Count'],ascending = False)

popular_df.head().style.format({'Item Price': "${:,.2f}", 'Total Purchase Value': '${:,.2f}'})
```

Out[23]:

Item ID	Item Name	Purchase Count	Item Price	Total Purchase Value
178	Oathbreaker, Last Hope of the Breaking Storm	12	$4.23	$50.76
145	Fiery Glass Crusader	9	$4.58	$41.22
108	Extraction, Quickblade Of Trembling Hands	9	$3.53	$31.77
82	Nirvana	9	$4.90	$44.10
19	Pursuit, Cudgel of Necromancy	8	$1.02	$8.16

Most Profitable Items

In [24]: ▶ |
```
profitable_df = popular_df.sort_values('Total Purchase Value', ascending = False)

profitable_df.head().style.format({'Item Price': "${:,.2f}", 'Total Purchase Value': '${:,.2f}'})
```

Out[24]:

Item ID	Item Name	Purchase Count	Item Price	Total Purchase Value
178	Oathbreaker, Last Hope of the Breaking Storm	12	$4.23	$50.76
82	Nirvana	9	$4.90	$44.10
145	Fiery Glass Crusader	9	$4.58	$41.22
92	Final Critic	8	$4.88	$39.04
103	Singed Scalpel	8	$4.35	$34.80

In [ ]: ▶ |