Entitlement

The Entitlement node contains the following elements: **Redeem**, **BioValidation**, **IdCheckVerified**, **BiometricOverride**, **ErrorReference** and **MediaInfo**. Refer to the following Table for a description of each element.


Table 1.11   <Command><Entitlement>

Identifier	Description	Sample Data
<Entitlement> Type: Parent Node	Contains a message that can perform an operation on an entitlement or request information on an entitlement. Parent node of: • Redeem • BioValidation • MediaInfo	
<Redeem> Type: Boolean	Contains a message that will either redeem a ticket entitlement or return ticket details. If TRUE, the ticket entitlement is redeemed. If FALSE, ticket details are returned. Constraints: • 1 = TRUE	1

	• 0 = FALSE	
<BioValidation> Type: Boolean	Contains a message that dictates whether biometrics must be checked at the access device. If TRUE, biometrics must be checked. If FALSE, biometrics are not checked. Constraints: • 1 = TRUE • 0 = FALSE	1
<IdCheckVerified> *(Optional)* Type: Boolean	Contains a message that confirms the cast member has verified the guest's ID. Constraints: • 1 = TRUE • 0 = FALSE	1
<BiometricOverride> *(Optional)* Type: String	Contains a message that allows the operator to override biometric information. The following enumerations are available: • **K** = One time override. Does not replace the biometric template. • **NT** = Replaces the biometric template with a newly captured template (this requires a template to be passed). • **PO** = Permanent Override	NT
<ErrorReference> *(Optional)* Type: String	Searches the database for an error according to the error reference.	
<MediaInfo> Type: Parent Node	Contains information regarding the media's barcode. Parent node for: • MediaSearchMode • BioDeviceFilter • BiometricInfo Refer to Table 1.12 for further information.	

Entitlement

The Entitlement node contains the following elements: **MediaInfo**, **EntitlementInfo**, and **GuestDemographicData**. Refer to the following Table for a description of each element.


Table 2.10   <Command><Entitlement>

Identifier	Description	Sample Data
<Entitlement> Type: Parent Node	Contains information regarding the requested entitlement. Parent node for: • MediaInfo • EntitlementInfo	
<MediaInfo> Type: Parent Node	Contains information regarding the media sent on the request message. Parent node for: • TDSSN • TCOD • BarCode • MagCode • ExternalTicketCode • xBandID • VisualxBandID Refer to Table 2.11 for further information.	
<EntitlementInfo> Type: Parent Node	Contains information regarding the requested entitlement. Parent node for: • Decremented • BioRequired • IdCheckRequired • SimulateBio • NewEnrollment	

	• EntitlementConfiguration • RemainingValue • Validity • Usages • BiometricInfo • SeasonPassInfo • ShowData • TicketNote • TicketAttribute • AccessInfoList Refer to Table 2.13 for further information.	
\<GuestDemographicData\> Type: Parent Node	Returns guest demographic information. Parent node for: • Field • FieldId • FieldType • FieldValue Refer to Table 2.23 for further information	

Table 2.11   \<Command\>\<Entitlement\>\<MediaInfo\>

| Identifier	Description	Sample Data
\<TDSSN\> *(Choose One)*	Ticket Date, Site, Station and Number (Ticket ID). Refer to Table 2.12 for further information.	