

Front-end Essentials

Bootstrap 4



Table of Contents

- Overview
- Layout
- Typography
- Commonly Components

Lesson Objectives

- Understand basic concepts of Bootstrap 4
- Able to create layout using Bootstrap 4
- Able to use Components of Bootstrap 4 to create complex web app

Section 1


Overview

Overview – What is Bootstrap?

- CSS framework for **faster** and **easier** web development.
- Includes HTML and CSS based design templates.
- Easily create responsive designs.

Overview – Why Bootstrap?

- Beautiful, Modern Design
- Browser support
- Easy to learn
- Responsive Web Design
- Design faster



Overview – How to use Bootstrap?

- **Step 1:** Download Bootstrap at <https://getbootstrap.com/>
- **Step 2:** Add the HTML5 doctype
- **Step 3:** Add meta tag and links

- CSS framework for **faster** and **easier** web development.
- **Benefits:** Beautiful and Modern Design, Browser support, Easy to learn, Responsive Web Design, Design faster
- Start using Bootstrap 4 by download and add it to html page

Section 2

Layout

- Important in Web design
- Help to create a skeleton for our web page




[Trang chủ](#) [Giới thiệu](#) [Kho Tài Liệu](#) [Công cụ hỗ trợ](#) [Kiến thức](#) [Khuyến mãi](#)

Series Video Xây Dựng PHP MVC Framework Từ A Đến Z

Cập nhật lúc 29/03/2017 | 73 | Thiết kế web

PHP Framework là một bộ thư viện được tổ chức theo một mô hình sẵn và tích hợp nhiều thư viện sẵn giúp lập trình viên tiết kiệm thời gian, đồng thời giải quyết vấn đề tạo ra chuẩn chung cho các lập trình viên khi làm việc nhóm (team work).
Hiện tại, trên thế...

[Xem chi tiết](#)



Series Video Học Bootstrap 3 – Tiếng Việt


Cập nhật lúc 03/01/2017 | 784 | Thiết kế web

Thời gian vừa qua tôi có sưu tầm được một bộ video học Bootstrap 3 Tiếng Việt do 1 bạn chia sẻ trên mạng. Nay tôi xin phép chia sẻ bộ video hữu ích này cho bạn nào chưa biết. Series video học Bootstrap 3 Tiếng Việt này rất phù hợp cho bạn nào mới...

[Xem chi tiết](#)



Tổng Hợp Hơn 7GB Video Học Lập Trình Web



DỊCH VỤ KHUYẾN DÙNG



TÀI LIỆU XEM NHIỀU NHẤT



Publish: 10/10/2015, 46662 Views

Tài Liệu Quản Trị Mạng

- Syntax:

```
<div class="container">  
  <!-- Content here -->  
</div>
```

```
<div class="container-fluid">  
  ...  
</div>
```

- Use `.container-fluid` for a full width container, spanning the entire width of the viewport

- **Problem:** How to create vertically align block ?
- **Simple Solution:** Use CSS `float` or `position` property
- **With Bootstrap:** Use Grid System

```
<div class="container">  
  <div class="row">  
    <div class="col-sm">  
      One of three columns  
    </div>  
    <div class="col-sm">  
      One of three columns  
    </div>  
    <div class="col-sm">  
      One of three columns  
    </div>  
  </div>  
</div>
```

One of three columns

One of three columns

One of three columns

■ Syntax: `.col-a-b`

- ✓ a: symbol of device (`sm`, `md`, `lg`, `xl`)
- ✓ b: number of columns (`1`, `2`, `3` up to `12`)

	Extra small <576px	Small ≥576px	Medium ≥768px	Large ≥992px	Extra large ≥1200px
Max container width	None (auto)	540px	720px	960px	1140px
Class prefix	<code>.col-</code>	<code>.col-sm-</code>	<code>.col-md-</code>	<code>.col-lg-</code>	<code>.col-xl-</code>
# of columns	12				
Gutter width	30px (15px on each side of a column)				
Nestable	Yes				
Column ordering	Yes				

- Use `.container` and `.container-fluid` to create frame/skeleton for you web page
- Create complex layout with **Grid System**
- **Grid System** consists of **row** where each row is composed of 12 **columns**
- Use class prefix `.col`, `.col-sm-`, `.col-md-`, `.col-lg-`, `.col-xl-` to create responsive web app

Section 3

Typography

- All HTML headings, `<h1>` through `<h6>`, are available

Heading	Example
<code><h1></h1></code>	h1. Bootstrap heading
<code><h2></h2></code>	h2. Bootstrap heading
<code><h3></h3></code>	h3. Bootstrap heading
<code><h4></h4></code>	h4. Bootstrap heading
<code><h5></h5></code>	h5. Bootstrap heading
<code><h6></h6></code>	h6. Bootstrap heading

- Classes **.h1** through **.h6** are also available

h1. Bootstrap heading

h2. Bootstrap heading

h3. Bootstrap heading

h4. Bootstrap heading

h5. Bootstrap heading

h6. Bootstrap heading

```
<p class="h1">h1. Bootstrap heading</p>
<p class="h2">h2. Bootstrap heading</p>
<p class="h3">h3. Bootstrap heading</p>
<p class="h4">h4. Bootstrap heading</p>
<p class="h5">h5. Bootstrap heading</p>
<p class="h6">h6. Bootstrap heading</p>
```

Copy

- Easily realign text to components with text alignment classes

Left aligned text on all viewport sizes.

Center aligned text on all viewport sizes.

Right aligned text on all viewport sizes.

Left aligned text on viewports sized SM (small) or wider.

Left aligned text on viewports sized MD (medium) or wider.

Left aligned text on viewports sized LG (large) or wider.

Left aligned text on viewports sized XL (extra-large) or wider.

```
<p class="text-left">Left aligned text on all viewport sizes.</p>
<p class="text-center">Center aligned text on all viewport sizes.</p>
<p class="text-right">Right aligned text on all viewport sizes.</p>

<p class="text-sm-left">Left aligned text on viewports sized SM (small) or wider.
<p class="text-md-left">Left aligned text on viewports sized MD (medium) or wider
<p class="text-lg-left">Left aligned text on viewports sized LG (large) or wider.
<p class="text-xl-left">Left aligned text on viewports sized XL (extra-large) or
```

Copy

- Transform text in components with text capitalization classes

lowercased text.

UPPERCASED TEXT.

CapiTaliZed Text.

```
<p class="text-lowercase">Lowercased text.</p>  
<p class="text-uppercase">Uppercased text.</p>  
<p class="text-capitalize">CapiTaliZed text.</p>
```

Copy

- **Unstyled:** Remove the default **list-style** and left margin on list items

```
<ul class="list-unstyled">
  <li>Lorem ipsum dolor sit amet</li>
  <li>Consectetur adipiscing elit</li>
  <li>Integer molestie lorem at massa</li>
  <li>Facilisis in pretium nisl aliquet</li>
  <li>Nulla volutpat aliquam velit
    <ul>
      <li>Phasellus iaculis neque</li>
      <li>Purus sodales ultricies</li>
      <li>Vestibulum laoreet porttitor sem</li>
      <li>Ac tristique libero volutpat at</li>
    </ul>
  </li>
  <li>Faucibus porta lacus fringilla vel</li>
  <li>Aenean sit amet erat nunc</li>
  <li>Eget porttitor lorem</li>
</ul>
```

Lorem ipsum dolor sit amet
Consectetur adipiscing elit
Integer molestie lorem at massa
Facilisis in pretium nisl aliquet
Nulla volutpat aliquam velit

- Phasellus iaculis neque
- Purus sodales ultricies
- Vestibulum laoreet porttitor sem
- Ac tristique libero volutpat at

Faucibus porta lacus fringilla vel
Aenean sit amet erat nunc
Eget porttitor lorem

- **Inline:** Remove a list's bullets and apply some light **margin** with a combination of two classes, **.list-inline** and **.list-inline-item**

Lorem ipsum Phasellus iaculis Nulla volutpat

```
<ul class="list-inline">  
  <li class="list-inline-item">Lorem ipsum</li>  
  <li class="list-inline-item">Phasellus iaculis</li>  
  <li class="list-inline-item">Nulla volutpat</li>  
</ul>
```

- Bootstrap sets basic global display, typography, and link styles
- Change text alignment, transform, style, weight, and color with our [text utilities](#) and [color utilities](#).

Thank you

