

Q1. Sum of two numbers

```
import java.util.Scanner;

public class Q_01 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter First Number:");

        int firstNum = sc.nextInt();

        System.out.print("Enter Second Number:");

        int secondNum = sc.nextInt();


        int sum = firstNum + secondNum;

        System.out.println("Sum: " + sum);

    }

}
```

OUTPUT_1:

A screenshot of a terminal window with a dark background. The terminal shows the execution of a Java program. The prompt is 'PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3>'. The user enters 'cd "c:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3\" ; if (\$?) { javac Q_01.java } ; if (\$?) { java Q_01 }'. The program then prompts for input: 'Enter First Number:6' and 'Enter Second Number:4'. The output is 'Sum: 10'. The terminal window has tabs for 'Problems', 'Output', 'Debug Console', 'Ports', and 'Terminal'. The 'Terminal' tab is active. The status bar at the bottom shows 'Ln 11, Col 40', 'Spaces: 4', 'UTF-8', 'CRLF', '{ } Java', 'Go Live', 'Funny Sounds', and a bell icon.

```
PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3> cd "c:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3\" ; if ($?) { javac Q_01.java } ; if ($?) { java Q_01 }
Enter First Number:6
Enter Second Number:4
Sum: 10
PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3>
```

Q2. Email Address Input

```
import java.util.Scanner;

public class Q_02 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter Name: ");

        String name = sc.nextLine();

        System.out.print("Enter Email: ");

        String email = sc.nextLine();

        System.out.println("Student Details");


        System.out.println("Name: " + name);

        System.out.println("Email: " + email);

    }

}
```

OUTPUT_2:



```
Problems 3 Output Debug Console Ports Terminal
PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3> cd "c:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3\" ; if ($?) { javac Q_02.java } ; if ($?) { java Q_02 }
Enter Name: Nrapendra Rao
Enter Email: nrapendrarao@gmail.com
Student Details
Name: Nrapendra Rao
Email: nrapendrarao@gmail.com
PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3>
```

Q3. Simple Interest Calculator

```
import java.util.Scanner;

public class Q_03 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter Principal Amount: ");

        int P = sc.nextInt();

        System.out.print("Enter Rate of Interest: ");

        int R = sc.nextInt();

        System.out.print("Enter Time(in years): ");

        int T = sc.nextInt();


        int SI = (P * R * T) / 100;

        System.out.println("Simple Interst: " + SI);

    }

}
```

OUTPUT_3:



The screenshot shows a Windows Command Prompt window with the following text:

```
PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3> cd "c:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3\" ; if ($?) { javac Q_03.java } ; if ($?) { java Q_03 }
Enter Principal Amount: 1500
Enter Rate of Interest: 2
Enter Time(in years): 10
Simple Interst: 300
PS C:\Users\nrape\OneDrive\Desktop\JAVA\Assignment_3>
```

The terminal window has tabs for 'Problems', 'Output', 'Debug Console', 'Ports', and 'Terminal'. The status bar at the bottom indicates 'Ln 1, Col 1', 'Spaces: 4', 'UTF-8', 'CRLF', and the file is named 'Q_03.java'.