


Screenshot of:

- `java -version`
- `javac -version`



The screenshot shows an IDE interface with a terminal window open. The terminal displays the output of two commands: `java -version` and `javac -version`. The output for `java -version` shows the Java version as "26.0.1" and the build date as "2026-04-21". The output for `javac -version` shows the version as "26.0.1". The IDE interface includes a sidebar with a file explorer showing a project structure with folders like "Assignment-1" and "Strings". The terminal window is titled "Terminal" and shows the command prompt "PS C:\Users\harsh\OneDrive\Desktop\Java (PK)>".

```
PS C:\Users\harsh\OneDrive\Desktop\Java (PK)> java -version
java version "26.0.1" 2026-04-21
Java(TM) SE Runtime Environment (build 26.0.1+8-34)
Java HotSpot(TM) 64-Bit Server VM (build 26.0.1+8-34, mixed mode, sharing)
PS C:\Users\harsh\OneDrive\Desktop\Java (PK)> javac -version
javac 26.0.1
PS C:\Users\harsh\OneDrive\Desktop\Java (PK)>
```

What is JDK?

JDK (Java Development Kit) is a software package used to develop Java applications. It includes the Java compiler (javac), JVM, Java Runtime Environment (JRE), libraries, and development tools. Developers use the JDK to write, compile, debug, and run Java programs.

What is JVM?

JVM (Java Virtual Machine) is a part of the Java platform that executes Java bytecode. It converts bytecode into machine instructions, allowing Java programs to run on different operating systems. JVM also manages memory, security, and program execution efficiently.

What is JRE?

JRE (Java Runtime Environment) is a software package required to run Java applications. It includes the JVM, Java class libraries, and supporting files. JRE does not contain development tools like the Java compiler. It provides everything needed to execute Java programs.

Difference between JDK, JRE, and JVM.

JDK is used to develop Java programs and includes JRE and development tools. JRE is used to run Java programs and includes JVM and libraries. JVM executes Java bytecode and enables platform independence. Thus, JDK is for development, JRE for execution, and JVM for running bytecode.