PSP MCQ Set 1

1. Notebook PCs fall into a category of devices called

a) mobile computers b) desktop computers c) hybrid computers d) tabulators
Ans: a
 2. The binary system uses powers of a) 3 b) 2 c) 10 d) 8 Ans: b
Alis. D
 3. A computer program that converts assembly language to machine language is a) Compiler b) Interpreter c) Assembler d) Comparator
Ans :c
4. C was developed by
 a) Dennis Ritchie b) Devid Ritchie c) John Ritchie d) Robert Lafore
Ans: a
5. An assembly language is a a. Middle level programming language b. High level programming language c. Internet based programming language d. low level programming language ans: d
6computers are lower to mainframe computers in terms of speed and storage capacity.a) Minib) Super

```
c) Mainframes
d) Hybrid
Ans: a
7. A byte consists of
A) One bit
B) Four bits
C) Eight bits
D) Sixteen bits
Ans: c
8. C Language developed at _____?
  a. AT & T's Bell Laboratories
  b. IBM
  c. Sun Microsystems
  d. Cambridge University
Ans: a
9. What is the output of C Program.?
int main()
{
  int k;
  for(;;)
  {
    printf("TESTING\n");
     break;
  }
  return 0;
}
A) No Output
B) TESTING
C) Compiler error
D) None of the above
Answer: B
```

```
10. To print out a and b given below, which of the following printf() statement will you use?
#include<stdio.h>
float a=3.14;
double b=3.14;
        A. printf("%f %lf", a, b);
        B. printf("%Lf %f", a, b);
        C. printf("%Lf %Lf", a, b);
        D. printf("%f %Lf", a, b);
Answer: A
11. What is the way to suddenly come out of or Quit any Loop in C Language.?
A) continue; statement
B) break; statement
C) leave; statement
D) quit; statement
Answer:B
12. which of the following is a post test loop
A. if else
B. do while
C. While
D. for
Answer:B
13. What is the output of this program?
#include <stdio.h>
int main()
{
  int i;
  i = 1, 2, 3;
  printf("%d", i);
  return 0;
}
A. 1
B. 2
C. 3
D. Invalid Syntax
Answer: A
```

- 14. . Choose a right C Statement.
- A) Loops or Repetition block executes a group of statements repeatedly.

B) Loop is usually executed as long as a condition is met.
C) Loops usually take advantage of Loop Counter
D) All the above.
Answer:D
15. Which loop is faster in C Language, for, while or Do While.?
A) for
B) while
C) do while
D) All work at same speed
Answer :D
16. What should be the output:
int main()
{
int $a = 10/3$;
printf("%d",a);
return 0;
}
(A) 3.33 (B) 3.0
(C) 3 (D) 0
Answer: C
mower. C

17. Which of the following function is appropriate for reading a multi-word string?
A. printf() B. scanf() C. gets() D. puts()
Ans: C
18. What will strcmp() function do?A. compares the first n characters of the objectB. undefined functionC. copies the stringD. compares the string
Ans: D
19. What is a String in C Language?A. String is a new Data Type in CB. String is an array of Characters with null character as the last element of arrayC. String is an array of Characters with null character as the first element of arrayD. String is an array of Integers with 0 as the last element of array
Ans: B
20. What is the Format specifier used to print a String or Character array in C Printf or Scanf function? A. %c B. %C C. %s D. %w
Ans: C