USN

NMAM INSTITUTE OF TECHNOLOGY, NITTE

(An Autonomous Institution affiliated to VTU, Belagavi)

First Semester B.E. (Credit System) Degree Examinations Make up Examinations - January 2017

16PH102 - ENGINEERING PHYSICS

Duration: 3 Hours

Max. Marks: 100

В

Note: Answer Five full questions choosing One full question from each Unit.

List of constants: Velocity of light, c=3x10⁸ms⁻¹, Planck's constant, h=6.63x10⁻²⁴ Js, Electron mass, m=9.11x10⁻³¹kg, Electron charge, e=1.6x10⁻¹⁹C, Permittivity of vacuum, ϵ_0 = 8.85x10⁻¹² F/m, Boltzmann constant, k=1.38x10⁻²³ J/K.

Permeability of free space , $\mu_0 = 1.26 \times 10^{-6} \text{wb/Am}$

Avogadro Number N.=6 022 × 1026 /kgmol

		Avogadro Number, $N_A=6.022\times10^{26}$ /kgmole.	
1.	۵۱	11nit _ 1	Marks
	,	The matter waves: Wellion their characteristics	6
	b)	Derive Schrodinger's time independent wave equation in one dimension for a	
		particle of mass m with energy E.	10
	c)	An electron beam is subjected to a potential of 10 ⁴ volts. Find the de Broglie	10
		wavelength associated with the electrons.	4
2.	a)		6
	b)	Solve Schrodinger's wave equation for a particle in an infinitely deep potential	9
	•	well of width L and show that the energy values are quantized.	46
	c)	An electron is trapped in a one dimensional box of length 1x10 ⁻¹⁰ m. How much	10
	٥,		
		energy must be supplied to excite the electron from the ground level to the	
566		second excited state.	4
		Unit – II	
3.	a)	Define interplanar distance. Obtain the expression for interplanar spacing in	
	4.1	terms of Miller indices.	6
	b)		
		interplanar spacing of a crystal. Show that for a SCC the ratios of d_{100} , d_{110} , d_{111} is $1:1/\sqrt{2}:1/\sqrt{3}$.	10
	۵۱	Obtain Miller indices of a plane that intercepts y and Z axes at b/2 and 3c	10
	c)	respectively and parallel to x axis. Also show the plane in a unit cube.	4
	- 1	Describe a diamond crystal structure.	6
4.	a)	Define unit cell and packing fraction. Obtain the packing fraction of FCC by	0
	b)	calculating atomic radius and number of atoms per unit cell.	10
	-1	Diamond crystallizes in ZnS structure. Calculate its density. Given cell	
	c)	parameter 3.57Å and atomic weight of carbon 12.01.	4
		Unit – III	
		Explain Fermi factor. Discuss the dependence of Fermi factor on temperature in	
5.	a)	Explain Fermi factor. Discuss the dependence of Fermi ferter on temperature and	6
		the case of metal. What are the assumptions of classical free electron theory? On the basis of free	
	b)	electron theory of metals, obtain an expression for the electrical conductivity of a	I
			10
		metal. Mobilities of electrons and holes in a sample of intrinsic germanium at 300K are	<u>.</u>
	c)	0.36m ² V ⁻¹ s ⁻¹ and 0.17m ² V ⁻¹ s ⁻¹ respectively. If the resistivity of the specimen is	;
		2.12ohm-m, compute the intrinsic carrier density.	4
8		2.120nm-m, compute the manistro carrier density.	

Make up - January 2017 Explain the effect of Define the terms Fermi level and Fermi energy. temperature on the Fermi level in an extrinsic n-type semiconductor. 6 b) What is Hall effect? Discuss the origin of Hall effect and obtain the expression for Hall voltage and mobility in terms of carrier concentration. 10 c) Find the temperature at which there is 1% probability that a state at an energy 4 level 0.5 eV above Fermi level will be occupied. Unit - IV 7. a) What is an optical fiber? Explain the construction and principle on the basis of 6 which optical transmission is achieved through a fiber. b) Explain with a neat sketch the construction and working of ruby laser. Write any 10 four difference between the ruby laser and He-Ne laser. c) Calculate the wavelength of emission from a GaAs semiconductor laser whose 4 band gap energy is 1.44 eV. a) Explain the principle of stimulated emission of radiation in laser. What are the 8. 6 conditions needed for laser action? b) What are the different modes of propagation possible in optical fibers? Explain in 10 detail with necessary diagrams. c) The angle of acceptance of an optical fiber is 30° when kept in air. Find the angle of acceptance when it is in a medium of refractive index 1.33 4 Unit - V a) What are ferroelectric materials? Explain the properties of ferroelectric materials. 9. 6 b) Explain with principle, how the defect in a solid can be detected by nondestructive method using ultrasonic waves. 10 2 c) A silicon material is subjected to a magnetic field of strength 1000A/m. If the magnetic susceptibility of silicon is -0.3x10-5.Calculate its magnetization, Also evaluate the magnetic flux density of the field inside the material. a) What are superconductors? Mention their properties and applications. 4 b) Explain magnetic hysteresis on the basis of domain theory. Mention some 6 applications of ferromagnetic materials. Write a note on carbon nanotube. 10 BT* Bloom's Taxonomy, L* Level 5.

NMAM INSTITUTE OF TECHNOLOGY, NITTE

(An Autonomous Institution affiliated to VTU, Belagavi)

Second Semester B.E. (Credit System) Degree Examinations

April - May 2017

16PH102 - ENGINEERING PHYSICS

juration: 3 Hours

ZM LIBRARY

amont by

Max. Marks: 100

Note: Answer Five full questions choosing One full question from each Unit.

List of constants: Velocity of light, c=3x10⁸ms⁻¹. Planck's constant, h=6.63x10⁻³⁴ Js, Electron mass, m=9.11x10⁻³¹kg, Electron charge, e=1.6x10⁻¹⁹C, Permittivity of vacuum, ε_0 = 8.85 x 10⁻¹² F/m, Boltzmann constant, k=1.38x10⁻²³ J/K Permeability of free space, $\mu_0 = 1.26 x 10^{-6} Wb / \Lambda m$.

Avogadro Number, N_A=6.022x10²⁶/ kg mole.

		Avogadro Number, N _A =6.022x10 ⁷ kg mole.		BT	
		Unit – I	Marks	L*2	
	a)	What is a wave function? Explain its physical significance.	6	L. 4	.
	b)	Solve Schrodinger's wave equation for a particle in an infinitely deep potential well of width L and obtain the expression for energy Eigen value and corresponding Eigen function.	10	L	4
	c)	Find the de Broglie wavelength associated with an electron travelling with a velocity 10 ⁶ m/s.	4		
		Define phase velocity. Obtain an expression for the same.	6	L	.4
	a) b)	What is a free particle? Solve Schrodinger's wave equation for a free particle?		l	_4
	c)	Find the energy of the electron in the first two excited state moving in a one dimension potential well of width 2Å of infinite height. Also calculate the wave function at x=a/2.	4	ļ 1	L3
		Unit – II	(3	L1
	a) b)	Explain unit cell, Bravais lattice and Primitive cell in crystals. Define packing factor and coordination number. Calculate packing factor for a FCC crystal structure. Also calculate number of atoms per unit cell, atomic radius and coordination number with suitable diagrams.	a C 1	0	L3
	c)	radius and coordination number with suitable diagrams. Cesium crystallizes in a certain type of cubic structure with lattice constar 6.14Å. Indentify the exact type of structure in which it crystallizes. Given atomi weight and density of cesium are 132.91 and 1.9g/cm³.	C	4	L4
4	a) b)	What are X rays? Mention their characteristic properties. Describe the production of X rays. Explain the origin of continuous X rays. Describe the production occurs when a monochromatic X ray beam	of	6 10	L3 L3
	c)	Describe the production of X rays. Explain the origin of continuous X rays. Describe the production of X rays. Explain the origin of continuous X rays. First order Bragg's reflection occurs when a monochromatic X ray beam wavelength 0.675Å is incident on a crystal at a glancing angle of 4°51'. What the glancing angle for 3 rd order Bragg reflection to occur?	is	4	L4
		Unit – III	n-		
k	(د	Unit – III Explain the effect of temperature on the Fermi level in intrinsic and extrinsic	••	6	L2
ð.	a) b)	type semiconductors.	7	10	L1 L4
The second second	c)	free electron theory. What all the free electrons and intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium rod, 1cm long, 1mm wide of Find the resistance of an intrinsic Germanium intrinsic carrier concentration is 2 1mm thick at 300K. Given for Germanium intrinsic carrier concentration is 2 1mm thick at 300K. Given for Germanium intrinsic carrier concentration is 2 1mm thick at 300K. Given for Germanium intrinsic carrier concentration is 2 1mm thick at 300K. Given for Germanium intrinsic carrier concentration is 2 1mm thick at 300K. Given for Germanium intrinsic carrier concentration is 2 1mm thick at 300K.	5 x	4	L3
2		¹respectively.	T.O.		
903	M719				

SEE - April - May 2017 a) Explain Fermi factor. Discuss the dependence of Fermi factor on temperature. Obtain an expression for the electrical conductivity of an intrinsic B semiconductor. Explain the effect of temperature on electrical conductivity of 6. 10 Find the probability that an energy level at 0.2eV below Fermi level being 4 occupied at a temperature of 300K. Unit - IV a) What is an optical fiber? Write the difference between optical fiber and the 7. 8 b) Explain with a neat sketch the construction and working of He-Ne laser. Mention 10 The ratio of population of two energy level is 1.059x10⁻³⁰. Calculate the 4 wavelength of the emitted photon at 300 K. a) What are the relative advantages and disadvantages of three level and four level 8. в lasers. Briefly mention the applications of lasers. b) Define numerical aperture. Derive an expression for numerical aperture and angle of acceptance of fiber in terms of refractive index of core and cladding. 10 c) A fiber has a core diameter of 6 µm and its core refractive index is 1.47 and for cladding it is 1.43. How many modes can propagate into the fiber if the wavelength of the source is 1.5 μm . 4 Unit - V 9. a) What are ferroelectric materials? Explain hysteresis loop exhibited by ferroelectric materials. 6 b) What are nano materials? Explain the two approaches for their preparation. 10 c) A magnetic field of 2000 A/m is applied to a material which has a susceptibility of 1000. Calculate (1) relative permeability and (2) Intensity of magnetization 4 What are superconductors? Describe their characteristic properties. 10. a) 6 b) What are ultrasonic waves? Explain the generation and properties of ultrasonic waves. 10 Explain the characteristic features of superconductors.

BT* Bloom's Taxonomy, L* Level

4

USN

NMAM INSTITUTE OF TECHNOLOGY, NITTE

(An Autonomous Institution affiliated to VTU, Belagavi)

First / Second Semester B.E. (Credit System) Degree Examinations Make up / Supplementary Examinations - July 2017

16PH102 - ENGINEERING PHYSICS

puration: 3 Hours

Max. Marks: 100

Note: Answer Five full questions choosing One full question from each Unit.

List of constants:

Velocity of light, c=3x10⁸ms⁻¹ Planck's constant, h=6.63x10⁻³⁴ Js,

Electron mass, m=9.11x10⁻³¹kg, Electron charge, e=1.6x10⁻¹⁹C, Permittivity of vacuum, ϵ_0 = 8.85x10⁻¹² F/m, Boltzmann constant, k=1.38x10⁻²³ J/K.

Permeability of free space, $\mu_o = 1.26x10^{-6}Wb$ / Am,

圖			5. Hoo opace, 7.0			
			Avogadro Number, N _A =6.022x10 ²⁶ /kg mole.	•	DT*	
100	c		Unit – I	Marks	BT*	
Secretary of the least	1.	a) b)	What is a wave function? Mention its characteristics. Derive Schrodinger's time independent wave equation in one dimension for a	6 10	L4	
ASSESSMENT OF THE PERSONS		c)	particle of mass m with energy E. Calculate the wavelength associated with an electron subjected to a potential difference of 1.25 kV.	4	L3	
	2.	a) b)	Assuming the solution of Schrodinger's wave equation for a particle in an infinitely deep potential well, plot the wave function and probability density as a function of position inside the well, for the first three permitted levels. What	6 10		
		c)	conclusion can we draw from them? Compute the first three permitted energy values for an electron in a box of width of 4Å.		4 L	.3
			Unit – II		6 l	_2
		۵۱	What are Miller Indices? Explain how Miller Indices are derived. What are Miller Indices? Explain how Miller Indices are derived.			
	3.	a) b)	Explain Lattice points, unit ceil, crystallographis	 1	10	L3
		c)	systems with neat diagrams. Copper has FCC structure of atomic radius 0.1278nm. Calculate the interplana spacing for (321) planes.		4	L4
					6	L3
	4.	a) b)	Explain the origin of characteristic X - rays. With a neat sketch explain the production of X - rays and describe the X rays. Spectrum emitted. Mention any four applications of X - rays. Spectrum emitted. Assume the spectrum of X - rays of wavelength 0.58Å on a plane (132).	ay Of	10	L4
		c)	spectrum emitted. Mention any four applications of X - rays. spectrum emitted. Mention any four applications of X - rays. Calculate the glancing angle of X - rays of wavelength 0.58Å on a plane (132) Calculate the glancing angle of X - rays of wavelength 0.58Å on a plane (132) Calculate the glancing angle of X - rays. Solventially a plane (132) Calculate the glancing angle of X - rays.	he	4	L4
la la			Unit – III	and		
THE STATE OF THE	5.	a)	the mechanisms of call	rier	6	L2
		b)	What are extrinsic semiconductors. Obtain an expression for the electron deperture of the electr	rical T.O.	10	L4
E	T AND EVE	The Section				

Make up / Supplementary - July 2017 c) Find the conductivity of intrinsic Germanium if the density of intrinsic charge carriers at 300K is 2.4X10¹⁹ /m³ and the mobilities of electrons and holes in Germanium are $0.39\text{m}^2\text{V}^1\text{s}^{-1}$ and $0.19\text{m}^2\text{V}^1\text{s}^{-1}$ respectively. Also calculate the conductivity if donor type impurity is added to the extent of one impurity atom per 108Germanium atoms. Given the number of Germanium atoms per unit 4 volume are 4.4 x 10²⁸/m³. 6. a) Explain the terms drift velocity and relaxation time. What are the drawbacks 6 b) Explain Hall effect? Obtain an expression for the Hall voltage and mobility of an 10 n-type semiconductor. Mention applications of Hall effect. c) Calculate the drift velocity and thermal velocity of conduction electrons in copper at a temperature of 300K, when a copper wire of length 2m and resistance 0.02Ω carries a current of 15A. Given the mobility of free electrons in copper is 4 $4.3 \times 10^{-3} \text{ m}^2/\text{V/s}$. Unit - IV 7. a) Explain the terms Population inversion and Meta stable state. What are the 6 basic components required for the construction of a laser? b) With a neat sketch explain the principle, construction and working of 10 semiconductor laser. c) A He-Ne laser emits light at a wavelength of 632.8 nm and has an output power of 2.3 mW. How many photons are emitted in each minute by this laser when 4 operating? 6 8. a) Explain the basic principle and working of optical fiber. b) What is attenuation in an optical fiber? Explain the various possible reasons for 10 the same. c) The fractional index change of an optical fiber and refractive index of core are 4 0.00515 and 1.533 respectively. Determine the refractive index of cladding. Unit - V

- 9. a) With a neat diagram, describe saturation polarization, remanent polarization, and coercive filed with reference to ferroelectric hysteresis.
 - b) What are ultrasonic waves? Describe a method of measuring velocity of ultrasonic waves in a liquid.

6

10

4

6

10

4

- c) Explain the different types of ferromagnetic materials with proper examples.
- 10. a) Write a note on Cryotron.
 - b) With an example, describe the bottom-up approach for preparing of manomaterials.
 - c) What is the polarization produced in sodium chloride by an electric field of 500Vm⁻¹, if it has a relative permittivity of 6?

BT* Bloom's Taxonomy, L*	Level
--------------------------	-------