

To upload content, connect to P4V and open follow the name TeddyBear (Deadline Wednesday)



Tasks (the actual logic):
Chase Player Task - Follows player until Player is one tile away from Player on Enemies turn
Windup Task - Switches Character Model from Idle to Windup
Wait Turn Task - Waits for player action (Move Forward/Backward, Attack, throw head) to make next move
Revive Task - Similar to wait turn, will wait for 2 or 3 turns before rotating by lerp back up, with HP set to max.
Attack Task - Will Switch model to attack model then reset back to idle.

Conditionals (What allows the certain branches to execute):
Idle to Agro - Once player gets in range of enemy, (either by line trace, or pawn sensing)
Follow Player to Charge Attack - Wait for player to be next tile in front of enemy on enemy turn, set Attack variable to true
Attack - Will attack even if Player steps out of range,
(RESET all Blackboard necessary variables to repeat process)
IF DEAD - will run a check to see if at any point TeddyBear has 0 HP, logic handled in TeddyBearAI_BP.


Skeleton (Deadline Wednesday/Thursday)



Tasks:
Roam Task - Will Roam around until Player is Detected
Chase Player Task - Follows player until Player is one tile away from Player on Enemies turn
Windup Task - Switches Character Model from Idle to Windup
Wait Turn Task - Waits for player action (Move Forward/Backward, Attack, throw head) to make next move, we need to make a count variable that gets set back to 0 everytime this executes
Attack Task - Will Switch model to attack model then reset back to Chase Player.

Conditionals:
Roam to Agro - Once player gets in range of enemy, (either by line trace, or pawn sensing)
Follow Player to Charge Attack - Wait for player to be next tile in front of enemy on enemy turn, set Attack variable to true
Attack - Will attack even if Player steps out of range,
(RESET all Blackboard necessary variables to repeat process)

If Player Slash left or Right the Skeleton will not take any damage (We should make 3 variables in attack script, Poke, Overhead, and side slash to aid with this and the Slime)
Slime (Deadline Friday)



Task:
Roam Task - Will Roam around until Player is Detected
Chase Player Task - Follows player until Player is one tile away from Player on Enemies turn
Wait Turn Task - Waits for player action (Move Forward/Backward, Attack, throw head) to make next move
Attack Task - Will Switch model to attack model then reset back to Chase Player.

Conditionals:
Idle to Agro - Once player gets in range of enemy, (either by line trace, or pawn sensing)
Follow Player to Attack - Wait for player to be next tile in front of enemy on enemy turn, set Attack variable to true
Attack - Will attack even if Player steps out of range, (Should not be case for Player) (RESET all Blackboard necessary variables to repeat process)

If Player uses a slash attack (not poke) the Slime will split, So we need to distgunish between either a poke or slash in the attack code, then have a branch check if the slash is true, if so have the blackboard variable associated with splitting be set to true so it runs this branch of the tree.
Remove current slime and spawn in 2 slimes at half size, one on same tile, the other on any free adjacent tile.

Dealing and Taking Damage, Agro:
In the AI Controller BP's - if there is any pawn sensing or we need to make the Enemy lose agro but the logic here

In the EnemyAI_BP's - Define variables for Health and Damage, and put all logic associated with it here, this include what happens when enemy dies (HP 0), enemy respawning, etc…
(This is where you can call the Blackboard varibles, See Witch Scripts for reference)

Import FBX files for ALL enemies
VFX (Save for Last)