TEAM Members

The Minions



NURUL AIESYAH FATIHAH BINTI NORAZEHASRAM
Leader

ANA KHAIRUN NISA BINTI MOHD ZAIDI
Main Programmer

SHANNAH LOVE OLAS
QA Tester

NORSYARIDA BINTI ROSLI
Compiler

FOOD ORDERING DATABASE SYSTEM

NASI KANDAR CIK YAH

The Minions

PRODUCT LIST AND PRICE

Roti Canai

Menu Name	**Price (RM)**
Roti Kosong	1.50
Roti Telur	2.50
Roti Bom	2.50
Roti Kahwin	4.00

Lauk-lauk

Menu Name	**Price (RM)**
Ayam Goreng	4.00
Ayam Kari	4.00
Ayam Kicap	4.00
Ikan Merah	6.00
Sotong	6.00
Kari Kambing	7.00

PRODUCT LIST AND PRICE

Add-on

Menu Name	**Price (RM)**
Telur Rebus	1.50
Bendi	0.50
Papadom	1.50

Minuman

Menu Name	**Price (RM)**
Teh (panas)	2.00
Teh (sejuk)	2.50
Kopi (sejuk)	2.50
Bandung (sejuk)	2.50

Set

Menu Name	**Price (RM)**
Set A	8.50
Set B	7.50
Set C	6.50

ERD

Entities

- ORDERS
- SALES
- ORDERMENU (BRIDGE ENTITY)
- MENU
- STAFF



SELECT QUERY
PART 1

B. 1 SQL STATEMENT THAT LIST SIGNIFICANT INFORMATION BY SELECTING CERTAIN COLUMNS FROM A SINGLE TABLE IN THE DATABASE. (BASIC SELECT)

QUERY : To display a list of menu name, category, price and description for customer view

```
SELECT MENUNAME, MENUCATEGORY, MENUPRICE, MENUDESC
FROM MENU;
```

C. 1 SQL STATEMENT THAT LIST SIGNIFICANT INFORMATION FROM A SINGLE TABLE IN THE DATABASE WITH SQL FUNCTION (NUMERIC/STRING/DATE&TIME). (BASIC SELECT)

QUERY : To display the highest price of menu in each category for stock and supply planning.

```
SELECT MENUCATEGORY,MENUNAME,MAX(MENUPRICE) AS "HIGHEST PRICE"
FROM MENU
GROUP BY 1,2
ORDER BY 2 DESC;
```

D.1 SQL STATEMENT FROM A SINGLE TABLE THAT USES COMPARISON OPERATOR IN THE DATABASE. (BASIC SELECT)

QUERY : To display menu items with a price less than RM5.00 for a low-budget customer.

```
SELECT MENUNAME, MENUPRICE
FROM MENU
WHERE MENUPRICE < 5.00;
```

SELECT QUERY
PART 2

E. 1 SQL STATEMENT FROM A SINGLE TABLE THAT USES LIKE CLAUSE IN THE DATABASE IN ASCENDING ORDER. (BASIC SELECT)

QUERY : To display menu items for "ROTI", sorted by menu price in ascending order.

```
SELECT MENUNAME, MENUPRICE
FROM MENU
WHERE MENUNAME LIKE '%ROTI%'
ORDER BY 2 ASC;
```

F. 1 SQL STATEMENT FROM A SINGLE TABLE THAT USES IN CLAUSE IN THE DATABASE IN DESCENDING ORDER. (BASIC SELECT)

QUERY : To display all DINE-IN orders along with the order status to monitor sorted by order ID in descending order.

```
SELECT ORDERID, ORDERTYPE, ORDERSTATUS
FROM ORDERS
WHERE ORDERTYPE IN ('DINE-IN')
ORDER BY ORDERID DESC;
```

G. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM MANY TABLES THAT HAS RELATIONSHIP IN ASCENDING ORDER. (JOIN)

QUERY : To display order and menu details, including the total items per order calculated using a subquery.

```
SELECT O.ORDERID,ST.STAFFNAME,M.MENUID,M.MENUNAME,OM.QUANTITY,OM.SUBTOTAL,
(SELECT SUM(OM2.QUANTITY) FROM ORDERMENU OM2 WHERE OM2.ORDERID = O.ORDERID) AS "TOTAL ITEMS" ,
    S.SALESTOTAL AS "TOTAL PRICE"
FROM ORDERS O, ORDERMENU OM, MENU M, SALES S, STAFF ST
WHERE O.ORDERID = OM.ORDERID
  AND OM.MENUID = M.MENUID
  AND O.ORDERID = S.ORDERID
  AND S.STAFFID = ST.STAFFID
ORDER BY O.ORDERID, M.MENUID;
```

SELECT QUERY PART 3

H. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM MANY TABLES THAT HAS RELATIONSHIP IN DESCENDING ORDER. (JOIN)

QUERY : To display the sales ID, staff name, and sales total, sorted by sales total in descending order.

```
SELECT S.SALESID, ST.STAFFNAME, S.SALESTOTAL
FROM SALES S,STAFF ST
WHERE S.STAFFID = ST.STAFFID
ORDER BY S.SALESTOTAL DESC;
```

I. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM A SINGLE TABLE THAT IS USING AGGREGATE FUNCTION. (AGGREGATE FUNCTION)

QUERY : To display the total sales amount for each payment method.

```
SELECT SALESPAYMENTHOD, SUM(SALESTOTAL) AS TOTAL_SALES
FROM SALES
GROUP BY SALESPAYMENTHOD;
```

J. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM A SINGLE TABLE THAT IS USING AGGREGATE FUNCTION AND GROUP BY CLAUSE. (AGGREGATE FUNCTION)

QUERY : To display the sales date, total items sold, and daily total sales for each sales date.

```
SELECT S.SALESDATE,SUM(OM.QUANTITY) AS "TOTAL ITEMS",SUM(DISTINCT S.SALESTOTAL) AS "DAILY_TOTAL"
FROM SALES S,ORDERS O , ORDERMENU OM
WHERE S.ORDERID = O.ORDERID
AND O.ORDERID = OM.ORDERID
GROUP BY S.SALESDATE;
```

K. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM MANY TABLES THAT HAVE RELATIONSHIP USING AGGREGATE FUNCTION AND GROUP BY CLAUSE. (AGGREGATE FUNCTION + JOIN)

QUERY : To display the total quantity sold and total sales for each menu item, grouped by menu name and menu category, ordered by total quantity in descending order.

```
SELECT MENUNAME , MENUCATEGORY ,SUM(OM.QUANTITY) AS "TOTAL QUANTITY", SUM(SUBTOTAL) AS "TOTAL SALES"
FROM MENU M , ORDERS O , ORDERMENU OM
WHERE M.MENUID = OM.MENUID
AND O.ORDERID = OM.ORDERID
GROUP BY 1,2
ORDER BY 3 DESC ;
```

L. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM MANY TABLES THAT HAVE RELATIONSHIP USING AGGREGATE FUNCTION, GROUP BY AND HAVING CLAUSE. (AGGREGATE FUNCTION + JOIN)

QUERY : To display the menu name and the total quantity ordered for each menu item. Only display menu items with a total quantity greater than 3, and sort the output in descending order of total quantity.

```
SELECT MENUNAME , SUM(OM.QUANTITY)
FROM MENU M , ORDERMENU OM
WHERE M.MENUID = OM.MENUID
GROUP BY 1
HAVING SUM(OM.QUANTITY) > 3
ORDER BY 2 DESC;
```

SELECT QUERY PART 4

M. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM A SINGLE OR MANY TABLES USING SUBQUERIES. (SUBQUERIES)

QUERY : To display order details including order ID, order type and order status for orders that are still preparing and has not been ready yet.

```
SELECT ORDERID , ORDERTYPE, ORDERSTATUS
FROM ORDERS
WHERE ORDERSTATUS IN (SELECT ORDERSTATUS
                      FROM ORDERS
                      WHERE ORDERSTATUS = 'PREPARING');
```

N. 1 SQL STATEMENT TO LIST SIGNIFICANT INFORMATION FROM A SINGLE OR MANY TABLES USING SUBQUERIES. (SUBQUERIES)

QUERY : To display orders which have not yet generated any sales records, indicating unpaid or incomplete transactions that require follow-up.

```
SELECT ORDERID, ORDERSTATUS
FROM ORDERS
WHERE ORDERID NOT IN
      (SELECT ORDERID
 FROM SALES);
```

The Minions

THANK YOU