



ugVNJz_j1




114/STD/TSGN
REVISION 03
(December, 20th 2022)

TECHNICAL SPECIFICATION OF COVER MATERIAL FOR INDONESIAN SERVICE PASSPORT

DIKENDALIKAN

Operation Directorate
Engineering and Reliability Assurance Division
Quality Control Department



ugVNJz_j1



ugVNJz_j1

114/STD/TSGN
REVISION 03
(December 20th, 2022)

TECHNICAL SPECIFICATION OF COVER MATERIAL FOR INDONESIAN SERVICE PASSPORT

I. DESCRIPTION

Cover material made of pigmented latex, impregnated cellulosic base and a heat resistant synthetic polymer coating specifically manufactured for Service Passport. The material is designed to withstand through hot lamination process and the surface shall accept high quality foil block, screen and emboss printing.

II. QUALITY REQUIREMENTS

Nr.	PARAMETERS	UNIT	METHOD	STANDARD
1.	Visual a. Top Layer b. Bottom Layer	-	-	Dark blue latex cover with specific motive surface Paper
2.	Size (8up)	mm	IKM/LAB/ABB-14	382 x 554 (± 1)
3.	Grammage	g/m ²	SNI ISO 536:2019	422 – 458
4.	Thickness	µm	SNI ISO 534:2011	540 – 600
5.	Color L* a* b* ΔE CIE L*a*b*	-	SNI ISO 5631-2:2014	Dark Blue 19.44 0.69 -9.11 Max. 1.20
6.	Roughness a. Top b. Bottom	ml/minutes	SNI ISO 8791-2:2017	Max. 700 Max. 1500
7.	Bending Stiffness	Nmm	-	MD : 2.75 – 4.25 CD : 5.75 – 7.25

DIKENDALIKAN



ugVNJz_j1



ugVNJz_j1

114/STD/TSGN
REVISION 03
(December 20th, 2022)

III. OTHERS

1. The product must be suitable for hot stamping.
2. The product color, appearance, texture and dimension of the material shall not change after the heat laminating process at temperature approximately 150°C.
3. Each delivery must be attached with Certificate of Analysis (CoA).
4. The top and bottom layer should have a good bonding and not separate when folded.
5. Example of cover material for Indonesian Service Passport is as shown in attachment – 1.

IV. PACKAGING

1. Each 500 sheets (one ream) is wrapped in plastic.
2. Each plastic is protected on its top and bottom by kraft paper and packaged in cardboard box.
3. The package should be labeled that include information about the product name, type of product, size of product (mm), weight of product (kg), manufacturer's identity, production code and date.

V. REFERENCE

1. Technival Specification of Cover Material for Indonesian Service Passport. 114/STD/TSGN. Rev. 02. March 19th, 2013.
2. Rekap Hasil Pemeriksaan Cover Material Service Passport Seksi Analisa Bahan Tahun 2020 – 2021.

Karawang, December 20th, 2022

Prepared by	Ahmad Zulfiqar	Standardization Unit	
Verified by	Sukmajaya	Validation and Standardization Section	
Validated by	M. Zulham Effendi	Quality Control Department	

DIKENDALIKAN



ugVNJz_j1




ugVNJz_j1

114/STD/TSGN
REVISION 03
(December 20th, 2022)

Attachment – 1

SAMPLE OF COVER MATERIAL FOR INDONESIAN SERVICE PASSPORT



DIKENDALIKAN

Operation Directorate
Engineering and Reliability Assurance Division
Quality Control Department

Page 3



ugVNJz_j1



ugVNJz_j1

114/STD/TSGN
REVISION 03
(December 20th, 2022)

HISTORICAL RECORD

Nr.	Content	Page
1.	Used new document format	All
2.	Added method of parameters : a. Color : SNI ISO 5631-2:2014 b. Size (8up) : IKM/LAB/ABB-14 c. Thickness : SNI ISO 534:2011 d. Grammage : SNI ISO 536:2019 e. Roughness : SNI ISO 8791-2:2017	1
3.	Changed standard parameter: a. Grammage from $440 \pm 4\%$ g/m ² to 422 – 458 g/m ² b. Thickness from $570 \pm 5\%$ µm to 540 – 600 µm	1
4.	Moved quality and heat resistant parameter to III. OTHERS	2
5.	Added III. OTHERS of product	2
6.	Added III. PACKAGING of product	2

DIKENDALIKAN



ugVNJz_j1