Monopolistic Screening with Buyers Who Sample

Nicolas Pastrian

July 25, 2023

University of Pittsburgh

Motivation

• Consumers are exposed to a huge variety of products

Motivation

- Consumers are exposed to a huge variety of products
- Computational constraints make it impossible for them to have access and evaluate all available alternatives

Motivation

- Consumers are exposed to a huge variety of products
- Computational constraints make it impossible for them to have access and evaluate all available alternatives
- This impacts how sellers determine their product line and pricing decisions

Goal

- Study a problem of product line design with informational frictions
- Build a simple model that
 - considers limited computational capacity of consumers
 - captures the tradeoff of increasing variety for the seller
- Focus on the design dimension of this problem

Goal

- Study a problem of product line design with informational frictions
- Build a simple model that
 - considers limited computational capacity of consumers
 - captures the tradeoff of increasing variety for the seller
- Focus on the design dimension of this problem

What I do

- \Rightarrow I propose a model in which buyers cannot evaluate all available alternatives presented by the seller
- \Rightarrow Instead, they only sample some of the alternatives
- ⇒ The main question is how the optimal menu/mechanism looks like here

Model: Mussa and Rosen (1978) + boundedly rational buyers \downarrow unknown menu + sampling

```
Model: Mussa and Rosen (1978) + boundedly rational buyers \downarrow unknown menu + sampling
```

 $\bullet \ \, {\sf Screening \ menu} \, + \, {\sf buyers \ observe \ menu \ entries \ at \ random}$

```
Model: Mussa and Rosen (1978) + boundedly rational buyers \downarrow unknown menu + sampling
```

• Screening menu + buyers observe menu entries at random

Single sample \Rightarrow optimal menu has size 1

• "Noise" could reduce variety

Model: Mussa and Rosen (1978)
$$+$$
 boundedly rational buyers \downarrow unknown menu $+$ sampling

• Screening menu + buyers observe menu entries at random

Single sample \Rightarrow optimal menu has size 1

"Noise" could reduce variety

Two samples \Rightarrow optimal menu has size $\neq 2$

ullet Number of samples eq number of offers in general

Model: Mussa and Rosen (1978)
$$+$$
 boundedly rational buyers \downarrow unknown menu $+$ sampling

• Screening menu + buyers observe menu entries at random

Single sample \Rightarrow optimal menu has size 1

• "Noise" could reduce variety

Two samples \Rightarrow optimal menu has size \neq 2

ullet Number of samples eq number of offers in general

All results are up to measure zero cases

One seller and a continuum of buyers

One seller and a continuum of buyers

Seller:

- Produces good of quality q at cost $q^2/2$
- Designs a finite menu of quality-price pairs ("offers")

One seller and a continuum of buyers

Seller:

- Produces good of quality q at cost $q^2/2$
- Designs a finite menu of quality-price pairs ("offers")

Buyers:

- Private valuation $\theta \in \{\theta_L, \theta_H\}$ with $\theta_H > \theta_L > 0$
- Fraction α has high valuation θ_H

One seller and a continuum of buyers

Seller:

- Produces good of quality q at cost $q^2/2$
- Designs a finite menu of quality-price pairs ("offers")

Buyers:

- Private valuation $\theta \in \{\theta_L, \theta_H\}$ with $\theta_H > \theta_L > 0$
- Fraction α has high valuation θ_H
- \rightarrow If a buyer with valuation θ accepts an offer (q,p) then he gets payoff $\theta q-p$ while the seller gets $p-q^2/2$

One seller and a continuum of buyers

Seller:

- Produces good of quality q at cost $q^2/2$
- Designs a finite menu of quality-price pairs ("offers")

Buyers:

- Private valuation $\theta \in \{\theta_L, \theta_H\}$ with $\theta_H > \theta_L > 0$
- Fraction α has high valuation θ_H
- ightarrow If a buyer with valuation heta accepts an offer (q,p) then he gets payoff heta q p while the seller gets $p-q^2/2$
- ightarrow If the buyer rejects the offer then both get zero

- Buyers will be boundedly rational and unable to observe (nor conjecture) the menu offered by the seller
- Instead they will sample offers from the menu uniformly at random

- Buyers will be boundedly rational and unable to observe (nor conjecture) the menu offered by the seller
- Instead they will sample offers from the menu uniformly at random
- The number of samples is fixed

- Buyers will be boundedly rational and unable to observe (nor conjecture) the menu offered by the seller
- Instead they will sample offers from the menu uniformly at random
- The number of samples is fixed
- ullet Outside option (0,0) is always available for consumers

- Buyers will be boundedly rational and unable to observe (nor conjecture) the menu offered by the seller
- Instead they will sample offers from the menu uniformly at random
- The number of samples is fixed
- Outside option (0,0) is always available for consumers
- Since duplicating all offers makes no difference, I focus on menus with minimum size

Timing

Seller designs menu

,

Buyers sample from the menu

1

Buyers decide whether to accept one of the sampled offers

Seller's problem with a single sample

ullet Given a menu of size m, each offer will be observed with probability 1/m

Seller's problem with a single sample

- Given a menu of size m, each offer will be observed with probability 1/m
- Since each buyer only draw a single sample, the only comparison they make is with their outside option of rejecting the offer

Seller's problem with a single sample

- Given a menu of size m, each offer will be observed with probability 1/m
- Since each buyer only draw a single sample, the only comparison they make is with their outside option of rejecting the offer
- This implies that only "participation" constraints are relevant

Main result with a single sample

Theorem

Consider the single sample problem with two valuations. The optimal menu includes a single offer.

Main result with a single sample

Theorem

Consider the single sample problem with two valuations. The optimal menu includes a single offer.


 Hence, in an environment with a single sample, the effective variety offered is reduced


Sketch of proof:


- Step 1: only "efficient" offers are included in the menu: (θ, θ^2) for some θ
 - No incentive compatibility constraints since only single offer is observed each time
 - If offer with quality q is drawn, for which last type accepting is θ , optimal to price it at $p=\theta q$
 - ullet Then, if offer is accepted by $heta' \geq heta$, optimal to match efficient quality provision for heta


Sketch of proof:


- Step 1: only "efficient" offers are included in the menu: (θ, θ^2) for some θ
 - No incentive compatibility constraints since only single offer is observed each time
 - If offer with quality q is drawn, for which last type accepting is θ , optimal to price it at $p=\theta q$
 - Then, if offer is accepted by $\theta' \geq \theta$, optimal to match efficient quality provision for θ
- Step 2: given that only offers of this form are offered optimal menu is determined by a linear problem
 - Solution involves assigning all mass to "best" offer only





















(a) $\alpha < \hat{\alpha}$: optimal menu offers only $q = \theta_L$ (red). All buyers accept the offer.



(b) $\alpha > \hat{\alpha}$: optimal menu offers only $q = \theta_H$ (red). Only buyers with valuation θ_H accept the offer.

Seller's problem with two samples

- For a menu of size m, buyers will observe a single offer i with probability $1/m^2$, and two offers j and k with probability $2/m^2$
- Since more than one alternative would be evaluated with positive probability (unless all offers are identical), there would be relevant incentive compatibility constraints to satisfy now
- This makes the characterization of the optimal menu challenging
- To guarantee existence, I assume that there is a limit M on the size of the menu the seller could design, and consider the case in which M is large

Results with two samples

Lemma

Consider the problem with two samples. Suppose that the optimal menu contains only two offers (q_a, p_a) and (q_b, p_b) . Then, for M large enough, the expected profits from menus $\{(q_a, p_a)\}$ and $\{(q_b, p_b)\}$ must be the same.



Proposition

Consider the problem with two samples and two valuations. Suppose M is large enough, Then, the optimal menu does not contain only two offers.

Intuition behind Lemma

- Fix (q_a, p_a) and (q_b, p_b)
- Let R_i the value generated for the seller if buyers observe i = a, b, ab
- Let x the probability a is drawn
- Consider the following problem for the seller

$$\max_{x} x^{2}R_{a} + (1-x)^{2}R_{b} + 2x(1-x)R_{ab}$$

• If exists, the interior solution is

$$x^* = \frac{1}{1 + \frac{R_{ab} - R_b}{R_{ab} - R_a}}$$

• Note, $x^* = 1/2 \iff R_a = R_b$

Intuition behind Lemma

- A necessary condition is $R_{ab} > \max\{R_a, R_b\}$ (i.e., there must be gains from using a menu)
- Assume $R_a \ge R_b$
- Starting from a menu only containing **a**, including **b** induces...

"Gain"
$$R_a o R_{ab}$$
"Loss" $R_a o R_b$

- x* balances this tradeoff
 - If **b** drawn with small probability ε, more likely to observe {a, b} instead of **b** only ⇒ overall gain from including **b**
 - If $R_a = R_b$, no cost of including **b**, so optimal to maximize prob. of $\{a, b\}$
 - If R_a > R_b, then costly to include b and having both with same probability is too costly ⇒ optimal to "bias" toward a

From Lemma to Proposition and beyond

• For two valuations and two samples, I could show that never optimal to set $\bf a$ and $\bf b$ such that $R_a=R_b$ (up to a very specific set of parameters)

From Lemma to Proposition and beyond

- For two valuations and two samples, I could show that never optimal to set $\bf a$ and $\bf b$ such that $R_a=R_b$ (up to a very specific set of parameters)
- Lemma doesn't depend on binary valuations
- It could be extended beyond 2 samples directly

From Lemma to Proposition and beyond

- For two valuations and two samples, I could show that never optimal to set a and
 b such that R_a = R_b (up to a very specific set of parameters)
- Lemma doesn't depend on binary valuations
- It could be extended beyond 2 samples directly
- Extending the proposition to a more general structure is still work in progress

Heterogeneity in sample sizes

- What if there are consumers with one and two samples at the same time?
- It can be shown that the problem is qualitatively similar to the case in which all consumers have two samples
- Hence there is little loss on considering all consumers having the same sample size

Extension: Submenus with a single sample

- Consider the possibility of offering small menus instead of single alternatives on each draw.
- A mechanism is now a collection of (sub)menus of quality-price pairs.
- Each submenu has a limited size S.
- Valuations are distributed over an interval $[\theta_L, \theta_H]$ according to some distribution F.
- We consider the case in which buyers sample only once.

Extension: Submenus with a single sample

Proposition

Consider the environment with finite-size submenus and a single sample. Suppose Assumption 1 holds. Then, the optimal mechanism uses a single submenu.

- Same intuition as in main theorem:
 - No IC implies each submenu must be optimal given submenu's size
 - Resulting problem is again a linear problem
 - Hence, solution involves maximizing the probability of the best option (i.e., submenu).

Extension: Submenus with a single sample

Proposition

Consider the environment with finite-size submenus and a single sample. Suppose Assumption 1 holds. Then, the optimal mechanism uses a single submenu.

- Same intuition as in main theorem:
 - No IC implies each submenu must be optimal given submenu's size
 - Resulting problem is again a linear problem
 - Hence, solution involves maximizing the probability of the best option (i.e., submenu).

Assumption 1: The optimal mechanism under full-consideration and a menu of size up to S is unique.

Related literature

- Product line design and pricing: Mussa and Rosen (1978), Villas-Boas (2004),
 Doval and Skreta (2022), Garrett et al (2019), Sandmann (2023)
- Revenue maximization with samples: Dhangwatnotai et al (2015), Babaioff et al (2018), Daskalakis and Zampetakis (2020), Fu et al (2021)
- Sampling/S(1) equilibrium: Osborne and Rubinstein (1998, 2003), Spiegler (2006), García-Echeverri (2021)
- Search: Weitzman (1979), Burdett and Judd (1983), Doval (2018), Ursu et al (2021), Safonov (2022), Fershtman and Pavan (2022)

Concluding remarks

- I presented a model in which a seller interact with boundedly rational buyers which cannot observe the menu designed by her and instead get samples from it
- I showed that the optimal menu when buyers have access to a single sample involves including a single offer, matching the best contract for one type of buyers
- ullet In the case of two samples, I showed that the optimal menu cannot contain only two alternatives, each sampled with probability 1/2

Concluding remarks

- I presented a model in which a seller interact with boundedly rational buyers which cannot observe the menu designed by her and instead get samples from it
- I showed that the optimal menu when buyers have access to a single sample involves including a single offer, matching the best contract for one type of buyers
- ullet In the case of two samples, I showed that the optimal menu cannot contain only two alternatives, each sampled with probability 1/2

What is next?

- ⇒ Full characterization for more than two samples
- \Rightarrow Study the effect of competition on the seller's problem
- ⇒ Allow the seller to use targeted menus/ads
- \Rightarrow Applications: taxes and social insurance systems

Concluding remarks

- I presented a model in which a seller interact with boundedly rational buyers which cannot observe the menu designed by her and instead get samples from it
- I showed that the optimal menu when buyers have access to a single sample involves including a single offer, matching the best contract for one type of buyers
- ullet In the case of two samples, I showed that the optimal menu cannot contain only two alternatives, each sampled with probability 1/2

Thanks!

nrpastrian.github.io nip59@pitt.edu