#### **Problem 1: Recalled Hardware**

#### Sample Data

Input	Output	Explanation
serialNumber = 840316845	false	The phone was manufactured in Malvern, but not in October of 2016.
serialNumber = 841016972	true	The phone was manufactured in Malvern in October 2016, but the unique identifier is divisible by 27.
serialNumber = 841016018	false	The phone was manufactured in Malvern in October 2016, and the unique identifier is divisible by 9 but not by 27.
serialNumber = 141215111	true	The phone was manufactured in New Jersey in December 2015. PLEASE CHECK
serialNumber = 171216063	false	The phone was manufactured in New Jersey in December 2016, which is not in the November 2015 - February 2016. PLEASE CHECK

## **Problem 2: Newmerals** (2 points)

Input	Output	Explanation
<pre>newmeralA = AC newmeralB = DB operator = ^</pre>	DC	The 'promotion' operation is performed on the two Newmerals. The operation is evaluated by comparing the A from the first Newmeral with the D from the second Newmeral and selecting D. You would then compare the C from the first Newmeral to the B in the second Newmeral and select C.
<pre>newmeralA = AB newmeralB = BC operator =:</pre>	ABBC	While it looks like the two strings are just being being concatenated, this is because the second character of <b>newmeralA</b> and the first digit of <b>newmeralB</b> are the same.
<pre>newmeralA = AC newmeralB = BB operator = %</pre>	BBACBB	The reverse of newmeralB, "BB" is placed in front of newmeralA to get BBAC. newmeralB is then appended to the the end of this string.
<pre>newmeralA = DD newmeralB = AA operator = ^</pre>	DD	In both cases, <b>newmeralA</b> 's characters are of a higher value than <b>newmeralB</b> 's, so the resultant Newmeral is both of <b>newmeralA</b> 's characters
<pre>newmeralA = BD newmeralB = DB operator = ':'</pre>	BDDB	While it looks like the two strings are just being being concatenated, this is because the second character of the first Newmeral and the first digit of the second Newmeral are the same.
<pre>newmeralA = CA newmeralB = DA operator = %</pre>	ADCADA	The reverse of <b>newmeralB</b> , "AD" is placed in front of <b>newmeralA</b> to get ADCA. <b>newmeralB</b> is then appended to the the end of this string.

#### Problem 3: nCrypt

New Wave has decided to encrypt all of their communications so that attackers cannot steal their trade secrets. They will use a highly advanced encryption technique in which each letter is replaced by the letter  $\mathbf{x}$  letters after it in the alphabet. The message can include uppercase letters and lowercase letters. Any character that is not a letter should not be changed.

Input	Output	Explanation
<pre>message = Dave and Anila bends x = 5 operation = e</pre>	Ifaj fsi Fsnqf gjsix	
<pre>message = EthaN is cool x = 25 operation = e</pre>	DsgzM hr bnnk	
<pre>message= NOZE ku vgpvj kp vjg uvcvg x = 2 operation = d</pre>	LMXC is tenth in the state	
<pre>message = Oyhroreel be Pubpbyngr Puvc zhssvaf? x = 13 operation = e</pre>	Blueberry or Chocolate Chip muffins?	

# **Problem 4: Delivery Drone**

Input	Output	Explanation
path = X***   0	False	
path = 0  *-*-X	True	
path = X*-*-  -0	True	
path = ***X -0	False	
Path= X**- * -0	True	

### **Problem 5: Password Cracking**

Input	Output	Explanation
<pre>guess = 10401 lower = 1 upper = 5 answer = 12491</pre>	0	Because at least one of the digits we are guessing for is not within the range, we do not need to continue because there is 0 chance of success.
<pre>guess = 10401 lower = 1 upper = 8 answer = 12481</pre>	1	1/8*1/8 = 1/64= 1.5 rounds downs to 1%
<pre>guess = 53013 lower = 1 upper = 8 answer = 53413</pre>	12	
<pre>guess = 77077 lower = 1 upper = 1 answer = 77177</pre>	100	
guess = 450140 lower = 1 upper = 4 answer = 452144	6	1/4*1/4