




Bachelor Thesis

Nsak as Framework for Scenario Based Network Security

Course of study

Author

Advisor

Version 1.0 of June 2, 2026

Bachelor of Science in Computer Science

Frank Gauss (gausf1) and Lukas von Allmen (vonal3)

Wenger Hansjürg

Abstract

Red and blue team exercises are established cybersecurity practices, yet they remain largely inaccessible to small- and medium-sized organizations due to the expertise and recurring effort these practices demand. We present an approach that combines Large Language Models (LLMs) with existing network security tools to reduce knowledge barriers and time investment. Concretely, we integrated an Artificial Intelligence (AI) agent with tool calling capabilities into the Network Swiss Army Knife (NSAK) framework — a network security scenario automation framework established in our preceding work — and developed an agentic network reconnaissance scenario. We evaluated its effectiveness across models of varying size, benchmarking it against a scripted scenario in a reproducible network environment. The results show that even smaller models are capable of autonomously conducting standard red team activities. However, the failure rate remains considerable, though most failures are detectable, enabling retry logic. Furthermore, the AI-driven approach demonstrates a clear advantage over scripted counterparts. The agent assesses results, generates reports with prioritized findings, and classifies steps to address vulnerabilities. This work highlights the emerging capabilities of LLMs, making cybersecurity use cases more accessible and cost-effective.

Index Terms: Red and blue team exercises, Network Security Automation Framework, Automated Reconnaissance, Large Language Models, AI-Driven Cybersecurity

Contents

Abstract	ii
1. Introduction	1
2. Related Research	3
2.1. Framework Comparison	3
2.1.1. Atomic Red Team	4
2.1.2. Caldera	5
2.1.3. Metasploit	5
2.1.4. NSAK	5
2.2. AI-Research	6
2.2.1. AI and Language Models	6
2.2.2. Model Context Protocol (MCP)	6
2.2.3. Agentic-AI	7
3. Concepts	10
3.1. Predecessor Project: Project 2	10
3.1.1. Device	10
3.1.2. Environment	11
3.1.3. Drill	11
3.1.4. Scenario	11
3.2. Configuration Management	12
3.2.1. Static Configuration	12
3.2.2. Runtime Configuration	12
3.2.3. Resource Configuration	12
4. Methodology	14
4.1. Evaluation Setup	14
4.1.1. Criteria	14
4.1.2. Environments	14
4.1.3. Models	15
5. Implementation	16
5.1. Configuration Management Implementation	17
5.1.1. NSAK Configuration Management	17
5.1.2. Device Configuration Management	18
5.1.3. Scenario & Drill Configuration Management	21

5.2. Reproducible Test Environment	22
5.2.1. Network Topology	23
5.2.2. DMZ-Server	23
5.2.3. Domain Control and File Server	24
5.2.4. Workstations	25
5.2.5. Printer	25
5.2.6. Introduced Vulnerabilities	25
5.3. AI –Scenarios	26
5.3.1. AI Agent	26
5.3.2. LangChain Concepts	27
5.3.3. Human Interaction Hook	30
5.3.4. Logging	30
5.3.5. E-Mail Alerting	30
5.3.6. CLI Kill Switch	31
5.3.7. Scenario: AI Agent	32
5.3.8. Scenario: AI Reconnaissance	32
5.3.9. Scenario: AI Intrusion Detection	33
5.3.10. LangChain Agent Chat UI	33
5.4. Red Team: Reconnaissance Scenario	34
5.4.1. Goal	34
5.4.2. Discover Hosts Drill	34
5.4.3. Enumeration	35
5.4.4. Output Artifacts	35
5.5. Benchmark Suite	36
6. Evaluation	37
6.1. Virtual Environment (Containerlab)	37
6.1.1. Quantitative Criteria	38
6.1.2. Qualitative Criteria	40
6.2. Network Security Lab BFH	43
6.2.1. Quantitative Criteria	43
6.2.2. Qualitative Criteria	45
7. Discussion	47
7.1. Summary	47
7.2. Virtual Environment (Containerlab)	48
7.3. Real Network (Cyberlab BFH)	49
7.4. Unexpected Results	49
7.5. Limitations	50
7.6. Recommendations	51
8. Conclusion	52
8.1. What we learned	52
8.2. What are	52

8.3. Future Work	52
Bibliography	53
List of Figures	55
List of Tables	57
List of Listings	59
Glossary	61
A. Project Goals	62
A.1. Research Goals	62
A.1.1. Compare Frameworks (must)	62
A.1.2. AI Integration Research (must)	63
A.2. Framework	63
A.2.1. Configuration Management (must)	63
A.2.2. REST API (could)	64
A.2.3. MCP Server (could)	64
A.2.4. Web GUI (could)	64
A.3. Scenarios	66
A.3.1. AI Scenarios (must)	66
A.3.2. Reproducible Test Environment (must)	66
A.3.3. Network Discovery – Red Team (must)	67
A.3.4. Intrusion Detection – Blue Team (should)	67
A.4. Evaluation Goals	68
A.4.1. AI Scenario Evaluation (must)	68
A.4.2. AI vs Engineered Scenarios (must/should)	68
A.5. Out of Scope / Optional Feature	69
B. Project Management	70
B.1. Stakeholders	70
B.2. Agile Management Process	70
B.2.1. Issue Lifecycle:	71
B.2.2. Definition of Ready (DoR)	71
B.2.3. Definition of Done (DoD)	72
B.3. Project Structure	72
B.3.1. Milestones	72
B.3.2. Epics	76
B.3.3. Issues	76
B.4. Sprints / Iterations	76
B.4.1. Planning	76
B.5. Planning and Estimation	77
B.6. Project Roadmap	77

B.7. Risk Management	78
B.7.1. Risk Assessment	78
B.7.2. Risk Analysis	80
B.7.3. Risk Evaluation & Treatment	81
B.8. Sprint Ceremonies	83
B.8.1. Sprint 1: 19.02 –10.03.2026	84
B.8.2. Sprint 2: 05.03 –18.03.2026	86
B.8.3. Sprint 3: 26.03 –09.04.2026	92
B.8.4. Sprint 4: 10.04 –02.05.2026	96
B.8.5. Sprint 5: 03.05 –28.05.2026	99
B.8.6. Sprint 6: 28.05 –11.06.2026	103
B.9. Meeting Notes	105
B.9.1. Checkpoint Meeting 1: 26.02.26	105
B.9.2. Checkpoint Meeting 2: 05.03.26	105
B.9.3. Checkpoint Meeting 3: 19.03.26	107
B.9.4. Checkpoint Meeting 4: 02.04.26	108
B.9.5. Checkpoint Meeting 5: 16.04.26	109
B.9.6. Checkpoint Meeting 6: 30.04.26	109
B.9.7. Checkpoint Meeting 7: 14.05.26	109
B.9.8. Checkpoint Meeting 8: 28.05.26	110
B.10. Variant Decision: Thesis Goals	111
B.10.1. Variant 1: AI vs Manually Built Scenarios	111
B.10.2. Variant 2: Multiple Blue and Red Team Scenarios (Status Quo)	112
B.10.3. Decision	112
B.11. Variant Decision: AI Integration	113
B.11.1. Variant 1: AI-agent in NSAK	113
B.11.2. Variant 2: NSAK as MCP Server	114
B.11.3. Decision	115
B.12. Workshops	116
B.12.1. Brainstorm Scenario Selection	116
B.12.2. NSAK Scenario: Network Discovery - Red Team	118
B.12.3. NSAK Scenario: TLS Downgrade Poodle - Red Team	119
B.12.4. NSAK Scenario: Honeypot - Blue Team	122
B.12.5. NSAK Scenario: Traffic Capture - Red Team	122
B.12.6. NSAK Scenario: Intrusion Detection - Blue Team	123
B.12.7. NSAK Scenario: AI - Purple Team	124
B.13. Self-Hosted LLM	126
B.13.1. Hardware Setup	126
B.13.2. System Setup	126
B.13.3. Evaluation	129
B.13.4. Self-Hosted Base Setup	131
B.13.5. Nginx & Let's Encrypt - Reverse Proxy with SSL Termination	133
B.13.6. Ollama - LLM Server	134
B.13.7. Open WebUI - Web Chat for LLM Servers	137

B.13.8. Drawio MCP - Diagram Tool	140
B.13.9. Netbox - Network Inventory System	143
B.13.10Grafana / Loki - Logging System	146
B.14. Writing Quality	151
B.15. Test-Environment-Code	152
B.15.1. container-lab	152
B.15.2. Flaws and Vulnerabilities	157
B.16. Reconnaissance Scenario: Source Listings	158
B.17. Configuration Management: Source Listings	164
B.17.1. NSAK Core Configuration	164
B.17.2. Device Resource Management	167
B.17.3. Resource YAML Specifications	170
B.18. AI Scenarios: Source Listings	173
B.18.1. AI Agent Core	173
B.18.2. AI Configuration	175
B.18.3. LangChain Tools	176
B.18.4. Scenario Implementations	179
B.19. Media Deliverables	184
B.19.1. Poster	184
B.19.2. Book	186
B.19.3. Video	187
B.19.4. Slides: Public Presentation	187
B.19.5. Slides: Defense Presentation	187

1. Introduction

According to the World Economic Forum’s Global Risks Report 2026, cyber insecurity is listed among the top ten global risks and is projected to rise significantly from position 30 to position 5 in the long term, highlighting the growing impact of AI technologies [1]. This global perspective is further underlined by the CrowdStrike Global Threat Report which highlights a significant rise in AI-enabled adversaries [2]. These developments, combined with a shortage of security experts and the rising complexity of systems and business models [3], emphasize the increasing need for automated tools and frameworks capable of identifying and mitigating emerging cyber threats.

To address some of these issues, we established NSAK — a modular, open-source network security scenario automation framework — in a predecessor project 3.1. The framework aims to simplify the creation of automated security testing and adversary emulation scenarios in controlled network environments, by providing reusable building blocks.

While our prior work demonstrated that it is feasible to automate red and blue team activities, it also revealed the limitations of this approach. Manually engineered scenarios offer modularity and reproducibility, but lack adaptability to changing conditions and the development still requires deep cybersecurity expertise. By contrast, LLMs are able to reason over the current context and dynamically adjust their behavior depending on the environment they operate in.

The central hypothesis is that the integration of agentic AI into the framework can improve adaptability, flexibility and the degree of automation compared to static scenario implementations. Simultaneously, it may reduce the operator’s required depth of expertise to interpret the results and plan follow-up steps in an attack or defense sequence.

This thesis approaches the following research questions:

- ▶ **RQ1:** How does an agentic AI scenario perform compared to a static reference scenario?
- ▶ **RQ2:** To what extent can agentic AI support operators during interactive network reconnaissance?
- ▶ **RQ3:** To what extent is the implementation suitable for deployment in real-world environments?

To address these questions, an AI agent based on LangChain is integrated into the framework and provided with capabilities for autonomous system interaction and operator support. With these features, single- and multi-agent reconnaissance scenario variants are developed, which can be run interactively and autonomously, using models of various sizes.

The evaluation is structured around three perspectives corresponding to the research questions:

Autonomous Scenario Comparison (RQ1) — A static reference scenario chaining host discovery, port scanning, and service enumeration serves as a baseline for comparison. To reduce the number of variables in the evaluation, a reproducible test environment is specified and built with Containerlab.

Interactive Scenario Execution (RQ2) — Besides the direct comparison we also want to investigate how agentic AI can interactively support an operator during network reconnaissance activities.

Real-World Usability (RQ3) — Real-world usability is evaluated by testing against a physical setup of the evaluation environment and in the BFH network security lab.

The thesis is structured as follows: Chapter 2 reviews related work and analyzes how selected security frameworks integrate AI into their products. Chapter 3 introduces the fundamental concepts and outlines the key design decisions that form the basis of this work. Chapter 4 describes the research methodology, including the approach used for evaluation and data collection. Chapter 5 presents the implementation of the proposed solution, followed by Chapter 6, which evaluates its effectiveness in virtual and physical test environments. Chapter 7 discusses the results and their implications, while Chapter 8 concludes the thesis and highlights potential directions for future work.

2. Related Research

2.1. Framework Comparison

Previous research, such as ‘SOK: A Survey of Open-Source Threat Emulators’, compares multiple types of threat emulation frameworks using both quantitative and qualitative metrics [4]. Among the evaluated frameworks, Atomic Red Team, Mitre Caldera, and Metasploit received high scores in the categories “environments and operator”, “environment configuration” and “scenario execution”.

In the following section, the selected frameworks are briefly introduced, and the unique selling point of the NSAK is highlighted. As a point of reference, the cybersecurity community increasingly relies on the concepts of MITRE ATT&CK, which has established itself as a standard framework in the field since its introduction in 2014 [5, 6].

The MITRE ATT&CK framework is a globally accessible knowledge base of adversary tactics and techniques based on real-world observations [5]. The knowledge base is structured into Tactics, Techniques, and Procedures, which are organized into 14 attack behavior groups. The Tactics, Techniques, and Procedures is getting continuously updated and extended, which helps to defend against the capabilities of threat actors.

The evaluation of the proposed frameworks is based on information obtained from official documentation [7–9] and the findings of Zilberman et al. [4].

Characteristic	Metasploit Framework	Atomic Red Team	MITRE Caldera
Primary Purpose	Exploitation and penetration testing framework	Security testing through small atomic ATT&CK tests	Automated adversary emulation platform
Relation to MITRE ATT&CK	Partial mapping via modules	Direct mapping to ATT&CK techniques	Built around ATT&CK adversary emulation
Automation Level	Medium (scripts and modules)	Low (manual execution of tests)	High (automated attack chains)
Main Functionality	Exploit development, payload delivery, post-exploitation	Execute small ATT&CK technique tests	Simulate adversary campaigns across hosts
Architecture	Modular framework with exploits, payloads, and auxiliary modules	Collection of scripts/tests organized by ATT&CK techniques	Client-server platform
Typical Use Case	Penetration testing and vulnerability validation	Detection validation and security control testing	Red team automation and purple team exercises
Difficulty Level	Medium–High	Low–Medium	Medium–High

Table 2.1.: Comparison of Metasploit, Atomic Red Team, and MITRE Caldera ([4, 7–9])

Table formatting

As shown in Table 2.1, the key characteristics of the frameworks differ greatly. **Atomic Red Team** provides libraries of attack scripts that implement individual Tactics, Techniques, and Procedures of MITRE ATT&CK. Each attack can be executed independently or chained together into a larger attack scenario. **Mitre Caldera** is a complex, agent based adversary simulation tool, whereas **Metasploit** is a framework that provides exploits, payloads and auxiliary modules. Further details of the frameworks are presented in the following sections. 2.1.12.1.22.1.3

2.1.1. Atomic Red Team

The Atomic Red Team repository provides documentation and configuration files for each technique. For every TTP, a YAML Ain't Markup Language (YAML) configuration file defines the execution parameters, while an enhanced Markdown file contains a human-readable description of the attack. This documentation includes a short description of the technique, execution instructions, and additional contextual information [8].

The framework can be executed directly from the command line and provides features such as logging, detailed error messages, and automatic prerequisite checks. If a technique cannot be executed, for example due to operating system constraints,

the framework reports the issue and can optionally attempt to install the required prerequisites [8].

Zilberman et al. recommends deeper cybersecurity knowledge to use Atomic Red Team framework effectively [4]. The Open Source mentality, expandability and easily usable scripts can be a great asset for an independent framework such as the NSAK.

2.1.2. Caldera

Mitre Caldera is also built on the MITRE ATT&CK knowledge base and functions as a command-and-control center. A central server controls agents running on the target system, executes attacks called abilities, and sends the operation results back to the server. Every Ability is a single attack step built on the Tactics, Techniques, and Procedures. The framework ships with a graphical user interface and is primarily used for red team attack simulation, purple teaming, and detection engineering. The additional features, like a training plugin for educational purposes, include facts that can be configured as dynamic safe values, which can be stored and parsed in later steps [7].

With its provided interface and functionality, Caldera is most suitable as a threat emulator, offering a wide range of built-in features, including lateral movement and Command and Control (CNC) communication [4].

2.1.3. Metasploit

Metasploit is a widely used penetration testing framework for testing or attacking systems and exploiting known vulnerabilities. Metasploit follows a sequence of steps to identify a vulnerability in a target system, select a vulnerability for the attack, select an exploit that uses this vulnerability, and deliver a payload that runs on the target system. The configuration via the Command Line Interface (CLI) requires knowledge of the target network and system and requires partial configuration [9, 10].

According to Zilberman et al., an operator requires extensive cybersecurity knowledge to effectively use the framework. To support the operator, the Graphical User Interface (GUI) “Armitage”, which is not further evaluated in this work, can be used [4].

2.1.4. NSAK

The NSAK framework, as an independent universal Network Swiss Army Knife, is not confined and can leverage, if needed, different sets of attack frameworks. An

approach could be to use an AI-Enhanced Network Discovery Scenario, which provides the necessary information to configure a Metasploit attack that leads to an attack operation in Caldera and an atomic red team detection script. Hardware-based isolation and network position provide flexibility and should help reduce the operational costs of red and blue teams by reducing simple configuration overhead [11].

2.2. AI-Research

2.2.1. AI and Language Models

Language Model (LM) describes the technique for advancing language intelligence in machines and its development history can be divided into several stages. The first stage, Statistical Language Model (SLM) emerged around the 1990s, and the basic idea is to assume, that such a model can predict the next word. But the fact that an exponential number of transition probabilities are needed, caused a lack of accuracy and led limited success.

To overcome these limitations, Neural Language Model (NLM) was introduced to learn a distributed representation of words and capture more complex patterns, leading to a major breakthrough. Building on this, the advancement of pre-trained language models Pre-trained Language model (PLM), which are first trained on large datasets and then fine-tuned for specific tasks, represented another significant development.

Building on this development, LLMs further increases the scale of PLMs by expanding parameter count and computational power [12].

In large language models, parameters are the trainable numerical values that define how the model processes input and generates output. During training, these parameters are continually adjusted to enable the model to learn patterns and language context [13]. The models most of us use today, such as ChatGPT, Claude and Gemini are pre-trained LLMs used for language inference.

These advances led to MCP, a protocol that allows tools and services to expose an interface specifically for AI. Further, the introduction of AI-agents is enabling a new level of autonomy for achieving concrete goals with LLMs. The combination of these technologies is now resulting in systems, where LLMs empower autonomous agents capable of decision-making to execute complex tasks.

2.2.2. MCP

Anthropic, a US software company focused on AI research, introduced the protocol in 2024. The MCP was introduced as an open source standard that enables AI as-

sistants to connect to external systems, including databases, business tools, and development environments [14]. Dynamic tool discovery and schema negotiation is helping clients and agents to access these functions in a standardized manner and allows autonomous interaction. Additionally, MCP allows information to flow in both directions, so the model can send requests, and tools can send updates or events.

This architectural approach shifts the AI integration from static toward an interoperable ecosystem of AI-enabled services. On the other hand, the flexible design and open source approach of MCP unlocks multiple novel and systematic security risks that are in need of enhanced security and governance [15].

2.2.3. Agentic-AI

Agentic Artificial Intelligence (Agentic-AI) can be understood as an advanced machine intelligence that is capable of perceiving, reasoning, and acting with a certain level of autonomy. Traditional systems and agents are more limited to executing predefined commands, whereas Agentic-AI is not restricted in this way. Due to their ability to adapt in real time, they can continuously refine their knowledge, techniques, and data. The ability to access multiple inputs, from natural language processing to sensor data, allows Artificial Intelligence Agent (AI Agent)s to develop a good understanding of their environment [16].

Multi Agent System (MAS) defines a way in which multiple specialist agent coordinate and cooperate with each other to solve a task, that would not be solvable to one agent alone.

Therefore, the agents need a form of interaction that allows them to act reactively, often through a shared mental model, which helps create a common understanding of the complex tasks to be solved. To implement a MAS efficiently, modern design principles such as encapsulation and modularity are important, which are helping to balance resource usage of the system and LLM [17]

Huang et al. provide evidence that Agentic-AI and MAS are capable of solving complex tasks across various sectors, including security and banking. However, these systems also introduce new potential vulnerabilities, both within AI Agent systems themselves and through their interactions with external environments.

The identified vulnerabilities can be categorized into two types: accidental and deliberate. Accidental vulnerabilities include software bugs, logical errors introduced by agents, hardware malfunctions, and poor data quality. Deliberate attacks, on the other hand, encompass adversarial attacks targeting LLMs, data poisoning, and model theft.

To mitigate these risks, a comprehensive framework consisting of governance mechanisms, proactive monitoring, regulatory compliance, and rigorous testing is re-

quired to ensure the secure and reliable operation of agentic systems [18].

Fazit MCP and Agentic AI

In the cybersecurity podcast Risky Business, it is mentioned that MCP is “dead”. The open-source strategy of Anthropic (2.2.2) has led to the development of multiple MCP implementations that were not designed with a strong focus on security, but rather on rapid adoption of a novel technique.

This provocative claim is based on the observation that, in order to handle the excessive MCP tooling, AI Agents may instead rely on direct access to a root shell, as it provides a more efficient way of interaction [19].

Evaluated Frameworks and MCP

Caldera uses a MCP plugin as a bridge between the model and the Representational State Transfer Application Programming Interface (REST API), allowing the agent to plan and issue commands in a manner similar to a human operator.

Caldera introduces three main research areas. Firstly, a planner determines the order and selection of abilities and can dynamically construct new adversaries based on user requirements through prompt-based interaction.

Secondly, an adversary factory model is used to generate adversaries tailored to the operator’s specific use cases.

Thirdly, a forward-deployed agent is enhanced with Retrieval Augmented Generation (RAG) for Cyber Threat Intelligence (CTI), leveraging Structured Threat Information Expression (STIX)-based data to create reproducible and testable adversaries [20].

The MCP-Server, provided by **Metasploit**, enables a LLM to interact with the Metasploit Framework dynamically. The Interface covers module information (a Metasploit module is a known exploit), exploitation workflows, payload generation, session management and handler management to help manage an attack. The documentation includes a security warning that emphasizes the importance of reviewing every prompt, using a test environment, and being aware of post-exploitation commands. **Metasploit** is a powerful exploitation framework, and the simplicity that AI could bring can also harm. [21]

The **Atomic Red Team** MCP Server provides an interface that allows AI systems to access and use tests from Atomic Red Team. It enables searching, validating, and optionally executing attack techniques (e.g., based on MITRE ATT&CK). [22]

How and why is this relevant for our thesis? how could we implement it? To which findings should we pay attention? What can we ignore for now?

Elaborate on this, because we will actually not use MCP

I think we are too focused on the term MCP now. We should speak of tool-calling, MCP is just one method for achieving this.

Outcome Comparison

The framework comparison highlights the difference between the NSAK and the established frameworks. Each compared framework performs a specific task in a complex operation, and the NSAK device can leverage the strengths of multiple aspects of a different set of tools. Building upon these insights, the NSAK is designed to extend and integrate these capabilities into a unified and adaptable system and the change of focus to AI gets further elaborated in this thesis.

3. Concepts

3.1. Predecessor Project: Project 2

This section summarizes the predecessor project that led to the bachelor's thesis. The NSAK is a cybersecurity framework that operates with the following resources and concepts: *Devices*, which are physical or virtual machines capable of running the NSAK. The security operation is executed in a network environment and can involve one or more attacks or defense scenarios. The smallest unit in the framework is a drill, which can be orchestrated in a scenario and chained with other drills.

While the modularity and proof of concept were confirmed, several aspects like enhanced configuration management, GUI or a REST API are mentioned for future work.

Some of the goals of this thesis directly address these open points and are defined in the section ??.

The NSAK framework is built around four resource types that were originally defined in “Project 2” [11]. Each resource type has a distinct role in the framework and is stored as a YAML file in the resource library.

3.1.1. Device

A **Device** resource describes a physical or virtual machine that is capable of running the NSAK framework. It serves as the execution host for scenarios and drills and is typically deployed at a strategic network position to give it the access required for the operations it performs.

A device exposes its network configuration to the framework by declaring its interfaces and their Internet Protocol addresses in its resource YAML. As an alternative, a special device with the id “Unknown” was added, which auto discovers the hosts network configuration. This allows scenarios and drills to resolve interface names and target addresses without hardcoding network details, making the same scenario portable across different devices and network environments.

3.1.2. Environment

An **Environment** represents a specific network topology, including its infrastructure components, hosts, and services [11]. It describes the target network context in which a scenario is intended to operate. For example, a simple client–server setup over a switch, a Wireless LAN access point with connected clients, or a segmented business network.

Environments are referenced by scenarios to make explicit which network context they are designed for, helping operators select and validate the right configuration before executing an operation.

3.1.3. Drill

A **Drill** is a self-contained, reusable unit of execution with a specific, well-defined goal [11]. Its goal can be an active or passive attack step, network discovery, traffic capture, a configuration change, or any other discrete action relevant to a red or blue team activity.

Examples of drills include Address Resolution Protocol spoofing, host discovery via Address Resolution Protocol scan, transparent Transmission Control Protocol proxying, traffic capture with T-Shark, and network configuration tasks such as enabling IP forwarding or Network Address Translation (NAT).

Each drill declares the system and Python packages it requires as well as a typed `interface` that lists its input arguments and return type. The return value of one drill can be consumed as the input of a subsequent drill within a scenario, enabling data to flow through a chain of execution steps.

3.1.4. Scenario

A **Scenario** describes a concrete red or blue team use case and orchestrates a sequence of drills targeted at one or more environments [11]. Where a drill is a single technical reusable and modular building block, a scenario is an implementation of a specific attack or defense operation.

Like drills, scenarios declare a typed `interface` with input arguments, allowing operators to parameterise a scenario at execution time via the CLI without modifying the scenario definition itself. This separation keeps scenarios reusable across different network configurations while still allowing runtime flexibility.

3.2. Configuration Management

The NSAK framework distinguishes three configuration layers, each with a different scope and lifetime. Keeping them separate avoids coupling concerns that change at different rates and makes it easier to reason about where a given piece of configuration comes from.

3.2.1. Static Configuration

The static configuration layer involves values which are specific for a deployment and are very unlikely to change after the initial provision of the NSAK device. It mainly establishes the filesystem layout that all other parts of the framework depend on. For example, where the resource library is located, where runtime data is written, and what the base directory of the installation is.

3.2.2. Runtime Configuration

The runtime configuration layer holds mutable state, which might be changed by an operator via the CLI. It is stored as a YAML file, which is currently loaded at the start of every invocation. If no configuration file exists yet, a default is created automatically on first access, so no explicit initialization step is required from the user.

3.2.3. Resource Configuration

The resource configuration layer is provided by the resource library rather than the framework core. Each resource declares its own configuration inside a YAML file stored alongside its implementation. The framework reads these files to discover and load resources at runtime.

Typed Interface Arguments

Drills and scenarios declare a typed `interface` in their resource configuration YAML file, that lists the arguments with an explicit type annotation and an optional default value. The framework reads these annotations at runtime and automatically generates the correct CLI options for each resource. This means that adding a new argument to a drill or scenario immediately exposes it as a typed CLI option without requiring any changes to the framework or the CLI code.

Mergeable YAML Structure

All resource YAML files follow a common structure in which resources are nested under a resource-type key (e.g. `drills:`, `scenarios:`). This structure ensures that YAML files from different parts of the library could be merged into a single in-memory data structure without key conflicts, which is a prerequisite for supporting multiple library paths and composite library configurations in the future.

4. Methodology

4.1. Evaluation Setup

Three models are benchmarked across 10 runs in three environments (*containerlab*, *physical lab*, and *BFH Cyber Lab*): a frontier model (Claude Opus 4.7), an institutionally hosted open-weight model (gpt-oss:120b), and a locally-run open-source model (qwen3:30b via Ollama).

4.1.1. Criteria

Qualitative criteria:

- ▶ **Correctness and Task completion/completeness:** Are the scenarios completed fully and are the results correct?
- ▶ **Creativity: AI-specific** Does AI Recon identify relationships or suggest follow-up steps not covered by Traditional Recon?
- ▶ **Consistency network discovery results:** How much does the output vary across $n = 10$ runs with an identical prompt, per model and environment?

Quantitative criteria:

- ▶ **Speed:** Time from scenario start to complete output of all discovered hosts and services
- ▶ **Token usage: AI-specific** Number of tokens consumed per run (AI Recon only)

With $3 \text{ models} \times 3 \text{ environments} \times n = 10 \text{ runs}$, this yields 90 measurements for AI Recon.

4.1.2. Environments

1. Virtual environment (containerlab)
2. Physical environment
3. BFH lab

We try to fix most of the parameters which influence the success criteria therefore we use a fixed engineered prompt for all models and environments

4.1.3. Models

1. Self-hosted local LLM (Ollama)
2. BFH LLM
3. Frontier model (Anthropic Claude)

Table 4.1.: Qualitative Evaluation Scale for LLM Reconnaissance Results

Criterion	Score	Level	Description
Correctness	1–2	Insufficient	Results are mostly wrong or irrelevant; no actionable information
	3–4	Poor	Few correct findings; many errors in services, ports, or versions
	5–6	Adequate	Majority of hosts/services correct; isolated errors in version or protocol details
	7–8	Good	Findings largely correct and complete; minor inaccuracies
	9–10	Excellent	All key hosts, services, and versions correctly and precisely identified
Hallucination	1–2	Severe	Numerous fabricated hosts, services, or vulnerabilities without basis
	3–4	Noticeable	Several unsubstantiated findings; confusion of IPs or services
	5–6	Moderate	Isolated unconfirmed statements; version numbers or banners slightly distorted
	7–8	Low	Rare inaccuracies; findings are traceable to raw scan data
	9–10	None	All statements directly verifiable from scan output; no fabrications

5. Implementation

To address these questions, an AI agent based on LangChain is integrated into the framework. The agent is equipped with tools for retrieving the hosts network configuration, autonomous CLI command execution, requesting human input and notification via email. To simplify the usage of NSAK a configuration management is introduced, which allows users to configure different LLMs and manage secrets for external systems such as email and logging.

summary
over
imple-
mented
parts

5.1. Configuration Management Implementation

The configuration management in NSAK is organised into three distinct layers, each serving a different scope and lifetime.

The **static configuration** layer resolves fixed filesystem paths at import time. It derives all relevant paths from a single base directory, which can be overridden via an environment variable to support different deployment contexts such as Docker containers or automated test environments.

The **runtime configuration** layer holds mutable state that persists across CLI invocations. It is loaded from a YAML file on every command execution and written back whenever state changes, for example, when a different device is loaded. This layer serves as the single source of truth for any information that must be shared between separate CLI calls.

The **resource configuration** layer is defined by the resource library itself. Each resource type –devices, drills, scenarios, and environments –declares its configuration inside a YAML file stored in the library. For devices, this includes network interface assignments, while drills and scenarios additionally declare their typed argument interfaces, which the CLI uses to generate the correct command options at runtime.

This section is repeating what's already stated in the concepts chapter...

5.1.1. NSAK Configuration Management

The NSAK configuration is split into two distinct layers: a static layer that resolves fixed paths at import time, and a mutable runtime layer that is persisted to disk and loaded on every invocation.

Static Configuration

The static configuration is defined in `src/nsak/core/settings.py` and shown in listing 35. It derives all relevant paths from a single `BASE_PATH`, which is either supplied via the `NSAK_BASE_PATH` environment variable or resolved automatically to the repository root at import time. `RUN_PATH` points to the `run/` directory where runtime data such as the persisted config is stored, and `LIBRARY_PATHS` holds the set of directories that are searched for resource libraries. Overriding `NSAK_BASE_PATH` is the primary mechanism to run NSAK from a different base directory, e.g. inside a Docker container or during automated testing.

Runtime Configuration

The runtime configuration is defined as the “Config” dataclass in `src/nsak/core/configuration/configuration.py` and holds all state that can change during normal operation, currently the `debug` flag and the active “Device”. It is persisted as a YAML file at `run/config.yaml` and loaded on every CLI invocation.

To avoid loading the configuration on import, the module-level `config` object is wrapped in a `lazy_object_proxy.Proxy`. The proxy defers the actual `Config.load()` call until the object is first accessed. Since the root CLI group imports `config` on every command invocation as displayed in listing 37, this ensures the configuration is always initialized before any command logic runs. If `run/config.yaml` does not yet exist, `Config.init()` is called automatically to create a default configuration and write it to disk, eliminating the need for manual setup on first run.

Mutations to the runtime configuration always follow the same pattern: a manager method (e.g. `DeviceManager.load()`) updates the relevant field on the `config` object and calls `config.save()` to persist the change. Custom YAML representers are registered for `IPInterface` and `PosixPath` so that these types are serialised as plain strings rather than Python-specific tags. Listing 38 shows an example of the persisted `run/config.yaml` after loading the `bananapi_r4` device.

5.1.2. Device Configuration Management

In the context of “Project 2” 3.1, this resource type was already defined conceptually, and the BananaPI R4 was added as an example in the library under `lib/devices/bananapi_r4/`. But the resource type was not actually added to the NSAK core, and to manage device configurations, we need to implement the Device resource type first.

Create New Device Resource Type

Similar to the other resource types, a YAML specification for defining devices in the library and multiple classes for representing and managing devices in the core are required. Because the existing resource YAML specifications do not allow merging YAML files, this implementation proposes a new base structure that fulfills this trait. Section 5.1.2 describes the necessary changes to the existing YAML specifications. The listing 40 shows the initial specification for a device resource, which will get extended later on with a section for configuration management.

In the table 5.1 below, the required Python classes are listed and described. The classes will be located under `src/nsak/core/device` within their respective files.

In “Project 2” 3.1, it became already clear that the described classes share a lot of boilerplate code between each other. For this reason, the base classes described in 5.1

Class	File Name	Description
Device	device.py	Dataclass representing a device resource at runtime, closely reflecting the YAML specification.
DeviceLoader	device_loader.py	Loads and returns Device instances from the resource library.
DeviceManager	device_manager.py	Implements business logic and exposes an API for use by the CLI.

Table 5.1.: Device Resource Classes

were added to eliminate duplicated logic, thereby improving compliance with the Don't Repeat Yourself principles. The classes will be located under `src/nsak/core/resource` within their respective files and the adoption of the existing classes is described in section 5.1.2.

Class	File Name	Description
Resource	resource.py	Base class for all resources: Scenario, Drill, Environment and Device.
ResourceLoader	resource_loader.py	Base class which handles searching and loading resources from the filesystem.
ResourceManager	resource_manager.py	Base class which defines common methods for all resource manager classes.

Table 5.2.: Resource Python Classes

To complete the integration of the device resource, the new functionality must be exposed via CLI. The available bash commands are shown in the listing 39.

Device Configuration Management Implementation

To allow a device to expose its configuration options, the YAML specification needs to be extended accordingly. For now, the focus is only on network configuration, as this is the most important information for the scenarios and drills. The specification was designed so that other sections can be added later. The excerpt 41 shows the specification for the configuration section of the device resource YAML.

The code snippet, located under `src/nsak/core/device/device_loader.py` 42 shows how the YAML configuration gets parsed to the respective datastructures defined in `src/nsak/core/network/configuration.py` and `src/nsak/core/device/device.py` 43.

The referenced listing shows the newly available CLI commands for managing device configurations 44:

Refactor Existing Resources

The implementation of the device resource 5.1.2 introduced an improved base structure for the resource YAML specifications and three base classes which are abstracting the common structure and functionality. This section describes the resulting changes in the existing code and resource YAML specifications.

As already stated in section 5.1.2 all resource type specific classes were refactored to inherit from their respective base classes as described in table 5.1. With the example of the `EnvironmentLoader`, the diff below 5.1 illustrates how the abstraction of common properties and methods allows for the removal of a lot of boilerplate code.




Figure 5.1.: EnvironmentLoader Base Class Refactoring Diff

The structure of all resources was aligned by nesting the resource under their respective resource type key (`scenarios`, `drills`, `environments`, and `devices`), so that we could merge all YAML resource files into a single library data structure without key conflicts. In the YAML specification 45, the new base structure derived from the device resource 5.1.2 is illustrated. All existing resource YAML files in the library were adjusted accordingly, and thanks to the introduction of the `ResourceLoader` base class, the required adjustments in the code were minimal.

5.1.3. Scenario & Drill Configuration Management

Both the scenario and drill resource types were already fully implemented in “Project 2”[3.1](#). Their YAML specifications already contained an `interface` section describing argument and return types, but this information was purely documentary and had no effect at runtime.

As part of this project, the `interface.arguments` section was extended [46](#) so that each argument carries an explicit `type` annotation and an optional `default` value.

The CLI reads these annotations at runtime to generate typed command options for each drill and scenario automatically, without requiring any additional handwritten code. The `discover_hosts` drill in [listing 31](#) illustrates this: its single `interface` argument of type `str` is translated directly into a `--interface` option on the generated CLI command.

Scenarios follow the same `interface` convention and additionally declare the drills and environments they depend on. The `mitm` scenario in [listing 47](#) chains the `discover_hosts`, `arp_spoof`, and `transparent_tcp_proxy` drills together and exposes a single typed `interface` argument, which the CLI surfaces in the same way as for individual drills.

5.2. Reproducible Test Environment

Unless stated otherwise, all referenced implementation artifacts in this section originate from the NSAK repository [11].

The scope of this thesis is confined to the AI based reconnaissance and optionally, the intrusion detection scenarios B.3.1, including the design and implementation of corresponding drills.

To ensure a controlled and safe evaluation of the implementation, a simulated test environment has to be established. This approach prevents unintended interference with production systems and ensures reproducibility during the development and testing phases.

For this exact purpose the “Environment” 3.1.2 resource type was implemented into the NSAK framework. In the predecessor project 3.1, a simplified network topology comprising a client (Alice) and a server (Bob) is used to emulate and analyze a Man In The Mittle (MITM) scenario. This environment is described in a Docker Compose file, located under: `lib/environments/simple_tcp_client_server/compose.yaml`.

The whole setup can be simulated with the following command: `nsak environment simulate simple_tcp_client_server mitm.`

...

While Docker or Podman provides a general-purpose containerization platform, they abstract away most of the lower levels of the network stack and thus lack the support for modeling network topologies. In the existing implementation this was partially addressed, by using the `macvlan` network driver, to enable level 2 networking. In contrast, Containerlab builds upon Docker Compose and optimize its functionalities for networking purposes.

The primary advantages of Containerlab are:

- ▶ It's ability to create a reproducible containerized network topology based on a simple configuration file
- ▶ Support multiple interfaces nodes which closely resemble real-world network devices (in comparison Docker typically operates with a single network interface).
- ▶ The rapid creation, extension and teardown of complete network environments, ensure that each experiment starts from a clean and controlled state.

In summary, while OCI containers serves as the underlying container engine, Containerlab provides a higher-level network simulation.

Maybe it would make sense to describe this in the project 2 section instead

Listing ?? in the appendix shows an excerpt of a Containerlab topology.yaml file. Basically the nodes are defined and with virtual Ethernet links connected. The bridge represents a multi port switch.

5.2.1. Network Topology

The network topology shown in Figure 5.2 illustrates the IP addressing scheme and the interconnections between the individual components.

The `external` node represents an external attacker interacting with the network from the Wide Area Network (WAN).

The `nsak` container can be deployed in different network segments, enabling the simulation of various attacker positions and reconnaissance scenarios.

update
without
external
node




Figure 5.2.: topology-test-environment

5.2.2. DMZ-Server

To evaluate reconnaissance scenarios, common services must run on endpoints.


Berkley Internet Name Domain (BIND) is a complete implementation of the DNS protocol that can be configured through the `named.conf` file as an authoritative name server and resolver.

In the test lab illustrated in 5.2, the functionality of the web server and DNS server was combined for simplicity.

During the De-Militarized Zone (DMZ)-server container build process, a setup shell script is executed.

In the first part, the authoritative BIND `named.conf` file, DNS options, and master zones for forward and reverse lookups are created.

In the forward zone, domain names map to IP addresses, while in the reverse zone, IP addresses map to domain names 24.



```

<<> Dig 9.18.44 <<> @172.16.1.10 vlab.local AXFR
; (1 server found)
;; global options: +cmd
vlab.local.      300    IN      SOA     ns1.vlab.local. hostmaster.vlab.local.vlab.local. 2024031501 3600 900 604800 300
vlab.local.      300    IN      NS      ns1.vlab.local.
alice.vlab.local. 300    IN      A       192.168.10.100
bob.vlab.local.  300    IN      A       192.168.10.101
ctrl.vlab.local. 300    IN      A       192.168.10.5
file.vlab.local. 300    IN      A       192.168.10.5
ns1.vlab.local.  300    IN      A       172.16.1.10
printer.vlab.local. 300    IN      A       192.168.10.50
web.vlab.local.  300    IN      A       172.16.1.10
vlab.local.      300    IN      SOA     ns1.vlab.local. hostmaster.vlab.local.vlab.local. 2024031501 3600 900 604800 300
;; Query time: 0 msec
;; SERVER: 172.16.1.10#53(172.16.1.10) (TCP)
;; WHEN: Sat Apr 04 13:34:18 UTC 2026
;; XFR size: 10 records (messages 1, bytes 333)

```

add
filepath
and com-
bine with
other
sections

Figure 5.3.: Authoritative Zone Transfer Snippet

The output of a full zone transfer illustrated in figure 5.3 displays the resolved IP addresses and domain names. In our test environment, the restriction of Authoritative Zone Transfer (Full Zone Transfer) requests to only trustworthy IPs is intentionally omitted; the devices are deliberately left unhardened.

In the second part, a minimal NGINX web server with HTTP and HTTPS support is created. Like in real setups, HTTP traffic on port 80 is redirected to HTTPS on port 443. To provide an artifact for reconnaissance purposes, a file named `{secret.txt}` containing sensitive data is placed on the server.

The LAN zone of the network, consists of 4 devices.

5.2.3. Domain Control and File Server

The internal server, reachable at 192.168.10.5, combines the role of domain controller and file server into a single node.

It exposes Secure Shell (SSH) on port 22, SMB on ports 139 and 445, and Lightweight Directory Access Protocol (LDAP) on port 389.

The LDAP service is intentionally misconfigured to permit anonymous read access to the entire `dc=lab,dc=local` directory tree, exposing user accounts and group memberships without authentication.

The SMB service provides three shares: `public` is readable without credentials, while `finance` and `it` require valid user accounts.

Sensitive files such as payroll exports and budget summaries are placed in the restricted shares as intentional post-exploitation artifacts [25](#).

5.2.4. Workstations

Two workstations reside on the LAN segment: Alice at 192.168.10.100, assigned to the Finance department, and Bob at 192.168.10.101, assigned to the IT department.

Both nodes expose SSH on port 22 and SMB on port 445, and both SSH banners intentionally disclose the organization name.

On Alice, the home directory of user `asmith` contains a confidential finance report and a drive mapping file that reveals the path to the central file share on the domain server.

On Bob, the home directory of user `bjones` contains a `scripts` directory with a host inventory that lists all internal IP addresses and their respective roles [26](#).

5.2.5. Printer

The printer service, reachable at 192.168.10.50, provides two different interfaces. The first web interface is administrative and is available on port 80. It shows internal printer metadata, such as device name and contact information. The printer version is intentionally disclosed in this admin view. The second interface, a REST API, listens on port 631 at the `{/jobs}` endpoint, where it displays a predefined list of print jobs. All printer requests are logged in

`{/var/logs/printer_sim_logs}` inside the container [27](#).

5.2.6. Introduced Vulnerabilities

For reconnaissance purposes, several vulnerabilities and flaws were introduced, which are partly mentioned in the previous sections and are presented in detail in Listing [29](#). These flaws are necessary to compare the results of the larger and smaller models as well as the implemented vs the AI-enhanced scenarios.

5.3. AI –Scenarios

This section describes the design and implementation of the milestone AI Scenarios [B.3.1](#), which is based on the user story map workshop AI Purple Team [B.12.7](#). In the workshop we defined the features which such a scenario may provide and categorized them in “Must”, “Could” and “Should”. Because of time constraints, we set the focused only on the user stories categorized as “Must”. The main goal is to implement an AI reconnaissance scenario, which is described in the [5.3.8](#). But on the way it made sense to also create an intermediary scenario which can run custom prompts [5.3.7](#). Further, we already explored the AI based intrusion detection scenario [5.3.9](#) which should be seen as proof of concept, because the corresponding milestone and goals are categorized as “Should”.

5.3.1. AI Agent

An AI agent is an autonomous system that combines a large language model (LLM) with a set of tools it can invoke to accomplish a goal. Rather than just generating text, the agent follows a reasoning loop: it plans which tool to call, executes it, observes the result, and continues until the task is complete [\[23\]](#).

The project team chose [LangChain](#) as the agentic framework without comparing it with alternative solutions, for the following reasons:

- ▶ Free and open-source
- ▶ Python package with native integration into the project’s toolchain
- ▶ Suggested by various sources and has a good reputation in the community
- ▶ Extensive documentation and active community support

For the integration into the NSAK framework we decided to implement an `AiAgent` class as the central abstraction, which wraps a `BaseChatModel` together with a set of LangChain tools and delegates the reasoning loop to LangChain’s built-in `create_agent()`.

AI Configuration

Before any AI based scenario can run, the `AiConfiguration` entry must be set in the runtime configuration, containing the model, provider and credentials. Listing [51](#) shows the dataclass, which holds two fields: `model` and `base_url`. For authentication, the basic auth can be provided in the `base_url` field, otherwise the `api_key` must be set.

With the CLI command `nsak config set ai` the configuration can be set interactively, alternatively the values can be set individually like in the following example:

Describe the three different abstraction levels: Deep-Agent, LangChain and Lang-Graph (maybe include cheat-sheet with proper citation)

```
▶ nsak config set ai\provider "ollama"
▶ nsak config set ai\model "qwen2.5:7b-instruct"
▶ nsak config set ai\base_url "http://user:pass@localhost:11434"
▶ nsak config set ai\api_key "secret"
```

Provider Abstraction

The `AiAgent.create_model()` method parses the provider prefix and dispatches to the appropriate LangChain chat model class via `PROVIDER_MAP`, as shown in listing 49. This means any supported provider can be swapped out by changing a single configuration value, without touching scenario code. Most providers allow to set the “temperature” of a model, where lower values produce more deterministic responses, while higher values increase creativity and diversity [24]. For our intents and purposes always set `temperature=0`, as we want to make agent behavior as deterministic as possible.

5.3.2. LangChain Concepts

LangChain provides a framework for developing applications powered by large language models (LLMs) and agent-based systems. It enables developers to combine modular components and external integrations, simplifying AI application design while maintaining flexibility as underlying technologies evolve [25].

The primary LangChain concepts used in the NSAK framework are:

- ▶ `BaseChatModel` - provider-agnostic interface for the underlying LLM.
- ▶ `BaseTool` - interface for callable tools that the agent can invoke.
- ▶ `create_agent()` - builds a LangGraph-based ReAct agent graph that wires the model and tools together.
- ▶ `messages` - a list of conversation messages (user, AI, tool) maintained across the agent’s reasoning loop.

The listing 48 is showing the agents implementation in detail. The `AiAgent.__init__()` method calls `create_model()` to instantiate the provider-specific chat model and then passes it to `create_agent()` together with the tool list and a fixed system prompt that establishes the cybersecurity simulation context. The `run()` method invokes the agent once and streams all resulting messages (user, AI, tool calls, tool results) as formatted strings. The `run_interactive()` method extends this into an interactive loop, where after each agent response the operator is prompted for the next instruction, and the

full conversation history is retained in the `messages` list until the operator types an empty line or `exit`.

Tool Calling Concepts

Tool calling is the mechanism by which the LLM declares that it wants to invoke an external function. The framework intercepts the model's output, parses the tool call, executes the corresponding Python function, MCP, or Skill, and appends the result to the message history before asking the model to continue. This loop repeats until the model produces a final text response with no tool calls.

In NSAK, tools can be provided through several complementary mechanisms:

- ▶ **LangChain Tools** - native Python functions decorated with `@tool`, which LangChain automatically wraps with type-safe JSON schemas for the model. This is the primary mechanism used for NSAK-specific tools (host configuration, CLI access, e-mail, human interaction hook). Further, all NSAK drills are wrapped as LangChain tools via `generate_drill_tools()`, giving the agent type-safe access to all drill capabilities.
- ▶ **MCP** - the Model Context Protocol allows external tool servers to expose additional capabilities; used here for the draw.io integration (see 5.3.2).
- ▶ **CLI Access** - the `cli_tool` gives the agent direct shell access, allowing it to run any installed binary (nmap, tshark, etc.).

Tool Calling Models

Considering its limited size of 7 billion parameters, we were quite happy with our first test model “qwen2.5:7b-coder”. But as it turns out, not all models are capable of calling tools. Often, multiple variants of the same model are available, and they don't only differ in size, but also for different strengths or capabilities such as tool calling. The tool calling variants often have the suffix “instruct”. Luckily, “qwen2.5:7b-coder” has such variant called “qwen2.5:7b-instruct”.

The `create_ai_agent()` factory function shown in listing 50 is the central assembly point used by all three AI scenarios. It reads the `ai` configuration block, assembles the tool list (always including `cli_tool`, `host_configuration`, and `send_email`), optionally adds the human interaction hook or drill tools, loads MCP tools with graceful fallback, and returns a configured `AiAgent` instance.

The `enable_drill_tools` flag, when set to `True`, calls `generate_drill_tools()`, which dynamically wraps every NSAK drill as a type-safe LangChain tool. This gives the agent access to structured capabilities such as `discover_hosts` and `port_scan` without requiring CLI invocation.

Explain the issue with limited context windows and high token usage of certain MCP tools, such as drawio mcp

MCP Integration

The MCP [14] is an open protocol that standardises how AI models connect to external tool servers. Rather than implementing tool calling ad-hoc, MCP servers expose a well-defined interface that any compatible LLM framework can consume [26]. LangChain Agents must be invoked in an event loop to properly support MCP, this forced us to refactor the implementation “ai_agent.py” to be async. Further we need to add support for async drills and scenarios, as otherwise we could not run the AI agent in those contexts.

NSAK integrates an external draw.io MCP server to allow the AI agent to create and manipulate diagrams during a scenario run. The client is initialised at module level (listing 49, lines 41–51 using `MultiServerMCPClient` from `langchain-mcp-adapters`, pointing to `https://drawio.hiube.ch/mcp` with Basic authentication).

MCP tools are loaded asynchronously inside `create_ai_agent()` and appended to the tool list. If the server is unavailable, the exception is caught and logged as a warning so the scenarios can still run without diagram support.

LangChain Tool: Host Configuration

The `host_configuration` tool shown in listing 55 gives the agent a structured view of the host’s current configuration. It returns a dictionary containing the loaded device configuration with interface names, Internet Protocol addresses, and the `is_target` / `is_management` flags loaded from the device YAML. This bootstraps the agent’s situational awareness without requiring it to run `ip addr` or parse raw network output - the agent knows from the start which interfaces are part of the attack surface and which are for management traffic.

LangChain Tool: CLI Tool

The `cli_tool` shown in listing 56 allows the AI agent to execute arbitrary shell commands with a configurable timeout (default 120 s). It returns a tuple of `(exit_code, stdout, stderr)`, giving the agent full feedback to diagnose failures and adapt its next action. The scope is intentionally broad: the agent can invoke `nmap`, `tshark`, `apt`, or any other binary available in the execution environment. Besides the execution of drills, this flexibility is what makes the AI scenarios powerful, but it is also why the kill switch described in 5.3.6 is a necessary safety measure.

5.3.3. Human Interaction Hook

LangChain Tool: Human Interaction Hook

We implemented a simple LangChain python tool which allows a human operator to interact with the agent [57](#). If enabled via the `interactive` flag when calling the `create_ai_agent()` function, the agent can pause its execution and ask the operator a question, then incorporate the answer into its next reasoning step.

LangChain Middleware: Human in the Loop (HITL)

After the implementation we read in the LangChain documentation, that it has its own middleware for allowing human interactions, called [Human-in-the-loop](#). We speculated that this solution is more sophisticated than the few lines of python we wrote and tried to refactor our implementation accordingly. It turned out, that it required a lot more changes than we first thought and the proof-of-concept did not work as stable as the current tool based implementation. As we focus on the agents non-interactive mode for the evaluation, we don't want to spend more time on this potential improvement. For these reasons we decided not to merge the code and let the implementation as is. The branch containing the proof-of-concept is still available under [310-human-in-the-loop](#).

5.3.4. Logging

LangChain Agent Logs

Remote Logging System: Grafana / Loki

Uses the package [python-logging-loki](#). We went for this method over more conventional approaches, because we can provide more metadata in form of "tags".

~~instead of collecting the logs from stdout~~ Filters: `Regex: \[(AI)|\(\Prompt\)|\(\Tool\)\]`

[B.13.10](#)

5.3.5. E-Mail Alerting

The python standard library already includes packages for creating and sending E-Mails via Simple Mail Transfer Protocol (SMTP). The "EmailBackend" implemented

Explain the general python logging setup and implementation of NSAK

Explain that the LangChain agent already provides extensive logging, where we found that the log levels are sometimes questionable (e.g. WARNING for AI responses)

to the NSAK framework is an opinionated wrapper around those packages and leverages the previously introduced 5.1 to set up necessary configuration. If no SMTP configuration is provided as specified in 53, the system will write the E-Mails as logs instead. The working tool can be seen in actions in the test run of the AI Reconnaissance scenario 5.3.8, where the operator instructs the agent to send the results via E-Mail.

LangChain Tool: E-Mail Alerting

The `send_email` tool shown in listing 58 exposes the `EmailBackend` to the AI agent. During a scenario run the agent can autonomously send e-mails to operators - for example, when the AI intrusion detection scenario identifies a suspicious host or the operator instructed the AI reconnaissance scenario to send a report. The recipient of the mail is defined via the configuration management and cannot be changed by the agent, so that the operator always knows which mails where sent and who received them. Optional `cc_recipients` and `attachments` parameters allow the agent to inform additional stakeholders or attach diagrams and reports. Each email comes with some predefined For better traceability a template is defined, which is filled with meta information including the current scenario and a unique ID, which can be used to associate the mail in grafana. Further, the subject line is always prefixed with `[NSAK]`, so that operators can filter them in their inbox.

5.3.6. CLI Kill Switch

It's possible that an AI-Agent starts doing unexpected, unwanted or even destructive actions. This was also identified as a possible risk in the risk assessment B.7.1. This kind of misbehavior, combined with elevated permissions and tool calling capabilities via direct CLI access, could lead to a wide range of issues:

- ▶ The AI-Agent is stuck in a loop while using most system resources.
- ▶ The AI-Agent misconfigures the system, rendering it inaccessible or even unusable.
- ▶ The AI-Agent burns too many API credits because of a bug, an inefficient request, or a huge task.
- ▶ The AI-Agent starts an attack against a production network.

For these reasons we want to be able to kill a specific or all scenarios as fast as possible. As a first measure, the project team decided to add this functionality as simple CLI commands:

- ▶ `nsak scenario kill <scenario-id>`: Kill a specific scenario (sends `SIGTERM` to the container)

- ▶ `nsak scenario killswitch`: Kill all running scenarios
- ▶ `nsak killswitch`: Alias for `nsak scenario killswitch`

5.3.7. Scenario: AI Agent

The AI Agent scenario is the most generic of the three: it accepts a free-form `prompt` argument and runs the AI agent in an interactive loop, maintaining the full conversation history across turns. This makes it the primary entry point for ad-hoc AI-assisted tasks where no dedicated scenario exists yet. The operator can guide the agent step by step, observe its reasoning, and issue follow-up instructions until they type an empty line or `exit`. Listing 59 shows the scenario entrypoint and listing 60 shows its YAML interface declaration.

Scenario: AI Agent - Test Run

```
nsak scenario execute ai_agent --prompt "Scan the target network and report all findings" --interactive True
```

5.3.8. Scenario: AI Reconnaissance

The AI Reconnaissance scenario automates host and service discovery on a specified network interface. It encodes a structured five-step plan directly into the initial prompt: the agent is instructed to call `host_configuration` to determine the Internet Protocol addresses and subnets on the interface, then use the `cli` tool to invoke `nmap` for host scanning, then again for service enumeration, and finally to report all findings including vulnerability indicators. If the `interactive` flag is set, the last step invites the operator to issue follow-up instructions via the `human_interaction_hook`.

This prompt-driven approach means the scenario does not contain any network scanning logic itself - the agent decides which `nmap` flags to use, how to interpret results, and what to scan next. Listing 61 shows the scenario entrypoint and listing 62 shows its YAML interface declaration.

Scenario: AI Reconnaissance - Test Run

```
nsak scenario execute ai_reconnaissance --interface eth0
```

Describe and add a reference to the result of the test runs and the limited tool calling capabilities of smaller models

Describe and add a reference to the result of the first testrun

5.3.9. Scenario: AI Intrusion Detection

The AI Intrusion Detection scenario is a proof of concept, as it was specified as “Should” goal. It demonstrates a two-phase approach: first it performs host discovery using `DrillManager.execute("discover_hosts")`, then it captures live network traffic using `tshark` (a system dependency declared in the scenario YAML). Up to 200 packets are captured over a 60-second window and extracted as Comma Separated Values (CSV) fields (frame number, source and destination Media Access Control, source and destination Internet Protocol, Transmission Control Protocol/User Datagram Protocol (UDP) destination port, protocol stack, and frame length).

Both the host discovery table and the packet CSV are injected into a structured `PROMPT_TEMPLATE` that instructs the AI to identify at most five suspicious events, each with source/destination Internet Protocol and Media Access Control, protocol, and the reason for suspicion, and to identify any malicious hosts. By constraining the number of events the prompt keeps the agent’s output concise and actionable. Listing 63 shows the full scenario entrypoint and listing 64 shows its YAML interface declaration.

Scenario: AI Intrusion Detection - Test Run

```
nsak scenario execute ai_intrusion_detection --interface eth0
```

5.3.10. LangChain Agent Chat UI

We did not add the [LangChain Agent Chat UI](#) because we made some implicit architecture decisions which prevent easy integration.

If we decide to implement it regardless, we would need to redesign and refactor the AI Agent implementation, for example by switching to a callback-based output model. A useful reference for such a migration is available at [this LangChain UI tutorial](#).

Describe and add a reference to the result of the first testrun

Move this to the LangChain part

5.4. Red Team: Reconnaissance Scenario

The reconnaissance scenario is an engineered red team scenario that systematically maps an unknown network. It chains four drills in sequence: host discovery, port scanning, and service enumeration. If no interface is specified by the operator, the scenario first discovers all active physical interfaces and, if any lacks an IP address, requests one via Dynamic Host Configuration Protocol (DHCP) before scanning. The scenario results serve as the reproducible baseline for comparison with the AI-driven reconnaissance approach. The full scenario implementation is provided in Listing 30.

5.4.1. Goal

The goal of the scenario is to identify all reachable hosts, their open ports and running services in a target network without prior knowledge of the topology. The drill chain is designed to work generically across different network environments: the operator can either provide a specific interface and subnet or let the scenario discover the available interfaces automatically.

5.4.2. Discover Hosts Drill

The *Discover Hosts* drill is the first active step of the scenario. For local network segments, it runs `arp-scan --localnet` on the given interface, which sends Address Resolution Protocol requests and collects the Internet Protocol address, Media Access Control address, and vendor of each responding host. If an explicit subnet is provided, the drill falls back to `nmap -sn` instead, which uses Internet Control Message Protocol (ICMP) and Transmission Control Protocol probes and therefore works across Layer 3 boundaries. Media Access Control addresses are only available for hosts on the same Layer 2 segment; remote hosts are recorded without a Media Access Control. The full implementation is provided in Listing 32.

Drill Interface

The drill exposes two arguments: a required `interface` and an optional `subnet`. If `subnet` is omitted, the drill defaults to a local ARP scan; if provided, it switches to the `nmap`-based subnet scan. The resource configuration is shown in Listing 31.

5.4.3. Enumeration

After host discovery, the scenario runs two further drills that progressively deepen the collected information.

Port Scan

The *Port Scan* drill receives the `NetworkDiscoveryResultMap` produced by host discovery and runs `nmap -sV -oN` against each discovered Internet Protocol. For every open port, the drill records the port number, transport protocol (Transmission Control Protocol/UDP), service name, and detected version string and appends a `NetworkService` entry to the existing result map. The full implementation is provided in Listing 33.

Service Enumeration

The *Enumerate Services* drill takes the enriched result map and runs targeted Nmap Scripting Engine (NSE) scripts for each discovered service. Well-known services such as HTTP, DNS, FTP, SMTP, SMB, and LDAP are mapped to a specific set of scripts (e.g. `http-title`, `dns-zone-transfer`, `smb-security-mode`). Unknown services fall back to the generic `banner` script, which captures the initial response of any Transmission Control Protocol service. The drill returns a mapping of `ip:port` keys to lists of finding strings extracted from the NSE output. The full implementation is provided in Listing 34.

5.4.4. Output Artifacts

The primary output of the scenario is the `NetworkDiscoveryResultMap`, which aggregates all results per interface. Each entry maps an interface name to a `NetworkDiscoveryResultMap` containing the list of discovered `NetworkService` objects with their endpoints (IP, MAC, port, protocol, version). After port scanning, the scenario prints the result as a human-readable table. The service enumeration findings are printed separately as a structured list grouped by `ip:port`.

Add
Snippet

5.5. Benchmark Suite

As described in the evaluation criteria [4.1.1](#) there will be at least 120 evaluation runs, which will be a lot of data to analyze and assess. For this reason, we decided to implement a benchmarking suite, consisting of a benchmark harness that executes benchmark runs and summarizes their results into a report. The idea is to fully automate the aggregation of the **quantitative criteria** (duration, token usage) and to prepare the reports needed for the **qualitative criteria** (correctness, creativity, consistency) as good as possible. The key concepts for this implementation are described in the table below [5.3](#):

Term	Concept
BenchmarkManager	The automation harness
BenchmarkRun	Represents a single execution
BenchmarkResult	The result data type of a single execution
BenchmarkReport	The collected output aggregating all results

Table 5.3.: Benchmark Suite Concepts

6. Evaluation

Aspect	Traditional Recon (Static Scenario)	AI Recon
File	lib/scenarios/reconnaissance/scenario.py	lib/scenarios/ai_reconnaissance/scenario.py
Return value	NetworkDiscoveryResultMap (structured)	depend on mode structured or unstructured as stream
Tools	arp-scan, nmap (Drills)	LangChain tool_calls (cli, host_configuration)
Async	sync	async
Determinism	deterministic (fixed drill order in code)	non-deterministic (LLM selects tools autonomously)
Error handling	explicit in code (e.g. DHCP fallback, interface discovery)	implicit at model level (may skip steps or hallucinate)

Table 6.1.: Comparison between Traditional Recon and AI Recon

Table 6.1 presents an overview of the scenarios and limitations of the implementations. The deterministic static scenario is limited to a fixed order and execution of reconnaissance whereas the non deterministic AI driven scenario can choose a broader pallet of tools depending on the situation.

6.1. Virtual Environment (Containerlab)

Overview Tables 6.2 and 6.3 present results for both the single-agent and multi-agent implementation, where the multi-agent setup splits the reconnaissance scenario into three specialised sub-tasks.

Table 6.2.: Benchmark Results – Containerlab, Single-Agent ($n = 10$ runs each)

Model	Avg. Duration	Avg. Tokens	Avg. Hosts	Avg. Services	Avg. Findings	Success Factor
claude-opus-4-7	122 s	52,888	5	9	8	10/12
qwen3:30b	362 s	86,446	4	7	5	10/23
gpt-oss:120b (BFH)	963 s	62,475	5	6	4	10/18
Static Scenario	29 s	—	5	13	8	10/10

Table 6.3.: Benchmark Results – Containerlab, Multi-Agent ($n = 10$ runs each)

Model	Avg. Duration	Avg. Tokens	Avg. Hosts	Avg. Services	Avg. Findings	Success Factor
claude-opus-4-7	150 s	59,988	5	9	8	10/10
qwen3:30b	252 s	27,789	4	8	5	10/11
gpt-oss:120b (BFH)	847 s	46,736	5	7	5	10/14
Static Scenario	29 s	—	5	13	8	10/10

Tables 6.2 and 6.3 summarise the high-level numbers for both configurations. Overall, *claude-opus-4-7* keeps near-identical discovery quality in both modes, while the smaller models *qwen3:30b* and *gpt-oss:120b* benefit visibly from task decomposition in all compared quantitative measurements points. The *Static Scenario* serves as the deterministic reference baseline. The individual metrics are discussed in detail alongside the figures in the following sections.

6.1.1. Quantitative Criteria


Figure 6.1.: Mean run duration per model (Containerlab, $n = 10$ runs each).

Figure 6.1 visualises the mean run duration per model for both configurations. In single-agent mode, *gpt-oss:120b* leads the duration with 963 s, followed by *qwen3:30b* at 362 s and *claude-opus-4-7* at 122 s. Multi-agent decomposition reduces duration for all three models: *gpt-oss:120b* drops to 847 s (−12 %), *qwen3:30b* to 252 s (−30 %), and *claude-opus-4-7* increases slightly to 150 s. The Static Scenario remains constant at 29 s as the reference.




Figure 6.2.: Mean total token usage per model (Containerlab, $n = 10$ runs each).

Figure 6.2 shows mean token consumption and reveals the most striking difference between the two configurations. *Qwen3:30b* reduces its token usage by 68 % from 86,446 (single-agent) to 27,789 (multi-agent), the largest relative drop of any model. *Gpt-oss:120b* decreases from 62,475 to 46,736 (−25 %), while *claude-opus-4-7* increases slightly from 52,888 to 59,988 (+13 %). Token count alone is not a reliable indicator of result quality, which is addressed in later sections.




Figure 6.3.: Total tokens vs. run duration per individual run (Containerlab, $n = 10$ per model).

Figure 6.3 plots total token consumption against run duration for every individual run, allowing to compares the models across configurations. In single-agent mode (left), *claude-opus-4-7* (gray) clusters in low-duration, mid-token area; *qwen3:30b* scatters widely in the mid-duration, high-token region; and *gpt-oss:120b* spreads across the far-right high-duration and is much more unreliable with token consumption and execution duration. In multi-agent mode (right), all three clusters shift toward lower token counts, and the *qwen3:30b* cluster more closely. *claude-opus-4-7* remains tightly grouped in both modes, confirming its low variation between the runs. The horizontal dashed line for the Static Scenario reflects its fixed 29 s execution with no token consumption in either configuration. The per-model averages

are shown as dashed lines.




Figure 6.4.: Average hosts, services, and findings discovered per model (Containerlab, $n = 10$ runs each).

Figure 6.4 compares discoveries grouped as hosts, services (a port, service combination) and findings are introduced as port and ip combination discovered by the nmap nse scripts. *claude-opus-4-7* discovers 9 services and 8 findings in both modes, confirming that the frontier model extracts equivalent intelligence regardless of setup. The results are almost similar in both setups but shifts slightly in favor of the multi-agent approach for smaller models. *qwen3:30b* gains one service (7 to 8) and *gpt-oss:120b* gains one service (6 to 7) and one finding (4 to 5). Host discovery remains stable at 5 for *claude-opus-4-7* and *gpt-oss:120b*, and at 4 for *qwen3:30b* in both configurations. The Static Scenario’s 13 services exceed all AI models because the script issues exhaustive port sweeps unconditionally, while AI agents terminate scanning early once they reason the network is sufficiently enumerated. The static scenario list every host and follows with the services which result in 13 services. The AI scenarios consolidate the host information directly into the service rows, so a host with open ports is not listed a second time and only the gateway (without open ports) keeps its own entry, which adds up to 9 rows. Both approaches discover the same eight open services. The difference reflects the representation of the discovery map rather than the actual coverage.

6.1.2. Qualitative Criteria

The evaluation criteria and scoring scale are defined in Table 4.1. One of the key factors in the Containerlab environment is whether a model extracts the cleartext LDAP credentials exposed by the anonymous bind on 192.168.10.5 (*uid=asmith/uid=bjones*, password *Password123!*) —the scenario’s single *Critical* finding.

Claude-opus-4-7 achieves the highest correctness score by consistently identifying the critical LDAP anonymous bind and extracting the plaintext credentials in every single run. Furthermore, the agent follow with a correct attack-chain reasoning

Table 6.4.: Qualitative Evaluation – ContainerLab (Multi-Agent)

Model	Correctness	Hallucination
claude-opus-4-7	8	8
qwen3:30b	5	8
gpt-oss:120b	6	6
Static Scenario	10	-

(credential reuse → / lateral movement via SSH/SMB). It characterizes *192.168.10.50* as a honeypot wrongly based on the Python *BaseHTTPServer* banner behind an HP LaserJet facade which results in a lower correctness rate and lower hallucination rate.

gpt-oss:120b shows high variance between runs. In roughly half the successful runs it extracts the credentials and produces a thorough report, while in the other half it notes the LDAP rootDSE and recommends restricting anonymous binds without actually performing the bind or reading the *userPassword* attribute. Several reports also reference fabricated CVE identifiers (e.g. *CVE-2023-xxxx*), lowering the hallucination score.

qwen3:30b consistently performs the host and service discovery steps correctly but fails at the enumeration depth required to surface the critical finding. In 9 of 10 runs it rates the LDAP service as “Low” risk with “no immediate vulnerability detected”, missing the cleartext credential exposure entirely. The low hallucination score reflects that the model makes few unverifiable claims—but this is a consequence of shallow analysis.

Table 6.5 maps each introduced vulnerability against what each configuration actually discovered, allowing a per-finding comparison against the ground truth defined in the test environment.

sollten wir die scale um-drehen -> hohe correctness und niedrige hallucination ist gut

Table 6.5.: Vulnerability Coverage – Containerlab LAN Scope (multi-agent, $n = 10$ runs)

Vulnerability	Static	claude-opus	gpt-oss	qwen3
<i>ctrl-server (192.168.10.5) – LDAP</i>				
LDAP anonymous bind (rootDSE / naming context)	□	□	□	–
LDAP cleartext credentials (<i>asmith/bjones: Password123!</i>)	–	□	(□)	–
<i>ctrl-server (192.168.10.5) – SMB</i>				
SMB signing not required (relay attack surface)	□	□	□	□
SMB NTLM/LanMan weak auth protocols	–	(□)	–	–
SMB public share anonymous read (<i>public/finance</i>)	–	(□)	–	–
<i>alice / bob (192.168.10.100, .101) – SSH</i>				
SSH password authentication enabled	□	□	□	(□)
SSH banner leaks organisation name	–	□	–	–
<i>printer (192.168.10.50)</i>				
Unauthenticated web admin UI (port 80)	(□)	□	(□)	(□)
Print job history without auth (port 631)	(□)	(□)	–	–
SNMP public community string	–	–	–	–
Printer identified as honeypot (banner mismatch)	(□)	□	–	–
<i>SSH hardening</i>				
Legacy HMAC-SHA1 still offered	–	□	–	–
□ found (□) partial (port detected, not fully enumerated) – not found				

The Static Scenario discovers all 13 (- the 5 hosts) 8 Local Area Network (LAN) services via intensive port sweeps and runs *ldap-rootdse* to retrieve the naming context (*dc=lab,dc=local*), but it never performs a *ldap-search* or anonymous bind, so the cleartext credentials remain unextracted. It identifies the printer’s dual *Server* header (*BaseHTTP/0.6* alongside *HP-WebServer/2.6.5*) but due to its generalistic implementation, the banner mismatch is not further elaborated.

Simple Network Management Protocol (SNMP) is not probed by any configuration, as the scenario issues only Transmission Control Protocol port sweeps and no model independently adds *snmpwalk* to its tool calls. The SMB public and finance shares are listed as a recommended next step only by *claude-opus-4-7*, but authenticated share enumeration (*smbclient*) is not executed in every run. The DMZ host (*172.16.1.10*) with its open Domain Name System (DNS) zone transfer and exposed */secret.txt* lies outside the *192.168.10.0/24* target subnet and is not reached by any configuration.

6.2. Network Security Lab BFH

Table 6.6.: Benchmark Results – Network Security Lab BFH

Configuration	Avg. Duration	Avg. Tokens	Avg. Hosts	Avg. Services	Avg. Findings	Success Factor
Multi-Agent (claude-opus-4-7)	510 s	116,738	28	53	52	5/27
Unstructured (claude-opus-4-7)	739 s	222,094	–	–	–	6/109
Multi-Agent (qwen3:8b, local)	–	–	–	–	–	0/6
Static Scenario	1780 s	–	–	–	–	–

Overview Table 6.6 summarises the quantitative benchmark values, the configurations are discussed below.

6.2.1. Quantitative Criteria





Figure 6.5.: Mean run duration per model (Cyberlab BFH).

Figure 6.5 shows the mean run duration per configuration. The multi-agent setup completes in 510 s on average, while the unstructured output scenario requires 739 s — more than twice as long. The extended duration of the unstructured version is due to the fact from its tendency to produce lengthy free-form responses before each tool invocation. The static benchmark scenario needs 1780 s to enumerate the whole network which exceeds the AI configurations by far.



Figure 6.6.: Mean total token usage per model (Cyberlab BFH).

Figure 6.6 visualises mean token consumption. The unstructured output scenario consumes 222,094 tokens on average, nearly three times the 116,738 tokens used by the multi-agent configuration, roughly 100% higher token consumption.






Figure 6.8.: Average hosts, services, and findings discovered per model (Cyberlab BFH).

Figure 6.8 compares services, host and findings across the two configurations. The multi-agent setup discovers an average of 28 hosts, 53 services, and 52 findings per run on the Cyberlab BFH segment. The unstructured output scenario does not produce structured discovery metrics, as its assessment is written as free-form text rather than a machine-readable result map, so no comparable figures are available for that configuration. The static scenario lists again every service per host which result in more services (130) but rather close finding count with 52 findings for AI vs 58 for the static scenario.

6.2.2. Qualitative Criteria

The evaluation criteria and scoring scale are defined in Table 4.1. The qualitative findings are not evaluated in detail here, because the BFH nslab is still in use. The most severe findings include the full extraction of end-of-life systems, open DNS recursion, and cloned host keys. Flaws in this network are partly introduced to train the students which further complicates the evaluation.

Three findings serve as quality indicators:

claude-opus-4-7 in multi-agent mode achieves a correctness score of 7. In the five successful runs the model consistently identifies the six high-severity structural risks present in the network. All findings are accompanied by severity ratings and actionable remediation steps. However, none of the successful runs includes UDP enumeration, so all flaws on this protocol went undiscovered. Similarly, dns - recursion and ssh - host key comparison scripts are absent from most runs, leaving the open

Table 6.7.: Qualitative Evaluation – Cyberlab BFH

Model	Correctness	Hallucination	Notes
claude-opus-4-7 (multi-agent)	7	9	All major structural risks found; SNMP, open
claude-opus-4-7 (unstructured)	9	9	All three discriminating findings surfaced; E
qwen3:8b (local, multi-agent)	1	N/A	Zero CLI calls; no reconnaissance executed
Static Scenario (reference)	10	N/A	Deterministic script; exhaustive enumeration

resolver risk and the cloned key finding unexplored. The hallucination score is 9: every claim in the final reports is directly traceable to `nmap` NSE output, with no fabricated CVE identifiers or version numbers. A notable reliability concern is the high error rate of the multi-agent setup: only 5 of 27 attempts produced a fully structured result.

claude-opus-4-7 in unstructured output mode achieves the highest correctness score of 9 among the AI configurations. When successful (six of 109 attempts), the model issued UDP scans alongside Transmission Control Protocol and discovered all of the flaws listed above. The hallucination score is equally 9: all assessment statements are grounded in concrete scan artefacts. The main limitation of this configuration is its very low success rate (5.5 %) and the substantially higher token cost (mean 222,094 tokens), driven by the unstructured reasoning traces produced before each tool call.

Qwen3:8b is not further assessed due to its low success rate, which is nearly zero.

7. Discussion

This chapter connects and interprets the findings of the Chapter 6, with respect to the evaluation goals defined in Section ???. Especially compared is the effectiveness of the AI-based reconnaissance scenario (Section ??) and its comparison against the manually engineered reference scenario (Section A.4.2). While working with Agentic-AI the results can not be separated from a model evaluation. The summary draws the overall picture across both evaluation environments. The subsequent sections then discuss the virtual Containerlab and the real Cyberlab BFH segment separately, because the two environments differ in scale and complexity. On the one hand, the BFH Network Security Lab must not be exposed, but it is also a black box when it comes to the correctness of its findings. Therefore we evaluate the successful runs of the scenarios and compare the effectiveness of the agent to gather information.

7.1. Summary

The evaluation shows that AI-assisted reconnaissance is feasible but strongly dependent on the underlying model. The frontier model *claude-opus-4-7* delivers the most convincing results across both environments. In the rather small virtual Containerlab environment it reaches the highest correctness (9) and lowest hallucination (9) scores. Next to all discovered findings the detailed report on how to deal with the flaws is really helpful for further investigation and a first lead on how to treat the vulnerabilities. Also helpful is the extraction of some artifacts like cleartext passwords and credentials and further flaws in systems. The two smaller models are delivering worse results. The *gpt-oss:120b* is adequate but prone to fabricating CVE identifiers, *qwen3:30b* performs host and service discovery correctly but lacks the enumeration depth for Critical finding. The implemented static scenario provides the highest success rate, with 5 hosts, all 13 services and a fast execution speed of 29 s. No reasoning and evaluation is provided and leaves the operator with the task to assess the results. But the rapid speed and not existing token costs make up for it. It retrieves the LDAP naming context yet never performs the anonymous bind that would expose the credentials. This captures the central trade-off of the comparison: the engineered scenario offers holistic and deterministic coverage, whereas the AI scenario offers more in-depth analysis.

Multi-agent task decomposition improves the usability of smaller models without

harming the frontier model. *qwen3:30b* cuts its token usage by roughly 68 % (86,446 to 27,789) and its duration by ca 30 %. *Claude-opus-4-7* keeps identical discovery quality with slightly more overhead (+13 % tokens, 122 s to 150 s). Decomposition also raises execution reliability. The success factor improves for all three models, with *claude-opus-4-7* reaching a perfect 10/10.

The picture transfers to the real Cyberlab BFH segment, a network roughly seven times larger than the Containerlab with about 35 live hosts on the 193.5.80.0/24 subnet. There the multi-agent *claude-opus-4-7* setup discovers on average 28 hosts, 53 services, and 52 findings per run and consistently surfaces the six high-severity structural risks. The unstructured variant of the same model reaches an even higher correctness (9 vs. 7) because it issues additional UDP scans and NSE scripts, but only at a 5.5 % success rate and roughly three times the token cost (222,094 vs. 81,453). The locally hosted *qwen3:8b* fails completely with zero tool calls, and the static scenario needs 1780 s to enumerate the whole network. The real environment therefore confirms the Containerlab picture: the frontier model scales, the engineered scenario stays reproducible but slow, and reliability remains the main open issue.

7.2. Virtual Environment (Containerlab)

AI versus engineered reconnaissance. The comparison against the static scenario answers the goal (Section A.4.2). On just the level of reproducibility and raw coverage the engineered scenario is unbeatable. It executes a fixed drill order and returns an identical structured *NetworkDiscoveryResultMap* on every run. All services are discovered issued by an unconditional port sweep, where the AI models compress the services to 7-9 or terminate scanning in a halfway finished process.

However, raw coverage is not an indicator of intelligence. The generalistic way how the engineered scenario was implemented, prevent the extraction of the cleartext credentials, does not elaborate the printer's banner mismatch, and produces no severity-rated assessment. The time needed to implement the right attack vector to access the vulnerability of different systems or services, is immense. The frontier AI model, despite enumerating fewer services, delivers the most holistic report and findings by chaining observations into an attack context (credential reuse → lateral movement via SSH or SMB). This addresses the creativity criteria from Section 4.1.1: the AI scenario identifies connections that the engineered scenario, by construction, cannot.

Single-agent versus multi-agent. The two configurations confirm that smaller models benefit more from decomposition, where the larger models are not influenced or less influenced by bigger context. A frontier model already manages a large context well, so decomposition mainly adds orchestration overhead in the Containerlab.

Add this
part of
the the-
sis

Smaller models are more failure prone as their context fills with accumulated tasks and history. The smaller tasks and focused context restore both efficiency and token reduction for the local hosted model and a more consistency that reflects within a tighter scatter cluster in Figure 6.3. This is the primary architectural and conceptual finding which motivates to use the multi-agent setup as the default configuration.

7.3. Real Network (Cyberlab BFH)

Scaling to a real network. The Cyberlab BFH segment validates the approach on a real network roughly seven times larger than Containerlab (≈ 35 live hosts vs. 5). The multi-agent setup scaled to this size, discovering on average 28 hosts, 53 services, and 52 findings per run, and consistently surfaced the six high-severity structural risks. Unlike the Containerlab, the lab is a black box without a published ground truth and must not be exposed, so the discussion is limited to the successful runs and the effectiveness of the agent to gather information rather than a full per-finding comparison. In this more complex environment the frontier model also benefits from decomposition through a higher success rate, where 5 of 27 multi-agent attempts produced a fully structured result.

Structured multi-agent versus unstructured reasoning. The real network exposes a trade-off that the virtual environment does not. The unstructured-output configuration reaches a higher correctness (9 vs. 7) than the structured multi-agent setup, because it issues UDP scans alongside Transmission Control Protocol and executes NSE scripts that the specialised sub-agents omit, surfacing all three discriminating findings (SNMP, open DNS recursion, and the cloned SSH host keys). The schema constraints that help the multi-agent setup with speed and token usage therefore come short of a free reasoning agent on enumeration depth. The gain comes at a price: a 5.5 % success rate (6 of 109 attempts) and roughly three times the token cost (222,094 vs. 81,453). The local *qwen3:8b* is unusable on this scale, executing zero tool calls and producing no reconnaissance.

7.4. Unexpected Results

First, the **unstructured-output configuration outperformed the structured multi-agent setup on correctness** in the nslab (9 vs. 7). The unstructured run surfaces all three severe findings SNMP, open DNS recursion, and the cloned SSH host keys. This leads to the conclusion that the schema constraints which help with speed and reduce token usage come short in comparison with a free reasoning agent. The free reasoning agent issued UDP scans with additional TCP scans and executed NSE

scripts that the multiagent specialised scenario did not. The results came with the price of a 5.5 % success rate and roughly three times the token cost (222,094 vs. 81,453).

Second, the **gain of the token reduction** from decomposition was larger than expected. A 68 % drop for *qwen3:30b* shows that prompt-context growth, not raw computation, dominates the cost of single-agent reconnaissance for smaller models.

Third, the **complete failure of the local qwen3:8b model** (zero *cli_tool* calls across all runs) was more absolute than anticipated. The model did not perform any reconnaissance, falling back to a generic recommendation report or a report with connectivity issues.

Fourth, the **static scenario discovering more services yet fewer security findings** than the AI models. This result was expected because of the complexity and reasoning that strengthen the claim to use ai models for security tasks. The static scenario that performed rapidly in the virtual environment needed a lot of time to enumerate the network.

7.5. Limitations

Result asymmetry. As noted in Chapter 6, the engineered scenario returns a structured *NetworkDiscoveryResultMap* while the AI scenario, particularly in unstructured mode, returns only a log/text stream. A fully quantitative comparison therefore required either parsing the free-form output or accepting this asymmetry. This limits the precision of the findings of unstructured output.

Reliability and success rate. The headline figures report $n = 10$ *successful* runs, but the success factors reveal unreliability. In the cyberlab the success factor concludes 5 of 27 attempts for the multi agent and 6 of 109 runs for the unstructured attempts. The runs were interrupted because of high token usage and missing comparison with other models, only the frontier model could perform the tasks, though prone to errors. The AI scenario is not yet dependable enough for unsupervised operation, and the reported averages reflect a filtered best-case subset.

Incomplete environment and scenario matrix. The methodology (Section 4.1.2) foresaw three environments and a blue-team intrusion-detection scenario (Section ??). The evaluation covers the virtual Containerlab and the Cyberlab BFH segment but not a physical environment, and the evaluation focuses on the red-team reconnaissance scenario; the blue-team comparison (a *should* goal) remains open. In the process to implement AI agents with LangChain, we spent a lot of time to enhance user experience and implement a way to use structured output to evaluate the artifacts.

Therefore the should goals could not be reached and the physical environment uses the same devices and services as the containerlab. Therefore we invested more time in evaluating the other environments.

Subjectivity of qualitative scoring. The correctness and hallucination scores were assigned manually against the scale in Table 4.1. Although the scale is explicit, the scoring involves human judgement and is not independently inter-rated, which introduces a degree of subjectivity into the qualitative results.

7.6. Recommendations

1. **Match the model tier to the task.** Autonomous reconnaissance requires a capable model; the frontier *claude-opus-4-7* is the only configuration that reliably extracted the Critical findings. Small local models such as *qwen3:8b* are unsuitable for tool-driven reconnaissance and should not be relied upon.
2. **Use multi-agent decomposition for smaller or self-hosted models.** Where a frontier model is unavailable for cost or data-locality reasons, task decomposition recovers much of the efficiency and consistency gap, most visibly the 68 % token reduction for *qwen3:30b*.
3. **Combine engineered breadth with AI depth.** A hybrid pipeline: the deterministic scenario for exhaustive, reproducible service enumeration, followed by an AI layer for semantic assessment and attack-chain reasoning, would pair the static scenario's coverage with the interpretive strength of the AI.
4. **Add a human-in-the-loop and retry strategy.** Given the low success rates, an operator checkpoint or automatic retry on incomplete runs would raise dependability to a level acceptable for practical use, and would mitigate the silent “ping-sweep-only” failures. While partly implemented in we omitted the branch, because the agent always tried to use just the recommended tools and did not deliver a more sophisticated result.

add section in AI implementation with middle-ware and dynamic tool call

8. Conclusion

8.1. What we learned

8.2. What are

8.3. Future Work

Bibliography

- [1] World Economic Forum. The global risks report 2026, 2026.
- [2] CrowdStrike. Global threat report 2025, 2025.
- [3] Muriel Figueredo Franco, Fabian Künzler, Jan von der Assen, Chao Feng, and Burkhard Stiller. Rcvr: An economic approach to estimate cyberattack costs using data from industry reports. *Computers & Security*, 2023.
- [4] Polina Zilberman, Rami Puzis, Sunders Bruskin, Shai Shwarz, and Yuval Elovici. Sok: A survey of open-source threat emulators. *arXiv preprint*, 2020.
- [5] Blake E. Strom, Andy Applebaum, Doug Miller, Adam Nickels, Cody Pennington, and Chris Thomas. Mitre att&ck: Design and philosophy. Technical report, MITRE Corporation, 2020.
- [6] Bader Al-Sada, Alireza Sadighian, and Gabriele Oligeri. Mitre att&ck: State of the art and way forward. *ACM Computing Surveys*, 2023.
- [7] MITRE Corporation. Mitre caldera documentation, 2024.
- [8] Red Canary. Atomic red team, 2024.
- [9] Rapid7. Metasploit framework documentation, 2024.
- [10] David Kennedy, Jim O’Gorman, Devon Kearns, and Mati Aharoni. *Metasploit: The Penetration Tester’s Guide*. No Starch Press, 2011.
- [11] Frank Gauss and Lukas von Allmen. Nsak (network swiss army knife). <https://github.com/nsak-team/nsak>, 2026. Accessed: 2026-01-10.
- [12] Wayne Xin Zhao, Kun Zhou, Junyi Li, Tianyi Tang, Xiaolei Wang, Yupeng Hou, Yingqian Min, Beichen Zhang, Junjie Zhang, Zican Dong, et al. A survey of large language models. *arXiv preprint arXiv:2303.18223*, 1(2):1–124, 2023.
- [13] Mohammad Shoeybi, Mostofa Patwary, Raul Puri, Patrick LeGresley, Jared Casper, and Bryan Catanzaro. Megatron-lm: Training multi-billion parameter language models using model parallelism, 2020.
- [14] Anthropic. Model context protocol. <https://www.anthropic.com/news/model-context-protocol>, 2024. Accessed: 2026-03-18.

- [15] Mohammed Mehedi Hasan, Hao Li, Emad Fallahzadeh, Gopi Krishnan Rajbahadur, Bram Adams, and Ahmed E. Hassan. Model context protocol (mcp) at first glance: Studying the security and maintainability of mcp servers, 2025.
- [16] K Huang. Define ai agent. In Ken Huang, editor, *Agentic AI: Theories and Practices*. 2025.
- [17] K Huang and J Huang. Define ai agent. In Ken Huang, editor, *Agentic AI: Theories and Practices*. 2025.
- [18] J Huang, K Huang, K Jackson, and C Hughes. Ai agent safety and security considerations. In Ken Huang, editor, *Agentic AI: Theories and Practices*. 2025.
- [19] Risky Business Feature Podcast. ...mcp is dead. <https://risky.biz/>, 2026. Podcast episode , Accessed: 2026-03-18.
- [20] Ethan Michalak and Mark Perry. Connecting llms to caldera with the mcp plugin. <https://medium.com/@mitrecaldera/connecting-llms-to-caldera-with-the-mcp-plugin-da1450254827>, 2025. MITRE Caldera Blog, Accessed: 2026-03-16.
- [21] GH05TCREW. Metasploit mcp server. <https://github.com/GH05TCREW/MetasploitMCP>, 2025. Accessed: 2026-03-16.
- [22] Hare Sudhan. Atomic red team mcp server. <https://github.com/cyberbuff/atomic-red-team-mcp>, 2025. Accessed: 2026-03-16.
- [23] Ajay Bandi, Bhavani Kongari, Roshini Naguru, Sahitya Pasnoor, and Sri Vidya Vilipala. The rise of agentic ai: A review of definitions, frameworks, architectures, applications, evaluation metrics, and challenges. *Future Internet*, 17(9), 2025.
- [24] Anthropic. Model temperature, 2026. Accessed: 2026-05-16.
- [25] LangChain AI. Langchain: The agent engineering platform. <https://github.com/langchain-ai/langchain>, 2026. Accessed: 2026-05-02.
- [26] Xinyi Hou, Yanjie Zhao, Shenao Wang, and Haoyu Wang. Model context protocol (mcp): Landscape, security threats, and future research directions. *ACM Trans. Softw. Eng. Methodol.*, February 2026. Just Accepted.
- [27] Advisera. Iso 27001 risk assessment, treatment, and management: The complete guide, 2025. Accessed: 2026-03-04.
- [28] Simplr. General recommended vram guidelines for llms, 2025. Online; accessed 10 March 2026.

List of Figures

5.1. EnvironmentLoader Base Class Refactoring Diff	20
5.2. topology-test-environment	23
5.3. Authoritative Zone Transfer Snippet	24
6.1. Mean run duration per model (Containerlab, $n = 10$ runs each). . . .	38
6.2. Mean total token usage per model (Containerlab, $n = 10$ runs each). .	39
6.3. Total tokens vs. run duration per individual run (Containerlab, $n = 10$ per model).	39
6.4. Average hosts, services, and findings discovered per model (Containerlab, $n = 10$ runs each).	40
6.5. Mean run duration per model (Cyberlab BFH).	43
6.6. Mean total token usage per model (Cyberlab BFH).	44
6.7. Total tokens vs. run duration per individual run (Cyberlab BFH). . .	44
6.8. Average hosts, services, and findings discovered per model (Cyberlab BFH).	45
B.1. Risks Brainstorming	79
B.2. Risks Brainstorming	81
B.3. Risk Assessment	82
B.4. Checklist and Burndown Sprint1	84
B.5. Sprint Retro 1	85
B.6. Roadmap Sprint Planning 2	87
B.7. Milestone Description and Charts: Compare Frameworks	88
B.8. Milestone Description and Charts: Research AI-Integration	89
B.9. Milestone Description and Charts: Configuration Management	90
B.10. Sprint Retro 2	91
B.12. Milestone Description: Reproducible Test Environment	92
B.11. Roadmap Sprint Planning 3	93
B.13. Milestone Description and Charts: Research AI-Integration	94
B.14. Sprint Retro 3	95
B.15. Milestone Description: Reproducible Test Environment	97
B.16. Retro Sprint 4	98
B.17. Roadmap Sprint Planning 5	100
B.18. Sprint Retro 5	102
B.19. Roadmap Sprint Planning 6	103
B.20. Variant 1: AI vs Manually Built Scenarios	111

B.21. Variant 2: Multiple Blue and Red Team Scenarios	112
B.22. AI Integration Variant 1: AI-agent in NSAK	113
B.23. Variant 1, AI Agent in NSAK	113
B.24. AI Integration Variant 2: NSAK as MCP server	114
B.25. Variant 2 NSAK MCP Server	114
B.26. Brainstorm Scenarios	116
B.27. Clustering possible Scenarios	117
B.28. NSAK Scenario: Network Discovery - Red Team	119
B.29. NSAK Scenario: TLS Downgrade Poodle - Red Team	120
B.30. NSAK Scenario: TLS Downgrade Poodle -Topology	121
B.31. NSAK Scenario: Honeypot - Blue Team	122
B.32. NSAK Scenario: Traffic Capture - Red Team	123
B.33. NSAK Scenario: Intrusion Detection - Blue Team	124
B.34. NSAK Scenario: AI - Purple Team	125
B.35. FRITZ!Box DynDNS Setup	128
B.36. Infomaniak DynDNS Setup	128
B.37. FRITZ!Box DynDNS Setup	129
B.38. FRITZ!Box DynDNS Setup	130
B.39. Media Deliverable: Poster	184
B.40. Media Deliverable: Book	186

List of Tables

2.1. Comparison of Metasploit, Atomic Red Team, and MITRE Caldera ([4,7–9])	4
4.1. Qualitative Evaluation Scale for LLM Reconnaissance Results	15
5.1. Device Resource Classes	19
5.2. Resource Python Classes	19
5.3. Benchmark Suite Concepts	36
6.1. Comparison between Traditional Recon and AI Recon	37
6.2. Benchmark Results — Containerlab, Single-Agent ($n = 10$ runs each)	37
6.3. Benchmark Results — Containerlab, Multi-Agent ($n = 10$ runs each)	38
6.4. Qualitative Evaluation – ContainerLab (Multi-Agent)	41
6.5. Vulnerability Coverage – Containerlab LAN Scope (multi-agent, $n = 10$ runs)	42
6.6. Benchmark Results — Network Security Lab BFH	43
6.7. Qualitative Evaluation – Cyberlab BFH	46
B.1. Key Scrum Meetings	70
B.2. Issue Board	71
B.3. Definition of Ready Criteria for Tickets	71
B.4. Definition of Done Criteria for Tickets	72
B.5. Project Milestone Overview in GitLab	73
B.6. Risk categories used for the project risk assessment	78
B.7. Risk evaluation criteria	79
B.8. Risk probability scale	79
B.9. Risk impact scale	80
B.10. Risk level classification (probability and impact are interchangeable)	80
B.11. Risk Treatment Strategies	81
B.12. Sprint Planning 2	86
B.13. Sprint Planning 3	92
B.14. Sprint Planning 4	96
B.15. Sprint Planning 5	99
B.16. Sprint Planning 6	103
B.17. Meeting Notes: Checkpoint 1	105
B.18. Meeting Notes: Checkpoint 2	106
B.19. Meeting Notes: Checkpoint 3	107

B.20. Meeting Notes: Checkpoint 4	108
B.21. Meeting Notes: Checkpoint 5	109
B.22. Meeting Notes: Checkpoint 6	109
B.23. Meeting Notes: Checkpoint 8	110
B.24. Hardware configuration of the self-hosted LLM inference server. . .	126

List of Listings

1.	UFW configuration	127
2.	Restart SWAG Container	129
3.	Self-Hosted Base Setup	131
4.	Nginx & Let's Encrypt Instructions	132
5.	Nginx & Let's Encrypt Compose File	133
6.	Ollama Instructions	134
7.	Ollama Nginx Configuration	135
8.	Ollama Enable Debug Log	136
9.	Open WebUI Instructions	137
10.	Open WebUI Compose File	138
11.	Open WebUI Nginx Configuration	139
12.	Drawio Instructions	140
13.	Drawio Compose File	141
14.	Drawio Nginx Configuration	142
15.	Netbox Instructions	143
16.	Netbox Compose File	144
17.	Netbox Nginx Configuration	145
18.	Grafana / Loki Instructions	146
19.	Grafana / Loki Compose File	147
20.	Grafana / Loki Nginx Configuration	148
21.	Grafana / Loki Configuration	149
22.	Grafana / Loki Alloy Configuration	150
23.	Firewall	152
24.	Web-Server and DNS	153
25.	File Server and Domain Control	154
26.	Work-Stations Bob and Alice	155
27.	Printer	156
28.	Links	156
29.	Introduced Vulnerabilities in the Virtual Enterprise Network	157
30.	Reconnaissance Scenario Implementation	158
31.	Discover Hosts Drill: Resource Configuration	159
32.	Discover Hosts Drill: Implementation	160
33.	Port Scan Drill: Implementation	161
34.	Enumerate Services Drill: Implementation	162
35.	NSAK Static Configuration	164
36.	NSAK Runtime Configuration	165

37.	NSAK CLI Initialisation	166
38.	Persisted Runtime Configuration (run/config.yaml)	166
39.	NSAK CLI: List Devices	166
40.	Device Resource YAML Specification	167
41.	Device Resource Configuration YAML Specification	167
42.	DeviceLoader Configuration Parsing	168
43.	Device Configuration Datastructures	169
44.	Device Configuration CLI Management	170
45.	Mergeable Resource YAML Specification	170
46.	Updated Interface Specification	170
47.	mitm Scenario YAML	171
48.	LangChain: AI Agent	173
49.	AI Provider Map and MCP Client Initialisation	174
50.	create_ai_agent() Factory Function	174
51.	AI Configuration Dataclass	175
52.	Loki Logging Configuration	175
53.	E-Mail Alerting Configuration	175
54.	E-Mail Alerting Implementation	176
55.	LangChain Tool: Host Configuration	176
56.	LangChain Tool: CLI Tool	177
57.	LangChain Tool: Human Interaction Hook	178
58.	LangChain Tool: E-Mail Alerting	178
59.	Scenario: AI Agent - scenario.py	179
60.	Scenario: AI Agent - scenario.yaml	179
61.	Scenario: AI Reconnaissance - scenario.py	180
62.	Scenario: AI Reconnaissance - scenario.yaml	181
63.	Scenario: AI Intrusion Detection - scenario.py	182
64.	Scenario: AI Intrusion Detection - scenario.yaml	183

Glossary

This document is incomplete. The external file associated with the glossary ‘main’ (which should be called `thesis.gls`) hasn’t been created.

Check the contents of the file `thesis.gls`. If it’s empty, that means you haven’t indexed any of your entries in this glossary (using commands like `\gls` or `\glsadd`) so this list can’t be generated. If the file isn’t empty, the document build process hasn’t been completed.

If you don’t want this glossary, add `nomain` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[nomain]{glossaries-extra}
```

Try one of the following:

- ▶ Add `automake` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[automake]{glossaries-extra}
```

- ▶ Run the external (Lua) application:

```
makeglossaries-lite.lua "thesis"
```

- ▶ Run the external (Perl) application:

```
makeglossaries "thesis"
```

Then rerun ~~TEX~~ on this document.

This message will be removed once the problem has been fixed.

A. Project Goals

For a goal to be considered **S.M.A.R.T.**, it must fulfill the following criteria:

- ▶ **Specific:** What do we want to achieve?
- ▶ **Measurable:** What are the success criteria?
- ▶ **Achievable:** How do we plan to achieve this goal?
- ▶ **Relevant:** Why is it important to achieve this goal?
- ▶ **Time-bound:** Goals categorized as *must* have to be achieved within the thesis, while *should* or *could* goals are considered optional or nice to have.

A.1. Research Goals

A.1.1. Compare Frameworks (must)

To identify the USP (unique selling point) of the NSAK framework, we will analyze and compare existing security emulation frameworks. First, relevant frameworks such as MITRE Caldera and Atomic Red Team will be identified and reviewed. Based on this analysis, the identified concepts will be compared with the architecture of the NSAK framework. The comparison will focus on how scenarios and drills are defined, how configuration and parameter handling are structured, how reusable components are organized, how automation is achieved, and which AI capabilities they provide.

The analysis and comparison will be based on the following properties:

- ▶ Concepts
- ▶ Modularity
- ▶ Configurability
- ▶ Automation
- ▶ AI Capabilities

Success criteria:

- ▶ At least two security emulation frameworks are identified and reviewed
- ▶ A matrix comparing the specified properties of the selected frameworks is created
- ▶ The USP of the NSAK framework is identified

A.1.2. AI Integration Research (must)

The goal of this research is to investigate how AI (artificial intelligence) can support automated security testing and adversary emulation. The research evaluates potential integration points where AI could enhance the scenario execution, automation, decision-making, and analysis capabilities of the NSAK framework.

Success criteria:

- ▶ How is AI currently used in cybersecurity automation?
- ▶ Which tasks in adversary emulation can be supported or automated by AI?
- ▶ How could AI interact with the NSAK scenarios and drills (e.g., Agents, MCP)?
- ▶ What architectural changes would be required to integrate AI into NSAK?

A.2. Framework

A.2.1. Configuration Management (must)

The goal is to extend the NSAK framework, so that scenarios and drills can expose configurable parameters to increase the flexibility of scenarios and reusability of drills. Parameters can be provided via command-line arguments or YAML files and are resolved by the framework into a unified run configuration used for scenario execution.

Success criteria:

- ▶ Scenarios and drills can expose configurable parameters
- ▶ The available parameters can be listed by the CLI with the `--help` option
- ▶ Parameters can be provided via CLI arguments or YAML files

- ▶ The framework resolves the inputs into a run configuration (internal data structure).

A.2.2. REST API (could)

Adding a REST API to the NSAK framework was already proposed in the predecessor project, as it greatly enhances interoperability with other tools. The priority of this goal depends heavily on the outcome of the goal [A.1.2](#) and on whether we want to fulfill the goal [A.2.4](#), which is prioritized as “could”. If the evaluated AI integration requires a REST API (e.g., MCP), this goal needs to be prioritized as “must”; it will be prioritized as “could”.

Success criteria:

- ▶ A REST API specification with feature parity to the CLI is created.
- ▶ The REST API is implemented according to the specification.
- ▶ The API is documented (OpenAPI) and usable by external clients.
- ▶ The REST API remains optional and does not replace the CLI-based interaction.
- ▶ Authentication and Authorization are explicitly out of scope.

A.2.3. MCP Server (could)

The MCP Protocol allows the AI to interact with applications in a standardized way - and could therefore be necessary for implementing AI-based scenarios. If the outcome of the research task [A.1.2](#) highlights the necessity to specify/expose an MCP-Server to interact seamlessly with the NSAK framework, the implementation is a (must), otherwise a (could).

- ▶ A MCP-Server is specified and implemented
- ▶ Documentation how to connect to the MCP is provided.
- ▶ A form of authentication is provided.

A.2.4. Web GUI (could)

The goal is to design and implement a web-based graphical user interface that allows users to interact with the NSAK framework in a user-friendly way. The Web GUI will enable management of scenarios and drills, triggering scenario execution, and visualization of execution results and system status.

Success criteria:

- ▶ A simple Web GUI that interacts with the REST API has been implemented.
- ▶ The Web GUI displays a list of available scenarios and their states.
- ▶ The scenario's results can be viewed on the Web GUI
- ▶ Scenarios can be configured and executed via the Web GUI
- ▶ Authentication and authorization are explicitly out of scope.

A.3. Scenarios

A.3.1. AI Scenarios (must)

The goal is to implement artificial intelligence according to the result of [A.1.2](#) and to explore the use of AI to support red, blue, and purple team exercises in the NSAK framework. The AI will be evaluated for its potential to assist in executing attacks in a scenario and analyzing detection results. The findings will help assess how AI could enhance and coordinate red and blue team activities across a network via the NSAK device.

Success criteria:

- ▶ The AI is integrated into NSAK as a scenario or as part of the framework, depending on the result of [A.1.2](#).
- ▶ The AI can execute CLI or Python tools to directly or indirectly interact with the attached network.
- ▶ An operator can interact with or stop the running AI.
- ▶ The result artifacts are stored and can be presented or reused for further scenarios.

A.3.2. Reproducible Test Environment (must)

The goal is to design and implement a reproducible and safe test environment for the NSAK framework that enables consistent execution and evaluation of scenarios and drills. The environment should provide a stable basis for testing and comparison of manual and AI-assisted scenarios.

Success criteria:

- ▶ The test environment can be set up reproducibly using a defined configuration or setup procedure with Infrastructure as code (e.g., Ansible)
- ▶ NSAK scenarios and drills can be executed consistently within the environment.
- ▶ The environment supports both manual and AI-assisted scenarios.
- ▶ Scenario results can be collected and analyzed for evaluation purposes.

A.3.3. Network Discovery – Red Team (must)

The goal is to implement a reference red team scenario for network discovery within the NSAK framework. The scenario should simulate reconnaissance activities to identify hosts, services, and network characteristics, and the results should be comparable to the AI-Agent approach.

Success criteria:

- ▶ A red team network discovery scenario is implemented in the NSAK framework.
- ▶ Discovered network information is collected as artifacts.
- ▶ The scenario can be executed reproducibly within the test environment.
- ▶ The results can be compared with those generated by the AI-assisted approach.

A.3.4. Intrusion Detection – Blue Team (should)

The goal is to define and implement a blue team reference scenario for intrusion detection within the NSAK framework. The scenario should allow observation and evaluation of suspicious network activity to assess detection capabilities in the test environment and compare the results with those of the AI approach.

Success criteria:

- ▶ A blue-team intrusion-detection scenario is implemented in the NSAK framework.
- ▶ Detection events or alerts can be observed and documented during scenario execution.
- ▶ Detection results can be compared with results from AI-assisted scenario execution.

A.4. Evaluation Goals

A.4.1. AI Scenario Evaluation (must)

The objective is to determine the effectiveness of the AI-based scenario introduced by the goal [A.3.1](#) within the network environment defined by the goal [A.3.2](#). The evaluation will assess whether the AI scenario successfully executed the expected red and blue team activities for the provided prompts and the quality of the results.

Success criteria:

- ▶ A methodical approach for the assessment is evaluated and documented.
- ▶ The results of the AI scenario for red and blue team activity are assessed.
- ▶ There is a conclusion on the effectiveness of the AI scenario for red and blue team activities.

A.4.2. AI vs Engineered Scenarios (must/should)

The goal of this evaluation is to compare the quality of AI-based red (network reconnaissance) (must) and blue (network intrusion detection) (should) team scenarios with that of manually engineered scenarios.

The comparison focuses on criteria such as execution reliability, reproducibility, and coverage. The results will help determine the potential benefits and limitations of AI-supported scenarios and provide insights into how AI could enhance future versions of the NSAK framework.

Success criteria:

- ▶ A methodical approach for the comparison is evaluated and documented.
- ▶ The results of the AI scenario are compared against the respective results of the red team scenario (must)
- ▶ The results of the AI scenario are compared against the respective results of the blue team scenario (should)
- ▶ There is a conclusion on the effectiveness of the AI scenario compared to manually engineered scenarios.

A.5. Out of Scope / Optional Feature

At the project management meeting on 05.03.26 (see Table [B.18](#) in Appendix A.7), the initial project scope was discussed. During planning, the team proposed using AI-based scenarios and comparing them with the implemented versions, which required reassessing certain milestones.

Running AI-based scenarios does not require a REST API or GUI. A reproducible test setup and further research are needed to properly evaluate this approach.

B. Project Management

B.1. Stakeholders

Hj. Wenger: Instructor and Network Specialist

Urs Keller: Expert and Entrepreneur

B.2. Agile Management Process

The project followed an interactive development approach using Gitlab for issue tracking and planning. We defined our project management in a Scrum-like manner, but we individualized the process according to the projects scope and our needs. Work items were organized into epics, milestones and issues. Each iteration lasts two weeks. We decided to hold the following Scrum ceremonies after each sprint:

Sprint Planning	Sprint Review	Sprint Retro	Checkpoint
Select milestone with sprint goal	Close open tickets	Reflect on sprint	Present sprint results
Check issues for DoR and obstacles	Gather team feedback	Identify improvements	Get stakeholder feedback
Ensure issues are clear	Validate delivered features	Discuss what went well	Define next tasks
Create sprint backlog	Review progress	Discuss issues/problems	Discuss issues/problems

Table B.1.: Key Scrum Meetings

The workflow used for ticket tracking consisted of the following stages:

B.2.1. Issue Lifecycle:

Buckets	Description
Backlog	List of all tasks and features planned for the project.
Todo	Tasks selected for the current sprint that are ready to be worked on.
Q&A	Tasks waiting for clarification, review, or testing.
Done	Completed tasks that meet the defined acceptance criteria.

Table B.2.: Issue Board

B.2.2. Definition of Ready (DoR)

Category	Criteria
Clarity	▶ Clear and precise title ▶ Objective or problem described in two to three sentences ▶ Scope clearly defined
Scope	▶ Affected module specified (drill, scenario, core, container, frontend) ▶ External dependencies identified
Validation	▶ Testable acceptance criteria defined ▶ Expected behavior clearly specified

Table B.3.: Definition of Ready Criteria for Tickets

B.2.3. Definition of Done (DoD)

Category	Criteria
Implementation	▶ All acceptance criteria fulfilled ▶ Container execution verified ▶ Pre-commit hooks pass ▶ Logging and error handling consistent
Testing	▶ Feature or bug fix tested ▶ Acceptance criteria verifiable (automated or manual) ▶ Relevant edge cases considered ▶ Execution reproducible
Documentation	▶ README updated if required ▶ Architecture changes documented ▶ Thesis relevance briefly noted ▶ Limitations documented ▶ Required documentation stored for thesis or appendix

Table B.4.: Definition of Done Criteria for Tickets

B.3. Project Structure

This section describes the projects structure and list the goals as milestones linked to their respective page in GitLab.

B.3.1. Milestones

A milestone represent crucial steps toward the overall project goal. Per our definition a milestone has at least one epic and the mandatory milestones are listed in [TableB.5](#)

GitLab Milestones

[Project Management](#)
[Research AI Integration](#)
[Research: Compare Frameworks](#)
[NSAK Framework: Configuration Management](#)
[NSAK Scenario: Network Discovery - Red Team](#)
[NSAK Scenario: AI Scenarios](#)
[Reproducible Test Environment](#)

Table B.5.: Project Milestone Overview in GitLab

[Project Planning](#)

19.02.2026 – 10.03.2026

This is the initial milestone which is used to plan the whole project and bachelor thesis.

- ✓ The bachelor thesis is planned as an agile (scrum-like) project
- ✓ A risk analysis for the project was conducted and the identified risks are assessed and addressed
- ✓ All meetings, deadlines, scrum ceremonies and sprints are added to the Outlook calendar
- ✓ The goals of the thesis are defined and categorized as “must”, “should” and “could”
- ✓ The goals are created as milestones and divided into epics, categorized by the labels: Project Management, Research, Framework, Implementations, Documentation
- ✓ We know how we coordinate the project with the stakeholders (instructor and expert)

[Research: AI Integration](#)

10.03.2026 – 22.03.2026

The goal of this research milestone was to investigate how AI can support automated security testing and adversary emulation. The research evaluated potential integration points where AI could enhance scenario execution, automation, decision-making, and analysis capabilities of the NSAK framework. The milestone was ex-

tended by three days following input from the expert and instructor to clarify the intended interaction between LLMs and NSAK.

- ☐ How is AI currently used in cybersecurity automation?
- ☐ Which tasks in adversary emulation can be supported or automated by AI?
- ☐ How could AI interact with the NSAK scenarios and drills (e.g. Agents, MCP)?
- ☐ What architectural changes would be required to integrate AI into NSAK?

Research: Compare Frameworks

10.03.2026 – 19.03.2026

This milestone focused on the research and comparison of existing security automation frameworks that could potentially support or influence the NSAK scenario and drill execution model. The evaluation included frameworks such as MITRE CALDERA and Atomic Red Team, examining their execution models, configuration and parameter handling, extensibility mechanisms, and the structure of reusable test definitions.

The expected outcomes were:

- ☐ A short comparison of selected frameworks
- ☐ A summary of relevant architectural concepts
- ☐ An initial assessment of how these frameworks relate to NSAK

NSAK Framework: Configuration Management

10.03.2026 – 19.03.2026

This milestone defined the configuration model and execution framework for NSAK scenarios. It introduced a structured approach for configuring scenarios and drills, including typed argument declarations, and the generation of a resolved run configuration. The goal was to provide a flexible and reproducible configuration system that allows scenarios and drills to expose parameters and execute in a defined order.

- ✓ Drills and scenarios can expose runtime parameters as configuration objects
- ✓ The configuration objects can be set via CLI arguments
- ✓ A configuration management system is implemented in the NSAK framework

NSAK Scenario: Network Discovery – Red Team

02.04.2026 – 16.04.2026

Network discovery is one of the most essential Red Team activities in the reconnaissance phase. This milestone covered the implementation of a scenario that identifies network participants and services, producing a structured network map that can be consumed by subsequent drills such as Address Resolution Protocol spoofing.

Goals (Must):

- ✓ The scenario identifies the available ports and interfaces on the device
- ✓ The scenario discovers the available subnets and obtains valid addresses
- ✓ The scenario discovers addresses, addresses and services (port scan)
- ✓ The scenario supports at least a fast full-search mode
- ✓ The scenario returns a network map as a structured data type

Goals (Could):

- ☐ A human interaction hook allows the operator to select the discovery mode
- ☐ Additional modes: slow full search, distinct search

NSAK Scenario: AI Scenarios

19.03.2026 – 16.04.2026

This milestone explored what happens when an AI agent is given full access to the NSAK framework for both Red and Blue Team activities. The scenario is intentionally open-ended, reflecting the research nature of the milestone.

Goals (Must):

- ☐ The operator can provide a custom prompt or select a predefined Red or Blue Team prompt
- ☐ The scenario runs an AI agent with a remote connection
- ☐ An operator can interact with the agent via CLI at all times
- ☐ The scenario logs all relevant actions and network traffic locally
- ☐ The AI can trigger an e-mail alert to notify an operator
- ☐ The scenario has a kill switch to stop execution at any time

Goals (Should):

- ☐ Human interaction hook via Web GUI

- ☐ Remote logging and sniffing
- ☐ Kill switch with full device shutoff

Reproducible Test Environment

19.03.2026 – 02.04.2026

The goal of this milestone was to design and implement a reproducible and safe test environment for the NSAK framework, providing a stable basis for consistent execution and evaluation of both manual and AI-assisted scenarios.

- ☐ The test environment can be set up reproducibly using Infrastructure as Code (e.g. Ansible).
- ☐ NSAK scenarios and drills can be executed consistently within the environment.
- ☐ The environment supports both manual and AI-assisted scenarios.
- ☐ Scenario results can be collected and analyzed for evaluation purposes.

B.3.2. Epics

consist of multiple stories and contribute to fulfilling milestones.

B.3.3. Issues

Each Story is assigned a weight, sprint, milestone and epic and are usually represented by an “Issue” in gitlab.

B.4. Sprints / Iterations

B.4.1. Planning

“Task” and “Issue”, the terms are often used interchangeably with “Stories”. Stories must meet the [B.2.2](#) before implementation and [B.2.3](#) before closing.

B.5. Planning and Estimation

The following estimation strategy was used:

- ▶ 1 hour corresponds roughly to 1 weight point
- ▶ Iteration length: 2 weeks
- ▶ Weights per iteration: 40h per person = 80 weight per iteration
- ▶ Sprint planning duration: 1.5 hours per iteration
- ▶ Sprint review duration: 1 h per iteration
- ▶ Sprint retro duration: 1 h per iteration

B.6. Project Roadmap

To keep track of the overall progress in the project, the project team uses the “Roadmap” feature in GitLab. After each sprint planning meeting we create a new screenshot of the roadmap and add it to the according sprint section in [B.8](#). The first sprint planning is an exception, because at this point the diagram would have been empty.

Rewrite
in past
tense

B.7. Risk Management

Add a paragraph about risk management

B.7.1. Risk Assessment

To methodically conduct the risk assessment the section “Risk assessment” from an online guide published by Advisera [27], which describes the risk assessment process according to ISO 27001, was used as a reference.

Risk Assessment Process:

1. Risk categories and criteria: Define which dimensions and taxonomies are important for the assessment.
2. Risk identification: Collect possible risks in a brainstorming session.
3. Risk analysis: Assess the risks criteria on a risk matrix.
4. Risk evaluation: Create a list of risks ordered by the resulting risk level and evaluate if they are acceptable or need treatment.
5. Risk treatment: Describe the strategy and how to treat the risks.

Risk Categories & Criteria:

The table B.6 shows four commonly used categories, which were used to group the risks.

Category	Description
Strategic Risk	Risks related to business decisions (e.g., wrong prioritization).
Operational Risk	Risks related to internal processes (e.g., Scrum, QA process).
Financial Risk	Risks related to costs and expenses (e.g., hardware costs).
External Risk	Risks related to uncontrollable sources (e.g., force majeure).

Table B.6.: Risk categories used for the project risk assessment

The criteria for analysing the risks are summarized in the table B.7

The levels of the criteria and their respective numerical weights are listed in the tables B.8 and B.9.

The following table B.10 defines the calculation method and the resulting risk levels, used for the assessment.

Criterion	Description
Probability	Likelihood that the risk will occur.
Impact	Severity of consequences if the risk materializes.
Level	Risk level calculated as Probability + Impact.

Table B.7.: Risk evaluation criteria

Level	Weight	Description
Low	1	Unlikely
Medium	2	Possible
High	3	Likely

Table B.8.: Risk probability scale

Risk Identification

The identification process was conducted with the help of a digital brainstorming, where the risks are already grouped by category. The identified risks are represented by the cards shown in B.1. The respective risk categories are visualized by the color coding of the cards and described in the legend.

Risk Brainstorming

- Strategic Risk:** Risks related to business decisions (e.g. wrong prioritization).
- Operational Risk:** Risks related to internal processes/procedures (e.g. Scrum, QA process).
- Financial Risk:** Risks related to costs and expenses (e.g. hardware costs).
- External Risk:** Risks related to uncontrollable sources (e.g. Force majeure).

An existing framework already does everything we have planned	Not enough time for testing (drills, scenarios and environments)	Not enough time for media artifacts (Poster, Presentations, Film, Book, etc.)	Lack of resources/ consensus for defense scenarios	Complex Network environments need more hardware than available	One of the students gets injured or sick
Misaligned communication lead to wrong expectations	Not enough time for documentation	Drills not compatible between scenarios	Lack of resources for attack scenarios	AI Credits are too expensive to build and test the AI scenario	NSAK gets abused by hackers
Scope is too large for bachelor thesis	Scenarios and drills need more time as planned	Regressions: Tested scenarios stop working, because a drill was changed	User do not understand how to operate NSAK	The NSAK hardware devices stop working	The AI bubble bursts and we need to switch AI provider
Scenario or drill too complex for automation	Simulate or build network environments need more time as planned	The NSAK framework/ device itself is vulnerable	The AI might go rough in the AI scenario		

Figure B.1.: Risks Brainstorming

Level	Weight	Description
Low	1	Minor inconveniences
Medium	2	Delays milestones or reduces scope
High	3	Threat to the thesis

Table B.9.: Risk impact scale

Risk Level	Weight	Calculation
Very Low	2	Low + Low
Low	3	Low + Medium
Medium	4	Medium + Medium / Low + High
High	5	Medium + High
Critical	6	High + High

Table B.10.: Risk level classification (probability and impact are interchangeable)

B.7.2. Risk Analysis

For analysing the risks a matrix was prepared, where the criteria “Impact” and “Probability” are representing the x- and y-axis respectively. The project team then assessed the criteria for each individual risk and placed them on the matrix accordingly. In a second step, the risks were moved if they did not fit relatively to each other. The resulting “Risk Analysis Matrix” is illustrated in the following figure [B.2](#). The background color of the cells is representing the resulting risk level of the tasks.

Risk Matrix

Probability	High	The NSAK framework/device itself is vulnerable User do not understand how to operate NSAK Regressions: Tested scenarios stop working, because a drill was changed Not enough time for testing (drills, scenarios and environments) Simulate or build network environments need more time as planned AI Credits are to expensive to build and test the AI scenario
	Medium	An existing framework already does everything we have planned The AI might go rough in the AI scenario Complex Network environments need more hardware than available Scenarios and drills need more time as planned Not enough time for documentation Scope is too large for bachelor thesis Drills not compatible between scenarios Misaligned communication lead to wrong expectations The AI bubble bursts and we need to switch AI provider Not enough time for media artifacts (Poster, Presentations, Film, Book, etc.) Scenario or drill to complex for automation
	Low	Lack of resources for attack scenarios Lack of resources/consensus for defense scenarios The NSAK hardware devices stop working NSAK gets abused by hackers One of the students gets injured or sick
		Low Medium High
		Impact

Figure B.2.: Risks Brainstorming


B.7.3. Risk Evaluation & Treatment

In a first step a table with the required columns was created. Then the risks and weights for the criteria were added with an ID in the format “R-000”, to easier reference them in the thesis later on. After sorting the table by the calculated risk level, the risk evaluation was conducted by deciding which treatment strategy described in B.11 we want to apply.

Strategy	Description
Mitigate	Reduce the likelihood or impact of a risk.
Transfer	Move the risk to a third party.
Accept	Acknowledge the risk and take no further action.
Avoid	Eliminate or circumvent the cause of the risk.

Table B.11.: Risk Treatment Strategies

Finally, the project team went through the risks and discussed how to treat them effectively. The resulting “Risk Assessment” is illustrated in the following table B.3.



B.8. Sprint Ceremonies

B.8.1. Sprint 1: 19.02 –10.03.2026

Sprint Planning 1: 19.02.2026

For the planning of sprint 1 we derived all issues from the milestone project management B.5 and had an overall weight from 89.

Sprint Review 1: 10.03.2026

The milestone was successfully reached, and the board was cleared in preparation for the next sprint. All issues were reviewed and moved to the “Done” column.


Milestone Review: Project Management As shown in burndown and burnup charts B.4 of the Project Planning B.3.1 milestone, all deliverables were fulfilled. However, the deadlines of the milestone had to be moved to the 10.03.2026, because the project planning required more time than initially expected. It should also be noted that the charts abruptly go down or up respectively, as we closed a lot of the tickets after we reviewed them together just before we held this meeting.

Project Planning

- ☒ The bachelor thesis is planned as an agile (scrum like) project
- ☒ A risk analysis for the project was conducted
- ☒ The identified risks are assessed and addressed
- ☒ All meetings, deadlines, scrum ceremonies and sprints are added to the outlook calendar
- ☒ The goals of the thesis are defined and categorized as "must", "should" and "can"
- ☒ The goals are created as milestones and divided into epics, which are categorized by the labels: "Project Management", "Research", "Framework", "Implementations", "Documentation"
- ☒ We know how we coordinate the project with the stake holders (instructor and expert)

Display by Count Weight

Burndown chart



Burnup chart




Figure B.4.: Checklist and Burndown Sprint1

Sprint Retro 1: 10.03.2026

This sprint retro was held in Microsoft Whiteboard as it provides simple templates, the result is illustrated in B.5.

Key Takeaways:

- ▶ Maintain clear and consistent communication with the instructor.
- ▶ Be aware of maintaining a healthy work–life balance during the project.
- ▶ Apply lean project management practices to keep the process efficient and focused.




Figure B.5.: Sprint Retro 1

B.8.2. Sprint 2: 05.03 –18.03.2026

Sprint Planning 2: 05.03.2026

The current state of the project roadmap is shown in the following screenshot [B.6](#).

Week	Responsible	Task
Week 1	Lukas	Configuration management implementation
Week 1	Frank	Research and comparison of frameworks
Week 1	Team	AI workshop on Thursday and writing of the related issues
Week 2	Team	AI research and evaluation
Week 2	Team	Preparation and pitch of the project deliverables

Table B.12.: Sprint Planning 2

B. Project Management




Figure B.6.: Roadmap Sprint Planning 2

Sprint Review 2: 19.03.2026

We got some helpful inputs related to both milestones from the tutor and expert in the checkpoint meeting [B.9.3](#) earlier this day. We decided to still consider the milestone to be successfully reached as the planned work package and deliverables were finalized and presented. The resulting follow-up tasks are planned for the next week

and as a consequence we will hold the next sprint planning [B.8.3](#) a week later than planned. All issues were reviewed and moved to the “Done” column in preparation for the next sprint. It must be noted, that because we usually review and close the tickets at the end of the sprint, the charts are not representative in most cases.

Milestone Review: Compare Frameworks The Compare Frameworks [B.3.1](#) milestone is completed as illustrated in [B.7](#).

Research: Compare Frameworks (must)

Description

This milestone focuses on the research and comparison of existing security automation frameworks that could potentially support or influence the NSAK scenario and drill execution model.

The objective of this research is to understand how established frameworks structure and execute security tests, manage configuration, and organize reusable components.

The evaluation will include frameworks such as MITRE CALDERA and Atomic Red Team, which represent different approaches to security automation.

List of pre-work/papers:

The comparison will focus on key aspects relevant for NSAK, including:

- execution models (scenarios, abilities, tests)
- configuration and parameter handling
- extensibility and plugin mechanisms
- structure and reuse of test definitions

The results of this research will provide the foundation for a framework gap analysis, where the capabilities of the evaluated frameworks are compared against the NSAK requirements.


The outcome of this milestone will be:

- ☒ a short comparison of selected frameworks
- ☒ a summary of relevant architectural concepts
- ☒ an initial assessment of how these frameworks relate to NSAK

The findings will serve as input for the subsequent gap analysis milestone.

Display by Count Weight

Burndown chart



Burnup chart




Figure B.7.: Milestone Description and Charts: Compare Frameworks

Milestone Review: Research AI-Integration As shown in [B.8](#), the milestone Research AI-Integration [B.3.1](#) is completed.

Research AI-Integration

AI Integration (must) The goal of this research is to investigate how AI (artificial intelligence) can support automated security testing and adversary emulation. The research evaluates potential integration points where AI could enhance the scenario execution, automation, decision-making, and analysis capabilities of the NSAK framework.


Success criteria:

- ☒ How is AI currently used in cybersecurity automation?
- ☒ Which tasks in adversary emulation can be supported or automated by AI?
- ☒ How could AI interact with the NSAK scenarios and drills? (e.g. Agents, MCP)
- ☒ What architectural changes would be required to integrate AI into NSAK?

Milestone stretched to 22.03 due to input from the expert and instructor to clarify the interaction with LLM and NSAK.

Display by Count Weight

Burndown chart



Burnup chart




Figure B.8.: Milestone Description and Charts: Research AI-Integration

Milestone Review: Configuration Management The burnup and burndown charts below [B.9](#) are showing that the milestone Configuration Management [B.3.1](#) is implemented as planned.

NSAK Framework: Configuration Management (must)

- ✓ A configuration management is implemented into the NSAK Framework

Setup

Current configuration approach: ENV vars, CLI flags or hardcoded New configuration approach:


- ✓ Drills and scenarios can expose build and runtime parameters as a configuration objects
- ✓ The configuration objects can be set interactively during `nsak scenario build` or `nsak scenario run`
- ✓ Alternatively the configuration objects can be set as CLI parameters (e.g. JSON)
- ✓ Alternatively the configuration objects can be provided via file (e.g. JSON)

This milestone defines the configuration model and execution framework for NSAK scenarios. It introduces a structured approach for configuring scenarios and drills, including drill definitions, reusable presets, and the generation of a resolved run configuration.

The goal is to provide a flexible and reproducible configuration system that allows scenarios to expose parameters, merge configuration layers, and execute drills in a defined order.

Display by Count Weight

Burndown chart



Burnup chart




Figure B.9.: Milestone Description and Charts: Configuration Management

Sprint Retro 2: 19.03.2026

This sprint retro was held in Microsoft Whiteboard as it provides simple templates, the result is illustrated in [B.10](#).

Key Takeaways:

- ▶ The long project planning phase greatly helped us with the projects overview and minimizes the planning needed for each sprint.
- ▶ The “focus weeks” really boosted the projects progress, and we are looking forward to the next “focus weeks”.
- ▶ Because we did not review tasks (Quality Assurance (QA)) on a regular basis, all this work needed to be done at the end of an iteration.
- ▶ Reviewing on a more regular basis would also lead to more accurate burnup and burndown charts.
- ▶ We decided to not include the charts in the future, because it makes no sense to adjust our process only for the sake of good-looking charts.

4L's retrospective

Use this template to conduct a retrospective on your team's last sprint. Fill out each of the quadrants while considering the following questions: What did your team like? What did your team lack? What did the team learn? What does the team wish for?



Strategy

LIKED	LEARNED
Focus Project Time Workshop and communication Focus on key deliverables pragmatic Constructively meeting with expert and instructor with shared thesis Agenda und Result Two weeks of focus helped to boost progress and really get into the topics Output of the Research Milestones (AI and Framework Comparison) Planning helped splitting tasks and responsibilities efficiently Review takes time too	Review fluently to improve charts and processes and improve backward tracability Show only graphics with clear intension maybe prepare links in the chapter to jump to the right section for sharring inside the thesis Plan less tasks in a sprint, its always more work than we think Review takes time too Make diagrams more simple (stakeholders may not have the same context)
LACKED	LONGED FOR
Life arround the project needed more time as expected constantly of reviewing the assigned tasks actual view of roadmap needs to be displayed in pm part of thesis Time for documentation Syncing understanding of the AI tech stack with stakeholders	More proficience with scientific writing citation help Faster implementation of concepts, code and documentation

Figure B.10.: Sprint Retro 2

B.8.3. Sprint 3: 26.03 –09.04.2026

Sprint Planning 3: 26.03.2026

Because we got some important input regarding variant decision for AI-integration, framework comparison, and configuration management [B.19](#) which led to additional work. As consequence of this, we decided to shorten the third sprint to one week, which is reflected in the following table [B.13](#) and postponed the sprint planning from the 19.03 to the 26.03. To account for the delayed start in the overall planning we adjusted the roadmap as shown in the screenshot below [B.11](#).

Week	Responsible	Task
Week 1 & 2	Frank	Reproducible Test Environment implementation
Week 1 & 2	Lukas	NSAK Scenario: AI Scenarios (first part): AI-Agent implementation

Table B.13.: Sprint Planning 3

Sprint Review 3: 09.04.2026

The completion of the following two milestones in this sprint are marking a very important point in our bachelor thesis, as we are now able to run the AI based reconnaissance scenario against the reproducible test environment. This enables us to reproducibly test and analyze the actual capabilities of the AI-agent in a realistic scenario. Further we can now demonstrate the full interplay of the technologies to the projects stakeholders and possibly other interested persons.

Milestone Review: Reproducible Test Environment The success criteria of the Reproducible Test Environment [B.3.1](#) milestone are completed as illustrated in [B.12](#).

Reproducible Test Environment (must)

Reproducible Test Environment (must) The goal is to design and implement a reproducible and safe test environment for the NSAK framework that enables consistent execution and evaluation of scenarios and drills. The environment should provide a stable basis for testing and comparison of manual and AI-assisted scenarios.

Success criteria:

- ✓ The test environment can be set up reproducibly using a defined configuration or setup procedure with Infrastructure as code (e.g., ContainerLab)
- ✓ NSAK scenarios and drills can be executed consistently within the environment.
- ✓ The environment supports both manual and AI-assisted scenarios.
- ✓ Scenario results can be collected and analyzed for evaluation purposes (Logging via Loki).

short description about the results of the milestone

Figure B.12.: Milestone Description: Reproducible Test Environment

Milestone Review: Implement AI Scenarios (first part): AI-Agent implementation As shown in ??, all “must” goals of the milestone Implement AI Scenarios [B.3.1](#) where

B. Project Management




Figure B.11.: Roadmap Sprint Planning 3

completed. But there is still some work to do, to document the implementation and the learnings we made during the development. Further we could improve the implementation in several aspects such as tool-calling and external logging, where we can better analyze the AI-agents behavior. Because this was expected, we planned two sprints for the realization of the AI Scenarios.

NSAK Scenario: AI Scenarios (must)

Description

The usage of AI in network security is still subject of recent research and with the advent of agentic AI we asked ourselves: What happens and what are the possibilities when we give an AI full access to the NSAK framework. This scenario is not very well defined yet.

Goals

- ☒ The operator can provide an initial prompt or use a predefined Red or Blue Team prompt
- ☒ The scenario runs an AI agent with a remote connection
- ☒ An operator can interact with the agent, ideally at all times
- ☒ The scenario logs all relevant actions and network traffic
- ☒ The AI is able to trigger an alert to notify an operator depending on the prompt
- ☒ The scenario has a kill switch, so that the operator can stop it at all times

Tasks / Drills

Backbone:

- Initial Prompt
- Run
- Human Interaction Hook
- Logging / Sniffing
- Alerting
- Kill Switch

Must:

- ☒ Initial Prompt: Custom Prompt
- ☒ Initial Prompt: Red Team Prompt
- ☒ Initial Prompt: Blue Team Prompt
- ☒ Run: AI Agent with remote connection
- ☒ Human Interaction Hook: CLI
- ☒ Logging / Sniffing: Local
- ☒ Alerting: E-Mail
- ☒ Kill Switch: Stop Scenario

Should:

- ☐ Human Interaction Hook: Web GUI
- ☐ Logging / Sniffing: Remote
- ☐ Kill Switch: Shutoff

Could:

- ☐ Human Interaction Hook: Messenger (WhatsApp, Threema, etc.)
- ☐ Human Interaction Hook: Chats (Slack, RocketChat, etc.)
- ☐ Alerting: SMS
- ☐ Alerting: Phone
- ☐ Alerting: Pager
- ☐ Alerting: Messenger (WhatsApp, Threema, etc.)
- ☐ Alerting: Chats (Slack, RocketChat, etc.)
- ☐ Alerting: Scheduling
- ☐ Logging / Sniffing: Dashboard

Workshop Ticket:

Environment

This scenario would be really special, as it should be able to operate in all environments. For running an AI Agent we would need additional setup steps.

Figure B.13.: Milestone Description and Charts: Research AI-Integration

Sprint Retro 3: 09.04.2026

This time we decided to conduct the sprint retro with post-its and a sheet of paper. The key takeaway of the retro [B.14](#) is to estimate the milestones more realistically.

We spend a lot of time with documentation which hinders the development. The upside of our continuous approach is a natural growing thesis which helps in the long run. Overall, we are quite happy with the outcome of sprint 3.




Figure B.14.: Sprint Retro 3

B.8.4. Sprint 4: 10.04 –02.05.2026

Sprint Planning 4: 09.04.2026

Week	Responsible	Task
Week 1	Frank & Lukas	Bring together and test reproducible test environment and AI Reconnaissance
Week 2 & 3	Frank	Network Discovery - Red Team
Week 2	Lukas	NSAK Scenario: AI Scenarios (second part): Improve tool calling and documentation
Week 3	Lukas	External Logging with Grafana / Loki

Table B.14.: Sprint Planning 4

No photograph of the sprint planning roadmap was taken during this sprint, so no visual reference is available for this planning session.

Sprint Review 4: 02.05.2026

In this sprint could finally bring together the reproducible network environment and the AI scenario, we realized the last scenario categorized as “Must” goal, extended the logging capabilities and could refine the AI agent. Now we can focus on refining the documentation and finalizing the last preparations before moving to the last phase of our thesis, the evaluation and discussion.

Test run of the AI scenario in the reproducible network environment After finishing the previous sprint we were excited to test the AI scenario in the reproducible network environment, as it's marking a big milestone of our bachelor thesis. We spent more or less a whole day using different models and make fine adjustments to the setup, to see what's possible. In the end we could instruct the AI agent to conduct network discovery, write a report in markdown, create a network diagram of the findings and send the artifacts via E-Mail. The results of this test run where added to the implementation section of the thesis [5.3.8](#).

Milestone Review: Network Discovery - Red Team In [B.15](#), not all “must” goals of the milestone where completed. During planning, a human interaction mode was discussed in which an operator could choose how fast or noisy the reconnaissance should be executed. This feature was not implemented, as it does not contribute to answering the thesis question. The scenario is able to discover MAC and IP addresses

using arp-scan on Layer 2, and protocols and services using nmap within the local subnet. All results are stored in a `NetworkDiscoveryResultMap` and displayed to the operator. Service enumeration using targeted NSE scripts was implemented as a dedicated drill, which runs service-specific scripts such as `http-title`, `dns-zone-transfer`, and `smb-security-mode` on all discovered ports.

The scenario could be extended with an optional static IP address, which would be useful in networks where DHCP is not available. Host discovery in remote networks is currently limited to IP addresses only, as Media Access Control addresses are not available across Layer 3 boundaries.

Maybe
move the
content
to the
imple-
menta-
tion sec-
tion and
reference
it

NSAK Scenario: Network Discovery - Red Team (must)

Description

Network discovery is one of the most essential Red Team activity in the reconnaissance phase, because participants and services are identified and interesting targets can be evaluated. The resulting network map can then be used in later phases, for example an ARP spoofing attack can be executed to intercept traffic more efficiently.

This scenario covers the following bullet point from the thesis proposal: "Unterstützung typischer Vorgehensweisen aus dem Red-Team- und Penetration-Testing-Bereich, etwa durch Scan- oder Angriffssimulationen"

Goals

- ☒ The scenario correctly identifies the setup it can use for network discovery (ports and interfaces)
- ☒ The scenario is able to discover the available subnets
- ☒ The scenario can get valid IP addresses for the discovered subnets
- ☐ An operator can intervene to select a mode for how the network discovery should be done (optional)
- ☐ The scenario provides different modes on how the network discovery is done (selective, slow, fast)(optional)
- ☒ The scenario is able to identify clients, servers and services participating in the networks
- ☒ The scenario returns a map of the scanned networks

Tasks / Drills

Backbone:

- Physical Ports / Interfaces
- Subnets
- IP Address Assignment
- Human Interaction Hook
- Mode
- Devices
- Services
- Mapping

Must:

- ☒ Physical Ports / Interfaces: List ports
- ☒ Physical Ports / Interfaces: List interfaces
- ☒ Physical Ports / Interfaces: Filter interfaces
- ☒ Subnets: Scan subnets
- ☒ IP Address Assignment: DHCP - Request dynamic IP
- ☒ Mode: Fast full search
- ☒ Devices: Discover MAC Addresses
- ☒ Devices: Discover IP Addresses
- ☒ Services: Port Scan
- ☒ Mapping: Network map as datastructure
- ☐ Subnets: Filter subnets

Should: None

Could:

- ☐ IP Address Assignment: Static - Assign static IP
- ☐ Human Interface Hook: Select mode
- ☐ Mode: Slow full search
- ☐ Mode: Distinct search

Ticket: `swiss-army-knife-network-sniffer#122` (closed)

Environment

This scenario should work in all environments by design, as it should be able to discover as much as possible about an unknown network.

Figure B.15.: Milestone Description: Reproducible Test Environment

Milestone Review: Implement AI Scenarios (second part): Improve tool calling and documentation As already shown in [B.13](#) from the previous sprint review [B.8.3](#), all “must” goals of the milestone Implement AI Scenarios [B.3.1](#) where completed. In this second part the AI scenarios where tested, tool calling was improved and the documentation was added to the implementation section of the thesis [5.3](#). Further we could already improve the AI scenarios with the findings of the extensive test run described above [B.8.4](#).

External Logging with Grafana / Loki In the fifth checkpoint meeting [B.9.5](#) which as in this sprint, we received the feedback that we should improve the logging for the AI-agent and especially which tools it is calling. We decided to set up a self-hosted logging system with Grafana and Loki, where we can collect all logs of the runs and create custom queries to make it easier to analyze the behavior of the AI-agent. The usage is described in the implementation section of the AI Scenarios [5.3.4](#). The self-hosted setup is documented in the addendum [B.13.10](#).

Sprint Retro 4: 02.05.2026

We held the sprint retro again in Microsoft Whiteboard. We listed the key takeaways below and added a screenshot of the whiteboard [B.16](#).

Key Takeaways:

- ▶ Overall good mood and good progress
- ▶ Use 80/20 rule for documentation during the implementation phase, so that the base structure is already there.
- ▶ Work more continuously on the Bachelor Thesis during the Week (1-2h every day)




Figure B.16.: Retro Sprint 4

B.8.5. Sprint 5: 03.05 –28.05.2026

Sprint Planning 5: 30.04.2026

We decided on the spot to extend this sprint to four weeks because Frank has become a father, and we hadn't completed all the tickets after the first two weeks. In return, we have expanded the scope of the sprint, updated the sprint planning accordingly [B.15](#). We will catch up on the delay over the following two weeks, in which we both have vacation for conducting our second “focus weeks”. As we did not change or remove any milestones or tasks, we leave the roadmap as is [B.17](#).

Week	Responsible	Task
Week 1 & 2	Frank & Lukas	Focus on thesis document and prepare evaluation
Week 3	Lukas	Build benchmarking suite
Week 3	Frank	Investigate if we can replace the “Human Interaction Hook” with the “Human In The Loop” from LangChain
Week 3	Lukas & Frank	Evaluate the scenarios in containerlab and test if they are sufficient to test in bfh lab
Week 3 & 4	Frank	Write the evaluation for the benchmarking runs in the thesis, including diagrams
Week 4	Lukas	Build physical test environment
Week 4	Lukas & Frank	Finalize and hand in the poster
Week 4	Lukas & Frank	Finalize and hand in the booklet
Week 4	Lukas & Frank	Evaluate the scenarios in the BFH network security lab
Week 4	Lukas & Frank	Evaluate the scenarios in the physical setup

Table B.15.: Sprint Planning 5

Sprint Review 5: 28.05.2026

Milestone Review: Network Discovery The milestone was implemented as planned [B.3.1](#).

Implementation Review: Benchmarking Suite After defining the quantitative and qualitative criteria for the evaluation [4.1.1](#), we realized that it makes sense to develop a benchmarking harness to standardize the results of multiple scenario runs. Besides standardization the benchmarking harness also greatly reduces the repetitive work for collecting reports required for assessing the qualitative criteria, automates the aggregation of the quantitative criteria and provides the results as JSON

B. Project Management




Figure B.17.: Roadmap Sprint Planning 5

for easy diagram generation. As we identified the need for this feature on the spot we did not plan an according milestone. The development is described in the implementation chapter of the thesis [5.5](#)

Implementation Review: LangChain - Human In The Loop After implementing the human interaction hook tool for allowing an operator to interact with the agent, we found out that LangChain already provides its own implementation as a middleware. We then chose to implement a proof-of-concept, which did not bring the improvements we hoped for and decided to stick with the current implementation. More details are documented in the implementation chapter [5.3.3](#).

Deliverable Review: Poster We decided to only use the header and footer of the template provided by BFH, as we wanted to have a more promotional character with big images and diagrams and less text. The rationale behind this decision is, that the people probably would not read the text anyway, and we rather want to catch attention and then explain the technical details in person. The poster was completed and uploaded to Moodle in time on 25.05.2026 as attached in the media deliverables section [B.39](#). During the design phase we also invented our mascot the “NSAK Lama”, which is now used on all other media.

Deliverable Review: Book In the book we reused the whole abstract and added some additional context, which might be interesting to the reader. For example, we set an emphasis on the conclusion and mentioned LangChain and that we tested a single- and multi-agent with structured output. We added two diagrams from the evaluation to highlight the results and a picture of the physical lab setup with labels, indicating the devices, their roles and in which networks they are. We submitted the book entry on 29.05.2026 within the required deadline as illustrated in the media deliverables section [B.40](#).

Sprint Retro 5: 28.05.2026

As usual, we held the sprint retro in Microsoft Whiteboard. The result is shown in [B.18](#) and the key takeaways are summarized below.

Key Takeaways:

- ▶ We are both really happy about the progress we made in the “focus weeks”
- ▶ We are a bit stressed as the finishing line is in sight, but that’s expected and normal

- This project was a crazy cross-disciplinary ride, and we could learn so much in each area




Figure B.18.: Sprint Retro 5

B. Project Management




Figure B.19.: Roadmap Sprint Planning 6

B.8.6. Sprint 6: 28.05 –11.06.2026

Sprint Planning 6: 28.05.2026

Week	Responsible	Task
Week 1	Frank & Lukas	Finalize chapters: Methods, Evaluation, Discussion and Conclusion
Week 1 & 2	Frank & Lukas	Polish documentation
Week 2	Frank & Lukas	Create video script, record and cut video
Week 2	Frank & Lukas	Create public presentation
Week 2	Frank & Lukas	Create defense presentation

Table B.16.: Sprint Planning 6

Sprint Review 6: 11.06.2026

Deliverable Review: Video

Deliverable Review: Public Presentation

Deliverable Review: Defence Presentation

Sprint Retro 6: 11.06.2026

B.9. Meeting Notes

B.9.1. Checkpoint Meeting 1: 26.02.26

Participants	Hj. Wenger (Instructor), Frank Gauss, Lukas von Allmen
Agenda	- Goals presentation via slides - Clarification whether there is a deadline or submission required for the presentation (besides adding it to the addendum). - Clarification whether the defense presentation should be an enhanced version of the public presentation or a separate, more technical presentation. - Proposal to establish a recurring meeting series every Thursday at 15:00 during the semester.
Tasks	- Hand in a set of success criteria for the project goals: We thought we can delivery the success criteria and the project goals as milestones in gitlab, we corrected this later on. - Conduct a risk assessment: B.7.1 - Contact expert via e-mail: Contacted at 21.02.26, response 03.03.26, invited to next checkpoint meeting 05.03.26, the expert takes part at the meeting every two weeks

Add
slides
if we
can re-
produce
them

Table B.17.: Meeting Notes: Checkpoint 1

B.9.2. Checkpoint Meeting 2: 05.03.26

Add
slides
if we
can re-
produce
them

Participants	Hj. Wenger (Instructor), Urs Keller (Expert), Frank Gauss, Lukas von Allmen
Agenda	- Review of the project goals as milestones and project planning. - Review of risk assessment. - Discussion on the investigation and analysis of network communication between end devices and external networks (RED scenario: sniffing, filtering, and potential data exfiltration).
Decisions	- Variant 1 was selected for further development. - Open questions remain regarding the use and management of AI tokens.
Notes	- We misunderstood how to deliver the project goals and success criteria: Instead of defining the goals as milestone we added a goal section in the thesis. - Discussion on the rationale behind selecting Variant 1. - Consideration of whether a user interface is required when MCP functionality is available - Open Research Question. - NSAK integrates AI capabilities. - The development of a Web GUI is currently considered lower priority - suggestion of Urs Keller.
Tasks	- Send the slides of the final presentation and documentation of "Project 2" to Urs Keller (Expert): "Done" (via E-Mail). - Delivery the projects goals with a detailed description as part of the thesis by Saturday, 07.03.26: "Done" ?? - Finalize the project planning: "Done" B.6 - Write the first few chapters of the thesis: "Done"

Table B.18.: Meeting Notes: Checkpoint 2

B.9.3. Checkpoint Meeting 3: 19.03.26

Participants	Hj. Wenger (Instructor), Urs Keller (Expert), Frank Gauss, Lukas von Allmen
Agenda	- Review Project Management and Roadmap - Review of the active milestones (Framework Comparison, AI-Research, Configuration Management) - Discuss Variant Decisions: AI-Integration - Ask about AI token usage - Ask about repository access
Decisions	- We will proceed using NSAK as the basis for our thesis. - Open questions remain regarding the use and management of AI tokens.
Notes	- -
Tasks	- Document decision that we will continue to work with the NSAK framework: 2.2.3 - Expand on variant decision for AI-Integration: - Split diagram into 2 variants: - Expand in detail how the variants are working (e.g., sequence diagram): B.23 and B.25 - Configuration management: Move metadata and others below the device node: "Done" 5.1.2 - BFH TI: Has a cluster with studio macs for AI usage -> Ask if we can use them (https://mlmp.ti.bfh.ch/ via VPN)

Table B.19.: Meeting Notes: Checkpoint 3

B.9.4. Checkpoint Meeting 4: 02.04.26

Participants	Hj. Wenger (Instructor), Frank Gauss, Lukas von Allmen
Agenda	- Overview Roadmap and active milestones - Reproducible Test Environment: Introduce ContainerLab, Show diagram, Physical Implementation (could) - AI Scenario: Demo AI-agent connection to self-hosted, LangChain Research LLM - Review MCP Sequence Diagrams - Discuss what needs to be added to the main document and what to the appendix - Ask if it's possible to lend more HW for physical test setup - Ask for access to BFH AI Cluster
Decisions	- -
Notes	- - Alternative to container LAB: Cisco - DNS3 (not open source) - It would be interesting to add more services to the DMZ in the reproducible test environment - Tutor: The current structure is preferred, we should also ask the expert -
Tasks	- Ask for access to BFH AI: https://mlmp.ti.bfh.ch (Requires VPN) - If we are not allowed, ask tutor for guidance - Variant decisions: Add pros/cons and elaborate why we choose a variant - AI-agent: Design and implement logging - Ask the expert about the preferred document structure: Thesis vs Appendix - Create a HW list for tutor, date and configuration (must be planned, device configuration could be done by assistants) -

Table B.20.: Meeting Notes: Checkpoint 4

B.9.5. Checkpoint Meeting 5: 16.04.26

Participants	Hj. Wenger (Instructor), Urs Keller (Expert), Frank Gauss, Lukas von Allmen
Agenda	- Demo: Reproducible test environment - Demo: AI Agent - Show current state of the project goals and roadmap - Fix the date for bachelor thesis defense: Ideally 17or 18.04.2026
Decisions	- Defense Date: 18.06.2026, 13:30 - 15:30
Tasks	- Add a system prompt to tell the LLM to create a human-readable report of what it did, parallel to the logs: - Export logs to a remote server like Zabbix or Grafana:

Table B.21.: Meeting Notes: Checkpoint 5

B.9.6. Checkpoint Meeting 6: 30.04.26

Participants	Hj. Wenger (Instructor), Frank Gauss, Lukas von Allmen
Agenda	- Demo: Reconnaissance scenario - Demo: Grafana / Loki (Authentication Issue) - Show Roadmap and next two weeks - How can we compare and evaluate the AI with the Reconnaissance scenario?
Notes	- Take a look at nmap plugins - To compare and evaluate the AI with the Reconnaissance scenario, we could run both scenarios in the BFH LAB (physical or virtual). For a physical test run we would need to fix a date with HJ. Wenger. - Interesting metrics are: Speed, Correctness, Initial knowledge (pre-conditions), Creativity (3 - 5 interesting criteria) - Only configure Grafana / Loki to the point where we can easily analyze the steps and tools calls.
Decisions	-
Tasks	-

Table B.22.: Meeting Notes: Checkpoint 6

B.9.7. Checkpoint Meeting 7: 14.05.26

We decided to cancel this meeting because Frank has become a father, and we did not have to show any results worth discussing.

B.9.8. Checkpoint Meeting 8: 28.05.26

Participants	Hj. Wenger (Instructor), Urs Keller (Expert), Frank Gauss, Lukas von Allmen
Agenda	- Demonstrate Benchmarking reports - Present Results & evaluation in thesis - Show picture of physical lab - Discuss current state of the thesis and last steps
Notes	- -
Decisions	- -
Tasks	- Add one technical and one personal part in the conclusion - Move code snippets from the main part to the appendix, unless they are critical

Table B.23.: Meeting Notes: Checkpoint 8

Variant 1: AI Purple Team

	Research	Framework	Scenarios (Red- and Blue-Team)	
Must	Framework Comparison	Configuration Management WEB GUI	AI Scenario Red Team AI Scenario Blue Team	Intrusion Detection Blue Team Network Discovery Red Team
Should		Framework Improvements		
Could	GAP Analysis			

Figure B.20.: Variant 1: AI vs Manually Built Scenarios

B.10. Variant Decision: Thesis Goals

During the first sprint of the project, which was focused on project management and planning, we identified the very promising hypothesis that red and blue team activities could be automated and/or enhanced by AI. Pursuing this hypothesis would change the projects focus and goals and thus requires the agreement and approval of the stakeholder. To communicate this circumstance efficiently and leave the option to go with the status quo, we prepared two options to conduct a “Variant Decision”. In the following two subsections the two variants presented in the second checkpoint meeting B.18 are described and illustrated. It must be noted, that the variants and their visualizations B.20 B.21 are momentary snapshots and will not be updated for traceability reasons. For example, the Web GUI was already deprioritized during the discussion of the variants, which is reflected in the project goals ?? but not here.

B.10.1. Variant 1: AI vs Manually Built Scenarios

Figure B.20 shows the project goals adjusted for the AI focused hypothesis, which is favored variant of the project team. In this option most of the evaluated scenarios will not be realized in favor of AI based scenarios, which also requires additional research ?. The basic idea is to implement scenarios for network discovery ?, intrusion detection ? and an AI based scenario with the same capabilities ?. In the evaluation of the thesis we can then assess the quality of the AI based scenarios itself ? and in comparison to the manually built scenarios A.4.2.

Variant 2

	Research	Framework	Scenarios (Red- and Blue-Team)	
Must	Framework Comparison	Configuration Management WEB GUI	Traffic Capture and Exfiltration Red Team	Intrusion Detection Blue Team Network Discovery/ Red Team
Should		Framework Improvements	TLS Downgrade POODLE Red Team	
Could	GAP Analysis		Honeypot Blue Team	

Figure B.21.: Variant 2: Multiple Blue and Red Team Scenarios

B.10.2. Variant 2: Multiple Blue and Red Team Scenarios (Status Quo)

This is the fallback if the other option [B.10.1](#) is not approved by the stakeholders. Even if the project team does not favor this more conservative variant, it still represents a valid way to conduct an interesting project. As illustrated below [B.21](#), in this variant we propose to proceed with the previously planned scenarios for which we already conducted “User Story Mappings” documented under the workshops section [B.12](#). The focus would lie in more conventional scenarios, overall framework improvements and an in depth comparison with another framework in form of a GAP Analysis.

B.10.3. Decision

The stakeholders and project team decided in favor of **Variant 1: AI vs Manually Built Scenarios** [B.10.1](#) in the checkpoint meeting [B.18](#).

B.11. Variant Decision: AI Integration

During the AI-research 2.2 we identified two interesting ways to allow NSAK to interact with AI based technologies. As illustrated in B.22, the first variant purposes to implement an AI-agent directly into the framework and use it in scenarios and drills. In the second variant shown in B.24, the capabilities of NSAK and other relevant tools on the NSAK device would be exposed via MCP.

B.11.1. Variant 1: AI-agent in NSAK

Variant 1: AI-agent in NSAK




Figure B.22.: AI Integration Variant 1: AI-agent in NSAK




Figure B.23.: Variant 1, AI Agent in NSAK

In this architecture, the AI agent is embedded within the NSAK device. The NSAK core establishes the operational guardrails and schema, and provides the initial

prompt to the AI Agent. The agent uses a local or remote LLM, which is accessible over the management network. It operates within an iterative loop, in which it may either invoke external tools via a command-line interface (e.g., nmap, Metasploit) or interact with them through an MCP server interface. The results of these operations are subsequently processed and returned to the NSAK core in a structured schema-compliant format.

B.11.2. Variant 2: NSAK as MCP Server

Variant 2: NSAK as MCP Server




Figure B.24.: AI Integration Variant 2: NSAK as MCP server




Figure B.25.: Variant 2 NSAK MCP Server

Variant 1, in which the Agentic-AI is embedded within the NSAK device, enables the definition and enforcement of schemas and security policies within a controlled environment. Furthermore, it allows direct interaction with tools via the command-

line interface and integration with MCP servers. This results in a tightly coupled architecture with high control and consistency.

In contrast, Variant 2 relies on an external agent that accesses the NSAK device through an exposed MCP server interface. While this approach provides increased modularity, it also introduces limitations in flexibility, as the agent is restricted to the set of tools exposed by the NSAK device.

From a holistic and multi-layered architectural perspective, Variant 1 is preferred. It enables deeper system integration, higher security, and a wider range of executable tools.

B.11.3. Decision

The project team decided in favor of **Variant 1: AI-agent in NSAK B.11.1**, as it promises to greatly increase the capabilities of NSAK regarding autonomy and automation.

enhance the decision with technical background

This is not correct anymore: we use LangChain Tools instead of MCP for tool calling, which is their own abstraction over vendor specific APIs

B.12. Workshops

In the Project Management phase, several workshops were conducted, including a brainstorming session using Post-it notes and a User Story Mapping exercise on a whiteboard. The goal of these workshops was to clarify the scenarios a network edge device should support.

Following these workshops, the insights gathered were used to derive issues and goals, which were then mapped to detailed milestones in GitLab. All deliverables were categorized using the MoSCoW prioritization method into must, should, and could requirements. An example of this prioritization and scenario mapping is illustrated in Figure B.28. All Milestones links are provided in the URL at the top of the section.

B.12.1. Brainstorm Scenario Selection

In this workshop, participants brainstorm and cluster potential red and blue team scenarios for practical cybersecurity exercises.




Figure B.26.: Brainstorm Scenarios




Figure B.27.: Clustering possible Scenarios

The Brainstorm session is used to derive further red/blue team scenarios and led to the pivot of AI-enabled Nsac scenario.

B.12.2. NSAK Scenario: Network Discovery - Red Team

Network Discovery Scenario

Objectives

This workshop aims to evaluate the different steps of the network discovery process and to help participants understand how attackers identify and map potential targets within a network.

Building on this objective, Red Teams consider network discovery one of the most essential activities during the reconnaissance phase, as it helps them identify hosts and services and evaluate potential targets. Once a network map is created, the team can use it in later phases. For example, they might execute an ARP spoofing attack, which allows them to intercept network traffic more efficiently.

In relation to these activities, this scenario addresses the following point from the thesis proposal:

‘Unterstützung typischer Vorgehensweisen aus dem Red-Team- und Penetration-Testing-Bereich, etwa durch Scan- oder Angriffssimulationen.’

The workshop led to the milestone *NSAK Scenario: Network Discovery – Red Team (must)*, in which each step for discovering and mapping a network is documented and structured for later implementation.




Figure B.28.: NSAK Scenario: Network Discovery - Red Team

B.12.3. NSAK Scenario: TLS Downgrade Poodle - Red Team

TLS Downgrade Poodle Milestone

Objectives

This workshop demonstrates how attackers can exploit TLS downgrade vulnerabilities, such as POODLE, to intercept encrypted communication.

In this scenario, the infamous POODLE attack is implemented, in which a malicious actor tries to convince a client and a server to use the vulnerable TLS version 1.1 instead of 1.2 or 1.3 to encrypt HTTP traffic. This attack requires the attacker to sit between the client and the server (a man-in-the-middle, or MITM), allowing them to intercept and control the traffic. When the client initiates a TLS handshake, the attacker drops packets to the server and sends TCP reset packets to the client, eventually trying older TLS versions. Because TLS 1.1 is vulnerable to a CBC Padding attack, it is possible to create a padding oracle that gradually decrypts the cookie and hijacks the user's session.

Building on this, the scenario directly addresses the following aspect from the thesis proposal:

‘Unterstützung typischer Vorgehensweisen aus dem Red-Team- und Penetration-Testing-Bereich, etwa durch Scan- oder Angriffssimulationen’




Figure B.29.: NSAK Scenario: TLS Downgrade Poodle - Red Team




Figure B.30.: NSA/K Scenario: TLS Downgrade Poodle -Topology

B.12.4. NSAK Scenario: Honeypot - Blue Team

Honeypot Milestone

Honeypots can serve as an additional form of intrusion detection and help Blue Teams detect attackers in a network. The system tries to attract malicious actors by providing an attack surface as large as possible; a simple way to achieve this is to open ports. After an attacker tries to connect to any of the open ports, the system notifies an operator and may close all open ports to prevent further attempts to compromise the Honeypot. The operator can then manually intervene to identify and isolate the attacker and analyze the captured payload.

This scenario covers the following bullet point from the thesis proposal:

‘Bereitstellung von Funktionen zur Erkennung, Protokollierung und Analyse verdächtiger Aktivitäten als Teil defensiver Massnahmen’




Figure B.31.: NSAK Scenario: Honeypot - Blue Team

B.12.5. NSAK Scenario: Traffic Capture - Red Team

Traffic Capture Milestone

Capturing, exfiltrating, and analyzing traffic from a targeted network is a key Red Team activity and crucial for initial reconnaissance and planning the next phases of the attack. Based on the gathered intelligence, network participants and services can be identified, and possible attack vectors may be evaluated. If unencrypted traffic is present on the network, session data and credentials could already have been extracted.

This scenario addresses the following bullet point from the thesis proposal: 'Untersuchung und Auswertung der Netzwerkkommunikation zwischen Endgeräten und externen Netzen.'




Figure B.32.: NSAK Scenario: Traffic Capture - Red Team

B.12.6. NSAK Scenario: Intrusion Detection - Blue Team

Intrusion Detection Milestone

Intrusion detection is one of the core Blue Team activities and aims to identify malicious actors and misconfigured clients in production network environments. This can be achieved by introducing a system at a traffic mirroring port or as a central point in a network. The intrusion detection system can leverage a wide array of

security policies, reference traffic, and other markers to effectively identify anomalies. As soon as suspicious activity is detected or a policy is violated, automated measures may be initiated, and security engineers will be automatically alerted for manual intervention.

This scenario covers the following bullet point from the thesis proposal: “Bereitstellung von Funktionen zur Erkennung, Protokollierung und Analyse verdächtiger Aktivitäten als Teil defensiver Massnahmen”




Figure B.33.: NSAK Scenario: Intrusion Detection - Blue Team

B.12.7. NSAK Scenario: AI - Purple Team

AI Purple Team Milestone

Even though we were not quite hooked by the current hype around AI during the predecessor project 3.1, we now see a huge potential in integrating it into the NSAK-framework, especially in because of the tool-calling capabilities of agentic AI. In our point of view, the possibility that common blue and red team activities, which require a lot of know how and time, can be simplified or speed up is really promising. This scenarios would explore if it's possible that intrusion detection or network reconnaissance tasks can be assisted or maybe even fully automated by an AI-agent.




Figure B.34.: NSAK Scenario: AI - Purple Team

B.13. Self-Hosted LLM

During the risk assessment [B.7.1](#) we identified that the AI tokens required to use cloud based LLMs might be very expensive, and it's really hard to estimate the costs. One of the possibilities to avoid this risk was the usage of self-hosted LLMs, and luckily we already had existing hardware at home which is suitable for running smaller LLMs. Besides eliminating the costs for AI tokens, at least during the development phase, it also allows the quick evaluation of different AI Models. Depending on the quality and performance of the smaller models running in the self-hosted setup we can consider not using a cloud based LLM at all.

Refactor the section: Move all information in their respective subsections, etc.

B.13.1. Hardware Setup

Component	Specification
CPU	AMD Ryzen 5 3600 (6 cores / 12 threads, up to 4.2 GHz)
GPU	NVIDIA GeForce RTX 3070 (8 GB VRAM)
System Memory	32 GB RAM

Table B.24.: Hardware configuration of the self-hosted LLM inference server.

The 8 GB VRAM of the RTX 3070 allows us to run models with up to 7 billion parameters, depending on the specific model [\[28\]](#).

B.13.2. System Setup

The system setup described in [3](#) will configure and expose the Ollama API and Open-Web UI via NGINX, which provided a chat GUI to interact with Ollama. In contrast to Ollama, which runs directly on the host, the other services are run in containers managed by rootless podman and defined the docker-compose.yml [5](#). The NGINX default.conf [11](#) configures the web server to terminate the SSL connection and act as reverse proxy for the “Open WebUI” and the Ollama API under the directory `/llm/`.

Services:

- ▶ Ollama: LLM manager, exposing an API for prompts and other interactions (host).
- ▶ Swag: NGINX web server with Certbot for automated SSL certificate generation (containerized).
- ▶ Open WebUI: Web based chat interface for LLM managers (containerized).

System Hardening

It is recommended to put a proper firewall before the services we want to expose to the internet, but for our purposes we can just disable the port forwarding when we don't use the AI. It still makes sense to perform a minimal system hardening as shown in the following listing 1, before exposing the services to the internet.

```
1  # Install UFW
2  sudo pacman -Syu ufw
3  sudo ufw status
4
5  # Allow SSH for remote access
6  sudo ufw allow ssh
7
8  # Allow HTTP for certbot HTTP challenge
9  sudo ufw allow http
10
11 # Allow HTTPS for Open WebUI
12 sudo ufw allow https
13
14 # Allow default Ollama port
15 sudo ufw allow 11434/tcp
16
17 # Make sure to run this command after adding the "allow" rules!
18 sudo ufw enable
19
20 sudo ufw status
```

Listing 1: UFW configuration

Expose Open WebUI and Ollama

For exposing the services from the home network via HTTPS to the internet, we need a domain name which points to the home router. To achieve this we can use DynDNS, which is provided for free by Infomaniak where the domain “hiube.ch” was registered, and is supported by the FRITZ!Box used in the home network. The screenshots B.36 and B.35 are showing the respective configurations.




Figure B.35.: FRITZ!Box DynDNS Setup




Figure B.36.: Infomaniak DynDNS Setup

Now that the domain name “ai.hiube.ch” points to the router in the home network, we need to redirect the HTTP(S) traffic to the LLM server. This can be achieved with port forwarding rules on the FRITZ!Box, as shown in the screenshot [B.37](#).

FRITZ!Box 5530 Fiber

MyFRITZ!

Übersicht Internet Online-Monitor Zugangsdaten Filter **Freigaben** MyFRITZ!-Konto Glasfaser-Informationen Telefonie Heimnetz WLAN Smart Home Diagnose System Assistenten Hilfe und Info

Freigabe

IPv4-Adresse: 10.10.10.20

MAC-Adresse: 70:85:C2:B4:D0:1A

IPv6 Interface-ID: : : : :

☐ Selbstständige Portfreigabe für dieses Gerät erlauben.

IPv4-Einstellungen

☐ Dieses Gerät komplett für den Internetzugriff über IPv4 freigegeben (Exposed Host). Diese Einstellung kann nur für ein Gerät aktiviert werden.

IPv6-Einstellungen

☐ PING6 freigegeben.

☐ Firewall für delegierte IPv6-Präfixe dieses Gerätes öffnen.

☐ Dieses Gerät komplett für den Internetzugriff über IPv6 freigegeben (Exposed Host).

Freigaben

Status	Bezeichnung	Protokoll	IP-Adresse im Internet	Port extern vergeben
●	HTTP-Server	TCP	82.220.83.210	80
●	HTTPS-Server	TCP	82.220.83.210	443

Neue Freigabe

Figure B.37.: FRITZ!Box DynDNS Setup

The Open WebUI and Ollama API should already be reachable via “ai.hiube.ch”, but we will receive a security warning because there is no valid SSL certificate. The easiest way to generate the certificate, is to trigger certbot by restarting the “swag” service as shown in the listing below [2](#).

- 1 # Login as user ai and restart the swag service
- 2 podman-compose restart swag

Listing 2: Restart SWAG Container

B.13.3. Evaluation

For quickly evaluate models and assess their capabilities we can now use the Open WebUI served under “ai.hiube.ch”. The screenshot [B.38](#) shows a quick test with “qwen2.5-coder:7B”.

B. Project Management




Figure B.38.: FRITZ!Box DynDNS Setup

Later on we can use the Ollama API served under `/v1lm/` as a backend for AI agents.

B.13.4. Self-Hosted Base Setup

```
1  # Login as ai user
2  ssh ai@10.10.10.20
3
4  # Create a docker compose file and add contents from lst:nginx-docker-compose.yml
5  vim docker-compose.yml
6
7  # Start the services, so that they create the volume mappings etc.
8  # The containers will most likely fail, but that's fine for now.
9  podman-compose up -d
10 podman-compose down
```

Listing 3: Self-Hosted Base Setup

```
1  # Login as ai user
2  ssh ai@10.10.10.20
3
4  # Create a docker compose file and add contents from lst:nginx-docker-compose.yml
5  vim docker-compose.yml
6
7  # Start the services, so that they create the volume mappings etc.
8  # The containers will most likely fail, but that's fine for now.
9  podman-compose up -d
10 podman-compose down
```

Listing 4: Nginx & Let's Encrypt Instructions

B.13.5. Nginx & Let's Encrypt - Reverse Proxy with SSL Termination

```
1 services:
2   swag:
3     image: lscr.io/linuxserver/swag:latest
4     container_name: swag
5     cap_add:
6       - NET_ADMIN
7     environment:
8       - PUID=1000
9       - PGID=1000
10      - TZ=Europe/Zurich
11      - URL=hiube.ch
12      - VALIDATION=http
13      - SUBDOMAINS=ai,
14      - EMAIL=<my-email>
15      - ONLY_SUBDOMAINS=true
16      - EXTRA_DOMAINS= #optional
17      - STAGING=false #optional
18      - DISABLE_F2B= #optional
19      - SWAG_AUTORELOAD= #optional
20      - SWAG_AUTORELOAD_WATCHLIST= #optional
21     volumes:
22       - /home/ai/swag:/config
23     ports:
24       - 443:443
25       - 80:80
26       - 443:443/udp
27     restart: unless-stopped
```

Listing 5: Nginx & Let's Encrypt Compose File

B.13.6. Ollama - LLM Server

```
1  ssh ai@10.10.10.20
2
3  # Check nvidia driver is loaded and the GPU was correctly detected, otherwise install the according drivers
4  nvidia-smi
5
6  # Install Ollama and enable systemd service
7  sudo pacman -Syu ollama
8  sudo systemctl enable --now ollama
9  sudo systemctl status ollama
10
11 # Download and run a qwen coder 7b model for testing
12 # Later used models:
13 # - 'qwen2.5:7b-instruct' (tool calling)
14 # - 'gemma4:e2b' (was hyped, but is not that good in tool calling)
15 ollama pull qwen2.5-coder:7b
16 ollama run qwen2.5-coder
17
18 # Open the nginx default.conf and add the contents from lst:ollama-nginx-conf
19 vim swag/nginx/site-confs/default.conf
20
21 # Start the services, this time they should run successfully.
22 # For a local setup, certbot will fail to perform the http challenge for issuing the TLS certificate,
23 # as long as DynDNS and the port forwarding are not set up properly.
24 podman-compose up -d
```

Listing 6: Ollama Instructions

```
1  # Redirect all traffic to HTTPS
2  server {
3      listen 80 default_server;
4      listen [::]:80 default_server;
5
6      server_name ai.hiube.ch;
7
8      location / {
9          return 301 https://$host$request_uri;
10     }
11 }
12
13 # Using upstream enables us to restart ollama without restarting the nginx
14 upstream ollama {
15     server host.docker.internal:11434;
16 }
17
18 server {
19     listen 43434 ssl;
20     listen [::]:43434 ssl;
21
22     server_name ai.hiube.ch;
23
24     include /config/nginx/ssl.conf;
25
26     location / {
27         auth_basic "Restricted";
28         auth_basic_user_file /config/nginx/.htpasswd;
29
30         proxy_pass http://ollama;
31         proxy_http_version 1.1;
32         proxy_set_header Connection "";
33         chunked_transfer_encoding off;
34         proxy_buffering off;
35         proxy_cache off;
36         proxy_set_header Host $host;
37         proxy_set_header X-Real-IP $remote_addr;
38         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
39         proxy_read_timeout 600s;
40         proxy_send_timeout 600s;
41     }
42 }
```

Listing 7: Ollama Nginx Configuration


```

1  # Enable Ollama debug logs
2
3  During the development of the AI intrusion detection scenario, Ollama suddenly sent an empty response
4  ↳ terminating the agent.
5  For investigation, I enabled the debug logs on the AI server.
6
7  ```bash
8  sudo systemctl edit --full ollama.service
9
10 # Add the following line
11 Environment="OLLAMA_DEBUG=2"
12
13 # Restart the service
14 sudo systemctl restart ollama.service
15
16 # The logs can now be listed with:
17 journalctl -f -b -u ollama
18 ```
19 ## Container logs of the empty Ollama response:
20
21 -> The last log indicates a container restart (scenario was terminated by empty response)
22
23 ```bash
24 > sudo podman logs -f simple_tcp_client_server_ai_intrusion_detection_1
25 WARNING:nsak.core.scenario.scenario_manager:EXEC SCENARIO: AI Intrusion Detection
26 INFO:root:Starting scenario: AI Intrusion Detection
27 WARNING:nsak.core.drill.drill_manager:EXEC DRILL: Discover Hosts
28 DEBUG:httpcore.connection:connect_tcp.started host='ai.hiube.ch' port=43434 local_address=None timeout=None
29 ↳ socket_options=None
30 DEBUG:httpcore.connection:connect_tcp.complete return_value=<httpcore._backends.sync.SyncStream object at
31 ↳ 0x7f6434e86f90>
32 DEBUG:httpcore.connection:start_tls.started ssl_context=<ssl.SSLContext object at 0x7f6434eff4d0>
33 ↳ server_hostname='ai.hiube.ch' timeout=None
34 DEBUG:httpcore.connection:start_tls.complete return_value=<httpcore._backends.sync.SyncStream object at
35 ↳ 0x7f6434eab110>
36 DEBUG:httpcore.http11:send_request_headers.started request=<Request [b'POST']>
37 DEBUG:httpcore.http11:send_request_headers.complete
38 DEBUG:httpcore.http11:send_request_body.started request=<Request [b'POST']>
39 DEBUG:httpcore.http11:send_request_body.complete
40 DEBUG:httpcore.http11:receive_response_headers.started request=<Request [b'POST']>
41 DEBUG:httpcore.http11:receive_response_headers.complete return_value=(b'HTTP/1.1', 200, b'OK', [(b'Server',
42 ↳ b'nginx'), (b'Date', b'Mon, 06 Apr 2026 07:22:02 GMT'), (b'Content-Type', b'application/x-ndjson'),
43 ↳ (b'Connection', b'close')])
44 INFO:httpx:HTTP Request: POST https://ai.hiube.ch:43434/api/chat "HTTP/1.1 200 OK"
45 DEBUG:httpcore.http11:receive_response_body.started request=<Request [b'POST']>
46 DEBUG:httpcore.http11:receive_response_body.complete
47 DEBUG:httpcore.http11:response_closed.started
48 DEBUG:httpcore.http11:response_closed.complete
49 WARNING:root:[Human]
50
51 You are analyzing network traffic for intrusion detection on interface eth1.
52
53 Network Discovery Result Map:
54 | Interface | MAC | IP | Port | Protocol | State | Service | Product |
55 ↳ Version |
56 |-----|-----|-----|-----|-----|-----|-----|-----|-----|
57 | eth1 | ea:35:69:e3:1d:1a | 10.10.100.10 | | | | | | |
58 ↳ |
59 | eth1 | 72:31:39:c6:67:e6 | 10.10.100.20 | | | | | | |
60 ↳ |
61 | eth1 | f2:f7:61:1a:62:f5 | 10.10.100.30 | | | | | | |
62 ↳ |
63 | eth1 | f2:f7:61:1a:62:f5 | 10.10.100.20 | | | | | | |
64 ↳ |
65 | eth1 | f2:f7:61:1a:62:f5 | 10.10.100.10 | | | | | | |
66 ↳ |
67
68 Captured packets (CSV):
69 frame.number,eth.src,eth.dst,ip.src,ip.dst,tcp.dstport,udp.dstport,frame.protocols,frame.len
70 1,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
71 2,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
72 3,42:0a:f1:34:e7:5b,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
73 4,72:31:39:c6:67:e6,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
74 5,f2:f7:61:1a:62:f5,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
75 6,ea:35:69:e3:1d:1a,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
76 7,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
77 8,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
78 9,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
79 10,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
80 11,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
81 12,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
82 13,42:0a:f1:34:e7:5b,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
83 14,72:31:39:c6:67:e6,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
84 15,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
85 16,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
86 17,f2:f7:61:1a:62:f5,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
87 18,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
88 19,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
89 20,ea:35:69:e3:1d:1a,33:33:00:00:00:02,,,,eth:ethertype:ipv6:icmpv6,70
90 21,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
91 22,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42
92 23,f2:f7:61:1a:62:f5,42:0a:f1:34:e7:5b,,,,eth:ethertype:arp,42

```

B.13.7. Open WebUI - Web Chat for LLM Servers

```
1 ssh ai@10.10.10.20
2
3 # Open the nginx default.conf and add the contents from lst:open-webui-nginx-conf
4 vim swag/nginx/site-confs/default.conf
5
6 # Start the services
7 podman-compose up -d
```

Listing 9: Open WebUI Instructions

```
1 services:
2   # ...
3
4   open-webui:
5     image: ghcr.io/open-webui/open-webui:main
6     container_name: open-webui
7     volumes:
8       - /home/ai/open_webui:/app/backend/data # Use a named volume for persistence
9     environment:
10       OLLAMA_BASE_URL: http://host.docker.internal:11434
11     restart: always
```

Listing 10: Open WebUI Compose File

```
1  # Open WebUI
2  upstream open_webui {
3      server open-webui:8080;
4  }
5
6  server {
7      listen 443 ssl default_server;
8      listen [::]:443 ssl default_server;
9
10     server_name ai.hiube.ch;
11
12     include /config/nginx/ssl.conf;
13
14     location / {
15         proxy_pass http://open_webui;
16         proxy_set_header Host $host;
17         proxy_set_header X-Real-IP $remote_addr;
18         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
19         proxy_set_header X-Forwarded-Proto $scheme;
20         proxy_http_version 1.1;
21         proxy_set_header Upgrade $http_upgrade;
22         proxy_set_header Connection "upgrade";
23         proxy_read_timeout 900s;
24         proxy_send_timeout 900s;
25     }
26 }
```

Listing 11: Open WebUI Nginx Configuration

B.13.8. Drawio MCP - Diagram Tool

```
1 ssh ai@10.10.10.20
2
3 # https://www.drawio.com/blog/diagrams-docker-app
4 echo "unqualified-search-registries = [\"docker.io\"]" >> /etc/containers/registries.conf
5
6 # Add drawio.hiube.ch CNAME entry to ai.hiube.ch
7 # Add drawio.hiube.ch to linuxserver.io swag config for letsencrypt and add the drawio service from below
8 vim docker-compose.yaml
9
10 # Update nginx config
11 sudo vim swag/nginx/site-confs/default.conf
12
13 # Download drawio-mcp
14 git clone https://github.com/lgazo/drawio-mcp-server.git
15
16 # Restart services
17 podman-compose restart swag
```

Listing 12: Drawio Instructions

```
1 services:
2   # ...
3
4   drawio-mcp-server:
5     build: ./drawio-mcp-server
6     container_name: drawio-mcp-server
7     restart: unless-stopped
8     command:
9       - "node"
10      - "packages/drawio-mcp-server/build/index.js"
11      - "--transport"
12      - "http"
13      - "--editor"
14      - "--http-port"
15      - "3000"
```

Listing 13: Drawio Compose File

```
1 # Draw.io
2 upstream drawio {
3     server drawio:8080;
4 }
5
6 upstream drawio_mcp {
7     server drawio-mcp-server:3000;
8 }
9
10 upstream drawio_ws {
11     server drawio-mcp-server:3333;
12 }
13
14 server {
15     listen 443 ssl;
16     listen [::]:443 ssl;
17
18     server_name drawio.hiube.ch;
19
20     include /config/nginx/ssl.conf;
21
22     location / {
23         auth_basic "Restricted";
24         auth_basic_user_file /config/nginx/.htpasswd;
25
26         proxy_pass http://drawio;
27         proxy_set_header Host $host;
28         proxy_set_header X-Real-IP $remote_addr;
29         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
30         proxy_set_header X-Forwarded-Proto $scheme;
31         proxy_http_version 1.1;
32         proxy_set_header Upgrade $http_upgrade;
33         proxy_set_header Connection "upgrade";
34     }
35
36     location /mcp {
37         auth_basic "Restricted";
38         auth_basic_user_file /config/nginx/.htpasswd;
39
40         proxy_pass http://drawio_mcp/mcp;
41         proxy_set_header Host $host;
42         proxy_set_header X-Real-IP $remote_addr;
43         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
44         proxy_set_header X-Forwarded-Proto $scheme;
45         proxy_http_version 1.1;
46         proxy_set_header Upgrade $http_upgrade;
47         proxy_set_header Connection "upgrade";
48         proxy_buffering off;
49         proxy_cache off;
50         proxy_read_timeout 3600s;
51         proxy_send_timeout 3600s;
52         chunked_transfer_encoding on;
53         proxy_set_header X-Accel-Buffering no;
54     }
55
56     location /ws {
57         auth_basic "Restricted";
58         auth_basic_user_file /config/nginx/.htpasswd;
59
60         proxy_pass http://drawio_ws;
61         proxy_set_header Host $host;
62         proxy_set_header X-Real-IP $remote_addr;
63         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
64         proxy_set_header X-Forwarded-Proto $scheme;
65         proxy_http_version 1.1;
66         proxy_set_header Upgrade $http_upgrade;
67         proxy_set_header Connection "upgrade";
68         proxy_read_timeout 3600s;
69         proxy_send_timeout 3600s;
70     }
71 }
```

Listing 14: Drawio Nginx Configuration

B.13.9. Netbox - Network Inventory System

```
1 ssh ai@10.10.10.20
2
3 # https://learn.srlinux.dev/blog/2024/creating-a-network-digital-twin-with-containerlab-and-netbox/
4 # https://github.com/netbox-community/netbox-docker
5 git clone -b release https://github.com/netbox-community/netbox-docker.git
6 cd netbox-docker/
7
8 cp docker-compose.override.yml.example docker-compose.override.yml
9
10 podman-compose up -d
11
12 podman-compose exec netbox /opt/netbox/netbox/manage.py createsuperuser
13
14 cd ..
15
16 # Add netbox.hiube.ch CNAME entry to ai.hiube.ch
17 # Add netbox.hiube.ch to linuxserver.io swag config for letsencrypt
18 vim docker-compose.yaml
19
20 # Update nginx config
21 sudo vim swag/nginx/site-confs/default.conf
22
23 # Restart services
24 podman-compose restart swag
```

Listing 15: Netbox Instructions

1

Listing 16: Netbox Compose File

```
1  # Netbox
2  upstream netbox {
3      server host.docker.internal:8000;
4  }
5
6  server {
7      listen 443 ssl;
8      listen [::]:443 ssl;
9
10     server_name netbox.hiube.ch;
11
12     include /config/nginx/ssl.conf;
13
14     location / {
15         proxy_pass http://netbox;
16         proxy_set_header Host $host;
17         proxy_set_header X-Real-IP $remote_addr;
18         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
19         proxy_set_header X-Forwarded-Proto $scheme;
20     }
21 }
```

Listing 17: Netbox Nginx Configuration

B.13.10. Grafana / Loki - Logging System

```
1  ssh ai@10.10.10.20
2
3  # https://grafana.com/docs/loki/latest/setup/install/docker/#install-with-docker-compose
4  mkdir loki
5  wget https://raw.githubusercontent.com/grafana/loki/v3.7.0/examples/getting-started/docker-compose.yaml -O
   ↪ loki/docker-compose.yaml
6  wget https://raw.githubusercontent.com/grafana/loki/v3.7.0/examples/getting-started/alloy-local-config.yaml
   ↪ -O loki/alloy-local-config.yaml
7  wget https://raw.githubusercontent.com/grafana/loki/v3.7.0/examples/getting-started/loki-config.yaml -O
   ↪ loki/loki-config.yaml
8
9  # Adjustments needed for rootless podman
10 systemctl --user enable --now podman.socket
11
12 # Adjust the alloy service described in the loki `compose.yaml`
13 vim loki/docker-compose.yaml
14
15 # Add grafana.hiube.ch CNAME entry to ai.hiube.ch
16 # Add grafana.hiube.ch to linuxserver.io swag config for letsencrypt
17 vim docker-compose.yaml
18
19 # Update nginx config
20 sudo vim swag/nginx/site-confs/default.conf
21
22 # Restart services
23 podman-compose up -d
```

Listing 18: Grafana / Loki Instructions

```

1 # ~/loki/docker-compose.yaml
2 networks:
3   loki:
4
5 services:
6   read:
7     image: grafana/loki:latest
8     command: "-config.file=/etc/loki/config.yaml -target=read"
9     ports:
10      - 127.0.0.1:3101:3100
11      - 7946
12      - 9095
13     volumes:
14      - ./loki/loki-config.yaml:/etc/loki/config.yaml
15     depends_on:
16      - minio
17     healthcheck:
18      test: [ "CMD", "/usr/bin/loki", "-health" ]
19      start_period: 30s
20      interval: 10s
21      timeout: 5s
22      retries: 5
23     networks: &loki-dns
24     loki:
25       aliases:
26        - loki
27
28   write:
29     image: grafana/loki:latest
30     command: "-config.file=/etc/loki/config.yaml -target=write"
31     ports:
32      - 127.0.0.1:3102:3100
33      - 7946
34      - 9095
35     volumes:
36      - ./loki/loki-config.yaml:/etc/loki/config.yaml
37     healthcheck:
38      test: [ "CMD", "/usr/bin/loki", "-health" ]
39      start_period: 30s
40      interval: 10s
41      timeout: 5s
42      retries: 5
43     depends_on:
44      - minio
45     networks:
46      <<: *loki-dns
47
48   alloy:
49     image: grafana/alloy:latest
50     volumes:
51      - ./loki/alloy-local-config.yaml:/etc/alloy/config.alloy:ro
52      - /run/user/1001/podman/podman.sock:/var/run/docker.sock
53     command: run --server.http.listen-addr=0.0.0.0:12345 --storage.path=/var/lib/alloy/data
54      ↪ /etc/alloy/config.alloy
55     ports:
56      - 127.0.0.1:12345:12345
57     depends_on:
58      - swag
59     networks:
60      - loki
61
62   minio:
63     image: minio/minio
64     entrypoint:
65      - sh
66      - -euc
67      - |
68        mkdir -p /data/loki-data && \
69        mkdir -p /data/loki-ruler && \
70        minio server /data
71     environment:
72      - MINIO_ROOT_USER=loki
73      - MINIO_ROOT_PASSWORD=supersecret
74      - MINIO_PROMETHEUS_AUTH_TYPE=public
75      - MINIO_UPDATE=off
76     ports:
77      - 9000
78     volumes:
79      - ./loki/.data/minio:/data
80     healthcheck:
81      test: [ "CMD", "curl", "-f", "http://localhost:9000/minio/health/live" ]
82      interval: 15s
83      timeout: 20s
84      retries: 5
85     networks:
86      - loki
87
88   grafana:
89     image: grafana/grafana:latest
90     environment:
91      - GF_SERVER_ROOT_URL=https://grafana.hiube.ch
92      - GF_SERVER_SERVE_FROM_SUB_PATH=false
93      - GF_PATHS_PROVISIONING=/etc/grafana/provisioning

```

```
1  # Grafana / Loki
2  upstream grafana {
3      server grafana:3000;
4  }
5  upstream loki-read {
6      server read:3100;
7  }
8  upstream loki-write {
9      server write:3100;
10 }
11
12 server {
13     listen 443 ssl;
14     listen [::]:443 ssl;
15
16     server_name grafana.hiube.ch;
17
18     include /config/nginx/ssl.conf;
19
20     auth_basic "Restricted";
21     auth_basic_user_file /config/nginx/.htpasswd;
22
23     location / {
24         auth_basic off;
25
26         proxy_pass http://grafana;
27         proxy_set_header Host $host;
28         proxy_set_header X-Real-IP $remote_addr;
29         proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
30         proxy_set_header X-Forwarded-Proto $scheme;
31         proxy_http_version 1.1;
32         proxy_set_header Upgrade $http_upgrade;
33         proxy_set_header Connection $connection_upgrade;
34         proxy_read_timeout 900s;
35         proxy_send_timeout 900s;
36     }
37
38     location = /api/prom/push {
39         proxy_pass http://loki-write$request_uri;
40     }
41
42     location = /api/prom/tail {
43         proxy_pass http://loki-read$request_uri;
44         proxy_set_header Upgrade $http_upgrade;
45         proxy_set_header Connection $connection_upgrade;
46     }
47
48     location ~ /api/prom/.* {
49         proxy_pass http://loki-read$request_uri;
50     }
51
52     location = /loki/api/v1/push {
53         proxy_pass http://loki-write$request_uri;
54     }
55
56     location = /loki/api/v1/tail {
57         proxy_pass http://loki-read$request_uri;
58         proxy_set_header Upgrade $http_upgrade;
59         proxy_set_header Connection $connection_upgrade;
60     }
61
62     location ~ /loki/api/.* {
63         proxy_pass http://loki-read$request_uri;
64     }
65 }
```

Listing 20: Grafana / Loki Nginx Configuration

```
1 # ~/loki/loki-config.yaml
2 auth_enabled: false
3
4 server:
5   http_listen_address: 0.0.0.0
6   http_listen_port: 3100
7
8 memberlist:
9   join_members: ["read", "write", "backend"]
10  dead_node_reclaim_time: 30s
11  gossip_to_dead_nodes_time: 15s
12  left_ingesters_timeout: 30s
13  bind_addr: ['0.0.0.0']
14  bind_port: 7946
15  gossip_interval: 2s
16
17 schema_config:
18   configs:
19     - from: 2023-01-01
20       store: tsdb
21       object_store: s3
22       schema: v13
23       index:
24         prefix: index_
25         period: 24h
26 common:
27   path_prefix: /loki
28   replication_factor: 1
29   compactor_address: http://backend:3100
30   storage:
31     s3:
32       endpoint: minio:9000
33       insecure: true
34       bucketnames: loki-data
35       access_key_id: loki
36       secret_access_key: supersecret
37       s3forcepathstyle: true
38   ring:
39     kvstore:
40       store: memberlist
41 ruler:
42   storage:
43     s3:
44       bucketnames: loki-ruler
45
46 compactor:
47   working_directory: /tmp/compactor
48   retention_enabled: true
49   delete_request_store: s3
50
51 limits_config:
52   retention_period: 8760h # 1 year
53   retention_stream:
54     - selector: '{job="container_logs"}'
55     period: 168h # 7 days
```

Listing 21: Grafana / Loki Configuration

```
1 # ~/loki/loki-config.yaml
2 auth_enabled: false
3
4 server:
5   http_listen_address: 0.0.0.0
6   http_listen_port: 3100
7
8 memberlist:
9   join_members: ["read", "write", "backend"]
10  dead_node_reclaim_time: 30s
11  gossip_to_dead_nodes_time: 15s
12  left_ingesters_timeout: 30s
13  bind_addr: ['0.0.0.0']
14  bind_port: 7946
15  gossip_interval: 2s
16
17 schema_config:
18   configs:
19     - from: 2023-01-01
20       store: tsdb
21       object_store: s3
22       schema: v13
23       index:
24         prefix: index_
25         period: 24h
26 common:
27   path_prefix: /loki
28   replication_factor: 1
29   compactor_address: http://backend:3100
30   storage:
31     s3:
32       endpoint: minio:9000
33       insecure: true
34       bucketnames: loki-data
35       access_key_id: loki
36       secret_access_key: supersecret
37       s3forcepathstyle: true
38   ring:
39     kvstore:
40       store: memberlist
41 ruler:
42   storage:
43     s3:
44       bucketnames: loki-ruler
45
46 compactor:
47   working_directory: /tmp/compactor
48   retention_enabled: true
49   delete_request_store: s3
50
51 limits_config:
52   retention_period: 8760h # 1 year
53   retention_stream:
54     - selector: '{job="container_logs"}'
55     period: 168h # 7 days
```

Listing 22: Grafana / Loki Alloy Configuration

B.14. Writing Quality

Introduced from Professor David Stuckler the PEER-System: Simple and clear academic writing.

The structure is:

- ▶ P 1 POINT just one
- ▶ E Evidence and Example 1-n
- ▶ E Explanation
- ▶ R Repeat linking Links and leads to next topic

B.15. Test-Environment-Code

B.15.1. container-lab

```
sysctls:
  net.ipv4.ip_forward: 1 # required to forward packets between interfaces
exec:
  - apk add --no-cache nftables iproute2
  - ip addr add 10.0.1.1/24 dev eth1
  - ip addr add 172.16.1.1/24 dev eth2
  - ip addr add 192.168.10.1/24 dev eth3
  - ip route replace default via 10.0.1.254
  # Default FORWARD policy: drop everything not explicitly allowed
  - nft add table inet filter
  - sh -c "nft add chain inet filter forward '{ type filter hook forward priority 0; policy drop; }'"
  # Allow return traffic for already-established connections (stateful firewall)
  - nft add rule inet filter forward ct state established,related accept
  # WAN → DMZ: only HTTP/HTTPS and DNS to dmz-server
  - sh -c "nft add rule inet filter forward iifname eth1 oifname eth2 ip daddr 172.16.1.10 tcp dport
↪ '{ 80, 443 }' accept"
  - nft add rule inet filter forward iifname eth1 oifname eth2 ip daddr 172.16.1.10 udp dport 53
↪ accept
  - nft add rule inet filter forward iifname eth1 oifname eth2 ip daddr 172.16.1.10 tcp dport 53
↪ accept
  # WAN → LAN: completely blocked (no rules = default DROP applies)
  # DMZ → LAN: completely blocked
  - nft add rule inet filter forward iifname eth2 oifname eth3 drop
  # LAN → DMZ: allowed (internal users browse DMZ services)
  - nft add rule inet filter forward iifname eth3 oifname eth2 accept
  # LAN → WAN: HTTP/HTTPS only, with source NAT (masquerade)
  - sh -c "nft add rule inet filter forward iifname eth3 oifname eth1 tcp dport '{ 80, 443 }' accept"
  # NAT: source masquerade for LAN and DMZ egress to WAN
  - nft add table ip nat
  - sh -c "nft add chain ip nat postrouting '{ type nat hook postrouting priority 100; }'"
  - nft add rule ip nat postrouting ip saddr 192.168.10.0/24 oifname eth1 masquerade
  - nft add rule ip nat postrouting ip saddr 172.16.1.0/24 oifname eth1 masquerade
  # DMZ → WAN: DNS forwarding (dmz-server forwards unknown queries to 8.8.8.8)
  - nft add rule inet filter forward iifname eth2 oifname eth1 udp dport 53 accept
  - nft add rule inet filter forward iifname eth2 oifname eth1 tcp dport 53 accept

# -----
# DMZ Nodes (172.16.1.0/24)
# -----

# — DMZ: Combined Web + DNS Server —
# Single DMZ node running both nginx (web) and BIND9 (DNS).
# Merging saves a device slot while covering two distinct attack surfaces.
#
# Web (nginx):
```

Listing 23: Firewall

Listing 23 shows the nf-tables rules set for segmentation of wan, dmz and lan.

```
# 443/tcp HTTPS – self-signed cert: CN=dmz-server.lab.local
# Recon: Server header leaks version; /robots.txt disallows /admin /backup
#
# DNS (BIND9):
# 53/udp+tcp queries and zone transfer
# AXFR intentionally open (misconfiguration) – reveals all internal IPs
# Recon: dig @172.16.1.10 vlab.local AXFR → full zone dump
dmz-server:
  kind: linux
  image: alpine:3.19
  cmd: tail -f /dev/null
  cap-add:
    - NET_ADMIN
  binds:
    - scripts/dmz-web-server:/dmz-web-server:ro
  exec:
    - apk add --no-cache nginx bind bind-tools iproute2 openssl python3
    - ip addr add 172.16.1.10/24 dev eth1
    - ip route replace default via 172.16.1.1
    - sh /dmz-web-server/setup.sh

#
# LAN Nodes (192.168.10.0/24)
#
# — LAN: Internal Server (Samba + LDAP + SSH) —
# Combines Domain Controller and File Server into one node.
# Samba provides SMB shares; OpenLDAP provides a lightweight directory.
# No full AD provisioning – covers the same recon/attack surface at less cost.
#
```

Listing 24: Web-Server and DNS

Listing 24 shows a web server and DNS server node in the Containerlab YAML configuration. This node is located in the demilitarized zone (DMZ) of the network.

```
# 139/tcp NetBIOS (Samba)
# 389/tcp LDAP - anonymous base read: DC=lab,DC=local (user list exposed)
# 445/tcp SMB - shares: public (anon read), finance (auth), it (auth)
#
# Recon:
# smbclient -L //192.168.10.5 -N          → lists all shares
# smbmap -H 192.168.10.5                → share names + permissions
# ldapsearch -x -H ldap://192.168.10.5  → user list, group memberships
ctrl-server:
  kind: linux
  image: alpine:3.19
  cmd: tail -f /dev/null
  cap-add:
    - NET_ADMIN
    - SYS_ADMIN # needed for Samba AD provisioning
  binds:
    - scripts/ctrl-file-server:/ctrl-file-server:ro
  exec:
    - apk add --no-cache samba openldap openldap-back-mdb openldap-clients openssh iproute2
    - ip addr add 192.168.10.5/24 dev eth1
    - ip route replace default via 192.168.10.1
    - sh -c 'echo "nameserver 172.16.1.10" > /etc/resolv.conf'
    - sh /ctrl-file-server/server_setup.sh

# — LAN: Workstation alice (Finance dept, user: asmith) —————
# Simulates a Finance department workstation.
# Sensitive documents on disk; drive mappings reveal share paths.
#
# 22/tcp  SSH (asmith / Password123!)
# 445/tcp  SMB (Samba standalone)
#
# Recon:
# SSH banner leaks org name and policy
```

Listing 25: File Server and Domain Control

The LAN segment consists of four nodes, as shown in the following code snippets.

```

# /home/asmith/Desktop/drive_mappings.txt - reveals \\ctrl-server\finance path
alice:
  kind: linux
  image: alpine:3.19
  cmd: tail -f /dev/null
  cap-add:
    - NET_ADMIN
  exec:
    - apk add --no-cache openssh samba iproute2
    - ip addr add 192.168.10.100/24 dev eth1
    - ip route replace default via 192.168.10.1
    - sh -c 'echo "nameserver 172.16.1.10" > /etc/resolv.conf'
    - ssh-keygen -A
    - sh -c 'echo "PasswordAuthentication yes" >> /etc/ssh/sshd_config'
    - sh -c 'printf "NSAK-Enterprise - Authorized Access Only\nThis system is monitored.\n" >
      ↪ /etc/ssh/banner.txt'
    - sh -c 'echo "Banner /etc/ssh/banner.txt" >> /etc/ssh/sshd_config'
    - adduser -D -s /bin/sh asmith
    - sh -c 'echo "asmith:Password123!" | chpasswd'
    - mkdir -p /home/asmith/Documents /home/asmith/Desktop
    - sh -c 'echo "Q3 2024 Finance Report - CONFIDENTIAL" > /home/asmith/Documents/Q3_Finance.txt'
    - sh -c 'printf "DOMAIN=LAB\nUSER=asmith\nSHARE=\\\\\\\\\\\\\\\\ctrl-server\\\\\\\\finance\n" >
      ↪ /home/asmith/Desktop/drive_mappings.txt'
    - /usr/sbin/sshd

# — LAN: Workstation bob (IT dept, user: bjones) —————
# Simulates an IT department workstation.
# bjones has elevated rights - scripts directory reveals full internal topology.
#
# 22/tcp  SSH  (bjones / Password123!)
# 445/tcp  SMB  (Samba standalone)
#
# Recon:
# /home/bjones/Scripts/hosts.txt - lists all internal IPs and roles
# /home/bjones/Scripts/README.txt - hints at admin access
bob:
  kind: linux
  image: alpine:3.19
  cmd: tail -f /dev/null
  cap-add:
    - NET_ADMIN
  exec:
    - apk add --no-cache openssh samba iproute2
    - ip addr add 192.168.10.101/24 dev eth1
    - ip route replace default via 192.168.10.1
    - sh -c 'echo "nameserver 172.16.1.10" > /etc/resolv.conf'
    - ssh-keygen -A
    - sh -c 'echo "PasswordAuthentication yes" >> /etc/ssh/sshd_config'
    - sh -c 'printf "Acme Corp AG - Authorized Access Only\nThis system is monitored.\n" >
      ↪ /etc/ssh/banner.txt'
    - sh -c 'echo "Banner /etc/ssh/banner.txt" >> /etc/ssh/sshd_config'
    - adduser -D -s /bin/sh bjones
    - sh -c 'echo "bjones:Password123!" | chpasswd'
    - mkdir -p /home/bjones/Documents /home/bjones/Scripts
    - sh -c 'printf "ctrl-server=192.168.10.5\nalice=192.168.10.100\nprinter=192.168.10.50\n" >
      ↪ /home/bjones/Scripts/hosts.txt'
    - sh -c 'echo "# admin tooling - see ctrl-server at 192.168.10.5" >
      ↪ /home/bjones/Scripts/README.txt'
    - /usr/sbin/sshd

# — LAN: Network Printer (HP-like, intentionally misconfigured) —————
# Simulates a typical enterprise network printer - the "forgotten device".
# Rarely patched, often misconfigured, rich source of OSINT and lateral movement.
#
# 80/tcp  HTTP  - unauthenticated web admin interface
# 161/udp  SNMP  - community string "public" (v1/v2c, full device info)
# 631/tcp  IPP   - Internet Printing Protocol (job history, no auth)
#
# Recon:

```

Listing 26: Work-Stations Bob and Alice

```
# curl http://192.168.10.50          → unauthenticated admin page, firmware version
# curl http://192.168.10.50:631/jobs → print job history reveals internal usernames
printer:
  kind: linux
  image: alpine:3.19
  cmd: tail -f /dev/null
  cap-add:
    - NET_ADMIN
    - NET_BIND_SERVICE # needed to bind to privileged ports 80 and 631
  binds:
    # printer_sim.py serves the web admin UI (port 80) and IPP (port 631)
    - scripts/printer_sim.py:/printer_sim.py:ro
  exec:
    - apk add --no-cache python3 net-snmp iproute2
    - ip addr add 192.168.10.50/24 dev eth1
    - ip route replace default via 192.168.10.1
    - sh -c 'echo "nameserver 172.16.1.10" > /etc/resolv.conf'
    # SNMP with open public community string – intentional misconfiguration
    - sh -c 'printf "rocommunity public\nsysName HP-LaserJet-M428fdw\nsysLocation Server Room
    ↪ B2\nsysContact it@lab.local\n" > /etc/snmp/snmpd.conf'
    - sh -c 'snmpd -f -Lo &'
    # Web admin UI (80) and IPP job listener (631)
    - sh -c 'python3 /printer_sim.py > /var/log/printer_sim.log 2>&1 &'

# — NSAK – Swiss Army Knife (Reconnaissance Node) —————
# The nsak tool itself runs here. Dual-homed to observe both LAN and DMZ.
# eth1 → LAN 192.168.10.200 (full internal network visibility)
# eth2 → DMZ 172.16.1.200 (DMZ visibility – same segment as dmz-server)
#
# Quickstart:
# docker exec -it clab-virtual-enterprise-network-lab-nsak bash
# nsak drill execute discover_hosts --interface eth1
# nsak drill execute discover_hosts --interface eth2
```

Listing 27: Printer

Listing 26 illustrates two workstations, Alice and Bob, the printer shown in Listing 27, and the domain controller with Samba file server shown in Listing 25.

```
# LAN segment (192.168.10.0/24)
- endpoints: [ "firewall:eth3", "lan-br:fw3" ]
- endpoints: [ "ctrl-server:eth1", "lan-br:ctrl" ]
- endpoints: [ "alice:eth1", "lan-br:A" ]
- endpoints: [ "bob:eth1", "lan-br:B" ]
- endpoints: [ "printer:eth1", "lan-br:print" ]
- endpoints: [ "nsak:eth1", "lan-br:nsak-lan" ]
```

Listing 28: Links

Listing 28 shows the connection between endpoints over the defined interfaces.

B.15.2. Flaws and Vulnerabilities

```
1  DMZ --- dmz-server (172.16.1.10)
2
3  DNS / BIND9
4  - allow-transfer { any; } --- AXFR (zone transfer) open to everyone
5  - dnssec-validation no --- no DNSSEC validation
6  - Zone contains internal LAN addresses (ctrl, alice, bob, printer)
7
8  Web / nginx
9  - /secret.txt accessible without auth -> returns DB Password: {flag:exposed-S0S}
10 - Self-signed certificate (CN=dmz-server.vlab.local)
11 ---
12 LAN --- ctrl-server (192.168.10.5)
13
14 LDAP / OpenLDAP
15 - by anonymous read --- anonymous read access to all entries -> user list, emails, departments
16 - rootpw Password123! stored in plaintext in config
17 - User passwords stored in LDIF: userPassword: Password123!
18 ldapsearch -x -H ldap://192.168.10.5 -b "dc=lab,dc=local"
19
20 SMB / Samba
21 - ntlm auth = yes + lanman auth = yes --- outdated, weak auth protocols
22 - Share public anonymously readable (no auth) -> README.txt hints at bjones
23 - Share finance contains salary and budget data (asmith / Password123!)
24 - Share it contains dc01_build_sheet.txt with full infrastructure details
25 - All passwords: Password123!
26 ---
27 LAN --- alice (192.168.10.100) \& bob (192.168.10.101)
28
29 - SSH password auth enabled, weak password Password123!
30 - SSH banner leaks organisation name
31 - alice: /home/asmith/Documents/Q3_Finance.txt (confidential), /home/asmith/Desktop/drive_mappings.txt
32   ↪ (share paths)
33 - bob: /home/bjones/Scripts/hosts.txt (all internal IPs + roles), README.txt hints at admin access
34 ---
35 LAN --- printer (192.168.10.50)
36
37 - Port 80: unauthenticated web admin interface, leaks firmware version (HP-WebServer/2.6.5), serial
38   ↪ number, location, contact
39 - Port 631 /jobs: print job history without auth -> reveals usernames (asmith, bjones, admin) and
40   ↪ document names
41   (server_credentials.txt, payroll)
42 - SNMP community string public (v1/v2c) -> snmpwalk exposes full device info
43 ---
44 Firewall policy (intentional gaps)
45
46 - LAN -> DMZ fully open (no port restriction) --- LAN users can reach all DMZ ports, not just 80/443
47 - DMZ -> WAN: DNS forwarding to 8.8.8.8 allowed -> DNS exfiltration possible
```

Listing 29: Introduced Vulnerabilities in the Virtual Enterprise Network

B.16. Reconnaissance Scenario: Source Listings

```
1  """
2  Scenario entrypoint for Reconnaissance .
3  """
4  import logging
5
6  from scapy.arch import get_if_addr
7
8  from nsak.core import DrillManager
9  from nsak.core.network import NetworkDiscoveryResultMap
10 from nsak.core.network.enumerate_services_result import EnumerateServicesResult
11 from nsak.core.scenario_results.reconnaissance_scenario_result import ReconnaissanceScenarioResult
12
13 logger = logging.getLogger(__name__)
14
15
16 def run(interface: str | None = None, subnet: str | None = None) -> ReconnaissanceScenarioResult:
17     """
18     Scenario, which runs Reconnaissance attack.
19     1. If no interface is specified, scan all active physical interfaces
20     2. If no interface is specified, scan all active physical interfaces
21     3. Discover network on ifc and subnet
22     :return: None
23     """
24     if interface is None:
25         discovered = DrillManager.execute("discover_network_interfaces")
26         interfaces_to_scan = [iface.name for iface in discovered]
27     else:
28         interfaces_to_scan = [interface]
29
30     all_results = {}
31     for iface_name in interfaces_to_scan:
32         if get_if_addr(iface_name) in ("0.0.0.0", ""):
33             DrillManager.execute("dhcp_request", interface=iface_name)
34
35         network_discovery_result_map: NetworkDiscoveryResultMap = DrillManager.execute(
36             "discover_hosts",
37             interface=iface_name,
38             subnet=subnet,
39         )
40         all_results.update(network_discovery_result_map.results)
41
42     network_discovery_result_map = NetworkDiscoveryResultMap(results=all_results)
43     DrillManager.execute("port_scan", discovery_result=network_discovery_result_map)
44     enumerate_services_result: EnumerateServicesResult = DrillManager.execute(
45         "enumerate_services", discovery_result=network_discovery_result_map
46     )
47
48     result = ReconnaissanceScenarioResult(
49         network_discovery_table=network_discovery_result_map.to_network_discovery_table(),
50         enumerate_services_result=enumerate_services_result
51     )
52     logger.info(result.display())
53     return result
```

Listing 30: Reconnaissance Scenario Implementation

```
1 drills:
2   discover_hosts:
3     name: Discover Hosts
4     author: vonal3@bfh.ch
5     repository: https://gitlab.ti.bfh.ch/gausf1-vonal3/swiss-army-knife-network-sniffer
6
7   dependencies:
8     system:
9       - arp-scan
10      - nmap
11     python: [ ]
12
13   interface:
14     arguments:
15       interface:
16         type: str
17       subnet:
18         type: str
19         default: null
20     return_type: NetworkDiscoveryResultMap
```

Listing 31: Discover Hosts Drill: Resource Configuration

```

1  import logging
2  import dataclasses
3  import subprocess
4  from ipaddress import IPv4Address, IPv6Address
5
6  from nsak.core import IPAddress
7  from nsak.core import config
8  from nsak.core.network import NetworkDiscoveryResultMap, NetworkDiscoveryResult, NetworkService,
   ↳ NetworkServiceEndpoint
9  from nsak.core.network.configuration import EthernetConfiguration
10
11  logger = logging.getLogger(__name__)
12
13
14  @dataclasses.dataclass(frozen=True, kw_only=True)
15  class ARPScanResult:
16      ip: IPAddress
17      mac: str
18      vendor: str
19
20
21  def parse_arp_scan_result(arp_scan_result_output: str) -> list[ARPScanResult]:
22      """
23
24      :param arp_scan_result_output:
25      :return:
26      """
27
28      entries = []
29      for line in arp_scan_result_output.splitlines():
30          parts = line.split(None, 2)
31          if len(parts) < 2:
32              continue
33
34          raw_ip, mac = parts[:2]
35          try:
36              ip = IPv4Address(raw_ip)
37          except ValueError:
38              ip = IPv6Address(raw_ip)
39          vendor = parts[2] if len(parts) == 3 else ""
40          entries.append(ARPScanResult(ip=ip, mac=mac, vendor=vendor))
41
42      return entries
43
44
45  def parse_nmap_result(nmap_output: str) -> list[ARPScanResult]:
46      """
47      Parses the output of `nmap -sn` into a list of ARPScanResults.
48
49      Uses a stateful approach since IP and MAC appear on separate lines per host.
50      Hosts without a MAC address (e.g. remote subnets) are included with an empty mac field.
51      """
52      results = []
53      current_ip = None
54      current_mac = ""
55      current_vendor = ""
56
57      for line in nmap_output.splitlines():
58          if line.startswith("Nmap scan report for "):
59              if current_ip is not None:
60                  results.append(ARPScanResult(ip=current_ip, mac=current_mac, vendor=current_vendor))
61                  rest = line.removeprefix("Nmap scan report for ")
62                  raw_ip = rest.split("(")[1].rstrip(")") if "(" in rest else rest.strip()
63                  try:
64                      current_ip = IPv4Address(raw_ip)
65                  except ValueError:
66                      try:
67                          current_ip = IPv6Address(raw_ip)
68                      except ValueError:
69                          current_ip = None
70                  current_mac = ""
71                  current_vendor = ""
72              elif line.startswith("MAC Address:") and current_ip is not None:
73                  parts = line.split(None, 3)
74                  current_mac = parts[2] if len(parts) > 2 else ""
75                  current_vendor = parts[3].strip("(")") if len(parts) > 3 else ""
76
77          if current_ip is not None:
78              results.append(ARPScanResult(ip=current_ip, mac=current_mac, vendor=current_vendor))
79
80      return results
81
82
83  def discover_hosts(network_interface: EthernetConfiguration) -> NetworkDiscoveryResult:
84      hosts: list[NetworkService] = []
85      # --localnet: Generates addresses from the interface configuration
86      # -x: Only prints results to the output (no headers, etc.)
87      completed_process = subprocess.run([
88          "/usr/sbin/arp-scan",
89          "--interface", network_interface.name,
90          "--localnet", "-x",
91      ], capture_output=True, text=True, check=True)
92

```

```

1 import logging
2 import re
3 import subprocess
4 from typing import Literal
5
6 from nsak.core.network import NetworkDiscoveryResultMap, NetworkService, NetworkServiceEndpoint
7
8 logger = logging.getLogger(__name__)
9
10 # matches: "22/tcp open  ssh      OpenSSH 8.9p1"
11 _PORT_LINE = re.compile(r"^(\d+)/(\tcp|udp)\s+open\s+(\S+)\s*(.*)") #compile regex once in obj
12     ↪ (p,prot,name,version,
13
14 def parse_nmap(stdout: str) -> list[tuple[int, Literal["tcp", "udp"], str, str]]:
15     """Extract open ports from nmap stdout as (port, protocol, name, version) tuples.
16
17     :param stdout: Raw nmap output text.
18     :return: List of (port, protocol, service name, version) tuples for open ports.
19     """
20     results = []
21     # compare the output with the regex and skip if output does not match | group(0)=whole line,
22     ↪ group(1)=port...
23     for line in stdout.splitlines():
24         match = _PORT_LINE.match(line.strip())
25         if match:
26             port = int(match.group(1))
27             protocol = match.group(2)
28             name = match.group(3)
29             version = match.group(4).strip()
30             results.append((port, protocol, name, version))
31     return results
32
33 def run(discovery_result: NetworkDiscoveryResultMap) -> NetworkDiscoveryResultMap:
34     """Run nmap service scan on all target IPs and append open ports to the discovery result.
35
36     :param discovery_result: Existing host discovery result containing target IPs per interface.
37     :return: The same result map, with open port/service information.
38     """
39     for iface_name, result in discovery_result.results.items():
40         mac_by_ip = {
41             endpoint.ip: endpoint.mac
42             for service in result.network_services
43             for endpoint in service.endpoints
44             if endpoint.ip is not None and endpoint.mac
45         }
46         for ip in result.target_ips:
47             logger.debug("Scanning ports on %s (%s)", ip, iface_name)
48             proc = subprocess.run(
49                 ["nmap", "-sV", "--open", str(ip)],
50                 capture_output=True, text=True, check=True
51             )
52             ports = parse_nmap(proc.stdout)
53             logger.debug("Found %d open ports on %s", len(ports), ip)
54             for port, protocol, name, version in ports:
55                 service = NetworkService(
56                     endpoints=[NetworkServiceEndpoint(ip=ip, mac=mac_by_ip.get(ip), port=port,
57                     ↪ protocol=protocol)],
58                     state="open",
59                     name=name,
60                     version=version or None,
61                 )
62                 result.network_services.append(service)
63     return discovery_result

```

Listing 33: Port Scan Drill: Implementation

```

1 import logging
2 import re
3 import subprocess
4
5 from nsak.core.network import NetworkDiscoveryResultMap
6 from nsak.core.network.enumerate_services_result import EnumerateServicesResult,
   ↳ EnumerateServicesResultEntry
7
8 logger = logging.getLogger(__name__)
9
10 _NSE_LINE = re.compile(r"^[_ ]?\s*(.*)") # nmap NSE output: "| text" or "|_ text"
11
12 # Known services get targeted scripts; everything else falls back to "banner"
13 # (banner grabs the initial TCP response – gives software name + version for any unknown service)
14 _SERVICE_SCRIPTS: dict[str, list[str]] = {
15     "http": ["http-title", "http-headers", "http-robots.txt"],
16     "https": ["http-title", "http-headers", "http-robots.txt"],
17     "http-alt": ["http-title", "http-headers", "http-robots.txt"],
18     "domain": ["dns-zone-transfer", "dns-brute"],
19     "smtp": ["smtp-commands", "smtp-enum-users"],
20     "smtps": ["smtp-commands"],
21     "ftp": ["ftp-anon", "ftp-ls"],
22     "netbios-ssn": ["smb-security-mode", "smb2-security-mode"],
23     "microsoft-ds": ["smb-security-mode", "smb2-security-mode"],
24     "ldap": ["ldap-rootdse"],
25     "ldapsl": ["ldap-rootdse"],
26 }
27
28
29 def _parse_nse_output(stdout: str) -> list[str]:
30     """
31     Extract script result lines from nmap stdout.
32
33     :param stdout: Raw nmap output.
34     :return: Parsed output lines with pipe prefixes stripped.
35     """
36     findings = []
37     for line in stdout.splitlines():
38         m = _NSE_LINE.match(line.strip())
39         if m:
40             text = m.group(1).strip()
41             if text:
42                 findings.append(text)
43     return findings
44
45
46 def run(discovery_result: NetworkDiscoveryResultMap) -> EnumerateServicesResult:
47     """
48     Run service-specific nmap NSE scripts on all discovered services.
49
50     :param discovery_result: Port-scan result from the port_scan drill.
51     :return: Mapping of "ip:port" to a list of finding strings.
52     """
53     results: list[EnumerateServicesResultEntry] = []
54
55     for iface_name, result in discovery_result.results.items():
56         for service in result.network_services:
57             scripts = _SERVICE_SCRIPTS.get(service.name or "", ["banner"])
58
59             for endpoint in service.endpoints:
60                 if endpoint.ip is None or endpoint.port is None:
61                     continue
62
63                 key = f"{endpoint.ip}:{endpoint.port}"
64                 logger.debug("Running NSE %s on %s (%s)", ", ".join(scripts), key, iface_name)
65
66                 proc = subprocess.run(
67                     [
68                         "nmap", "--script", ", ".join(scripts),
69                         "-p", str(endpoint.port),
70                         "-sT", "-Pn", "--host-timeout", "30s",
71                         str(endpoint.ip),
72                     ],
73                     capture_output=True, text=True,
74                 )
75
76                 findings = _parse_nse_output(proc.stdout)
77                 if findings:
78                     entry = EnumerateServicesResultEntry(
79                         ip=endpoint.ip,
80                         port=endpoint.port,
81                         findings="\n".join(findings)
82                     )
83                     results.append(entry)
84                     logger.debug("Found %d findings on %s", len(findings), key)
85
86     return EnumerateServicesResult(results=results)

```

Listing 34: Enumerate Services Drill: Implementation

B.17. Configuration Management: Source Listings

B.17.1. NSAK Core Configuration

```
1 import logging
2 import os
3 from pathlib import Path
4
5 from dotenv import load_dotenv
6
7 load_dotenv(os.getenv("NSAK_ENV_FILE", None))
8
9 logger = logging.getLogger()
10
11
12 def get_base_path() -> Path:
13     """
14     Returns the default base path.
15
16     :return:
17     """
18     base_path = os.getenv("NSAK_BASE_PATH", None)
19
20     if base_path is not None:
21         return Path(base_path).absolute()
22
23     return Path(__file__).resolve().parents[3].absolute()
24
25
26 def get_run_path() -> Path:
27     """
28     Returns the run path.
29
30     :return:
31     """
32     run_path = os.getenv("NSAK_RUN_PATH", None)
33
34     if run_path is not None:
35         return Path(run_path).absolute()
36
37     return (get_base_path() / "run").absolute()
38
39
40 def get_library_paths() -> set[Path]:
41     """
42     Returns a list of library paths.
43
44     :return:
45     """
46     library_paths = set()
47
48     default_path = (BASE_PATH / "lib").absolute()
49     if default_path.exists():
50         library_paths.add(default_path)
51
52     library_path = os.getenv("NSAK_LIBRARY_PATH", None)
53     if library_path is not None:
54         _library_path = Path(library_path).absolute()
55         if not _library_path.exists():
56             message = (
57                 f"Library path '{library_path}' in NSAK_LIBRARY_PATH does not exist!"
58             )
59             logger.warning(message)
60             library_paths.add(_library_path)
61
62     return library_paths
63
64
65 BASE_PATH = get_base_path()
66 RUN_PATH = get_run_path()
67 BENCHMARK_PATH = RUN_PATH.joinpath("benchmarks")
68 LIBRARY_PATHS = get_library_paths()
69 CONFIG_FILE = (RUN_PATH / "config.yaml").absolute()
70 DOCKER_CONTEXT = BASE_PATH
```

164

Listing 35: NSAK Static Configuration

```

1  from __future__ import annotations
2
3  import logging
4  import uuid
5  from copy import deepcopy
6  from dataclasses import dataclass, field
7  from datetime import datetime
8  from pathlib import Path
9  from zoneinfo import ZoneInfo
10
11  from nsak.core.configuration.ai_configuration import AiConfiguration
12  from nsak.core.configuration.container_info import ContainerInfo
13  from nsak.core.configuration.drawio_mcp_configuration import DrawioMCPConfiguration
14  from nsak.core.configuration.email_configuration import EmailConfiguration
15  from nsak.core.configuration.loki_configuration import LokiConfiguration
16  from nsak.core.device import Device
17  from nsak.core.settings import RUN_PATH
18
19  logger = logging.getLogger(__name__)
20
21
22  def get_default_timezone() -> ZoneInfo:
23      """
24      Return the default timezone.
25      """
26      return ZoneInfo("Europe/Zurich")
27
28
29  @dataclass(kw_only=True)
30  class Configuration:
31      """
32      Class for loading and saving the configuration.
33      """
34
35      from ..device.device_manager import DeviceManager
36
37      debug: bool = field(default=True)
38      device: Device = field(
39          default_factory=DeviceManager.get_default,
40      )
41      container: ContainerInfo = field(
42          default_factory=ContainerInfo.load,
43      )
44      run_uuid: uuid.UUID = field(default_factory=uuid.uuid4)
45      email: EmailConfiguration | None = field(
46          default=None,
47      )
48      ai: AiConfiguration | None = field(default=None)
49      loki: LokiConfiguration | None = field(default=None)
50      drawio_mcp: DrawioMCPConfiguration | None = field(default=None)
51
52      timezone: ZoneInfo = field(default_factory=get_default_timezone)
53      timestamp: datetime = field(init=False)
54      running_scenario: str | None = field(default=None)
55
56      def __post_init__(self) -> None:
57          """
58          Initialize fields, which have dependencies to other fields.
59          """
60          self.timestamp = self.now()
61
62      def set_running_scenario(self, scenario: str) -> None:
63          """
64          Set the name of the currently running scenario for logging.
65          """
66          from nsak.core.configuration import ConfigurationManager
67
68          self.running_scenario = scenario
69          ConfigurationManager.update_loki_handler(self)
70
71      def reset_running_scenario(self) -> None:
72          """
73          Reset the running scenario name to none.
74          """
75          from nsak.core.configuration import ConfigurationManager
76
77          self.running_scenario = None
78          ConfigurationManager.update_loki_handler(self)
79
80      def reset_run_uuid(self) -> uuid.UUID:
81          """
82          Set a new run uuid and return it.
83
84          Used when multiple runs are executed in the same cli command.
85          """
86          self.run_uuid = uuid.uuid4()
87          return self.run_uuid
88
89      def save(self) -> None:
90          """
91          Shorthand proxy for ConfigManager save.
92          """
93          from .configuration_manager import ConfigurationManager

```

```
1 import click
2
3 from .ai_agent import ai_agent_group
4 from .benchmark import benchmark_group
5 from .config import config_group
6 from .device import device_group
7 from .drill import drill_group
8 from .environment import environment_group
9 from .scenario import kill_all_scenarios, scenario_group
10
11
12 @click.group()
13 def cli() -> None:
14     """
15     CLI root.
16     """
17     # Load the configuration for initialization
18     from nsak.core import config # noqa
19
20
21 cli.add_command(scenario_group)
22 cli.add_command(drill_group)
23 cli.add_command(device_group)
24 cli.add_command(environment_group)
25 cli.add_command(ai_agent_group)
26 cli.add_command(config_group)
27 cli.add_command(benchmark_group)
28 cli.add_command(kill_all_scenarios, name="killswitch")
```

Listing 37: NSAK CLI Initialisation

```
1 debug: true
2 device:
3   id: bananapi_r4
4   name: BananaPI R4
5   path: <base-path>/lib/devices/bananapi_r4
6   author: vonal3@bfh.ch
7   repository: <repository-url>
8   configuration:
9     network:
10       ethernet:
11         lan1@eth0:
12           addresses:
13             10.10.10.30/24:
14               is_target: true
15               is_management: false
```

Listing 38: Persisted Runtime Configuration (run/config.yaml)

```
1 # Show usage, options and subcommands for the device resource
2 nsak device --list
3
4 # List all devices found in the resource library
5 nsak device list
6
7 # Output:
8 > nsak device list
9 ID          NAME          PATH
10 bananapi_r4  BananaPI R4  <repository>/lib/devices/bananapi_r4
```

Listing 39: NSAK CLI: List Devices

B.17.2. Device Resource Management

```
1 devices:
2   <str:resource-id>:
3     id: <str:device-id>
4     name: <str:device-name>
5     description: <str:device-description>
6     author: <str:author-email>
7     repository: <str:resource-repository>
```

Listing 40: Device Resource YAML Specification

```
1 devices:
2   <str:resource-id>:
3     # ...
4     configuration:
5       network:
6         ethernet:
7           <str:interface-name>:
8             addresses:
9               <str:cidr>:
10                is_target: <boolean>
11                is_management: <boolean>
```

Listing 41: Device Resource Configuration YAML Specification

```

20 class DeviceLoader(ResourceLoader[Device]):
21     """
22     Finds and loads devices from the library paths.
23     """
24
25     ResourceClass = Device
26
27     @classmethod
28     def _parse_device_configuration(
29         cls, data: dict[str, Any]
30     ) -> DeviceConfiguration | None:
31         if "configuration" not in data:
32             return None
33         network = data["configuration"].get("network") or {}
34         if network == "auto":
35             ethernetets = {}
36             for interface in get_network_interfaces():
37                 ethernetets[interface.name] = {
38                     "addresses": {
39                         ip: {
40                             "is_target": "lo" != interface.name,
41                             "is_management": False,
42                         }
43                     }
44                     for ips in interface.ips.values()
45                     for ip in ips
46                 }
47         else:
48             ethernetets = network.get("ethernetets") or {}
49
50         return DeviceConfiguration(
51             raw=data["configuration"],
52             network=NetworkConfiguration(
53                 ethernetets={
54                     interface: EthernetConfiguration(
55                         name=interface,
56                         addresses={
57                             ip: IPConfiguration(
58                                 ip=ip_interface(ip),
59                                 is_target=address.get("is_target", False),
60                                 is_management=address.get("is_management", False),
61                             )
62                             for ip, address in ethernet.get("addresses", {}).items()
63                         },
64                     )
65                     for interface, ethernet in ethernetets.items()
66                 },
67             ),
68         )
69
70     @classmethod
71     def _to_resource(cls, id: str, data: dict[str, Any], path: Path | str) -> Device:
72         """
73         Creates a Device object from a dict containing the device's metadata.
74         """
75         if isinstance(path, str):
76             path = Path(path)
77
78         return cls.ResourceClass(
79             id=id,
80             name=str(data.get("name") or ""),
81             description=str(data.get("description") or ""),
82             path=path,
83             author=str(data.get("author") or ""),
84             repository=str(data.get("repository") or ""),
85             configuration=cls._parse_device_configuration(data),
86         )
87

```

Listing 42: DeviceLoader Configuration Parsing

```
12 @dataclasses.dataclass(frozen=True, kw_only=True)
13 class IPConfiguration:
14     """
15     Represents an ip configuration on an interface.
16     """
17     ip: IPInterface
18     is_target: bool
19     is_management: bool
20
21
22
23 @dataclasses.dataclass(frozen=True, kw_only=True)
24 class EthernetConfiguration:
25     """
26     Represents an ethernet node.
27     """
28
29     name: str
30     addresses: dict[str, IPConfiguration]
```

```
14 @dataclasses.dataclass(frozen=True, kw_only=True, eq=True)
15 class DeviceConfiguration:
16     """
17     Represents the device configuration.
18     """
19
20     raw: object
21     network: NetworkConfiguration
22
23
24 @dataclasses.dataclass(frozen=True, kw_only=True, eq=True)
25 class Device(Resource):
26     """
27     Represents a device.
28     """
29
30     NAME = "device"
31     KEY = "devices"
32
33     id: str
34     name: str
35     description: str
36     path: Path
37     author: str
38     repository: str
39     configuration: DeviceConfiguration | None = None
```

Listing 43: Device Configuration Datastructures

```
1  # List all subcommands for the Device resource
2  nsak device --help
3
4  # List all available devices
5  nsak device list
6
7  # Show the device details and configuration
8  nsak device show <str:device-id>
9
10 # Load a device into in the NSAK configuration
11 nsak device load <str:device-id>
12
13 # Show the currently loaded device stored in the NSAK configuration
14 nsak device loaded
15
16 # Reset the loaded device
17 nsak device unload
```

Listing 44: Device Configuration CLI Management

B.17.3. Resource YAML Specifications

```
1  # Resource type version was removed, as it was not used anyway
2
3  # scenarios|drills|environments|devices
4  <str:resource-type-key>:
5    # unique resource identifier
6    <str:resource-id>:
7      # The "metadata" key is removed and the children are now nested directly under the resource
8      name: <str:name>
9      description: <str:description>
10     author: <str:email>
11     repository: <str:link>
12     # ... resource type specific properties, which previously were at the top level
```

Listing 45: Mergeable Resource YAML Specification

```
1  <str:resource-type-key>:
2    <str:resource-id>:
3      # Unchanged properties...
4
5    interface:
6      arguments:
7        <str:argument-name>:
8          type: <str:type-annotation>
9          default: <any:default-value>
10      return_type: <str:type-annotation>
```

Listing 46: Updated Interface Specification

```
1 scenarios:
2   mitm:
3     id: mitm
4     name: MITM Scenario
5     author: vonal3@bfh.ch
6     repository: https://gitlab.ti.bfh.ch/gausf1-vonal3/swiss-army-knife-network-sniffer
7
8     drills:
9       - discover_hosts
10      - arp_spoof
11      - transparent_tcp_proxy
12
13     environments:
14       - simple_tcp_client_server
15
16     dependencies:
17       system:
18         - arp-scan
19         - dsniff
20         - iptables
21       python:
22         - scapy
23
24     interface:
25       arguments:
26         interface:
27           type: str
28       return_type: None
```

Listing 47: mitm Scenario YAML

B.18. AI Scenarios: Source Listings

B.18.1. AI Agent Core

```

1 import asyncio
2 import logging
3 from pprint import pformat
4 from typing import Any, AsyncGenerator, Awaitable, Callable, Iterable, Sequence
5
6 from langchain.agents import create_agent
7 from langchain.agents.middleware import AgentMiddleware
8 from langchain.agents.structured_output import ToolStrategy
9 from langchain_anthropic.chat_models import ChatAnthropic
10 from langchain_core.callbacks import AsyncCallbackHandler
11 from langchain_core.language_models import BaseChatModel
12 from langchain_core.messages import ToolMessage
13 from langchain_core.outputs import LLMResult
14 from langchain_core.tools import BaseTool
15 from langchain_mcp_adapters.client import MultiServerMCPClient
16 from langchain_ollama.chat_models import ChatOllama
17 from langchain_openai.chat_models import ChatOpenAI
18 from langgraph.prebuilt.tool_node import ToolCallRequest
19 from langgraph.types import Command
20
21 from nsak.core.ai.tools import (
22     cli_tool,
23     generate_drill_tools,
24     host_configuration,
25     human_interaction_hook,
26     send_email,
27 )
28 from nsak.core.configuration import Configuration, config
29
30 logger = logging.getLogger(__name__)
31
32
33 class TrackToolCallMiddleware(AgentMiddleware): # type: ignore
34     """
35     Tool tracking middleware.
36     """
37
38     def __init__(self, tools_available: Iterable[str]) -> None:
39         """
40         Init tool tracking middleware.
41         """
42         self.tools_called: dict[str, list[str]] = {
43             tool: [] for tool in set(tools_available)
44         }
45
46     async def awrap_tool_call(
47         self,
48         request: ToolCallRequest,
49         handler: Callable[[ToolCallRequest], Awaitable[ToolMessage | Command[Any]]],
50     ) -> ToolMessage | Command[Any]:
51         """
52         Track async tool calls.
53         """
54         tool_name = request.tool_call["name"]
55         tool_args = request.tool_call["args"]
56
57         self.tools_called.setdefault(tool_name, [])
58         self.tools_called[tool_name].append(str(tool_args))
59
60         return await handler(request)
61
62     def wrap_tool_call(
63         self,
64         request: ToolCallRequest,
65         handler: Callable[[ToolCallRequest], ToolMessage | Command[Any]],
66     ) -> ToolMessage | Command[Any]:
67         """
68         Track sync tool calls.
69         """
70         tool_name = request.tool_call["name"]
71         tool_args = request.tool_call["args"]
72
73         self.tools_called.setdefault(tool_name, [])
74         self.tools_called[tool_name].append(str(tool_args))
75
76         return handler(request)
77
78
79 class UsageCallback(AsyncCallbackHandler): # type: ignore
80     """
81     Track token usage and tool calls.
82     """
83
84     def __init__(self) -> None:
85         """

```

```

27 )
28 from nsak.core.configuration import Configuration, config
29
30 logger = logging.getLogger(__name__)
31
32
33 class TrackToolCallMiddleware(AgentMiddleware): # type: ignore
34     """
35     Tool tracking middleware.
36     """
37
38     def __init__(self, tools_available: Iterable[str]) -> None:
39         """
40         Init tool tracking middleware.
41         """
42         self.tools_called: dict[str, list[str]] = {
43             tool: [] for tool in set(tools_available)
44         }
45
46     async def awrap_tool_call(
47         self,
48         request: ToolCallRequest,
49         handler: Callable[[ToolCallRequest], Awaitable[ToolMessage | Command[Any]]],
50     ) -> ToolMessage | Command[Any]:
51         """

```

Listing 49: AI Provider Map and MCP Client Initialisation

```

173     model: str,
174     base_url: str,
175     api_key: str | None,
176     tools: Sequence[BaseTool | Callable[..., Any] | dict[str, Any]] | None = None,
177     middleware: Sequence[AgentMiddleware] | None = None,
178     debug: bool = False,
179     system_prompt: str | None = None,
180     response_format: Any = None, # noqa: ANN401
181 ) -> None:
182     """
183     Initializes the AiAgent and the connection to its backend model.
184     """
185     self.usage = UsageCallback()
186
187     if system_prompt is not None:
188         self.system_prompt = system_prompt
189
190     if tools is None:
191         tools = []
192
193     self.track_tool_call_middleware = TrackToolCallMiddleware(
194         tools_available=[tool.name for tool in tools] # type: ignore
195     )
196
197     middlewares: list[AgentMiddleware] = [self.track_tool_call_middleware]
198     if middleware is not None:
199         middlewares.extend(list(middleware))
200
201     if model == "gpt-oss:120b" and response_format is not None:
202         # Hack for gpt-oss:120b as langchain uses ProviderStrategy for this model, which fails.
203         response_format = ToolStrategy(response_format)
204
205     self.model = AiAgent.create_model(
206         provider,

```

Listing 50: create_ai_agent() Factory Function

B.18.2. AI Configuration

```
1 from __future__ import annotations
2
3 import dataclasses
4
5
6 @dataclasses.dataclass(kw_only=True)
7 class AiConfiguration:
8     """
9     Configuration for the AI agent backend.
10    """
11
12     provider: str
13     model: str
14     base_url: str
15     api_key: str | None = dataclasses.field(default=None)
```

Listing 51: AI Configuration Dataclass

```
6 @dataclasses.dataclass(kw_only=True)
7 class LokiConfiguration:
8     """
9     Configuration for logging to loki.
10    """
11
12     url: str
13     username: str
14     password: str
```

Listing 52: Loki Logging Configuration

```
15 @dataclasses.dataclass(kw_only=True)
16 class EmailConfiguration:
17     """
18     SMTP Configuration for sending emails.
19    """
20
21     host: str
22     port: int
23     encryption: EmailEncryptionType = EmailEncryptionType.NONE
24     username: str
25     password: str
26     sender: str
27     receiver: str
```

Listing 53: E-Mail Alerting Configuration


```
28 class EmailBackend:
29     """
30     Email Backend used for sending mails via SMTP.
31     """
32
33     backend: smtplib.SMTP | LoggerEmailBackend
34
35     def __init__(self, email_config: EmailConfiguration | None) -> None:
36         """
37         Set up the SMTP client with the correct configuration for encryption.
38         """
39         self.config = email_config
40         self._init_backend()
```

Listing 54: E-Mail Alerting Implementation

B.18.3. LangChain Tools

```
9 @tool # type: ignore[misc]
10 def host_configuration() -> dict[str, Any]:
11     """
12     Returns the host network configuration as a dictionary.
13
14     Use this tool first to understand the local network setup before running any scans or attacks.
15
16     The returned dictionary has the following structure:
17     {
18         "debug": bool,
19         "device": {
20             "id": str,
21             "name": str,
22             "description": str,
23             "configuration": {
24                 "network": {
25                     "ethernets": {
26                         "<interface_name>": {
27                             "name": str,
28                             "is_up": bool,          # False means the interface is DOWN, skip it
29                             "is_target": bool,       # True means this interface is used for attacks/scans
30                             "is_management": bool    # True means this interface is used for device access
31                             "addresses": {
32                                 "<cidr>": {
33                                     "ip": str,        # e.g. "10.10.10.5/24" - use this as nmap source IP
34                                     "is_target": bool,
35                                     "is_management": bool,
36                                 }
37                             },
38                         },
39                     },
40                 },
41             },
42         }
43     }
44
45     Guidance:
46     - Use `is_target=True` interfaces/IPs when running nmap scans or attacks
47     - Skip interfaces where `is_up=False`
48     - Use `is_management=True` interfaces for device access or data extraction
49     - `configuration` may be None if the device has not been configured yet
50     """
51     return asdict(config.scrub())
```

Listing 55: LangChain Tool: Host Configuration

```

10 @tool # type: ignore[misc]
11 def cli_tool(command: str, timeout: int = 120) -> tuple[int, str, str]:
12     """
13     Run an arbitrary CLI command and return its output.
14
15     Use nmap for network scanning, e.g.:
16     - "nmap -sV 10.10.10.1" (service version detection)
17     - "nmap -sC -sV -oN output.txt 10.10.10.1" (default scripts + versions)
18     - "nmap -p 1-1000 10.10.10.1" (port range)
19
20     Use nmap NSE scripts for targeted service enumeration with --script <name> or --script <cat>:
21     - Single script: "nmap --script http-title -p 80 10.10.10.1"
22     - Multiple:      "nmap --script http-title,http-headers -p 80,443 10.10.10.1"
23     - With args:     "nmap --script smb-security-mode --script-args smbuser=guest -p 445 10.10.10.1"
24
25     Service-to-script mapping – run these when the corresponding service is detected:
26     HTTP / HTTPS / http-alt (80, 443, 8080...):
27         http-title, http-headers, http-robots.txt
28         e.g. "nmap --script http-title,http-headers,http-robots.txt -p 80 10.10.10.1"
29
30     DNS / domain (53):
31         dns-zone-transfer, dns-brute
32         e.g. "nmap --script dns-zone-transfer,dns-brute -p 53 10.10.10.1"
33
34     SMTP / SMTPS (25, 465, 587):
35         smtp-commands, smtp-enum-users
36         e.g. "nmap --script smtp-commands,smtp-enum-users -p 25 10.10.10.1"
37
38     FTP (21):
39         ftp-anon, ftp-ls
40         e.g. "nmap --script ftp-anon,ftp-ls -p 21 10.10.10.1"
41
42     SMB / NetBIOS (139, 445):
43         smb-security-mode, smb2-security-mode
44         e.g. "nmap --script smb-security-mode,smb2-security-mode -p 139,445 10.10.10.1"
45
46     LDAP / LDAPS (389, 636):
47         ldap-rootdse
48         e.g. "nmap --script ldap-rootdse -p 389 10.10.10.1"
49
50     Workflow: first run -sV to detect services, then re-scan open ports with the
51     matching scripts above. Combine with -sV to keep version info:
52     "nmap -sV --script http-title,http-headers -p 80,443 10.10.10.1"
53
54     Use `apt install` if a cli tool is missing.
55     Args:
56         command: Full CLI command string to execute.
57         timeout: Max seconds to wait (default 120, increase for large scans).
58
59     Returns
60     -----
61     Tuple of (exit_code, stdout, stderr).
62     Exit code 0 means success. Check stderr on failure.
63     """
64     try:
65         completed_process = subprocess.run( # noqa: S603
66             shlex.split(command),
67             capture_output=True,
68             text=True,
69             check=True,
70             timeout=timeout,

```

Listing 56: LangChain Tool: CLI Tool

```
4 @tool # type: ignore[misc]
5 def human_interaction_hook(question: str) -> str:
6     """
7     Ask the human operator a question and return their answer.
8
9     Use this tool when you need information, confirmation, or guidance that
10    cannot be determined from the available tools or the current context.
11
12    Args:
13        question: The question or request to present to the human operator.
14
15    Returns
16    -----
17        The human operator's response as a string.
18    """
19    return input(f"[Human Input Required]\n{question}\n> ")
```

Listing 57: LangChain Tool: Human Interaction Hook

```
6 # Hardcoded for now!
7 grafana_link_template =
8     ↪ "https://grafana.hiube.ch/a/grafana-lokiexplore-app/explore/nsak_run_uuid/{run_uuid}/logs?var-ds=P8E80F9AEF21F6940&var-filters="
9 template = """
10 Scenario: %(scenario)s\n
11 Run ID: %(run_uuid)s\n
12 Datetime: %(timestamp)s\n
13 \n
14 See logs in Grafana: %(grafana_link)s\n
15 \n
16 -----\n
17 \n
18 %(message)s\n
19 \n
20 """
21
22 @tool # type: ignore[misc]
23 def send_email(
24     subject: str,
25     message: str,
26     cc_recipients: list[str] | None = None,
```

Listing 58: LangChain Tool: E-Mail Alerting

B.18.4. Scenario Implementations

```
1  """
2  Scenario endpoint for AI based network reconnaissance.
3  """
4  import logging
5
6  from nsak.core import create_ai_agent
7
8  logger = logging.getLogger(__name__)
9
10 async def run(prompt: str, interactive: bool = True) -> None:
11     """
12     Scenario, which runs an AI agent with a custom prompt in an interactive loop.
13
14     After each agent response the operator is prompted for the next instruction.
15     Enter an empty line or 'exit' to stop the session.
16
17     :return: None
18     """
19
20     logger.info("Starting scenario: AI Agent")
21
22     ai_agent = await create_ai_agent(interactive)
23     result = ai_agent.run_interactive(prompt)
24
25     async for line in result:
26         logger.warning(line)
```

Listing 59: Scenario: AI Agent - scenario.py

```
1  scenarios:
2    ai_agent:
3      id: ai_agent
4      name: AI Agent (custom prompt)
5      author: vonal3@bfh.ch
6      repository: https://gitlab.ti.bfh.ch/gausf1-vonal3/swiss-army-knife-network-sniffer
7
8    drills:
9
10   environments:
11
12   dependencies:
13     system:
14     python:
15
16   interface:
17     arguments:
18       prompt:
19         type: str
20       interactive:
21         type: bool
22         default: True
23     return_type: None
```

Listing 60: Scenario: AI Agent - scenario.yaml

```

1  """
2  Scenario endpoint for AI based network reconnaissance with structured output.
3
4  This currently works only with frontier models.
5  """
6  import json
7  import logging
8  from dataclasses import dataclass
9
10 from nsak.core import create_ai_agent, config, AiAgent
11 from nsak.core.network import EnumerateServicesResult
12 from nsak.core.network.enumerate_services_result import EnumerateServicesResultEntry
13 from nsak.core.scenario_results.ai_reconnaissance_scenario_result import AIReconnaissanceScenarioResult
14 from nsak.core.scenario_results.network_discovery_result import NetworkDiscoveryTable, NetworkDiscoveryRow
15 from nsak.core.scenario_results.reconnaissance_scenario_result import ReconnaissanceScenarioResult
16
17 logger = logging.getLogger(__name__)
18
19 reconnaissance_prompt_template = """
20 Steps:
21 1. Retrieve the network configuration with the `host_configuration` tool.
22 2. Discover all subnets, hosts and services with nmap on the following interface: %(interface)s
23 3. Enumerate all services based on the result of the network discovery result with service-specific nmap
   ↪ NSE scripts
24 4. Write a markdown formatted assessment of your findings
25 5. Return the result as structured output: AIReconnaissanceAssessmentResult
26
27 """
28
29 @dataclass(frozen=True, kw_only=True)
30 class AIReconnaissanceAssessmentResult:
31     """
32     Adhoc result type.
33     """
34     result: ReconnaissanceScenarioResult
35     assessment: str
36
37 async def run_reconnaissance_agent(
38     interface: str,
39     interactive: bool = False,
40 ) -> tuple[AIReconnaissanceAssessmentResult, AiAgent]:
41     """
42     Run an agent which returns a NetworkDiscoveryResultMap.
43     """
44     prompt = reconnaissance_prompt_template % {"interface": interface}
45
46     if interactive:
47         prompt += "\n5. Use the `human_interaction_hook` tool to allow the operator to execute followup
   ↪ steps."
48
49     agent = await create_ai_agent(
50         interactive,
51         response_format=AIReconnaissanceAssessmentResult,
52     )
53     result = await agent.ainvoke(prompt)
54
55     structured_response = result.get("structured_response")
56
57     if structured_response is None:
58         response = result.get("messages", [])[0].content
59         logger.warning("The value `result.structured_response` in `run_reconnaissance_agent` was None. Last
   ↪ message was %s (%s)." % (response, type(response)))
60         logger.info("Try parsing the last response with `json.loads`.")
61         try:
62             data = json.loads(response)
63             rows = [NetworkDiscoveryRow(**row) for row in
   ↪ data["result"]["network_discovery_table"]["rows"]]
64             results = [EnumerateServicesResultEntry(**result) for result in
   ↪ data["result"]["enumerate_services_result"]["results"]]
65             structured_response = AIReconnaissanceAssessmentResult(
66                 result=ReconnaissanceScenarioResult(
67                     network_discovery_table=NetworkDiscoveryTable(rows=rows),
68                     enumerate_services_result=EnumerateServicesResult(results=results)
69                 ),
70                 assessment=data["assessment"]
71             )
72             logger.info("Successfully parsed the last message with `json.loads`.")
73         except Exception as e:
74             logger.exception("Error while trying to parse the last message with `json.loads`.", exc_info=e)
75             raise ValueError("Could get structured output from response!")
76
77     return structured_response, agent
78
79
80 async def run(interface: str, interactive: bool = False) -> AIReconnaissanceScenarioResult:
81     """
82     Scenario, which conducts AI-based network reconnaissance.
83     """
84
85     logger.info("Starting scenario: AI Reconnaissance")
86
87     if config.ai is None:
88         raise ValueError("config.ai must be configured!")

```

```
1 scenarios:
2   ai_reconnaissance:
3     id: ai_reconnaissance
4     name: AI Reconnaissance
5     author: vonal3@bfh.ch
6     repository: https://gitlab.ti.bfh.ch/gausf1-vonal3/swiss-army-knife-network-sniffer
7
8     drills:
9
10    environments:
11      - simple_tcp_client_server
12
13    dependencies:
14      system:
15      python:
16
17    interface:
18      arguments:
19        interface:
20          type: str
21        interactive:
22          type: bool
23          default: False
24      return_type: AIReconnaissanceScenarioResult
```

Listing 62: Scenario: AI Reconnaissance - scenario.yaml

```

1  """
2  Scenario endpoint for AI based intrusion detection.
3  """
4  import logging
5  import subprocess
6
7  from nsak.core import create_ai_agent, DrillManager
8  from nsak.core.network import NetworkDiscoveryResultMap
9
10 logger = logging.getLogger()
11
12 PACKET_COUNT = 200
13 CAPTURE_DURATION = 60 # seconds
14 PROMPT_TEMPLATE = """
15 You are analyzing network traffic for intrusion detection on interface %(interface)s.
16
17 Network Discovery Result Map:
18 %(host_discovery_result_map)s
19
20 Captured packets (CSV):
21 %(csv_summary)s
22
23 Identify at most 5 suspicious events if any. For each, output:
24 - src/dst IP and MAC
25 - protocol
26 - reason it is suspicious
27
28 Identify malicious hosts (MAC and/or IP) if any.
29
30 Be concise. Do not repeat packet data.
31 """
32
33 async def run(interface: str, interactive: bool = False) -> None:
34     """
35     Scenario, which listens to network traffic and tries to detect intruders.
36
37     :return: None
38     """
39     logger.info("Starting scenario: AI Intrusion Detection")
40
41     host_discovery_result_map: NetworkDiscoveryResultMap = DrillManager.execute("discover_hosts",
42                                         ↪ interface=interface)
43
44     # Capture traffic and extract fields including MAC addresses
45     result = subprocess.run(
46         [
47             "tshark",
48             "-i", interface,
49             "-c", str(PACKET_COUNT),
50             "-a", f"duration:{CAPTURE_DURATION}",
51             "-n",
52             "-T", "fields",
53             "-e", "frame.number",
54             "-e", "eth.src",
55             "-e", "eth.dst",
56             "-e", "ip.src",
57             "-e", "ip.dst",
58             "-e", "tcp.dstport",
59             "-e", "udp.dstport",
60             "-e", "frame.protocols",
61             "-e", "frame.len",
62             "-E", "header=y",
63             "-E", "separator=",
64         ],
65         capture_output=True,
66         text=True,
67         timeout=CAPTURE_DURATION + 10,
68     )
69     csv_summary = result.stdout.strip()
70
71     if not csv_summary:
72         logger.info("No relevant traffic captured.")
73         return
74
75     prompt = PROMPT_TEMPLATE % {
76         "interface": interface,
77         "host_discovery_result_map": host_discovery_result_map.as_table(),
78         "csv_summary": csv_summary,
79     }
80
81     ai_agent = await create_ai_agent(interactive)
82     result = ai_agent.run(prompt)
83
84     async for line in result:
85         logger.warning(line)

```

Listing 63: Scenario: AI Intrusion Detection - scenario.py

```
1 scenarios:
2   ai_intrusion_detection:
3     id: ai_intrusion_detection
4     name: AI Intrusion Detection
5     author: vonal3@bfh.ch
6     repository: https://gitlab.ti.bfh.ch/gausf1-vonal3/swiss-army-knife-network-sniffer
7
8     drills:
9
10    environments:
11      - simple_tcp_client_server
12
13    dependencies:
14      system: [ tshark ]
15      python:
16
17    interface:
18      arguments:
19        interface:
20          type: str
21        interactive:
22          type: bool
23          default: False
24      return_type: None
```

Listing 64: Scenario: AI Intrusion Detection - scenario.yaml

B.19. Media Deliverables

B.19.1. Poster




Figure B.39.: Media Deliverable: Poster

B.19.2. Book

Nsak as a Framework for Agentic-AI enhanced Network Security

Degree programme: BSc in Computer Science
Specialisation: IT Security
Thesis advisor: Prof. Hansjürg Wenger
Expert: Urs Keller

This thesis investigates whether Agentic-AI can effectively automate and enhance network security scenarios within the NSAK framework, a modular Python-based cybersecurity orchestration platform for purple teams.

Introduction

Red and blue team exercises are established cybersecurity practices, yet they remain largely inaccessible to small- and medium-sized organizations due to the expertise and recurring effort these practices demand. We present an approach that combines **LLMs** with existing network security tools to reduce knowledge barriers and time investment. Concretely, we integrated an **AI agent** with tool-calling capabilities into the **NSAK framework** - a network security test automation framework established in our preceding work - and developed an agentic network reconnaissance scenario. We evaluated its effectiveness across models of varying size, benchmarking it against a scripted scenario in a reproducible network environment.

Technical Specification

The agent is implemented using **LangChain**, an open-source agent framework. Three models are benchmarked across n runs in a virtual container lab and the BFH network security lab: a frontier model, claude-opus-4-7; an institutionally hosted open-weight model, gpt-oss:120b; and a locally hosted open-source model, qwen3:30b, via Ollama. The evaluation further compares **single-** and **multi-agent** configurations, including the use of **structured output** to ensure consistent and parsable responses.

Conclusion

The results show that even smaller models can autonomously perform standard red team activities. The **AI-driven approach** demonstrates a clear advantage over scripted counterparts. The agent assesses results, generates reports with prioritized findings, and classifies steps to address vulnerabilities. This work highlights the emerging capabilities of LLMs, making cybersecurity use cases more accessible and cost-effective.

Index Terms:


AI-Driven Cybersecurity, Large Language Models, Network Security Automation Framework



Frank Erich Gauss



Lukas Christian von Allmen



Physical-Environment





Figure B.40.: Media Deliverable: Book

B.19.3. Video

B.19.4. Slides: Public Presentation

B.19.5. Slides: Defense Presentation

Add a link to the video or describe where it can be found

Add the slides of the public presentation

Add the slides of the defense presentation