

Advancing Critical Care through Data Science

L. Nelson Sanchez-Pinto, MD, MBI*

*Departments of Pediatrics (Critical Care)
and Preventive Medicine (Biomedical Informatics)
Northwestern University - Feinberg School of Medicine



Disclosure/Conflict of Interest

- ✓ No relevant financial disclosures
- ✓ Funding from NIH/NICHD for data science research

<https://github.com/nsanchezpinto/SCCM2020>

Learning Objectives

- Discuss **6 things to consider** when implementing **data-driven systems in critical care**
- Propose a **simple framework to build successful data-driven systems** to improve care

NOTE: This discussion is focused on **supervised learning algorithms** (AKA **predictive analytics** or **clinical prediction models**)

6 things to consider when implementing data-driven systems in critical care




1. The “fundamental theorem” of biomedical informatics still applies

Viewpoint Paper ■

A “Fundamental Theorem” of Biomedical Informatics

CHARLES P. FRIEDMAN, PhD

J Am Med Inform Assoc. 2009;16:169–170. DOI 10.1197/jamia.M3092.




“The complexity of modern medicine exceeds the inherent limitations of the unaided human mind”
- David Eddy, 1990

Corollaries:

1. It's **more about people than technology**
2. The technology **must offer something** that the person does not already know or have
3. Its success depends on an **effective interaction** between **person and technology**

2. It's important to understand the clinical problem, and then work backwards



2. It's important to understand the clinical problem, and then work backwards

QUESTIONS WE MAY CONSIDER:

- What are we trying to solve? →

Event is frequent enough?
Easy to identify electronically?
- How can we solve it? →

Another alert? A stratification?
Is it actionable? Is it useful?
- Who needs the decision support? →

Physician? Nurse? RT? Patient?
- Where in the workflow does this make sense? →

Make it easy to do the right thing
- What are the possible unintended consequences? →

Consider FMEA


2. It's important to understand the clinical problem, and then work backwards

- Plenty of “low-hanging fruit” ICU problems:

- ✓ Reduce X-rays and lab tests
- ✓ Shorten empiric antibiotics




- Hard, non-specific problems (e.g. sepsis, readmissions) are important but can be frustrating



3. The prediction model will only be as good as the data (Garbage In = Garbage Out)

- Consider the type, amount, and quality of data available:



[Contemporary Reviews in Critical Care Medicine]



Big Data and Data Science in Critical Care

L. Nelson Sanchez-Pinto, MD; Yuan Luo, PhD; and Matthew M. Churpek, MD, PhD

3. The prediction model will only be **as good as the data** **(Garbage In = Garbage Out)**

- **Data quality + adequacy checks:**
 - ✓ Conformance
 - ✓ Completeness
 - ✓ Plausibility
 - ✓ Relevancy
 - ✓ Timeliness
- “Clean” the data but **be pragmatic!**
Models need to work in real life



4. When choosing an ML/AI algorithms, **interpretability is still important** (...as long as the model is accurate)

VIEWPOINT

Clinical Decision Support in the Era of Artificial Intelligence

JAMA December 4, 2018 Volume 320, Number 21

**Stop explaining black box machine
learning models for high stakes decisions
and use interpretable models instead**



Nature Machine Intelligence 1, 206–215(2019)

“Black boxes are unacceptable: A decision support system requires **transparency** so that users “**Trying to explain** black box models, rather than creating models that are *interpretable* in the first place, is likely to **perpetuate bad practices** and can potentially cause catastrophic harm”

4. When choosing an ML/AI algorithms, **interpretability is still important** (...as long as the model is accurate)


Consider:

- **Rashomon Effect:** Multiplicity of good models
- **Occam's Razor:** Balance simplicity and accuracy



5. Use performance measures for the real world (and validate them!)

- AUCs are not always useful or reflect real-world use cases
- Precision-Recall Curves can be very useful for infrequent events
- Consider the “number needed to alert” ($NNA = 1/PPV$)



5. Use performance measures for the real world (and validate them!)

Crystal Balls and Magic Eight Balls: The Art of Developing and Implementing Automated Algorithms in Acute Care Pediatrics*


Pediatric Critical Care Medicine

December 2019 • Volume 20 • Number 12

NNA at an Acceptable Sensitivity	Examples of Alert Workflows and Interventions to Consider at the Different NNA Performance Levels
< 5	Tier 1 Confirmatory testing, if available Escalation to higher level of care, if needed Early therapeutic intervention if warranted
5 to 10	Tier 2 Bedside evaluation and escalation to tier 1 if needed Training centered around individual at-risk patients Just-in-time team-based simulations
> 10	Tier 3 Increased team situational awareness through structured communication tools (3), standardized handoffs, and huddles More frequent assessments and escalation to tier 1 or 2 as needed

NNA = number needed to alert.
The NNA cutoffs, sensitivity level, and interventions used here are only illustrative and will change based on the clinical problem and resources available.

5. Use performance measures for the real world (and validate them!)





→ NNA ~ 8
= “Alert” = huddle


→ NNA ~ 15
= “Aware” = no alert

6. Finally: implement, study, and iterate (the last mile is the most important!)

- Decision support implementations are **more about people than technology**
- Many ways to **study effectiveness** (but pick one!):
 - Single-arm intervention study
 - Cluster RCT
 - QI, control charts
- Monitor model performance and clinician acceptability/action
- If needed: rinse and repeat




A simple framework to build successful data-driven systems in critical care



- (1) Develop and validate **accurate models/algorithms** by using **better data**, use **actionable thresholds** for **specific, modifiable events**
- (2) Design **effective decision support systems** that meet the **clinician's needs**, integrate into **workflow**
- (3) Study **effectiveness**, monitor **performance**, get **feedback**, **improve system**

THANK YOU



Society of
Critical Care
The Intensive Care Professi

<https://github.com/nsanchezpinto/SCCM2020>

