Group Members:

Subhajit Ganguly, JIS College of Engineering, 12300111101 Subhrangshu Chauduri, JIS College of Engineering, 12300111104 Subhro Dutta, JIS College of Engineering, 12300111105 Sukanta Sharma, JIS College of Engineering, 12300111109 Vikash Singh, JIS College of Engineering, 12300111123

Rupert Ka Som (Scholar Control of Control of

Table of Contents

Acknowledgement	3
Project Objective	4
Project Scope	5-6
Requirement Specification	7-9
Database Design	10
Application Work Flow	11
Screenshots	12-21
Future Scope of Improvements	22
Code	23-78
Certificate	79-83

Acknowledgement

First of all we would like to thank God as finally we were able to finish our project that was given to us. This task had been done with all effort by our group members.

We were able to adapt properly and wisely. Besides that, big thank we address to our course lecturer because without his guidance our project could not be done properly like this.

I take this opportunitytoexpress my profound gratitude and deep regards tomy faculty (Mr. Rupesh Kumar Shaw) for his exemplaryguidance, monitoring and constant encouragement throughoutthecourseofthisproject. The blessing, helpandguidancegivenby him/hertime to time shall carry me a long way in the journey of life on which I am about to embark.

I am obliged to myproject teammembers for the valuable information provided bythem in their respective fields. I am grateful for their cooperation during the period of my assignment.

This project has been a great learning curve for us which will surely hold us in good stead in the upcoming years of our life.

Finally we would like to extend our thanks to the whole Globsyn Skills fraternity for this truly memorable one month of our life.

Subhajit Ganguly, JIS College of Engineering, 12300111101 Subhrangshu Chauduri, JIS College of Engineering, 12300111104 Subhro Dutta, JIS College of Engineering, 12300111105 Sukanta Sharma, JIS College of Engineering, 12300111109 Vikash Singh, JIS College of Engineering, 12300111123

Ruperli Ka John (Storow VIII)

Project Objective

Online shopping is the process whereby consumers directly buy goods, services etc. from a seller interactively in real-time without an intermediary service over the Internet. If an intermediary service is present the process is called electronic commerce. An online shop, e-shop, e-store, internet shop, web shop, web store, online store, or virtual store evokes the physical analogy of buying products or services at a bricks-and-mortar retailer or in a shopping mall.

The metaphor of an online catalog is also used, by analogy with mail order catalogs. All types of stores have retail web sites, including those that do and do not also have physical storefronts and paper catalogs. Online shopping is a form of electronic commerce used for business-to-business (B2B) and business-to-consumer (B2C) transactions.

Basically E-Purchasing Requisition System is use of the Internet for our day to day needs. E-purchasing mainly extends to Online-Shopping of the different amenities required in our life. Online shopping is of massive help in this country where we can sit in our homes and order different stuff through the internet, and then within a couple of days the order will reach your destination.

This project of ours has tried to replicate the above idea into a thoughtfully designed website that will surely be of great help to the outside world.

This software which helps you to do the major part of online shopping by using this site and can be Managed by online; you (or the Customer) can do the all major transaction in a secured way. Here the customer will feel a virtual shopping by adding the selected product to his cart in addition to that; he can also does bulk addition into the cart before purchasing. This all options are done by session management. To ensure the authentication of the customer, He She must have to register before proceeding. It provides following standard features of any e-commerce web site:

Ruperh Ka Som (Kolkata) (Kolkata) (Kolkata)

Project Scope

This project of E-Purchase Requisition System is one of widespread recognition. In every field of life this project has usage. A person can get hold of all the necessary needs in the daily life if for some reason the person is unable to get hold of them physically.

The project can be seen a epitome of the Online Shopping project which is very user-friendly and easy to use. The instructions in our website are very attractive and will provide the perfect workflow to getting hold of that particular thing that one maybe searching for.

This project has great prospect because of the features of the project which may be illustrated in the points below:

- 1. Organized structure separating three separate entities namely the admin, the salesman and finally the customer or visitor or the user.
- 2. Wide range of the products to choose and search and compare and then to make the decision providing ample time to get hold of the product which matches the features to the fullest extent.
- 3. Organizing a shopping cart for each particular user to put the products in and remove them when desirable.

This project have a wide future scope of improvement in that obviously many new products can be added to the database to extend the variety of amenities that are available in the website. Moreover the PayPal system can be widely implemented to get the website into full flow. Certain other structural modifications to be made and then we will be good to go big time.

- Online stores are usually available 24 hours a day, and many consumers have Internet access both at work and at home.
- Other establishments such as internet cafes and schools provide access as well. A visit to a
 conventional retail store requires travel and must take place during business hours.
- Searching or browsing an online catalog can be faster than browsing the aisles of a physical

store.

- One can avoid crowded malls resulting in long lines, and no parking. Consumers with dial-up
 Internet connections rather than broadband have much longer load times for content-rich web
 sites and have a considerably slower online shopping experience.
- Some consumers prefer interacting with people rather than computers because they find computers hard to use.
- Not all online retailers have succeeded in making their sites easy to use or reliable. On the other
 hand, a majority of stores have made it easy to find the style one is looking for, as well as the
 price range that is acceptable making the shopping experience quick and efficient.
- The internet has made shopping an almost effortless task.

Rupert Ka John (Septending) Kalkala (Kalkala)

Requirement Specification

Domain Description

Q>What is E-Purchasing requisition system? Who are the main players?

Ans:The term E-Purchasing basically refers to reducing of work load for buying or collecting commercial or other valuable items from the market or wherever it is found in the physical environment. Instead the E-Purchasing requisition system allows a user to sit in his own home and buy items right through his or her computer with the help of the Internet through a website and with or without a credit card (maybe availing the cash on delivery feature). So any individual user can avail this technology more commonly can be termed as Online Shopping technology where in a website the user chooses the items and buys those items instantly with the help of the debit cards. Within a couple of days the item that is specifically ordered by the user would reach the house of the user. This is basically the functionality of the E-purchasing or Online or E-Shopping System.

Basically in the website there are three main players. They are the Administrator of the website, the salesman whose items are being sold in the website and finally the end-user who browses the items to buy.

•Problem Definition:

Q>Why should anyone take our project? What are the basic advantages of our project?

Ans>Our project or site can provide the interface to buy with the add-ons which are not available on any physical stores.

These are the top five reasons to shop online. Many people browse through popular ecommerce stores and search engines to find whatever they are looking for. While there are some disadvantages to buying products online, there are many more advantages and benefits. These are the top five reasons to shop online.

Better Prices

The vast majority of online stores offer prices that are much lower than what you will find at a physical store. There are a few reasons for this. The first is because many people use the Internet to find cheaper items. Online business owners understand this. They will usually reduce their profit margin to get more customers.

Another reason is because you can easily browse through dozens of different websites to find the best price. You can do the same at a mall, but it would take about an hour or longer. You also may not be taxed because most ecommerce stores won't tax you unless they are stationed in your state.

Convenience

Shopping online is convenient. You don't need to get dressed and drive to your favourite store. You can easily visit their website, find the product you want and buy it without getting out of your pyjamas. It's also convenient because you don't need to wait for the store to open.

If you work irregular hours or are very busy, then you probably don't have the time to visit the store. Shopping online allows you to buy things without hurting your schedule.

Variety

Most physical stores have a limited array of products. They can only hold so many items, and there are often many policies affecting the availability of products. For example, there might be a certain item that is only available to those versions of the business that exist in the mall.

Shopping online allows you to find many products that you wouldn't be able to find in a physical store. You can also buy products that may not logically go together like candy canes and quilts.

•Functional Requirements:

Ans>The basic functionalities of the three main players of our website are as given below:

ADMIN:

- 1. The Admin is the creator of the website and is the most powerful.
- 2. Admin has the power to add a salesman.
- 3. The admin has hold of all the salesman records and the details.
- 4. The admin also has the power to add the different items in the website for display and to be bought by the user.
- 5. The admin can temporarily activate and can also deactivate a salesman from entering his or her account due to some unforeseen circumstances if so the the need arises.

SALESMAN:

- **1.** The salesman is introduced to the website by the admin.
- 2. The salesman can view all the items that are included by the admin said by him.
- 3. The salesman can view all the users that have bought the items of the particular salesman.
- **4.** The salesman can obtain the details of the transactions infected to buy each item from that particular user.

USER:

- 1. The end-user is the visitor to the particular website i.e. the client side.
- 2. The user logs in to the website with a unique user id and the password.

- 3. The user can view the whole product gallery of all the items that are present in the website.
- **4.** After thorough searching and matching the user's requirements the user decides to buy the products by adding the particular item to the card and making the payment of the same.

• Hardware/Software Requirements:

Client Side:

- 1. CPU: Intel i3 or higher
- 2. RAM: 2 GB or higher
- 3. Operating system: Windows 7 or Higher version
- 4. Browser: Mozilla Firefox, Google Chrome
- 5. Hard Disk 50 GB Free Space


Server Side:

- 1. Microsoft Visual Studio 2010 or higher.
- 2. Microsoft SQL Server 2010 Express.
- 3. IIS 7 or higher.
- 4. .NET Framework 3.5


Ruperh Ka Jam (Se Kolkata)


Database Design

(This section describes the Entity Relationship (ER) Diagram and description of the table structure)










Application Work Flow



Rubert Ka Jam (State of Kolkata)

Screenshots


(This section contains the important screenshots of the application)


HOME PAGE



Rupert Ka John (*Kolkata) (**)

LOGIN PAGE






ADD NEW ITEM (ADMIN)

Welcome AddItemType AddItems AddItemDetails ProductDetails Add Salesman View Salesman LogOut
AddNewItemTypes
Enter Item Type:
Add
Delete Productid ProductName CreatedDate
<u>delete</u> 1 Electronics 7/8/2014 1:33:30 PM
Unline Shopping Carl
Welcome AddItemType AddItems AddItemDetails ProductDetails Add Salesman View Salesman LogOut
Add Items
Select Item Type:select
Item for :
Add
Delete ItemId ProductName ItemFor CreatedDate
delete 1 Electronics Mobile 7/8/2014 1:33:43 PM
Delete ItemId ProductName ItemFor CreatedDate delete 1 Electronics Mobile 7/8/2014 1:33:43 PM

Ruperh Ka Som (Control Control Control

AVAILABLE PRODUCT DETAILS



Rupert Ka Som (Kolkata) 2 (Kolkata) 2 (Ko


AVAILABLE PRODUCT DETAILS






Rubert Ka Sow (Sevelogge Kolkata) (Sevelogge Kolkata) (Sevelogge Kolkata)

SALESMAN DETAILS







ADD ITEM DETAILS

/	A \								
Welcome A	ddItemType	AddItems	AddItemDetails	ProductDetails	Add Salesman	View Salesman	LogOut		
	Ado	d Item Deta	ils						
Select item type	select ▼								
:									
Item for :	•								
Brand name :									
Upload image :	Choose File No	o file chosen						('01	m
Cost:								Ua.	U
Description:			h						
	Δdd								

Rupert Ka Son (Kolkata)

SHIPPING AND PAYMENT



Rupert Ka Low (Kolkata) (K

USER SIGNUP PROFILE



Rupert Ka John (Kolkata) (Kolkata) (Kolkata)

SALESMAN FUNCTIONS



Future Scope of Improvements

The project "E-Purchasing Requisition" is something like the original grocery shop shopping cart that

is used by the customer in selecting certain products. Finally after selection the customer confirms

orders for all the purchasing items and submits his/her account details with tax information at the

checkout counter.

Shopping cart is used around the world in e-commerce to manage business through online. There are

different kinds of software available that are useful for all in making purchase online. Through this

software, one can choose the purchasing item and the software calculates the net amount for the order

including packaging, moving and also taxes if applicable.

The software collects the credit card information of the customer and it provides a secure gateway for all

kinds of transaction online. The shopping cart software provides a reliable platform for keeping all

sensitive information. For this kind of online business, the special software must be installed on the

server which host the site, or on a secure server which receives all sensitive data.

Shopping cart software is its **security** as better security can attract customer by protecting their personal

information. Security features include encrypting information and using a reputable processing service

for credit cards.

Using certain add-ons like that of the PayPal system in the future will further enhance the reputation of

the website.

Rupert Ka Som (Contacts) (Kolkata) (

Code:

AddItemDetails.aspx

```
<%@
       Page
              Language="C#"
                            MasterPageFile="~/MasterPage2.master"
                                                       AutoEventWireup="true"
CodeFile="AddItemDetails.aspx.cs" Inherits="Admin_AddItemDetailst" Title="Add New Product type details" %>
<asp:Content ID="Content1" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<div style="text-align: center">
<strong>Add Item Details</strong>
Select item type :
<asp:DropDownList
                   ID="DropDownList1"
                                                         AutoPostBack="True"
                                        runat="server"
OnSelectedIndexChanged="DropDownList1_SelectedIndexChanged"
        Style="position: static">
</asp:DropDownList>
<asp:Label ID="Label1" runat="server" Style="position: static" Width="232px"></asp:Label>
Item for :
<asp:DropDownList ID="DropDownList2" runat="server" Style="position: static">
</asp:DropDownList>
Brand name :
<asp:TextBox ID="TextBox1" runat="server" Style="position: static"></asp:TextBox>
Upload image :
<asp:FileUpload ID="FileUpload1" runat="server" Style="position: static" />
```

Rupert Kn Som (Scholas) (S

```
<td style="width: 100px; height: 26px"
     Cost :
<asp:TextBox ID="TextBox2" runat="server" Style="position: static"></asp:TextBox>
Description :
<asp:TextBox ID="TextBox3" runat="server" Style="position:</pre>
                                  Height="47px"
                                          TextMode="MultiLine"
                              static"
Width="267px"></asp:TextBox>
<asp:Button ID="Button1" runat="server" Font-Bold="True" Style="position: static"
      Text="Add.." OnClick="Button1 Click" />
</div>
</asp:Content>
```

AddItemDetails.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security:
```

Ruperh Ka Low (2000 Kolkata)

```
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin_AddItemDetailst : System.Web.UI.Page
  SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
  SqlDataAdapter da;
  DataSet ds;
protected void Page_Load(object sender, EventArgs e)
if (con.State == ConnectionState.Closed)
con.Open();
if (Page.IsPostBack != true)
GetItemType();
private void GetItemType()
da = new SqlDataAdapter("select pid,productname from tbl_products", con);
ds = new DataSet();
da.Fill(ds, "tbl_product");
if (ds.Tables.Count > 0 && ds.Tables["tbl_product"].Rows.Count > 0)
       DropDownList1.DataSource = ds.Tables["tbl_product"];
       DropDownList1.DataTextField = "productname";
       DropDownList1.DataValueField = "pid";
DropDownList1.DataBind();
DropDownList1.Items.Insert(0, "--select--");
protected void DropDownList1_SelectedIndexChanged(object sender, EventArgs e)
if (DropDownList1.SelectedIndex > 0)
                           SqlDataAdapter("select
                                                        itemid, itemfor
                                                                                       tbl_itemsofproduct
                                                                            from
                                                                                                               where
pid="+Convert.ToInt32(DropDownList1.SelectedValue.ToString())+" ", con);
ds = new DataSet();
da.Fill(ds, "tbl_iofproduct");
if (ds.Tables.Count > 0 && ds.Tables["tbl_iofproduct"].Rows.Count > 0)
         DropDownList2.DataSource = ds.Tables["tbl_iofproduct"];
         DropDownList2.DataTextField = "itemfor";
         DropDownList2.DataValueField = "itemid";
DropDownList2.DataBind();
DropDownList2.Items.Insert(0, "--select--");
                           Rupert Ka Jam ( Kolkata
         Label1.Text = "".
```

```
else
         Label1.Text = "There are no items for: " + DropDownList1.SelectedItem.Text;
DropDownList2.Items.Clear();
DropDownList2.Dispose();
protected void Button1_Click(object sender, EventArgs e)
if (FileUpload1.PostedFile.ContentLength > 0 && FileUpload1.HasFile == true)
string filename = Guid.NewGuid().ToString().Substring(0, 10) + "" + FileUpload1.PostedFile.FileName.Remove(0,
FileUpload1.PostedFile.FileName.LastIndexOf("."));
FileUpload1.SaveAs(Server.MapPath("~/Allproductitems/" + filename.ToString()));
string imgpath = "~/Allproductitems/" + filename.ToString();
       da = new SqlDataAdapter("insert into tbl productitemdetails(pid,itemid,brandname,imagepath,cost,description,cdate)
values("
                                Convert.ToInt32(DropDownList1.SelectedValue.ToString())
+Convert.ToInt32(DropDownList2.SelectedValue.ToString()) + ","" + TextBox1.Text + "',"" + imgpath.ToString() + "'," +
Convert.ToDecimal(TextBox2.Text) + "," + TextBox3.Text + "',getdate())", con);
int n = da.SelectCommand.ExecuteNonQuery();
if (n == 1)
         TextBox3.Text = "";
         TextBox2.Text = "";
         TextBox1.Text = "":
         DropDownList1.SelectedIndex = 0;
         DropDownList2.SelectedIndex = 0;
Response.Redirect("~/admin/productdetails.aspx");
```

AddItems.aspx

```
<%@
                Language="C#"
                               MasterPageFile="~/MasterPage2.master"
                                                               AutoEventWireup="true"
CodeFile="AddItems.aspx.cs" Inherits="Admin_AddItems" Title="Add Product item for" %>
<asp:Content ID="Content1" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<div style="text-align: center">
<strong>Add Items</strong>
Select Item Type :
<asp:DropDownList ID="DropDownList1" runat="server" Style="position: static">
                  Rupert Ka Som
```

```
</asp:DropDownList>
Item for :
<asp:TextBox ID="TextBox1" runat="server" Style="position: static"></asp:TextBox>
<asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Style="position: static"</pre>
          Text="Add.." Font-Bold="True" />
<asp:GridView ID="GridView1" runat="server" CellPadding="4" ForeColor="#333333" GridLines="None"
          Style="position:
                             static"
                                          AutoGenerateColumns="False"
                                                                         AllowPaging="True"
OnRowDeleting="GridView1_RowDeleting" OnPageIndexChanging="GridView1_PageIndexChanging">
<FooterStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />
<RowStyle BackColor="#EFF3FB" />
<EditRowStyle BackColor="#2461BF" />
<SelectedRowStyle BackColor="#D1DDF1" Font-Bold="True" ForeColor="#333333" />
<PagerStyle BackColor="#2461BF" ForeColor="White" HorizontalAlign="Center" />
<HeaderStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />
<a href="mailto:</a> <a href="AlternatingRowStyle BackColor="White" />
<Columns>
<asp:TemplateField HeaderText="Delete">
<ItemTemplate>
<asp:LinkButton ID="delete" runat="server" Text="Delete" CommandName="Delete"></asp:LinkButton>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="ItemId">
<ItemTemplate>
<asp:Label ID="itemid" runat="server" Text='<%#Eval("itemid") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
                    Rupesh Ka Som (
<asp:TemplateField HeaderText-"ProductName">
```

```
<ItemTemplate>
<asp:Label ID="pname" runat="server" Text='<%#Eval("productname") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="ItemFor">
<ItemTemplate>
<asp:Label ID="itemfor" runat="server" Text='<%#Eval("itemfor") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="CreatedDate">
<ItemTemplate>
<asp:Label ID="cdate" runat="server" Text='<%#Eval("cdate") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
</Columns>
<EmptyDataTemplate>
<strong>There are no Item Deatils.</strong>
</EmptyDataTemplate>
</asp:GridView>
</div>
</asp:Content>
```

AddItems.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System. Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin_AddItems: System.Web.UI.Page
  SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
  SqlDataAdapter da;
  DataSet ds;
protected void Page_Load(object sender, EventArgs e)
                          Rupert Ka Jam ( Kolkata
if (con.State == ConnectionState.Closed)
```

```
con.Open();
if (Page.IsPostBack!=true)
GetItemType();
Getitemsfor();
    }
  }
private void GetItemType()
da = new SqlDataAdapter("select pid,productname from tbl_products", con);
ds = new DataSet();
da.Fill(ds, "tbl product");
if (ds.Tables.Count > 0 && ds.Tables["tbl_product"].Rows.Count > 0)
       DropDownList1.DataSource = ds.Tables["tbl product"];
       DropDownList1.DataTextField = "productname";
       DropDownList1.DataValueField = "pid";
DropDownList1.DataBind();
DropDownList1.Items.Insert(0, "--Select--");
private void Getitemsfor()
da = new SqlDataAdapter("select tip.itemid,tp.productname,tip.itemfor,tip.cdate from tbl_itemsofproduct tip inner join
tbl_products tp on tip.pid=tp.pid", con);
ds = new DataSet();
da.Fill(ds, "tbl_tip");
    GridView1.DataSource = ds.Tables["tbl_tip"].DefaultView;
GridView1.DataBind();
  }
protected void Button1_Click(object sender, EventArgs e)
if (TextBox1.Text != "")
                     new
                               SqlDataAdapter("insert
                                                                    tbl_itemsofproduct(pid,itemfor,cdate)values("
                                                           into
Convert.ToInt32(DropDownList1.SelectedValue.ToString()) + "," + TextBox1.Text + "',getdate())", con);
int n = da.SelectCommand.ExecuteNonQuery();
if (n == 1)
Getitemsfor();
         TextBox1.Text = "";
         DropDownList1.SelectedIndex = 0;
protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
    Label itemid = new I abel().
                            Rupesh Ka Som (6)
```

AddItemType.aspx

```
<%@
              Language="C#"
                           MasterPageFile="~/MasterPage2.master"
                                                     AutoEventWireup="true"
       Page
CodeFile="AddItemType.aspx.cs" Inherits="Admin_AddItemType" Title="Add new product type" %>
<asp:Content ID="c1" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
<div style="text-align: center">
<strong>AddNewItemTypes</strong>
Enter Item Type :
<asp:TextBox ID="TextBox1" runat="server" Style="position: static"></asp:TextBox>
<asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Style="position: static"
        Text="Add" Font-Bold="True" />
```

Rupert Ka Som (Kolkata) 2 Kolkata 2

```
<asp:GridView ID="GridView1" runat="server" CellPadding="4" ForeColor="#333333" GridLines="None"
                                     AutoGenerateColumns="False" OnRowDeleting="GridView1_RowDeleting"
            Style="position:
                            static"
AllowPaging="True" OnPageIndexChanging="GridView1_PageIndexChanging" >
<FooterStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />
<RowStyle BackColor="#EFF3FB" />
<EditRowStyle BackColor="#2461BF" />
<SelectedRowStyle BackColor="#D1DDF1" Font-Bold="True" ForeColor="#333333" />
<PagerStyle BackColor="#2461BF" ForeColor="White" HorizontalAlign="Center" />
<HeaderStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />
<a href="mailto:</a> <a href="AlternatingRowStyle BackColor="White" />
<Columns>
<asp:TemplateField HeaderText="Delete">
<ItemTemplate>
<asp:LinkButton ID="delete" runat="server" Text="Delete" CommandName="Delete"></asp:LinkButton>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Productid">
<ItemTemplate>
<asp:Label ID="pid" runat="server" Text='<%#Eval("pid") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="ProductName">
<ItemTemplate>
<asp:Label ID="pname" runat="server" Text='<%#Eval("productname") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="CreatedDate">
<ItemTemplate>
<asp:Label ID="cdate" runat="server" Text='<%#Eval("cdate") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
</Columns>
<EmptyDataTemplate>
<strong>There no Item Type Available.</strong>
</EmptyDataTemplate>
</asp:GridView>
</div>
</asp:Content>
```

Ruperl Kn Som (Calkata) (C

AddItemType.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System. Web. Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin_AddItemType : System.Web.UI.Page
  SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
  SqlDataAdapter da;
  DataSet ds;
protected void Page_Load(object sender, EventArgs e)
if (con.State == ConnectionState.Closed)
con.Open();
if (Page.IsPostBack != true)
GetItemTypes();
  }
private void GetItemTypes()
da = new SqlDataAdapter("select pid,productname,cdate from tbl products", con);
ds = new DataSet();
da.Fill(ds, "tbl product");
    GridView1.DataSource = ds.Tables["tbl_product"].DefaultView;
GridView1.DataBind();
protected void Button1_Click(object sender, EventArgs e)
da = new\ SqlDataAdapter("insert\ into\ tbl\_products(productname,cdate)values(""+TextBox1.Text+"",getdate())",con);
int n= da.SelectCommand.ExecuteNonQuery();
if (n == 1)
    {
GetItemTypes();
       TextBox1.Text = "";
    }
protected void GridView1 RowDeleting(object sender. GridViewDeleteEventArgs e)
```

Repert Ka John (Scholars)

```
{
    Label pid = new Label();

pid = (Label)GridView1.Rows[e.RowIndex].Cells[1].FindControl("pid");

if (pid.Text != "")
    {
    da = new SqlDataAdapter("delete from tbl_products where pid=" + Convert.ToInt32(pid.Text) + " ", con);

in n = da.SelectCommand.ExecuteNonQuery();

if (n == 1)
    {
    GetItemTypes();
    }
  }
}

protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
  {
    GridView1.PageIndex = e.NewPageIndex;

GetItemTypes();
  }
}
```

addsalesman.aspx

```
<%@
                  Language="C#"
                                    MasterPageFile="~/MasterPage2.master"
                                                                        AutoEventWireup="true"
         Page
CodeFile="addsalesman.aspx.cs" Inherits="Admin_addsalesman" Title="Untitled Page" %>
<asp:Content ID="Content1" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<td align="center" colspan="3"
style="font-weight: bolder; font-size: 16px; background-color: #008000">
       Sales Man Details
<td align="center" colspan="3"
style="font-weight: bolder; font-size: 16px; background-color: #008000">
<asp:Label ID="Label2" runat="server"></asp:Label>
Employee Name
<asp:TextBox ID="txtname" runat="server"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server"
         ControlToValidate="txtname" ErrorMessage="*"></asp:RequiredFieldValidator>
```

Repent Ka John (Stoke)

```
Phone No
<asp:TextBox ID="txtphno" runat="server"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator3" runat="server"
      ControlToValidate="txtphno" ErrorMessage="*"></asp:RequiredFieldValidator>
Date of Join
<asp:TextBox ID="txtdoj" runat="server"></asp:TextBox>
<asp:Label ID="Label1" runat="server" Font-Size="13pt"
      Text="Enter Date in 'dd/mm/yyyy' Formate"></asp:Label>
<asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server"</p>
      ControlToValidate="txtdoj" ErrorMessage="*"></asp:RequiredFieldValidator>
Email
<asp:TextBox ID="txtemail" runat="server"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator4" runat="server"
      ControlToValidate="txtemail" ErrorMessage="*"></asp:RequiredFieldValidator>
Login
<asp:TextBox ID="txtlogin" runat="server"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator5" runat="server"
      ControlToValidate="txtlogin" ErrorMessage="*"></asp:RequiredFieldValidator>
Password
<asp:TextBox ID="txtpwd" runat="server" TextMode="Password"></asp:TextBox>
<asp:RequiredFieldValidator ID="RequiredFieldValidator6" runat="server"
      ControlToValidate="txtpwd" ErrorMessage="*"></asp:RequiredFieldValidator>
               Rupert Ka Jam (S) Kolkata
```

```
Confirm Password
<asp:TextBox ID="txtcpwd" runat="server" TextMode="Password"></asp:TextBox>
<asp:CompareValidator1" runat="server"
        ControlToCompare="txtpwd" ControlToValidate="txtcpwd"
        ErrorMessage="Invalid Password"></asp:CompareValidator>
<td align="center" colspan="3"
style="font-weight: bolder; font-size: 16px; background-color: #e9e9e9">
<asp:Button ID="btnadd" runat="server" OnClick="btnadd_Click"
style="height: 26px" Text="Add Details" />
<asp:Button ID="btnclear" runat="server" Causes Validation="False"
        Text="Clear" />
<td colspan="3"
style="font-weight: bolder; font-size: 16px; background-color: #008000">
<td align="center" colspan="3"
style="font-weight: bolder; font-size: 16px; background-color: #e9e9e9">
 
</asp:Content>
```

addsalesman.aspx.cs

```
using System;
using System.Collections;
using System.Configuration;
using System.Data;
using System.Linq;
using System.Web;
using System. Web. Security;
using System.Web.UI;
using System.Web.UI.HtmlControls;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Xml.Ling;
using System.Data.SqlClient;
                          Rupert Ka Sow (Schoolste
public partial class Admin addsalesman: Svstem.Web.UI.Page
```

productdetails.aspx

```
Language="C#"
<%@
           Page
                                         MasterPageFile="~/MasterPage2.master"
                                                                                  AutoEventWireup="true"
CodeFile="productdetails.aspx.cs" Inherits="Admin_productdetails" Title="All product details list" %>
<asp:Content ID="Content1" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<div style="text-align: center">
<strong><span style="text-decoration: underline">Available Product Details</span></strong>
<asp:GridView ID="GridView1" runat="server" AllowPaging="True" AutoGenerateColumns="False"</pre>
            CellPadding="4" ForeColor="#333333"
                                                 GridLines="None"
                                                                    PageSize="6"
                                                                                  Style="position:
OnRowDeleting="GridView1_RowDeleting" OnPageIndexChanging="GridView1_PageIndexChanging">
<FooterStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />
<RowStyle BackColor="#EFF3FB" />
<EditRowStyle BackColor="#2461BF" />
<SelectedRowStyle BackColor="#D1DDF1" Font-Bold="True" ForeColor="#333333" />
<PagerStyle BackColor="#2461BF" ForeColor="White" HorizontalAlign="Center" />
<HeaderStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />
<a href="mailto:</a> <a href="AlternatingRowStyle BackColor="White" />
<Columns>
```

Rupert Ka Jam (Section)

E-PURCHASE REQUISITION SYSTEM

```
<asp:TemplateField HeaderText="Delete">
<ItemTemplate>
<asp:LinkButton ID="delete" runat="server" Text="delete" CommandName="Delete"></asp:LinkButton>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="ItemId">
<ItemTemplate>
<asp:Label ID="itemid" runat="server" Text='<%#Eval("pitemdid") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Brandname">
<ItemTemplate>
<asp:Label ID="bname" runat="server" Text='<%#Eval("Brandname") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Image">
<ItemTemplate>
<asp:Image ID="img" runat="server" ImageUrl='<%#Eval("imagepath") %>' Width="108px" Height="189px" />
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="ItemCost">
<ItemTemplate>
<asp:Label ID="cost" runat="server" Text='<%#Eval("cost") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="CDate">
<ItemTemplate>
<asp:Label ID="cdate" runat="server" Text='<%#Eval("cdate") %>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
</Columns>
</asp:GridView>
</div>
</asp:Content>
```

productdetails.aspx.cs

using System; using System.Data; using System.Configuration:

E-PURCHASE REQUISITION SYSTEM

```
using System.Collections;
using System.Web;
using System. Web. Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin_productdetails : System.Web.UI.Page
  SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
  SqlDataAdapter da:
  DataSet ds;
protected void Page_Load(object sender, EventArgs e)
if (con.State == ConnectionState.Closed)
con.Open();
if (!Page.IsPostBack)
Getproductdetails();
private void Getproductdetails()
da = new SqlDataAdapter("select pitemdid,brandname,imagepath,cost,description,cdate from tbl_productitemdetails", con);
ds = new DataSet();
da.Fill(ds, "tbl_pidetails");
    GridView1.DataSource = ds.Tables["tbl_pidetails"].DefaultView;
GridView1.DataBind();
protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
    Label itemid = new Label();
itemid = (Label)GridView1.Rows[e.RowIndex].Cells[1].FindControl("itemid");
if (itemid.Text != "")
da = new SqlDataAdapter("delete from tbl_productitemdetails where pitemdid=" + Convert.ToInt32(itemid.Text) + " ", con);
int n = da.SelectCommand.ExecuteNonQuery();
if (n == 1)
Getproductdetails();
protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
    GridView1.PageIndex = e.NewPageIndex;
                           Ruperl Ka Jam (Sevelo Kolkata
Getproductdetails();
```

```
}
```

view salesmandetails.aspx

```
Language="C#" MasterPageFile="~/MasterPage2.master" AutoEventWireup="true"
                                                                                                CodeFile="view
salesmandetails.aspx.cs" Inherits="Admin_view_salesmandetails" Title="Untitled Page" %>
<asp:Content ID="Content1" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<asp:GridView ID="GridView1" runat="server" AllowPaging="True"</pre>
    AutoGenerateColumns="False" CellPadding="4" ForeColor="#333333"
    GridLines="None" Height="92px"
    OnPageIndexChanging="GridView1_PageIndexChanging"
onrowcancelingedit="GridView1 RowCancelingEdit"
onrowdeleting="GridView1 RowDeleting" onrowediting="GridView1 RowEditing"
onrowupdating="GridView1_RowUpdating" PageSize="4" Width="763px">
<RowStyle BackColor="#E3EAEB" />
<Columns>
<asp:TemplateField HeaderText="Delete">
<ItemTemplate>
<asp:LinkButton ID="Delete" runat="server" CommandName="Delete" Text="Delete"></asp:LinkButton>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Edit">
<ItemTemplate>
<asp:LinkButton ID="Edit" runat="server" CommandName="Edit" Text="Edit"></asp:LinkButton>
/ItemTemplate>
<EditItemTemplate>
<asp:LinkButton ID="Update" runat="server" CommandName="Update" Text="Update"></asp:LinkButton>
<asp:LinkButton ID="Cancel" runat="server" CommandName="Cancel" Text="Cancel"></asp:LinkButton>
</EditItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Empid">
<ItemTemplate>
<asp:Label ID="empid" runat="server" Text='<%#Eval("eid")%>'></asp:Label>
/ItemTemplate>
<EditItemTemplate>
<asp:Label ID="empid1" runat="server" Text='<%#Eval("eid")%>'></asp:Label>
</EditItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="EmpName">
<ItemTemplate>
<asp:Label ID="empname" runat="server" Text='<%#Eval("ename")%>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Phone No">
<ItemTemplate>
<asp:Label ID="phno" runat="server" Text='<%#Eval("phno")%>'></asp:Label>
/ItemTemplate>
<EditItemTemplate>
<asp:TextBox ID="phno1" runat="server" Text='<%#Eval("phno")%>'></asp:TextBox>
</EditItemTemplate>
```

Ruperl Ka Som (2 (Kolkata)

E-PURCHASE REQUISITION SYSTEM

```
</asp:TemplateField>
<asp:TemplateField HeaderText="Date Of Join">
<ItemTemplate>
<asp:Label ID="doj" runat="server" Text='<%#Eval("doj")%>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="EmailID">
<ItemTemplate>
<asp:Label ID="emailid" runat="server" Text='<%#Eval("email")%>'></asp:Label>
/ItemTemplate>
<EditItemTemplate>
<asp:TextBox ID="emailid1" runat="server" Text='<%#Eval("email")%>'></asp:TextBox>
</EditItemTemplate>
</asp:TemplateField>
<asp:TemplateField HeaderText="Login">
<ItemTemplate>
<asp:Label ID="login" runat="server" Text='<%#Eval("login")%>'></asp:Label>
/ItemTemplate>
</asp:TemplateField>
</Columns>
<FooterStyle BackColor="#1C5E55" Font-Bold="True" ForeColor="White" />
<PagerStyle BackColor="#666666" ForeColor="White" HorizontalAlign="Center" />
<SelectedRowStyle BackColor="#C5BBAF" Font-Bold="True" ForeColor="#333333" />
<HeaderStyle BackColor="#1C5E55" Font-Bold="True" ForeColor="White" />
<EditRowStyle BackColor="#7C6F57" />
<a href="mailto:</a> <a href="AlternatingRowStyle BackColor="White" />
</asp:GridView>
</asp:Content>
```

view salesmandetails.aspx.cs

```
using System;
using System.Collections;
using System.Configuration;
using System.Data;
using System.Ling;
using System.Web;
using System. Web. Security;
using System.Web.UI;
using System.Web.UI.HtmlControls;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Xml.Ling;
using System.Data.SqlClient;
public partial class Admin view salesmandetails: System. Web. UI. Page
  SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
  SqlCommand cmd;
  SqlDataAdapter da;
  DataSet ds;
```

Rupert Ka Jam (2 Kolkata)

```
protected void Page_Load(object sender, EventArgs e)
if (Page.IsPostBack != true)
getdetails();
private void getdetails()
da = new SqlDataAdapter("select * from tbl_newemp", con);
ds = new DataSet();
da.Fill(ds, "newemp");
    GridView1.DataSource = ds.Tables["newemp"];
GridView1.DataBind();
protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
    Label eid = new Label();
eid = (Label)GridView1.Rows[e.RowIndex].Cells[2].FindControl("eid");
cmd = new SqlCommand("delete from tbl_newemp where eid=" + eid.Text + "", con);
con.Open();
int k = cmd.ExecuteNonQuery();
con.Close();
if (k == 1)
Response.Write("<script>alert('Employee Deleted Successfully')</script>");
getdetails();
else
Response.Write("<script>alert('Error Occured While Deleting')</script>");
getdetails();
protected void GridView1 RowEditing(object sender, GridViewEditEventArgs e)
    GridView1.EditIndex = e.NewEditIndex;
getdetails();
protected void GridView1_RowUpdating(object sender, GridViewUpdateEventArgs e)
    Label eid = new Label();
    TextBox phno = new TextBox();
    TextBox emailed = new TextBox();
eid = (Label)GridView1.Rows[e.RowIndex].Cells[2].FindControl("empid1");
phno = (TextBox)GridView1.Rows[e.RowIndex].Cells[5].FindControl("phno1");
emailid = (TextBox)GridView1.Rows[e.RowIndex].Cells[7].FindControl("emailid1");
cmd = new SqlCommand("update tbl_newemp set phno="" + phno.Text + "", email="" + emailid.Text + "" where eid=" +
eid.Text + "", con);
con.Open();
int k = cmd.ExecuteNonQuery();
con.Close();
if (k == 1)
Response.Write("<script>alert('Fmnlovee Undated Successfully') </script>").
```

```
GridView1.EditIndex = -1;
getdetails();

}
else
{
Response.Write("<script>alert('Error Occured While Updating')</script>");
getdetails();
}
protected void GridView1_RowCancelingEdit(object sender, GridViewCancelEditEventArgs e)
{
    GridView1.EditIndex = -1;
getdetails();
}
protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
{
    GridView1.PageIndex = e.NewPageIndex;
getdetails();
}
}
```

Welcome.aspx

```
<% @ Page Language="C#" MasterPageFile="~/MasterPage2.master" AutoEventWireup="true"
CodeFile="Welcome.aspx.cs" Inherits="Admin_Welcome" Title="welcome to the admin panel" %>
<asp:Content ID="c1" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
welcome to admin
</asp:Content>
```

Welcome.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;

public partial class Admin_Welcome : System.Web.UI.Page
{
protected void Page_Load(object sender, EventArgs e)
```

Ruperh Ka Som (Sevelogge Kolkata)

```
}
```

AddToCart.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class UserInBox AddtoCart : System.Web. 1. Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
    decimal totcost = 0;
   protected void Page_Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
            con.Open();
        if (Page.IsPostBack != true)
            GetUserSelectedproducts(Convert.ToInt32(Session["uid"].ToString()));
            GetTotal();
        }
    }
    private void GetUserSelectedproducts(int uid)
        da = new SqlDataAdapter("select
tatc.cartid,tatc.bname,tatc.imgpath,tatc.cost,tatc.qty,tatc.totcost from tbl_addtocart tatc
inner join tbl_login tl on tl.uid=tatc.uid where tatc.uid=" + uid + " ", con);
        ds = new DataSet();
        da.Fill(ds, "tbl_tatc");
        GridView1.DataSource = ds.Tables["tbl_tatc"].DefaultView;
        GridView1.DataBind();
    }
   protected void qty_TextChanged(object sender, EventArgs e)
        foreach (GridViewRow gr in GridView1.Rows)
            TextBox qty = (TextBox)gr.Cells[4].FindControl("qty");
                      Ruperl Ka Son (6)
            int quantity - Convent ToInt32/aty Tavt).
```

```
Label cartid = (Label)gr.Cells[0].FindControl("cartid");
            Label cost = (Label)gr.Cells[3].FindControl("cost");
            decimal totcost1 = Convert.ToDecimal(cost.Text);
            totcost1 = totcost1 * quantity;
            gr.Cells[5].Text = totcost1.ToString();
            totcost = totcost + totcost1;
            if (cartid.Text != "")
                da = new SqlDataAdapter("update tbl_addtocart set qty=" + quantity +
",totcost="+totcost1+" where cartid=" + Convert.ToInt32(cartid.Text) + " and uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
                int n = da.SelectCommand.ExecuteNonQuery();
                if (n == 1)
                    GetUserSelectedproducts(Convert.ToInt32(Session["uid"].ToString()));
            }
            //gr.Cells[5].Text=
        }
        Label1.Text = totcost.ToString();
    }
   private void GetTotal()
        foreach (GridViewRow gr in GridView1.Rows)
            Label tcost = (Label)gr.Cells[5].FindControl("tcost");
            decimal totalcost = Convert.ToDecimal(tcost.Text);
            totcost = totcost+totalcost;
        Label1.Text = totcost.ToString();
    }
   protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
        Label cartid = new Label();
        cartid = (Label)GridView1.Rows[e.RowIndex].Cells[0].FindControl("cartid");
        if (cartid.Text != "")
            da = new SqlDataAdapter("delete from tbl addtocart where cartid=" +
Convert.ToInt32(cartid.Text) + " and uid=" + Convert.ToInt32(Session["uid"].ToString()) + " ",
con);
            int n=da.SelectCommand.ExecuteNonQuery();
            if (n == 1)
            {
                GetUserSelectedproducts(Convert.ToInt32(Session["uid"].ToString()));
                GetTotal();
                      Rupert Kn Jam (2 Kolkata
            }
```

```
}

protected void LinkButton1_Click(object sender, EventArgs e)

{
    if (Convert.ToDecimal(Label1.Text)>0)
        {
        Response.Redirect("~/UserInBox/billingandshopping.aspx");
        }
}

protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
{
        GridView1.PageIndex = e.NewPageIndex;
        GetUserSelectedproducts(Convert.ToInt32(Session["uid"].ToString()));
}
```

Billingandshopping.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class user_billingandshopping : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
    DataSet ds;
    protected void Page_Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
            con.Open();
        if (!Page.IsPostBack)
                      Ruperh Ka Jaw (Kolkata
            GetBil:
                                                                  ing()));
```

```
}
    private void GetBillingDetails(int uid)
        da = new SqlDataAdapter("select fname,lname,gender,email,city,state,country,mobileno
from tbl contact where uid=" + uid + " ", con);
        ds = new DataSet();
        da.Fill(ds, "tbl contact");
        if (ds.Tables.Count > 0 && ds.Tables["tbl_contact"].Rows.Count > 0)
        {
            TextBox1.Text = ds.Tables["tbl contact"].Rows[0][0].ToString();
            TextBox2.Text = ds.Tables["tbl_contact"].Rows[0][1].ToString();
            TextBox3.Text = ds.Tables["tbl_contact"].Rows[0][2].ToString();
            TextBox4.Text = ds.Tables["tbl_contact"].Rows[0][3].ToString();
            TextBox5.Text = ds.Tables["tbl_contact"].Rows[0][4].ToString();
            TextBox6.Text = ds.Tables["tbl contact"].Rows[0][5].ToString();
            TextBox7.Text = ds.Tables["tbl contact"].Rows[0][6].ToString();
            TextBox9.Text = ds.Tables["tbl contact"].Rows[0][7].ToString();
        }
    }
    protected void Button1_Click(object sender, EventArgs e)
        if (Page.IsValid == true)
        {
            if (TextBox10.Text != "")
            {
                Session["fname"] = TextBox10.Text;
                Session["lname"] = TextBox11.Text;
                Session["gender"] = TextBox12.Text;
                Session["email"] = TextBox13.Text;
                Session["city"] = TextBox14.Text;
                Session["state"] = TextBox15.Text;
                Session["country"] = TextBox16.Text;
                Session["mobileno"] = TextBox18.Text;
                if (Session.Count > 0) /// && Request.QueryString.Count>0)
                {
                   // int artid = Convert.ToInt32(Request.QueryString["pitemid"].ToString());
                    Response.Redirect("~/UserInBox/Order.aspx"); ////?pitemid=" +
artid.ToString());
            }
        }
   }
   protected void CheckBox1_CheckedChanged(object sender, EventArgs e)
        if (CheckBox1.Checked == true)
            da = new SqlDataAdapter("select fname,lname,gender,email,city,state,country,mobileno
from tbl contact where uid=" + Convert.ToInt32(Session["uid"].ToString()) + " ", con);
            ds = new DataSet();
            da.Fill(ds, "tbl contact");
            if (ds.Tables.Count > 0 && ds.Tables["tbl contact"].Rows.Count > 0)
            {
                TextBox10.Text = ds.Tables["tbl_contact"].Rows[0][0].ToString();
                TextBox11.Text = ds.Tables["tbl_contact"].Rows[0][1].ToString();
                Tey+Pov12 Toy+ - de Tables["thl contact" | Pows[6][2].ToString();
                       Ruperl Kr Sam ( Kolkata
```

```
TextBox13.Text = ds.Tables["tbl_contact"].Rows[0][3].ToString();
                  TextBox14.Text = ds.Tables["tbl_contact"].Rows[0][4].ToString();
TextBox15.Text = ds.Tables["tbl_contact"].Rows[0][5].ToString();
                  TextBox16.Text = ds.Tables["tbl_contact"].Rows[0][6].ToString();
                  TextBox18.Text = ds.Tables["tbl_contact"].Rows[0][7].ToString();
              }
         }
         else
         {
              TextBox10.Text = "";
              TextBox11.Text = "";
              TextBox12.Text = "";
              TextBox13.Text = "";
              TextBox14.Text = "":
              TextBox15.Text = "";
              TextBox16.Text = "";
              TextBox18.Text = "";
         }
    }
}
```

creditanddebitcard.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class user_creditordebitcard : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
   protected void Page_Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
            con.Open();
                      Rupert Ka Jam (Kolkata
```

```
}
     }
     protected void Button1_Click(object sender, EventArgs e)
          ArrayList arr = new ArrayList();
          if (RadioButton1.Checked == true)
          {
               da = new SqlDataAdapter("select cartid from tbl_addtocart where uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
               ds = new DataSet();
               da.Fill(ds, "tbl tatc");
               if (ds.Tables["tbl tatc"].Rows.Count > 0 && ds.Tables.Count > 0)
                   for (int i = 0; i < ds.Tables["tbl_tatc"].Rows.Count; i++)</pre>
                   {
                        arr.Add(ds.Tables["tbl tatc"].Rows[i][0].ToString());
                   if (arr.Count > 0)
                        for (int j=0; j < arr.Count; j++)</pre>
                             da = new SqlDataAdapter("select bname,imgpath,cost from tbl_addtocart
where cartid=" + arr[j] + " ", con);
                             ds = new DataSet();
                             da.Fill(ds, "tbl tatc");
                             if (ds.Tables.Count > 0 && ds.Tables["tbl_tatc"].Rows.Count > 0)
                                  da = new SqlDataAdapter("insert into
tbl_soldproducts(uid,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + ds.Tables["tbl_tatc"].Rows[0][0].ToString()
+ "','" + ds.Tables["tbl_tatc"].Rows[0][1].ToString() + "'," +
Convert.ToDecimal(ds.Tables["tbl_tatc"].Rows[0][2].ToString()) + ",getdate())", con);
                                  da.SelectCommand.ExecuteNonQuery();
                             }
                        }
                        da = new SqlDataAdapter("insert into
tbl_shipping(uid,fname,lname,gender,email,city,state,country,mobileno,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "','" +
Session["lname"].ToString() + "','" + Session["gender"].ToString() + "','" +
Session["email"].ToString() + "','" + Session["city"].ToString() + "','" +
Session["state"].ToString() + "','" + Session["country"].ToString() + "','" +
Session["mobileno"].ToString() + "',getdate())", con);
                        da.SelectCommand.ExecuteNonQuery();
                        // da = new SqlDataAdapter("insert into
tbl_soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() +
"','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" + Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
",getdate())", con);
                        // da.SelectCommand.ExecuteNonQuery();
                        da = new SqlDataAdapter("insert into
tbl_cardtype(uid,cardname,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) + ",'" +
RadioButton1.Text + "' gotdate())"
                            Rupert Ka Jam (Kolkata
```

```
da.SelectCommand.ExecuteNonQuery();
                      string s = "YOUR TRANSACTION IS SUCCESFUL....THANK YOU FOR SHOPPING";
                      Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
s.ToString());
                  }
             }
             // da = new SqlDataAdapter("insert into
tbl_shipping(uid,fname,lname,gender,email,city,state,country,mobileno,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "','" +
Session["lname"].ToString() + "','" + Session["gender"].ToString() + "','" +
Session["email"].ToString() + "','" + Session["city"].ToString() + "','" +
Session["state"].ToString() + "','" + Session["country"].ToString() + "','" +
Session["mobileno"].ToString() + "',getdate())", con);
             // da.SelectCommand.ExecuteNonQuery();
             //// da = new SqlDataAdapter("insert into
tbl soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() +
"','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" +
Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
",getdate())", con);
             //// da.SelectCommand.ExecuteNonQuery();
             // da = new SqlDataAdapter("insert into tbl cardtype(uid,cardname,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + RadioButton1.Text + "',getdate())", con);
             // da.SelectCommand.ExecuteNonQuery();
             //
                    string s = "your artconfirmation is successfully completed.";
                    Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
             //
s.ToString());
         else if (RadioButton2.Checked == true)
             da = new SqlDataAdapter("select cartid from tbl_addtocart where uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
             ds = new DataSet();
             da.Fill(ds, "tbl_tatc");
             if (ds.Tables["tbl_tatc"].Rows.Count > 0 && ds.Tables.Count > 0)
             {
                  for (int i = 0; i < ds.Tables["tbl tatc"].Rows.Count; i++)</pre>
                      arr.Add(ds.Tables["tbl_tatc"].Rows[i][0].ToString());
                  if (arr.Count > 0)
                      for (int j=0; j < arr.Count; j++)</pre>
                           da = new SqlDataAdapter("select bname,imgpath,cost from tbl_addtocart
where cartid=" + arr[j] + " ", con);
                           ds = new DataSet();
                           da.Fill(ds, "tbl_tatc");
                           if (ds.Tables.Count > 0 && ds.Tables["tbl tatc"].Rows.Count > 0)
                         Rupert Kn Som (Kolkata
```

```
da = new SqlDataAdapter("insert into
tbl soldproducts(uid, brandname, imgpath, cost, cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + ds.Tables["tbl_tatc"].Rows[0][0].ToString()
+ "','" + ds.Tables["tbl_tatc"].Rows[0][1].ToString() + "'," +
Convert.ToDecimal(ds.Tables["tbl_tatc"].Rows[0][2].ToString()) + ",getdate())", con);
                                                           da.SelectCommand.ExecuteNonQuery();
                                                  }
                                          }
                                          da = new SqlDataAdapter("insert into
tbl_shipping(uid,fname,lname,gender,email,city,state,country,mobileno,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "','" + Session["lname"].ToString() + "','" + Session["email"].ToString() + "','" + Session["email"].ToString() + "','" + Session["state"].ToString() + "','" + Session["state"].ToString() + "','" + Session["state"].ToString() + "','" + Session["country"].ToString() + "','" + Session["state"].ToString() + "','" + Session["country"].ToString() + "','" + Session["c
Session["mobileno"].ToString() + "',getdate())", con);
                                          da.SelectCommand.ExecuteNonQuery();
                                          // da = new SqlDataAdapter("insert into
tbl soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() +
"','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" + Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
 ",getdate())", con);
                                          // da.SelectCommand.ExecuteNonQuery();
                                          da = new SqlDataAdapter("insert into
tbl_cardtype(uid,cardname,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) + ",'" +
RadioButton1.Text + "',getdate())", con);
                                          da.SelectCommand.ExecuteNonQuery();
                                          string s = "your artconfirmation is successfully completed.";
                                          Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
s.ToString());
                                 }
                         }
                 else if (RadioButton3.Checked == true)
                         da = new SqlDataAdapter("select cartid from tbl_addtocart where uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
                         ds = new DataSet();
                         da.Fill(ds, "tbl tatc");
                         if (ds.Tables["tbl_tatc"].Rows.Count > 0 && ds.Tables.Count > 0)
                         {
                                  for (int i = 0; i < ds.Tables["tbl_tatc"].Rows.Count; i++)</pre>
                                          arr.Add(ds.Tables["tbl_tatc"].Rows[i][0].ToString());
                                 if (arr.Count > 0)
                                          for (int j=0; j < arr.Count; j++)</pre>
                                                  da = new SqlDataAdapter("select bname,imgpath,cost from tbl addtocart
where cartid=" + arr[j] + " ", con);
                                               Rupert Ka Sam (Kolkats
```

```
da.Fill(ds, "tbl_tatc");
                          if (ds.Tables.Count > 0 && ds.Tables["tbl tatc"].Rows.Count > 0)
                              da = new SqlDataAdapter("insert into
tbl_soldproducts(uid,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + ds.Tables["tbl_tatc"].Rows[0][0].ToString()
+ "','" + ds.Tables["tbl tatc"].Rows[0][1].ToString() + "'," +
Convert.ToDecimal(ds.Tables["tbl_tatc"].Rows[0][2].ToString()) + ",getdate())", con);
                              da.SelectCommand.ExecuteNonQuery();
                     }
                     da = new SqlDataAdapter("insert into
tbl_shipping(uid,fname,lname,gender,email,city,state,country,mobileno,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "','" +
Session["lname"].ToString() + "','" + Session["gender"].ToString() + "','" + Session["email"].ToString() + "','" + Session["city"].ToString() + "','" + Session["state"].ToString() + "','" + Session["country"].ToString() + "','" +
Session["mobileno"].ToString() + "',getdate())", con);
                     da.SelectCommand.ExecuteNonQuery();
                     // da = new SqlDataAdapter("insert into
tbl_soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() +
"','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" +
Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
",getdate())", con);
                     // da.SelectCommand.ExecuteNonQuery();
                     da = new SqlDataAdapter("insert into
tbl_cardtype(uid,cardname,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) + ",'" +
RadioButton1.Text + "',getdate())", con);
                     da.SelectCommand.ExecuteNonQuery();
                     string s = "your artconfirmation is successfully completed.";
                     Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
s.ToString());
                 }
             }
        else if (RadioButton4.Checked == true)
             da = new SqlDataAdapter("select cartid from tbl addtocart where uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
             ds = new DataSet();
             da.Fill(ds, "tbl tatc");
             if (ds.Tables["tbl tatc"].Rows.Count > 0 && ds.Tables.Count > 0)
                 for (int i = 0; i < ds.Tables["tbl tatc"].Rows.Count; i++)</pre>
                 {
                     arr.Add(ds.Tables["tbl_tatc"].Rows[i][0].ToString());
                 if (arr.Count > 0)
                     for (int j=0; j < arr.Count; j++)</pre>
                        Rupert Kn Sow (Cockata
```

```
da = new SqlDataAdapter("select bname,imgpath,cost from tbl_addtocart
where cartid=" + arr[j] + " ", con);
                         ds = new DataSet();
                         da.Fill(ds, "tbl_tatc");
                         if (ds.Tables.Count > 0 && ds.Tables["tbl tatc"].Rows.Count > 0)
                         {
                              da = new SqlDataAdapter("insert into
tbl soldproducts(uid,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + ds.Tables["tbl tatc"].Rows[0][0].ToString()
+ "','" + ds.Tables["tbl_tatc"].Rows[0][1].ToString() + "'," +
Convert.ToDecimal(ds.Tables["tbl_tatc"].Rows[0][2].ToString()) + ",getdate())", con);
                              da.SelectCommand.ExecuteNonQuery();
                         }
                     }
                     da = new SqlDataAdapter("insert into
tbl shipping(uid, fname, lname, gender, email, city, state, country, mobileno, cdate) values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "','" + Session["lname"].ToString() + "','" + Session["email"].ToString() + "','" + Session["city"].ToString() + "','" +
Session["state"].ToString() + "','" + Session["country"].ToString() + "','" +
Session["mobileno"].ToString() + "',getdate())", con);
                     da.SelectCommand.ExecuteNonQuery();
                     // da = new SqlDataAdapter("insert into
tbl soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() +
"','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" +
Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
",getdate())", con);
                     // da.SelectCommand.ExecuteNonQuery();
                     da = new SqlDataAdapter("insert into
tbl_cardtype(uid,cardname,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) + ",'" +
RadioButton1.Text + "',getdate())", con);
                     da.SelectCommand.ExecuteNonQuery();
                     string s = "your artconfirmation is successfully completed.";
                     Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
s.ToString());
                 }
             }
        else if (RadioButton5.Checked == true)
             da = new SqlDataAdapter("select cartid from tbl addtocart where uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
             ds = new DataSet();
             da.Fill(ds, "tbl tatc");
             if (ds.Tables["tbl_tatc"].Rows.Count > 0 && ds.Tables.Count > 0)
             {
                 for (int i = 0; i < ds.Tables["tbl tatc"].Rows.Count; i++)</pre>
                 {
                     arr.Add(ds.Tables["tbl_tatc"].Rows[i][0].ToString());
                        Rupert Ka Jam ( Kolkata
                 if (ann Count > a)
```

```
for (int j=0; j < arr.Count; j++)</pre>
                                                         da = new SqlDataAdapter("select bname,imgpath,cost from tbl_addtocart
where cartid=" + arr[j] + " ", con);
                                                         ds = new DataSet();
                                                         da.Fill(ds, "tbl tatc");
                                                         if (ds.Tables.Count > 0 && ds.Tables["tbl tatc"].Rows.Count > 0)
                                                                  da = new SqlDataAdapter("insert into
tbl soldproducts(uid,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + ds.Tables["tbl tatc"].Rows[0][0].ToString()
+ "','" + ds.Tables["tbl_tatc"].Rows[0][1].ToString() + "'," +
Convert.ToDecimal(ds.Tables["tbl_tatc"].Rows[0][2].ToString()) + ",getdate())", con);
                                                                  da.SelectCommand.ExecuteNonQuery();
                                               }
                                                da = new SqlDataAdapter("insert into
tbl_shipping(uid,fname,lname,gender,email,city,state,country,mobileno,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "','" + Session["lname"].ToString() + "','" + Session["email"].ToString() + "','" + Session["email"].ToString() + "','" + Session["city"].ToString() + "','" + Session["state"].ToString() + "','" + Session["country"].ToString() + "','" + 
Session["mobileno"].ToString() + "',getdate())", con);
                                               da.SelectCommand.ExecuteNonQuery();
                                               // da = new SqlDataAdapter("insert into
tbl_soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() + "','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" + Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
 ",getdate())", con);
                                               // da.SelectCommand.ExecuteNonQuery();
                                                da = new SqlDataAdapter("insert into
tbl_cardtype(uid,cardname,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) + ",'" +
RadioButton1.Text + "',getdate())", con);
                                                da.SelectCommand.ExecuteNonQuery();
                                                string s = "your artconfirmation is successfully completed.";
                                                Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
 s.ToString());
                                      }
                             }
                   }
                   else
                   {
                             Response.Write("<script>alert('select any card')</script>");
                   }
}
```



CustomerProfile.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class UserInBox_CustomerProfile : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
    protected void Page Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
        {
            con.Open();
        }
        if (Page.IsPostBack != true)
            if (Session.Count > 0)
            {
                GetArtistProfile(Convert.ToInt32(Session["uid"].ToString()));
            }
            else
            {
                Response.Redirect("~/Home.aspx");
            }
        }
   }
    private void GetArtistProfile(int uid)
        da = new SqlDataAdapter("select fname,lname,gender,email,city,state,country,mobileno
from tbl contact where uid=" + uid + " ", con);
        ds = new DataSet();
        da.Fill(ds, "tbl_contact");
        if (ds.Tables.Count > 0 && ds.Tables["tbl_contact"].Rows.Count > 0)
        {
            TextBox1.Text = ds.Tables["tbl_contact"].Rows[0][0].ToString();
            TextBox2.Text = ds.Tables["tbl_contact"].Rows[0][1].ToString();
            //TextBox3.Text = ds.Tables["tbl contact"].Rows[0][2].ToString();
                       Ruperh Kr Som (SKolkala)
```

```
DropDownList1.Text = ds.Tables["tbl_contact"].Rows[0][2].ToString();
    TextBox4.Text = ds.Tables["tbl_contact"].Rows[0][3].ToString();
    TextBox5.Text = ds.Tables["tbl_contact"].Rows[0][4].ToString();
    TextBox6.Text = ds.Tables["tbl_contact"].Rows[0][5].ToString();
    TextBox7.Text = ds.Tables["tbl_contact"].Rows[0][6].ToString();
    TextBox8.Text = ds.Tables["tbl_contact"].Rows[0][7].ToString();
    }
}

protected void Button1_Click(object sender, EventArgs e)
{
    string sql = "update tbl_contact set fname='" + TextBox1.Text + "',lname='" +
TextBox2.Text + "',gender='" + DropDownList1.Text + "',email='" + TextBox4.Text + "',city='" +
TextBox5.Text + "',state='" + TextBox6.Text + "',country='" + TextBox7.Text + "',mobileno='" +
TextBox8.Text + "' where uid=" + Convert.ToInt32(Session["uid"].ToString()) + "";
    da = new SqlDataAdapter(sql, con);
    da.SelectCommand.ExecuteNonQuery();
    GetArtistProfile(Convert.ToInt32(Session["uid"].ToString()));
}
```


draftorcheck.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class UserInBox_CustomerProfile : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
    protected void Page Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
        {
            con.Open();
```

Rupert Kn Som (Calkata) (Kolkata) (Kolkata)

```
if (Page.IsPostBack != true)
             if (Session.Count > 0)
             {
                 GetArtistProfile(Convert.ToInt32(Session["uid"].ToString()));
             }
             else
             {
                  Response.Redirect("~/Home.aspx");
             }
         }
    }
    private void GetArtistProfile(int uid)
         da = new SqlDataAdapter("select fname,lname,gender,email,city,state,country,mobileno
from tbl contact where uid=" + uid + " ", con);
         ds = new DataSet();
         da.Fill(ds, "tbl_contact");
         if (ds.Tables.Count > 0 && ds.Tables["tbl_contact"].Rows.Count > 0)
         {
             TextBox1.Text = ds.Tables["tbl_contact"].Rows[0][0].ToString();
             TextBox2.Text = ds.Tables["tbl_contact"].Rows[0][1].ToString();
             //TextBox3.Text = ds.Tables["tbl_contact"].Rows[0][2].ToString();
             DropDownList1.Text = ds.Tables["tbl_contact"].Rows[0][2].ToString();
             TextBox4.Text = ds.Tables["tbl contact"].Rows[0][3].ToString();
             TextBox5.Text = ds.Tables["tbl_contact"].Rows[0][4].ToString();
             TextBox6.Text = ds.Tables["tbl_contact"].Rows[0][5].ToString();
             TextBox7.Text = ds.Tables["tbl_contact"].Rows[0][6].ToString();
             TextBox8.Text = ds.Tables["tbl contact"].Rows[0][7].ToString();
         }
    }
    protected void Button1_Click(object sender, EventArgs e)
         string sql = "update tbl contact set fname='" + TextBox1.Text + "',lname='" +
TextBox2.Text + "',gender='" + DropDownList1.Text + "',email='" + TextBox4.Text + "',city='" + TextBox5.Text + "',state='" + TextBox6.Text + "',country='" + TextBox7.Text + "',mobileno='" +
TextBox5.Text + "',state='" + TextBox6.Text + "',country='" + TextBox7.Text + "',mobileno='" +
TextBox8.Text + "' where uid=" + Convert.ToInt32(Session["uid"].ToString()) + "";
         da = new SqlDataAdapter(sql, con);
         da.SelectCommand.ExecuteNonQuery();
         GetArtistProfile(Convert.ToInt32(Session["uid"].ToString()));
    }
}
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class usen deaftencheck . System Web HT Dage
                         Ruperh Ka Jam (Se Kolkata
```

```
SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
    DataSet ds;
    protected void Page Load(object sender, EventArgs e)
         if (con.State == ConnectionState.Closed)
             con.Open();
    }
    protected void Button1_Click(object sender, EventArgs e)
         ArrayList arr = new ArrayList();
         if (Session.Count > 0)
             da = new SqlDataAdapter("select cartid from tbl addtocart where uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
             ds = new DataSet();
             da.Fill(ds, "tbl_tatc");
             if (ds.Tables["tbl tatc"].Rows.Count > 0 && ds.Tables.Count > 0)
             {
                  for (int i = 0; i < ds.Tables["tbl tatc"].Rows.Count; i++)</pre>
                      arr.Add(ds.Tables["tbl_tatc"].Rows[i][0].ToString());
                  if (arr.Count > 0)
                      for (int j = 0; j < arr.Count; j++)</pre>
                           da = new SqlDataAdapter("select bname,imgpath,cost from tbl_addtocart
where cartid=" + arr[j] + " ", con);
                           ds = new DataSet();
                           da.Fill(ds, "tbl_tatc");
                           if (ds.Tables.Count > 0 && ds.Tables["tbl_tatc"].Rows.Count > 0)
                               da = new SqlDataAdapter("insert into
tbl soldproducts(uid,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + ds.Tables["tbl_tatc"].Rows[0][0].ToString()
+ "','" + ds.Tables["tbl_tatc"].Rows[0][1].ToString() + "'," +
Convert.ToDecimal(ds.Tables["tbl_tatc"].Rows[0][2].ToString()) + ",getdate())", con);
                               da.SelectCommand.ExecuteNonQuery();
                      }
                      da = new SqlDataAdapter("insert into
tbl shipping(uid, fname, lname, gender, email, city, state, country, mobileno, cdate) values(" +
Convert.ToInt32(Session["uid"].ToString()) + ",'" + Session["fname"].ToString() + "'
Session["lname"].ToString() + "','" + Session["gender"].ToString() + "','" + Session["email"].ToString() + "','" + Session["city"].ToString() + "','" + Session["state"].ToString() + "','" + Session["country"].ToString() + "','" +
Session["mobileno"].ToString() + "',getdate())", con);
                      da.SelectCommand.ExecuteNonQuery();
```



```
// da = new SqlDataAdapter("insert into
tbl_soldproducts(uid,pitemdid,productname,itemfor,brandname,imgpath,cost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(Session["pitemdid"].ToString()) + ",'" + Session["productname"].ToString() +
"','" + Session["itemfor"].ToString() + "','" + Session["bname"].ToString() + "','" +
Session["imagepath"].ToString() + "'," + Convert.ToDecimal(Session["cost"].ToString()) +
",getdate())", con);
                    // da.SelectCommand.ExecuteNonOuery();
                    da = new SqlDataAdapter("insert into
tbl_cardtype(uid,cardname,cdate)values(" + Convert.ToInt32(Session["uid"].ToString()) +
",'DraftorCheck',getdate())", con);
                    da.SelectCommand.ExecuteNonQuery();
                    string s = "your artconfirmation is successfully completed.";
                    Response.Redirect("~/UserInBox/Productconfirmation.aspx?confirm=" +
s.ToString());
                }
            }
        }
    }
}
```

Order.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class UserInBox_Order : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
   protected void Page Load(object sender, EventArgs e)
        if (Session.Count > 0)
                      Ruperh Ka Jam ( Kolkata
```

```
{
            if (Page.IsPostBack != true)
            {
            }
        }
        //if (Request.QueryString.Count > 0 && Session.Count>0)
        //
              int pitemid = Convert.ToInt32(Request.QueryString["pitemid"].ToString());
        //
              if (pitemid != 0)
        //
        //
                  GetProductItemdetails(pitemid);
        //
              }
        //}
   }
   private void GetProductItemdetails(int pid)
        ds = new DataSet();
        ds = WebService.GetselectedProductDetails(pid);
        if (ds.Tables.Count > 0 && ds.Tables["tbl_pidetails"].Rows.Count > 0)
            GridView1.DataSource = ds.Tables["tbl_pidetails"].DefaultView;
            GridView1.DataBind();
            Session["pitemdid"] = ds.Tables["tbl pidetails"].Rows[0][0].ToString();
            Session["productname"] = ds.Tables["tbl_pidetails"].Rows[0][1].ToString();
            Session["itemfor"] = ds.Tables["tbl_pidetails"].Rows[0][2].ToString();
            Session["imagepath"] = ds.Tables["tbl_pidetails"].Rows[0][5].ToString();
            Session["bname"] = ds.Tables["tbl_pidetails"].Rows[0][3].ToString();
            Session["cost"] = ds.Tables["tbl_pidetails"].Rows[0][6].ToString();
        }
   }
   protected void Button1_Click1(object sender, EventArgs e)
        if (RadioButton1.Checked == true)
            string s = RadioButton1.Text;
            Response.Redirect("~/UserInBox/creditordebitcard.aspx?card=" + s.ToString());
        if (RadioButton2.Checked == true)
            string s = RadioButton2.Text;
            Response.Redirect("~/UserInBox/draftorcheck.aspx?draft=" + s.ToString());
    }
}
```

${\bf Product Confirmation. aspx.cs}$

Rupert Ka Som (Control Kolkata)


```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
public partial class UserInBox_Productconfirmation : System.Web.UI.Page
    protected void Page_Load(object sender, EventArgs e)
        if (!Page.IsPostBack)
            if (Request.QueryString.Count > 0)
            {
                Label1.Text = Request.QueryString["confirm"].ToString();
            }
        }
    }
}
```

ProductGallery.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Web.Caching;
using System.Data.SqlClient;
public partial class UserInBox_ProductGallery : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
                      Rupert Ka Jaw (Sevelo) Kolkata
   protected void
```


```
{
    if (con.State == ConnectionState.Closed)
        con.Open();
    if (Page.IsPostBack != true)
        GetProductNames();
        GetAllProducts();
}
private void GetProductNames()
    ds = new DataSet();
    ds = WebService.GetProducts();
    if (ds.Tables.Count > 0 && ds.Tables["tbl_products"].Rows.Count > 0)
        DropDownList1.DataSource = ds.Tables["tbl_products"].DefaultView;
        DropDownList1.DataTextField = "productname";
        DropDownList1.DataValueField = "pid";
        DropDownList1.DataBind();
        DropDownList1.Items.Insert(0, "---Select---");
}
private void GetProductItemFor(int pid)
    if (DropDownList1.SelectedIndex > 0)
    {
        ds = new DataSet();
        ds = WebService.GetProductItemFor(pid);
        if (ds.Tables.Count > 0 && ds.Tables["tbl_itemsofp"].Rows.Count > 0)
            DropDownList2.DataSource = ds.Tables["tbl_itemsofp"].DefaultView;
            DropDownList2.DataTextField = "itemfor";
            DropDownList2.DataValueField = "itemid";
            DropDownList2.DataBind();
            DropDownList2.Items.Insert(0,"---Select---");
        }
    }
}
private void GetAllProducts()
    //ds = new DataSet();
    //ds = WebService.GetAllProducts();
    //if (ds.Tables.Count > 0 && ds.Tables["tbl pidetails"].Rows.Count > 0)
    //
          DataList1.DataSource = ds.Tables["tbl pidetails"].DefaultView;
    //
          DataList1.DataBind();
    //}
    ds = new DataSet();
    ds = (DataSet)Cache["a"];
    if (ds == null)
                  Ruperh Ka Jam (2 Kolkata
```

```
ds = WebService.GetAllProducts();
            Cache.Insert("a", ds, null, DateTime.Now.AddSeconds(60), TimeSpan.Zero);
            Label7.Text = "Data from DataBase";
        else
        {
            Label7.Text = "Data from Cache";
        DataList1.DataSource = ds; //.Tables["tbl pidetails"].DefaultView;
        DataList1.DataBind();
    }
   private void GetProductsOfType(string PType, string ItemFor)
        ds = new DataSet();
        ds = WebService.GetProductsOfItem(PType,ItemFor);
        if (ds.Tables.Count > 0 && ds.Tables["tbl_pitemdetails"].Rows.Count > 0)
            DataList1.DataSource = ds.Tables["tbl_pitemdetails"].DefaultView;
            DataList1.DataBind();
        }
    }
   protected void DropDownList1 SelectedIndexChanged(object sender, EventArgs e)
        if (DropDownList1.SelectedIndex > 0)
        {
            GetProductItemFor(Convert.ToInt32(DropDownList1.SelectedValue));
   protected void Button1 Click(object sender, EventArgs e)
        if (DropDownList1.SelectedIndex > 0 && DropDownList2.SelectedIndex > 0)
            GetProductsOfType(DropDownList1.SelectedItem.Text,DropDownList2.SelectedItem.Text);
   protected void Button2_Click(object sender, EventArgs e)
        GetAllProducts();
   protected void DataList1_ItemCommand(object source, DataListCommandEventArgs e)
        if (e.CommandName == "details")
            Response.Redirect("~/UserInBox/ViewItemDetails.aspx?pitemid=" +
e.CommandArgument.ToString());
        else if (e.CommandName == "Cart")
            //Response.Redirect("~/UserInBox/AddtoCart.aspx?pitemid=" +
e.CommandArgument.ToString());
            da = new SqlDataAdapter("select count(*) from tbl addtocart tatc inner join
tbl login tl on tatc.uid=tl.uid where tatc.pitemdid=" +
Convert.ToInt32(e.CommandArgument.ToString()) + " and tl.uid=" +
```



```
Convert.ToInt32(Session["uid"].ToString()) + " and tatc.uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
            int n = Convert.ToInt32(da.SelectCommand.ExecuteScalar());
            if (n == 1)
            {
                da = new SqlDataAdapter("select
tpd.pitemdid,tpd.brandname,tpd.cost,tpd.imagepath,tl.uid,tatc.cartid from tbl productitemdetails
tpd inner join tbl addtocart tatc on tpd.pitemdid=tatc.pitemdid inner join tbl login tl on
tl.uid=tatc.uid where tatc.pitemdid=" + Convert.ToInt32(e.CommandArgument.ToString()) + " and
tl.uid=" + Convert.ToInt32(Session["uid"].ToString()) + " ", con);
                ds = new DataSet();
                da.Fill(ds, "tbl tpd");
                if (ds.Tables.Count > 0 && ds.Tables["tbl tpd"].Rows.Count > 0)
                    da = new SqlDataAdapter("update tbl_addtocart set uid=" +
Convert.ToInt32(Session["uid"].ToString()) + ",pitemdid=" +
Convert.ToInt32(ds.Tables[0].Rows[0][0].ToString()) + ",bname='" +
ds.Tables[0].Rows[0][1].ToString() + "',imgpath='" + ds.Tables[0].Rows[0][3].ToString() +
"',cost=" + Convert.ToDecimal(ds.Tables[0].Rows[0][2].ToString()) + ",cdate=getdate() where
pitemdid=" + Convert.ToInt32(ds.Tables[0].Rows[0][0].ToString()) + " and cartid=" +
Convert.ToInt32(ds.Tables[0].Rows[0][5].ToString()) + " and uid=" +
Convert.ToInt32(Session["uid"].ToString()) + " ", con);
                    da.SelectCommand.ExecuteNonQuery();
            }
            else
            {
                da = new SqlDataAdapter("select
tpd.pitemdid,tpd.brandname,tpd.cost,tpd.imagepath from tbl_productitemdetails tpd where
tpd.pitemdid=" + Convert.ToInt32(e.CommandArgument.ToString()) + " ", con);
                ds = new DataSet();
                da.Fill(ds, "tbl_tpd");
                if (ds.Tables.Count > 0 && ds.Tables["tbl_tpd"].Rows.Count > 0)
                    da = new SqlDataAdapter("insert into
tbl addtocart(uid,pitemdid,bname,imgpath,cost,qty,totcost,cdate)values(" +
Convert.ToInt32(Session["uid"].ToString()) + "," +
Convert.ToInt32(ds.Tables[0].Rows[0][0].ToString()) + ",'" + ds.Tables[0].Rows[0][1].ToString()
+ "','" + ds.Tables[0].Rows[0][3].ToString() + "'," +
Convert.ToDecimal(ds.Tables[0].Rows[0][2].ToString()) + ",1,"+
Convert.ToDecimal(ds.Tables[0].Rows[0][2].ToString()) +",getdate())", con);
                    da.SelectCommand.ExecuteNonQuery();
                }
            }
   }
}
```

SoldProducts.aspx.cs



```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class UserInBox SoldProducts : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
    protected void Page_Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
        {
            con.Open();
        }
        if (Session.Count > 0)
            if (!Page.IsPostBack)
            {
                GetCustomersoldArts(Convert.ToInt32(Session["uid"].ToString()));
            }
        }
   }
   private void GetCustomersoldArts(int uid)
        da = new SqlDataAdapter("select tsp.spid,tsp.brandname,tsp.cost,tsp.imgpath,tsp.cdate
from tbl_soldproducts tsp inner join tbl_login tl on tl.uid=tsp.uid where tl.uid=" + uid + " ",
con);
        ds = new DataSet();
        da.Fill(ds, "tbl_tsp");
        GridView1.DataSource = ds.Tables["tbl_tsp"].DefaultView;
        GridView1.DataBind();
    }
    protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
        GridView1.PageIndex = e.NewPageIndex;
        GetCustomersoldArts(Convert.ToInt32(Session["uid"].ToString()));
   protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
        Label spid = new Label();
        spid = (Label)GridView1.Rows[e.RowIndex].Cells[1].FindControl("spid");
                       Rupert Kr Som (2 Kolkata
        if (spid.Tev+ '- ""\
```

```
{
    da = new SqlDataAdapter("delete from tbl_soldproducts where spid=" +
Convert.ToInt32(spid.Text) + " ", con);
    int n = da.SelectCommand.ExecuteNonQuery();
    if (n == 1)
    {
        GetCustomersoldArts(Convert.ToInt32(Session["uid"].ToString()));
    }
}
}
```

ViewItemDetails.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
public partial class UserInBox_ViewItemDetails : System.Web.UI.Page
{
   DataSet ds;
   protected void Page_Load(object sender, EventArgs e)
        if (Request.QueryString.Count > 0)
            int pitemid = Convert.ToInt32(Request.QueryString["pitemid"].ToString());
            if (pitemid != 0)
            {
                GetProductItemdetails(pitemid);
            }
        }
   }
   private void GetProductItemdetails(int pid)
        ds = new DataSet();
        ds = WebService.GetselectedProductDetails(pid);
        if (ds.Tables.Count > 0 && ds.Tables["tbl pidetails"].Rows.Count > 0)
        {
            FormView1.DataSource = ds.Tables["tbl pidetails"].DefaultView;
            FormView1.DataBind();
        }
```

Ruper Ka Som (Solvelogge Kolkata) (Solvelogge Kolka

```
}
```

CustomerCardDetails.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin CustomerCardDetails : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
    protected void Page_Load(object sender, EventArgs e)
        if (Request.QueryString.Count > 0)
        {
            if (Page.IsPostBack != true)
                GetCardDetails(Convert.ToInt32(Request.QueryString["uid"].ToString()));
            }
        }
   }
   private void GetCardDetails(int uid)
        da = new SqlDataAdapter("select tc.cardcheckid,tc.cardname,tc.cdate from tbl_cardtype tc
inner join tbl_login tl on tl.uid=tc.uid where tc.uid=" + uid + " ", con);
        ds = new DataSet();
        da.Fill(ds, "tbl ts");
        GridView1.DataSource = ds.Tables["tbl ts"].DefaultView;
        GridView1.DataBind();
   }
   protected void GridView1 PageIndexChanging(object sender, GridViewPageEventArgs e)
        GridView1.PageIndex = e.NewPageIndex;
                      Ruperl Ka Jam ( Kolkata
```

```
GetCardDetails(Convert.ToInt32(Request.QueryString["uid"].ToString()));
}
```

Customers.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin_Customers : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
   protected void Page_Load(object sender, EventArgs e)
        if (con.State == ConnectionState.Closed)
        {
            con.Open();
        if (Page.IsPostBack != true)
            Getcustomers();
    }
   private void Getcustomers()
        da = new SqlDataAdapter("select uid,uname,status,cdate from tbl login", con);
        ds = new DataSet();
        da.Fill(ds, "tbl_login");
        GridView1.DataSource = ds.Tables["tbl_login"].DefaultView;
        GridView1.DataBind();
    }
   protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
```


Ruperk Ka Som (Sovelogation of the Control of the C

```
{
        GridView1.PageIndex = e.NewPageIndex;
        Getcustomers();
   protected void GridView1_RowCommand(object sender, GridViewCommandEventArgs e)
        if (e.CommandName == "Artist")
        {
            da = new SqlDataAdapter("select status from tbl_login where uid=" +
Convert.ToInt32(e.CommandArgument.ToString()) + " ", con);
            ds = new DataSet();
            da.Fill(ds, "tbl login");
            if (ds.Tables.Count > 0 && ds.Tables["tbl login"].Rows.Count > 0)
                if (ds.Tables["tbl_login"].Rows[0][0].ToString() == "Activate")
                    da = new SqlDataAdapter("update tbl login set status='Deactivate' where
uid=" + Convert.ToInt32(e.CommandArgument.ToString()) + " ", con);
                    int n = da.SelectCommand.ExecuteNonQuery();
                    if (n == 1)
                    {
                        Getcustomers();
                else if (ds.Tables["tbl_login"].Rows[0][0].ToString() == "Deactivate")
                    da = new SqlDataAdapter("update tbl login set status='Activate' where uid="
+ Convert.ToInt32(e.CommandArgument.ToString()) + " ", con);
                    int n = da.SelectCommand.ExecuteNonQuery();
                    if (n == 1)
                    {
                        Getcustomers();
                    }
                }
            }
        else if (e.CommandName == "sview")
            Response.Redirect("~/salesman/CustomerSoldProducts.aspx?uid=" +
e.CommandArgument.ToString());
        else if (e.CommandName == "cview")
            Response.Redirect("~/salesman/CustomerCardDetails.aspx?uid=" +
e.CommandArgument.ToString());
    }
    protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
        Label uid = new Label();
        uid = (Label)GridView1.Rows[e.RowIndex].Cells[1].FindControl("uid");
        if (uid.Text != "")
            da = new SqlDataAdapter("delete from tbl_login where uid=" +
Convert.ToInt32(uid.Text) + " ", con);
                      Rupert Kn Jam (2 Kolkata
            int res - do Solos+Com
```

```
if (res == 1)
{
          Getcustomers();
        }
}
```

CustomerProductDetails.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
public partial class Admin_CustomerSoldProducts : System.Web.UI.Page
{
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
   protected void Page_Load(object sender, EventArgs e)
        if (Request.QueryString.Count > 0)
        {
            if (Page.IsPostBack != true)
            {
                GetCustomerProducts(Convert.ToInt32(Request.QueryString["uid"].ToString()));
            }
        }
   }
    private void GetCustomerProducts(int uid)
        da = new SqlDataAdapter("select ts.spid,ts.brandname,ts.imgpath,ts.cost,ts.cdate from
tbl_soldproducts ts inner join tbl_login tl on tl.uid=ts.uid where ts.uid=" + uid + " ", con);
        ds = new DataSet();
        da.Fill(ds, "tbl_ts");
        GridView1.DataSource = ds.Tables["tbl ts"].DefaultView;
        GridView1.DataBind();
    }
```



```
protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
{
    GridView1.PageIndex = e.NewPageIndex;
    GetCustomerProducts(Convert.ToInt32(Request.QueryString["uid"].ToString()));
}
```

adminlogin.aspx.cs

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
public partial class adminlogin : System.Web.UI.Page
    protected void Page_Load(object sender, EventArgs e)
    {
   protected void Button1_Click(object sender, EventArgs e)
        if (TextBox1.Text =="admin" && TextBox2.Text =="admin")
            Response.Redirect("~/admin/welcome.aspx");
    }
}
```

BharathExp.aspx.cs

```
using System;
using System.Collections;
using System.Configuration:
```

Rupert Ka Saw (2 Kolkata)

```
using System.Data;
using System.Linq;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.HtmlControls;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Xml.Linq;
using System.Data.SqlClient;
public partial class BharathExp : System.Web.UI.Page
    SalCommand con = new
SqlCommand(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
    DataSet ds;
    protected void Page_Load(object sender, EventArgs e)
    protected void GridView1_RowEditing(object sender, GridViewEditEventArgs e)
    }
    protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
    protected void GridView1_RowCancelingEdit(object sender, GridViewCancelEditEventArgs e)
    protected void GridView1_RowUpdating(object sender, GridViewUpdateEventArgs e)
}
```

${\bf Customer Registration. aspx.cs}$

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
```

Rupert Ka Jam (Se Kolkata)

```
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data.SqlClient;
using System.Collections.Generic;
using System.Net;
using System.Text;
using System.IO;
public partial class CustomerRegistration : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlDataAdapter da;
   DataSet ds;
    protected void Page_Load(object sender, EventArgs e)
    {
        //Label16.Text = Guid.NewGuid().ToString().Substring(0, 6);
        //ddlGender.SelectedItem = 0;
        if (con.State == ConnectionState.Closed)
        {
            con.Open();
        //ScriptManager.RegisterClientScriptBlock(this, this.GetType(), "alertMessage",
"alert('You have successfully registered. Your User ID and Password is send to your email
address')", true);
        //ScriptManager.RegisterClientScriptBlock(this, this.GetType(), "alertMessage",
"alert('You have successfully registered. Your User ID and Password is send to your email
address')", true);
    }
   protected void TextBox9_TextChanged(object sender, EventArgs e)
        da = new SqlDataAdapter("select count(uname) from tbl_login where uname='" +
TextBox9.Text + "' ", con);
        ds = new DataSet();
        da.Fill(ds, "tbl_login");
        if (ds.Tables["tbl_login"].Rows.Count == 1 &&
ds.Tables["tbl login"].Rows[0][0].ToString() == "1")
        {
            Label17.Text = "Username is not Available.";
            Label17.ForeColor = System.Drawing.Color.Red;
            //Label17.BackColor = System.Drawing.Color.Red;
            TextBox9.Focus();
        }
        else
        {
            if (TextBox9.Text != "")
                Label17.Text = "Username is Available.";
                Label17.ForeColor = System.Drawing.Color.Green;
                       Ruperh Kr Jam (S Kolkata
```

```
//TextBox10.Focus();
            }
           else
            {
               Label17.Text = "Don't leave User Name field blank.";
               Label17.ForeColor = System.Drawing.Color.Red;
            }
        }
   }
   private int GetUid(string uname)
        da = new SqlDataAdapter("select uid from tbl_login where uname='" + uname.ToString() +
        return Convert.ToInt32(da.SelectCommand.ExecuteScalar());
    }
    /****** modified code starts here ****************/
   private Dictionary<bool, string> CaptchaValidate()
        // Validate Captcha here
        var IsValidCaptcha = new Dictionary<bool, string>();
        string[] resultsFromGoogle;
        HttpWebRequest req =
(HttpWebRequest)WebRequest.Create("http://www.google.com/recaptcha/api/verify");
        req.Timeout = 0x7530;
        req.Method = "POST";
        req.UserAgent = "reCAPTCHA/ASP.NET";
        req.ContentType = "application/x-www-form-urlencoded";
        string Fdata = string.Format("privatekey={0}&remoteip={1}&challenge={2}&response={3}",
            new object[]{ //6LfqXPYSAAAAAMAqsWaan6WE6juyBdsW9iqHGWzT
               HttpUtility.UrlEncode("6LfqXPYSAAAAAMAqsWaan6WE6juyBdsW9iqHGWzT"),// give
private key here
HttpUtility.UrlEncode(Dns.GetHostEntry(Dns.GetHostName()).AddressList[1].ToString()),
               HttpUtility.UrlEncode(Request.Form["recaptcha_challenge_field"]),
               HttpUtility.UrlEncode(Request.Form["recaptcha response field"]),
            });
        byte[] resData = Encoding.ASCII.GetBytes(Fdata);
        using (Stream rStream = req.GetRequestStream())
        {
            rStream.Write(resData, 0, resData.Length);
       try
        {
            using (WebResponse wResponse = req.GetResponse())
                      Ruperl Kn Jam ( Kolkata
```

E-PURCHASE REQUISITION SYSTEM

```
using (TextReader readStream = new StreamReader(wResponse.GetResponseStream(),
Encoding.UTF8))
                    resultsFromGoogle = readStream.ReadToEnd().Split(new string[] { "\n", "@\n"
}, StringSplitOptions.RemoveEmptyEntries);
        }
        catch (WebException ex)
            IsValidCaptcha.Add(false, ex.InnerException.ToString());
            return IsValidCaptcha;
        }
        IsValidCaptcha.Add(resultsFromGoogle[0] == "true", resultsFromGoogle[1]);
        return IsValidCaptcha;
        //req.ProtocolVersion = HttpVersion.Version10;
        //return IsValidCaptcha;
   }
   protected void Button1_Click(object sender, EventArgs e)
        var IsValidCaptcha = CaptchaValidate();
        string val = "";
        try
        {
            IsValidCaptcha.TryGetValue(true, out val);
            if (val == null)
            {
                lblCaptchaResult.Text = "Provided security code is not valid plese try
again....";
                lblCaptchaResult.ForeColor = System.Drawing.Color.Red;
                return;
            }
        }
        catch (Exception ex)
            lblCaptchaResult.Text = "Provided security code is not valid plese try again....";
            lblCaptchaResult.BackColor = System.Drawing.Color.Red;
            return;
        }
        if (Label17.Text == "Username is Available.")
            string password = new SomeFunctionalities().CreateStrongPassword();
                       Rupert Ka Som (Kolkata
            string amail - Tay+Pay4 Tay
```

```
string gender = ddlGender.Text;
            da = new SqlDataAdapter("insert into
tbl_login(uname,password,securitycode,status,cdate)values('" + TextBox9.Text + "','" + password
+ "','" + TextBox11.Text + "','Activate',getdate())", con);
            da.SelectCommand.ExecuteNonQuery();
            int uid = GetUid(TextBox9.Text);
            if (uid > 0)
            {
                da = new SqlDataAdapter("insert into
tbl_contact(uid,fname,lname,gender,email,city,state,country,mobileno,cdate)values(" + uid + ",'"
+ TextBox1.Text + "','" + TextBox2.Text + "','" + gender + "','" + TextBox4.Text + "','" + TextBox5.Text + "','" + TextBox6.Text + "','" + TextBox7.Text + "','" + TextBox8.Text +
"',getdate())", con);
                int n = da.SelectCommand.ExecuteNonQuery();
                // int k = da.ExecuteNonQuery();
                if (n == 1)
                     /****** SEND MAIL ********/
                     string subject = "Account Confirmation Mail";
                     string message = "Dear Mr./Mrs. " + TextBox1.Text + " " + TextBox2.Text +
"\n"
                         + "\tYour User ID is : " + TextBox9.Text + "\n"
                         + "\tYour Password is : " + password + "\n" +
                         "Please use this information to login into your account.";
                    new SomeFunctionalities().SendEmail(email, subject, message);
                     //Response.Write("<script>alert('User Details Added')</script>");
                     //System.Web.HttpContext.Current.Response.Write("<SCRIPT
LANGUAGE='JavaScript'>alert(' You have successfully registered.\n Your User ID ')</SCRIPT>");
                    Response.Redirect("~/Userlogin.aspx");
                    ScriptManager.RegisterClientScriptBlock(this, this.GetType(),
"alertMessage", "alert('You have successfully registered. Your User ID and Password is send to
your email address')", true);
            }
        }
        else
        {
            Label1.Text = "The Username is already taken.Choose another Name.";
            Label1.BackColor = System.Drawing.Color.Red;
        }
```



```
}
```

```
//protected void Button1_Click(object sender, EventArgs e)
             //{
                                 if (Label17.Text == "Username is Available.")
             //
             //
             //
                                              string password = TextBox10.Text;
                                              string email = TextBox4 Text;
                                              da = new SqlDataAdapter("insert into
             //
tbl_login(uname,password,securitycode,status,cdate)values('" + TextBox9.Text + "','" +
TextBox10.Text + "','" + TextPox11.Text + "','Activate',getdate())", con);
                                              da.SelectCommand.ExecuteNonQuery();
             //
             //
                                              int uid = GetUid(TextBox9.Text);
             //
                                              if (uid > 9)
             //
                                                            da ≠ new SqlDataAdapter("insert into
             //
tbl_contact(uid,fname,gender,email,city,state,country,mobileno,cdate)values(" + uid + ",'"
+ TextBox1.Text + "','" + TextBox2.Text + "','" + TextBox3.Text + "','" + TextBox4.Text + "','" + TextBox5.Text + "','" + TextBox6.Text + "','" + TextBox6.TextBox6.Text + "','" + TextBox6.TextBox6.Text + "','" + TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.TextBox6.Text
"',getdate())",/con);
             //
                                                            int n=da.SelectCommand.ExecuteNonQuery();
             //
                                                         // int k = da.ExecuteNonQuery();
                                                                            Rupert Ka Som ( Kolkala)
```

/***** modified code ends here ***************/

Document sign date :11 Jul, 2014

```
//
                 if (n == 1)
                     /******* SEND MAIL *********/
   //
   //
                     string subject = "Passowrd Confirmation Mail";
                     string message = "Dear Mr./Mrs." + TextBox1.Text + " " + TextBox2.Text +
   //
                        + "\tYour Password is : " + password + "\n" +
   //
                         "Please use this information to login into your account.";
   //
                     new SomeFunctionalities().SendEmail(email, subject, message);
   //
                     //
   //
                     Response.Write("<script>alert('User Details Added')</script>");
                     Response.Redirect("~/Userlogin.aspx");
   //
   //
                 }
   //
             }
   //
         }
   //
         else
   //
   //
             Label1.Text = "The Username is already taken.Choose another Name.";
   //
             Label1.BackColor = System.Drawing.Color.Red;
   //
         }
   //}
}
```


SalesmanLogin.aspx.cs

```
using System;
using System.Collections;
using System.Configuration;
using System.Data;
using System.Linq;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.HtmlControls;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Xml.Linq;
using System.Data.SqlClient;
```

Rupert Ka Som (Control Kolkata)

E-PURCHASE REQUISITION SYSTEM

```
public partial class salesmanlogin : System.Web.UI.Page
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["con"].ConnectionString);
    SqlCommand cmd;
    SqlDataAdapter da;
    DataSet ds;
    protected void Page Load(object sender, EventArgs e)
    protected void Button1_Click(object sender, EventArgs e)
da = new SqlDataAdapter("select eid from tbl_newemp where login='" + TextBox1.Text +
"'and pwd='" + TextBox2.Text + "'", con);
        ds = new DataSet();
        da.Fill(ds, "table");
        if (ds.Tables["table"].Rows.Count > 0)
        {
            Session.Add("n", ds.Tables["table"].Rows[0][0].ToString());
            Response.Redirect("~/salesman/Customers.aspx");
        }
        else
        {
            Response.Write ("You Are Not Valid User");
        }
    }
}
```



This is to certify that Mr. Subhajit Ganguly of JIS College of Engineering, registration number: 111230110101 of 2011-2012, has successfully completed a project on E-Purchase Requisition System using .NET under the guidance of Mr. Rupesh Kumar Saw.

Mr. Rupesh Kumar Saw Globsyn Finishing School (adivision of Globsyn Skills)

Rupert Ka Jam (Kolkata) (Kolkata) (

This is to certify that Mr. Subhrangshu Chaudhuri of JIS College of Engineering, registration number:111230110104 of 2011-2012, has successfully completed a project on E-Purchase Requisition System using .NET under the guidance of Mr. Rupesh Kumar Saw.

Mr. Rupesh Kumar Saw **Globsyn Finishing School** (adivision of Globsyn Skills)

Rupert Ka Som (Kolkata) 2 (Kolkata) 2 (Ko

This is to certify that Mr. Subhro Dutta of JIS College of Engineering, registration number:111230110105 of 2011-2012, has successfully completed a project on E-Purchase Requisition System using .NET under the guidance of Mr. Rupesh Kumar Saw.

Mr. Rupesh Kumar Saw **Globsyn Finishing School** (adivision of Globsyn Skills)

Rubert Ka Som (Control of Kolkata)

This is to certify that Mr. Sukanta Sharma of JIS College of Engineering, registration number:111230110109 of 2011-2012, has successfully completed a project on E-Purchase Requisition System using .NET under the guidance of Mr. Rupesh Kumar Saw.

Mr. Rupesh Kumar Saw **Globsyn Finishing School** (adivision of Globsyn Skills)

Rupert Ka Som (Sevelogge Kolkata)

This is to certify that Mr. Vikash Singh of JIS College of Engineering, registration number:111230110123 of 2011-2012, has successfully completed a project on E-Purchase Requisition System using .NET under the guidance of Mr. Rupesh Kumar Saw.

Mr. Rupesh Kumar Saw

Globsyn Finishing School

(adivision of Globsyn Skills)

Rubert Ka Som (Solvelogge Kolkata)