


(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)




(bar_sav_000 Ground Truth)
Three reflectors running BAR SAV, one disconnected from both victim and attacker

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(bar_sav_000)

Three reflectors running BAR SAV, one disconnected from both victim and attacker

(Data Plane Outcomes)




(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)

7.7.7.0/24 | 777 | 24

(Victim Outcomes)



(bar_sav_001 Ground Truth)
Single reflector running BAR SAV, victim does not announce prefix


(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)

7.7.7.0/24	777	24
------------	-----	----



(bar_sav_001)
Single reflector running BAR SAV, victim does not announce prefix













(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(bar_sav_002 Ground Truth)


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	4	✓ TRUE NEGATIVE ✓	5
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	2	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(bar_sav_003 Ground Truth)


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	4	✓ TRUE NEGATIVE ✓	5
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	2	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)







(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(bar_sav_004 Ground Truth)


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(Data Plane Outcomes)

(Attacker Outcomes)

	(Victim Outcomes)	
	✓ FALSE NEGATIVE ✓	✓ TRUE NEGATIVE ✓
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗ 1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗ 0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥ 0

ROAs (prefix, origin, max_len)




(bar_sav_005 Ground Truth)
BAR SAV False Positive Test No ROA

(Data Plane Outcomes)

(Attacker Outcomes)

	(Victim Outcomes)	
	✓ FALSE NEGATIVE ✓	✓ TRUE NEGATIVE ✓
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗ 1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗ 0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥ 0


ROAs (prefix, origin, max_len)



(bar_sav_005)
BAR SAV False Positive Test No ROA

(Data Plane Outcomes)


(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0
ROAs (prefix, origin, max_len)			
7.7.7.0/24	4	24	



(bar_sav_006 Ground Truth)
BAR SAV False Positive Test with ROA (Expecting True Negative)

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0
ROAs (prefix, origin, max_len)			
7.7.7.0/24	4	24	



(bar_sav_006)
BAR SAV False Positive Test with ROA (Expecting True Negative)

(Data Plane Outcomes)






(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	1
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

(Victim Outcomes)

ROAs (prefix, origin, max_len)

7.7.7.0/24	4	24
------------	---	----



(bar_sav_007 Ground Truth)
BAR SAV False Positive Test with ROA

(Data Plane Outcomes)






(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	1
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

(Victim Outcomes)

ROAs (prefix, origin, max_len)

7.7.7.0/24	4	24
------------	---	----



(bar_sav_007)
 BAR SAV False Positive Test with ROA

(Data Plane Outcomes)

(Attacker Outcomes)


✓ FALSE NEGATIVE ✓	0
✗ TRUE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0

(Victim Outcomes)

✓ TRUE NEGATIVE ✓	3
✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)

7.7.7.0/24	4	24
------------	---	----




(bar_sav_008 Ground Truth)
BAR SAV False Positive Test with ROA and ASPA (Expecting True Negative)

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	3
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)

7.7.7.0/24	4	24
------------	---	----



(bar_sav_008)
BAR SAV False Positive Test with ROA and ASPA (Expecting True Negative)

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓

0

(Victim Outcomes)

✓ TRUE NEGATIVE ✓

2

✗ TRUE POSITIVE ✗

0

✗ FALSE POSITIVE ✗

0

✗ FILTERED ON PATH ✗

0

✗ FILTERED ON PATH ✗

0


⊥ DISCONNECTED ⊥

0

⊥ DISCONNECTED ⊥

0

ROAs (prefix, origin, max_len)



(bar_sav_009 Ground Truth)
Basic Export to Some

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓

0

(Victim Outcomes)

✓ TRUE NEGATIVE ✓

2

✗ TRUE POSITIVE ✗

0

✗ FALSE POSITIVE ✗

0

✗ FILTERED ON PATH ✗

0

✗ FILTERED ON PATH ✗

0


⊥ DISCONNECTED ⊥

0

⊥ DISCONNECTED ⊥

0

ROAs (prefix, origin, max_len)



(bar_sav_009)
Basic Export to Some













(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)

(Victim Outcomes)



(efp_a_000 Ground Truth)


Three reflectors running EFP uRPF Alg A, one disconnected from both victim and attacker

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(efp_a_000)

Three reflectors running EFP uRPF Alg A, one disconnected from both victim and attacker






(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	0
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(efp_a_001 Ground Truth)
Export 2 some failing for EFP Alg A






(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	0
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(efp_a_001)
Export 2 some failing for EFP Alg A



(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(efp_a_002 Ground Truth)
Export 2 some passing for EFP Alg A






(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(efp_a_002)
Export 2 some passing for EFP Alg A

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(efp_a_003 Ground Truth)
Basic Export to Some

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0


ROAs (prefix, origin, max_len)



(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)




(efp_a_w_peers_000 Ground Truth)

Three reflectors running EFP uRPF Alg A with Peers, one disconnected from both victim and attacker

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(efp_a_w_peers_000)

Three reflectors running EFP uRPF Alg A with Peers, one disconnected from both victim and attacker



(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)

(Victim Outcomes)



(efp_b_000 Ground Truth)

Three reflectors running EFP uRPF Alg B, one disconnected from both victim and attacker













(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)

(Victim Outcomes)



(efp_b_000)
Three reflectors running EFP uRPF Alg B, one disconnected from both victim and attacker






(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(efp_b_001 Ground Truth)
Export 2 some passing for EFP Alg B (fails for Alg A)






(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(efp_b_001)
Export 2 some passing for EFP Alg B (fails for Alg A)

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(efp_b_002 Ground Truth)
Basic Export to Some

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(efp_b_002)
Basic Export to Some

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(fp_000 Ground Truth)


Three reflectors running Feasible Path uRPF, one disconnected from both victim and attacker

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(fp_000)

Three reflectors running Feasible Path uRPF, one disconnected from both victim and attacker


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(fp_001 Ground Truth)
Simple Export-to-Some with Feasible Path uRPF


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(fp_001)
Simple Export-to-Some with Feasible Path uRPF


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(fp_002 Ground Truth)
Simple Export-to-Some with Replacement with Feasible Path uRPF


(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(fp_002)

Simple Export-to-Some with Replacement with Feasible Path uRPF

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	2	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(fp_003 Ground Truth)
Feasible Path uRPF on Asymmetric Route

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	2	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)








(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0








(fp_004 Ground Truth)
False positive test for Feasible Path uRPF with Export-to-All

(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0



(fp_004)
False positive test for Feasible Path uRPF with Export-to-All













(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)

(Victim Outcomes)



(loose_000 Ground Truth)

Three reflectors running Loose uRPF, one disconnected from both victim and attacker



(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	1	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)

(Victim Outcomes)



(loose_000)


Three reflectors running Loose uRPF, one disconnected from both victim and attacker

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(strict 000 Ground Truth)


Three reflectors running Strict uRPF, one disconnected from both victim and attacker

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	1	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(strict_000)

Three reflectors running Strict uRPF, one disconnected from both victim and attacker


(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	1	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)

(strict_001 Ground Truth)
Multiple reflectors and transit providers deploying Strict uRPF




(Data Plane Outcomes)

(Attacker Outcomes)

(Victim Outcomes)

✓ FALSE NEGATIVE ✓	0	✓ TRUE NEGATIVE ✓	1
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	1	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	1

ROAs (prefix, origin, max_len)



(strict_001)
Multiple reflectors and transit providers deploying Strict uRPF

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓

0

(Victim Outcomes)

✓ TRUE NEGATIVE ✓

1

✗ TRUE POSITIVE ✗

0

✗ FALSE POSITIVE ✗

1

✗ FILTERED ON PATH ✗

0

✗ FILTERED ON PATH ✗

0


⊥ DISCONNECTED ⊥

0

⊥ DISCONNECTED ⊥

0

ROAs (prefix, origin, max_len)



(strict_002 Ground Truth)

Simple scenario with Export-to-Some and reflectors deploying Strict uRPF

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓

0

(Victim Outcomes)

✓ TRUE NEGATIVE ✓

1

✗ TRUE POSITIVE ✗

0

✗ FALSE POSITIVE ✗

1

✗ FILTERED ON PATH ✗

0

✗ FILTERED ON PATH ✗

0


⊥ DISCONNECTED ⊥

0

⊥ DISCONNECTED ⊥

0

ROAs (prefix, origin, max_len)



(strict_002)


Simple scenario with Export-to-Some and reflectors deploying Strict uRPF

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	3
✗ TRUE POSITIVE ✗	3	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(strict 003 Ground Truth)
Strict uRPF deployed on all interfaces

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	3
✗ TRUE POSITIVE ✗	3	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(strict_003)
Strict uRPF deployed on all interfaces

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	2	✓ TRUE NEGATIVE ✓	0
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	1
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(strict_004 Ground Truth)
Strict uRPF on Asymmetric Route (Expecting False Positive)

(Data Plane Outcomes)

(Attacker Outcomes)		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	2	✓ TRUE NEGATIVE ✓	0
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗	1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	1
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(Data Plane Outcomes)

(Attacker Outcomes)

		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(strict_005 Ground Truth)
Strict uRPF

(Data Plane Outcomes)

(Attacker Outcomes)

		(Victim Outcomes)	
✓ FALSE NEGATIVE ✓	1	✓ TRUE NEGATIVE ✓	2
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(strict_005)
Strict uRPF

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	2	✓ TRUE NEGATIVE ✓	3
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)




(strict_006 Ground Truth)
Strict uRPF deployed on default interfaces (customers and peers)

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓	2	✓ TRUE NEGATIVE ✓	3
✗ TRUE POSITIVE ✗	2	✗ FALSE POSITIVE ✗	0
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗	0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥	0

ROAs (prefix, origin, max_len)



(strict_006)


Strict uRPF deployed on default interfaces (customers and peers)

(Data Plane Outcomes)

(Attacker Outcomes)

	(Victim Outcomes)	
	✓ FALSE NEGATIVE ✓	✓ TRUE NEGATIVE ✓
✗ TRUE POSITIVE ✗	0	✗ FALSE POSITIVE ✗ 1
✗ FILTERED ON PATH ✗	0	✗ FILTERED ON PATH ✗ 0
⊥ DISCONNECTED ⊥	0	⊥ DISCONNECTED ⊥ 0

ROAs (prefix, origin, max_len)



(strict_007 Ground Truth)
Basic Export to Some

(Data Plane Outcomes)

(Attacker Outcomes)

✓ FALSE NEGATIVE ✓

0

(Victim Outcomes)

✓ TRUE NEGATIVE ✓

1

✗ TRUE POSITIVE ✗

0

✗ FALSE POSITIVE ✗

1

✗ FILTERED ON PATH ✗

0

✗ FILTERED ON PATH ✗

0


⊥ DISCONNECTED ⊥

0

⊥ DISCONNECTED ⊥

0

ROAs (prefix, origin, max_len)



(strict_007)
Basic Export to Some