```
#Nina's note: I ended up using the IMDB 5000 dataset for the EDA, so I did answered the
 question with it.
data <- read.csv("movie_metadata.csv")
data16 <- data[data$title_year == '2016',]
titles <- as.vector(data16[order(data16$imdb_score, decreasing = TRUE),]$movie_title)
genres <- as.vector(data16[order(data16$imdb_score, decreasing = TRUE),]$genres)

#top 10
rbind(titles, genres)[,1:10]
```

```
##        [,1]                    [,2]
## titles "Kickboxer: Vengeance " "A Beginner's Guide to Snuff "
## genres "Action"                "Comedy|Horror|Thriller"
##        [,3]                                [,4]
## titles "Airlift "                          "Captain America: Civil War "
## genres "Action|Drama|History|Thriller|War" "Action|Adventure|Sci-Fi"
##        [,5]
## titles "Godzilla Resurgence "
## genres "Action|Adventure|Drama|Horror|Sci-Fi"
##        [,6]
## titles "Godzilla Resurgence "
## genres "Action|Adventure|Drama|Horror|Sci-Fi"
##        [,7]                                    [,8]
## titles "Deadpool "                             "Mr. Church "
## genres "Action|Adventure|Comedy|Romance|Sci-Fi" "Drama"
##        [,9]                             [,10]
## titles "The Jungle Book "               "The Conjuring 2 "
## genres "Adventure|Drama|Family|Fantasy" "Horror|Mystery|Thriller"
```