AI Multimodal Pipeline Architecture & Use Cases

https://share.gemini.google/KPtVNzcpJgoM

Created with **3.5 Flash-Lite** October 28, 2026 at 08:03 PM • Published October 28, 2026 at 08:29 PM



- Idea 1 — MotionDJ: Music that adapts to your workout
Concept: An intelligent headphone companion that changes music, tempo, and energy based on the user's movement, exercise intensity, and workout phase.

The architecture sketched in your diagram (
`Ray-Ban → Pose Ego [OmniEgoCap] → V-JEPA 2 → Muse Spark → Lighting / Music / Activity`
) has high potential because it separates **kinematic perception**, **spatio-temporal dynamics**, and **high-level agentic reasoning**, though it requires a careful split between **asynchronous semantic control** and **synchronous real-time modulation** to work in live settings. PNG

1. Architectural Critique of Your Diagram Pipeline

Your sketched pipeline splits into two branches: an **environmental context branch** (`Video → V-JEPA 2`) and a **kinematic branch** (`Ray-Ban → Pose Ego → V-JEPA 2`), both feeding into `Muse Spark` to drive `Activity`, `Lighting`, and `Music`. PNG

What Makes This Setup Strong

Predictive World Modeling (V-JEPA 2): Standard reactive lighting or workout music lags behind the human because it waits for an action to finish before detecting it. Because V-JEPA 2 learns predictive representations in latent space, it anticipates trajectories and state transitions *before* a movement peaks—allowing a lighting strobe or beat drop to land on the exact frame of impact.

Device-Agnostic Egocentric Kinematics (OmniEgoCap): Using Meta Ray-Bans removes occlusion issues inherent to static webcams. Even when a user turns their back, moves behind furniture, or walks between rooms, OmniEgoCap reconstructs full-body 3D motion from head-mounted ego-video and IMU/head-pose cues.

Semantic State Translation (Muse Spark): Raw 3D joint angles or V-JEPA latents cannot directly program a DMX light show or curate a Spotify transition. Muse Spark acts as the semantic bridge, translating moti[illegible]ctured control schemas (e.g., JSON payloads for DMX scenes, WLED p[illegible]potify API calls).

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

1. **Input Modality Mismatch on the Lower V-JEPA 2 Block:** V-JEPA 2 is pre-trained on raw video tokens (`[T, H, W, C]`), whereas OmniEgoCap outputs 3D skeletal/SMPL-X pose sequences (`[T, J, 3]`). Feeding 3D joint coordinates directly into a frozen V-JEPA 2 encoder will not work out of the box unless you either render the 3D skeleton as a synthetic video/depth map or train a lightweight linear/MLP projection adapter to align 3D kinematic trajectories with V-JEPA 2's latent space.
2. **Sequence-Level Diffusion vs. Sub-50ms Live Latency:** OmniEgoCap is a sequence-level diffusion framework, and Muse Spark is a heavy multimodal reasoning agent. Running both inline on every frame will introduce 300ms–1000ms+ of latency—fine for **LifeLens**, acceptable for **MotionDJ**, but noticeable for **Live Stage Lighting**.

   The Fix (Fast/Slow Dual-Loop): Run **Muse Spark asynchronously (every 2–4 seconds)** to set the *macro state* (e.g., color palette, lighting behavior mode, music track/BPM target), while routing **kinematic velocity/energy from OmniEgoCap or SAM 3.1 masks directly (<30ms)** to modulate brightness, strobe speed, or audio filter cutoff in real time.
3. **Egocentric vs. Third-Person Camera Trade-off (Idea 3):** In your diagram, the red loop starts at `Ray-Ban` , whereas your third pitch describes a static webcam running **SAM 3.1**.
   PNG

   Static Webcam + SAM 3.1 gives pixel-accurate 2D/3D spatial masks in the room frame (crucial for projecting visuals *around* a performer on a stream or stage).

   Ray-Ban + OmniEgoCap gives 3D body posture and first-person gaze, knowing *what the performer is looking at* and how their limbs are moving without camera framing limits. Combining both (or clearly picking one per use case) will sharpen your pitch.

2. Evaluation of Your Three Concepts

Concept	Best Fit Format	Technical Feasibility	Biggest Streng
1. MotionDJ *(Adaptive Workout Audio)*	Hackathon / Consumer Prototype	**High** (Tolerates 1–2s latency for track/tempo transitions)	Solves the "sta playlist" probl actual movem & fatigue rath just lagged he
2. LifeLens *(Daily Routine & Ergonomics)*	Research Paper / Long-Term Product	**Very High** (Can process batch/windowed ego-recordings offline)	Goes far beyc Watch step cc by capturing *quality* and mi transitions.
3. AI Live Production Crew *(Reactive Lighting & Visuals)*	Flashiest Demo / Hackathon Winner	**Medium-High** (Requires fast/slow loop separation)	Huge visual pa live 2-minute clear $30k vs.

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Concept	Best Fit Format	Technical Feasibility	Biggest Streng

3. High-Impact Additional Use Cases for This Exact Setup

Because your stack combines **3D Egocentric Pose (OmniEgoCap)** + **Object/Scene Segmentation (SAM 3.1)** + **Predictive World Modeling (V-JEPA 2)** + **Agentic Reasoning (Muse Spark)**, several strong use cases emerge right out of the same diagram:

A. "GhostCoach" — Real-Time Physical Therapy & Biomechanical Form Sonification

The Problem: Patients doing rehab exercises or athletes lifting weights at home cannot look at a screen to check their form mid-movement, and post-set video review is too late to prevent injury.

How Your Pipeline Solves It:

`Ray-Ban → OmniEgoCap` reconstructs 3D joint angles and spinal alignment during squats, deadlifts, or gait rehab.

`V-JEPA 2` predicts compensatory movement patterns (e.g., knee valgus or asymmetry) as fatigue sets in.

`Muse Spark` acts as an instant acoustic biofeedback coach—using the `Music / Audio` output node to pan audio left/right if weight shifts unevenly, distort the music if posture breaks, or give succinct voice cues between reps. PNG

B. "Zero-Click Smart Home" — Anticipatory Ambient Environment Control

The Problem: Smart homes require voice commands ("Hey Meta, dim the lights") or rigid phone apps.

How Your Pipeline Solves It: This uses your exact red-circled diagram (`Ray-Ban → Pose Ego → V-JEPA 2 → Muse Spark → Lighting / Music`) for everyday living: PNG

If you sit at your desk and lean forward (OmniEgoCap) while looking at a book or monitor (SAM 3.1 + V-JEPA 2), Muse Spark automatically shifts desk lighting to cool 5000K focus light and starts ambient lo-fi audio.

If you lie back on the couch and your kinematic velocity drops, the room dims to warm 2200K. No voice prompts required.

C. "Conductor" — Embodied Live Music & Stem Jamming

The Problem: Solo musicians, dancers, and electronic creators are stuck behind laptops and MIDI controllers during live sets.

How Your Pipeline Solves It: Wearing Ray-Bans (or in front of a SAM 3.1 camera), a performer uses full-body motion to conduct an AI backing band

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Moving to stage-left brings in bass stems; explosive movement cues `Muse Spark` to build tension and trigger drum fills; freezing in place cuts the reverb tail.

D. "Sim2Robot" — Zero-Shot Humanoid Teleoperation & Skill Capture

The Problem: Training humanoid robots or capturing manipulation datasets requires expensive motion-capture suits or VR controllers.

How Your Pipeline Solves It:

`OmniEgoCap` extracts full-body 3D kinematics from everyday Ray-Ban video.

`SAM 3.1` segments the manipulated object in 3D space.

`V-JEPA 2` encodes the physical interaction dynamics, and `Muse Spark` segments the continuous demonstration into structured sub-tasks (`reach` , `grasp` , `place`) ready for robot policy learning.

4. Recommended Pipeline Refinement (If Building for a Demo / Hackathon)

If your goal is to build the **red-circled pipeline** (`Ray-Ban/Camera → Pose/Segmentation → V-JEPA 2 → Muse Spark → Lighting & Music`) for a live showcase, structure the data flow into two parallel tracks so it feels instantaneous:
PNG

1. **Fast Reflex Track (30–60 FPS, <25ms latency):**

   Input: Camera / Ray-Ban stream.

   Models: `SAM 3.1` (performer mask centroid & bounding area velocity) + `OmniEgoCap` (instantaneous joint velocity / kinetic energy $E_k = \frac{1}{2}\sum v_i^2$).

   Direct Output: Maps directly to dimmer intensity, shader displacement around the performer's silhouette, and audio low-pass filter modulation.

2. **Slow Director Track (0.5–1 Hz, asynchronous):**

   Input: 2-second sliding window of video + 3D pose summary.

   Models: `V-JEPA 2` extracts spatio-temporal action embeddings $\rightarrow$ `Muse Spark` interprets the vibe/intent (e.g., *"Performer is building up energy from slow contemporary movement to high-tempo footwork"*).


   Direct Output: Updates the DMX lighting palette, switches TouchDesigner/WebGL visual shaders, and triggers the next musical state or BPM target.

Which of the three directions—**MotionDJ**, **LifeLens**, or the **Live Production Crew**—are you leaning toward as your primary demo, and are yo
via API? generate an architecture figure for the same


Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps



can you have the video input from meta glasses and can you then use that to generate video and also use that to generate the 3d poses using egopose and then vjepa and muse spark and integrate it in a better way please and give updated information, further use cases and a new generated image



Routing the entire pipeline from **a single Meta Ray-Ban Glasses video input**—rather than splitting between glasses and a separate static webcam—aligns directly with your original sketch (`Ray-Ban → Video` branching into `Upper V-JEPA 2` and `Pose Ego → Lower V-JEPA 2`) and creates a much more cohesive, portable system. PNG

1. How the Unified Single-Source Integration Works

In your original diagram, `Ray-Ban` feeds `video` , which then splits into two parallel `V-JEPA 2` pathways (`video → vjepa-2` on top, and `pose ego → vjepa-2` on the bottom) before hitting two separate `Muse` blocks. Consolidating this into a **Dual-Stream Cross-Modal Architecture** solves three major integration challenges: PNG

Step 1: Single Hardware Capture (`Meta Ray-Ban Glasses → Ego-Video Stream`)

The glasses capture a single first-person RGB video stream (plus head-motion optical flow) . PNG

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

user's body is moving in 3D space). PNG

Step 2: Dual-Branch Processing (Visual + Kinematic)

1. **Upper Branch — Visual Context, Object Tracking & Video Generation (`Video → SAM 3.1 + V-JEPA 2`):**

   SAM 3.1 runs on the first-person video stream using open-vocabulary text prompts (e.g., `"weights"`, `"DJ deck"`, `"laptop"`, `"dance floor"`, `"hands"`) to isolate objects and scene geometry the wearer interacts with.

   V-JEPA 2 (Visual World Model) encodes the raw video frames to understand environmental physics, scene context, and object interactions. PNG

   Ego-to-Exo Video Generation: Because a first-person camera cannot see the wearer's own body directly, you combine the scene context from this upper branch with the 3D skeleton from the lower branch (`OmniEgoCap`) to **generate a third-person (exocentric) 3D video render or reactive visual stage** (via a 3D Gaussian Splatting scene, Unreal/TouchDesigner stage, or pose-conditioned diffusion model).

2. **Lower Branch — 3D Full-Body Reconstruction & Momentum Prediction (`Video → OmniEgoCap → V-JEPA 2`):**

   OmniEgoCap (`pose ego` in your sketch) takes the same monocular video from the Meta Ray-Bans and uses sequence-level diffusion with long-range physical invariants to reconstruct full-body 3D SMPL-X poses without external sensors or camera-specific calibration. PNG

   Pose-to-V-JEPA 2 Bridge: Instead of feeding raw `[x, y, z]` coordinates into V-JEPA 2, render the reconstructed 3D skeleton as a synthetic multi-view depth/pose video (or pass it through a lightweight linear adapter) into the lower **V-JEPA 2** block. V-JEPA 2 then predicts *upcoming movement trajectories, rhythm, and physical fatigue* in latent space before the movement completes. PNG

Step 3: Unified `Muse Spark` Orchestrator (Merging the Two `Muse` Blocks)

Instead of running two isolated `Muse` instances as drawn in the initial sketch, **fuse both V-JEPA 2 latent streams + SAM 3.1 object tags into a single `Muse Spark` agent.** PNG

Why this matters: `OmniEgoCap` might see the user squatting, while `SAM 3.1 + Upper V-JEPA 2` sees whether they are in a gym looking at a barbell (**MotionDJ** mode), on stage looking at a crowd (**Live Production** mode), or picking up laundry in their living room (**LifeLens** mode). One unified orchestrator switches or blends outputs (`Activity`, `Lighting & Generated Video`, `Music`) automatically. PNG

2. Updated 2026 Technical Stack Details

Component	Latest 2026 Capabilities	How to Use It in Your Pipeline
Muse Spark Family *(Muse Spark 1.2, Muse Spark Open, & Muse Glimmer)*	Developed by Meta Superintelligence Labs (MSL). **Muse Spark 1.2** (Aug 2026) supports 1M context and concurrent sub-agents via API. **Muse Spark Open** (Oct 2026) is an 816B/42B	Use **Muse Glimmer 30B** locally for your low-latency real-time control loop (driving DMX lighting, video shaders, and workout music tempo), and use **Muse Spark 1.2 / Open** for deep

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Component	Latest 2026 Capabilities	How to Use It in Your Pipeline
	Apache 2.0) pairs an LLM with a dedicated perception encoder and runs **offline on a single 24GB GPU**.	day/weekly routines across a 1M-token window).
SAM 3.1 *(Promptable Video & Concept Segmentation)*	Upgrades SAM 2 with **open-vocabulary text prompts**, exemplar boxes, confidence scoring, 4K hierarchical feature extraction, and 3D spatial extensions.	Have `Muse Spark` dynamically send text prompts to `SAM 3.1` based on the current context (e.g., segmenting `"kettlebell"`, `"guitar"`, or `"room walls"` for AR projection mapping) with zero manual clicking.
OmniEgoCap *(Camera-Agnostic Ego-Pose)*	Sequence-level diffusion framework using physical invariants and geometry-aware augmentation to reconstruct full-body 3D motion from arbitrary head-mounted cameras.	Because it is **device-agnostic**, it handles the Ray-Ban Meta's ultra-wide monocular POV directly—inferring lower-body and arm trajectories even when hands leave the camera frame.
V-JEPA 2 *(Self-Supervised World Model)*	Trained on web-scale video + physical interaction data to predict masked spatio-temporal representations in latent space rather than pixel space.	Acts as your **anticipation engine**: detects when a dancer is *about to* hit a drop or a lifter is *about to* fail a rep 200–500ms ahead of reactive threshold systems.

3. Further Use Cases Unlocked by Adding Video Generation + Unified Ego-Pose

By taking the **Meta Glasses video input** and using it to *both* **reconstruct 3D poses** (`OmniEgoCap`) and **generate/synthesize video** alongside `V-JEPA 2` and `Muse Spark`, you unlock four high-value applications beyond your initial three ideas:

1. "Pocket Stage" — Ego-to-Exo Live Concert & VTuber Video Generation

How it works: A dancer, musician, or streamer wears only Meta Ray-Bans anywhere (a bedroom, a rooftop, a park) with **zero external cameras**.

Pipeline flow: `OmniEgoCap` reconstructs their full-body 3D choreography in real time; `SAM 3.1` + `Upper V-JEPA 2` extract environmental lighting and objects they touch; `Lower V-JEPA 2` predicts dance accents; and `Muse Spark` drives a **real-time generated third-person video feed** (rendering a stylized 3D avatar or Gaussian Splatting stage where virtual camera angles, reactive lights, and visual effects orbit the performer

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

2. "GhostReplay" — First-to-Third-Person Biomechanical Sports & Rehab Video

How it works: When practicing golf swings, boxing combinations, tennis serves, or physical therapy exercises, first-person video is useless for checking your own posture, and setting up tripods is tedious.

Pipeline flow: The athlete wears Ray-Bans. `OmniEgoCap` reconstructs their 3D spine, hip, and shoulder kinematics; `SAM 3.1` tracks the ball, club, or opponent; `V-JEPA 2` spots kinetic chain leaks or fatigue; and the system **generates a synthetic third-person slow-motion replay video** of their 3D body with `Muse Spark` overlaying red/green biomechanical vectors and adaptive cadence audio.

3. "PreViz Lens" — Embodied AI Directing & Choreography Pre-Visualization

How it works: Film directors, stunt coordinators, and stage designers walk through an empty rehearsal space wearing Ray-Bans, acting out a scene or blocking movement.

Pipeline flow: The system captures the room geometry (`Video + SAM 3.1`) and the performer's 3D movement (`OmniEgoCap`), uses `V-JEPA 2` to match dramatic pacing, and uses `Muse Spark` to coordinate a **generated cinematic pre-visualization video** complete with virtual stage lighting and temp score (`Lighting` + `Music` outputs). PNG

4. "3D LifeSim" — Visual Digital Twin for Ergonomics & Elder Care (LifeLens Pro)

How it works: Enhances your **LifeLens** concept while preserving strict visual privacy.

Pipeline flow: Instead of storing raw camera footage of a user's home all day, the pipeline discards raw pixels after `OmniEgoCap` + `SAM 3.1` + `V-JEPA 2` extract the 3D motion and semantic object interactions. At the end of the day, `Muse Spark` generates a **clean, anonymized 3D video rep'**

or restless movement tra

where can the information of this architecture can be used in different use cases and thge customers provide a table for the same. incluide everything and streamlien to give a global idea that can be shared, add a problem statement

To present this architecture as a single, cohesive platform rather than disconnected mini-projects, you can frame the entire pipeline as **one unified product: an Embodied Predictive Reality Engine** that translates first-person human motion and visual context into real-time environmental, visual, and audio control. PNG + 1

1. The Unified Global Concept

The Global Problem Statement

Bridging human physical movement with responsive digital environments—whether for live stage production, adaptive workout audio, biomechanical coaching, or daily health tracking—is currently trapped between two extremes:

1. **Prohibitive, Room-Locked Hardware ($10,000–$30,000+):** Optical motion-capture studios, wearable IMU suits, and automated stage-tracking rigs (such as Naostage) require expensive external sensors, complex calibration, and fixed physical spaces.
2. **Lagging, Context-Blind Consumer Wearables:** Smartwatches and fitness rings only capture 1D scalar metrics (step counts, heart rate) *after* exertion happens. They cannot

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

The Unified Solution

One Camera. Full-Body 3D Awareness. Predictive Environment Control.
Instead of building separate hardware setups for creators, athletes, and everyday users, our platform turns a single pair of **Meta Ray-Ban Glasses** into an all-in-one perception and control engine. PNG

From a single first-person video stream, the architecture runs a synchronized dual-stream pipeline: PNG+1

> **Stream 1 — Scene & Object Intelligence (`SAM 3.1` + `V-JEPA 2`):** Uses `SAM 3.1` over Meta's streaming Responses API (`POST /v1/responses`) to detect, segment, and track objects across video frames using short text prompts, paired with `V-JEPA 2` to model environmental dynamics and drive ego-to-exo video generation.
>
> **Stream 2 — Predictive 3D Kinematics (`OmniEgoCap` + `V-JEPA 2`):** Uses `OmniEgoCap` — a device-agnostic, sequence-level diffusion framework—to reconstruct full-body 3D motion directly from egocentric video. That 3D motion stream feeds `V-JEPA 2` , which encodes motion, gravity, and spatial structure into abstract latent representations (tubelets) to anticipate physical intent and future trajectories *before* the movement completes. PNG
>
> **The Central Orchestrator (`Muse Spark`):** Sharing the same unified Meta API format as `SAM 3.1` , `Muse Spark` fuses the visual scene context with the 3D kinematic predictions to continuously drive three live outputs: **Activity & Routine Intelligence**, **Reactive Lighting & Generated Video**, and **Adaptive Music & Audio.** PNG

2. Master Use-Case & Customer Matrix

The table below streamlines every data signal produced by your architecture and maps where that information creates value across consumer, creator, enterprise, and research markets. PNG

Domain / Vertical	Unified Platform Mode	Architecture Information Used	What the Outp (`Activity` / `Lighting & V` `Music`)
Live Performance & Creator Economy	**AI Live Production Crew & "Pocket Stage"**	• `OmniEgoCap` : 3D dance/stage kinematics & velocity • `SAM 3.1` : Stage boundaries, props & instrument masks • `V-JEPA 2` : Anticipates beat drops & movement peaks	**Lighting & Gene Video:** Triggers a latency DMX sta lighting, laser/sh effects, and gen live 3rd-person v camera feed aro performer. PNG
Fitness & Athletic Performance	**MotionDJ & "GhostCoach"**	• `OmniEgoCap` : 3D joint angles, rep cadence, spinal alignment • `SAM 3.1` : Identifies gym equipment (barbell, kettlebell, treadmill)	**Music & Activity** Dynamically shif tempo/stems to workout intensit audio for real-tir correction; gene 3rd-person biomechanical r videos PNG

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Domain / Vertical	Unified Platform Mode	Architecture Information Used	What the Outp (`Activity` / `Lighting & V` `Music`)
Preventative Health, Ergonomics & Aging	**LifeLens & "3D LifeSim"**	• `OmniEgoCap` : Long-horizon sitting/standing transitions, gait symmetry • `SAM 3.1` : Daily object interaction (desk, couch, kitchen) • `V-JEPA 2` : Spots micro-instability or anomaly patterns	**Activity & Routi** Discards raw vid privacy while bu 3D digital-twin ti daily posture, se habits, fall risks, personalized sch coaching. `PNG`
Smart Spaces & Ambient Computing	**Zero-Click Smart Environment**	• `OmniEgoCap` : Body posture (leaning in to focus vs. reclining to rest) • `SAM 3.1` : Detects focus objects (book, monitor, TV, stove) • `V-JEPA 2` : Predicts room-to-room transition intent	**Lighting & Musi** Automatically sh smart-home ligh color temperatu 5000K focus vs. relax) and ambie soundscapes wi voice command
Film, Game Dev & Choreography	**PreViz Lens & Markerless Mocap**	• `OmniEgoCap` : Full-body 3D SMPL-X motion capture in the wild • `SAM 3.1` : Room geometry & prop segmentation • `V-JEPA 2` : Temporal continuity & physical grounding	**Generated Vide** **Lighting:** Produc visualization 3D animations with stage lighting ar music scores wh walking through empty room. `PN`
Embodied AI & Robotics	**Sim2Robot Teleop & Skill Capture**	• `OmniEgoCap` : Humanoid-compatible 3D arm/body trajectories • `SAM 3.1` : Target manipulation object masks & boxes • `V-JEPA 2-AC` : Action-conditioned physical world modeling	**Activity & Contr** Converts everyd human demonst wearing glasses structured sub-t policies (`reach` `grasp` , `place` robot learning.

3. Global Impact & Strategic Value Proposition

When pitching this architecture to investors, judges, or enterprise partners, highlight these four structural impacts:

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Before: Tracking a performer or athlete in 3D while coordinating scene visuals required $30,000+ in external optical rigs or multi-camera studio arrays.

Impact: Because `OmniEgoCap` is a camera-agnostic diffusion framework that reconstructs full-body 3D motion from a single head-mounted camera, any creator, patient, or athlete wearing off-the-shelf Meta Ray-Ban glasses gets studio-grade 3D motion capture anywhere—indoors or outdoors—with zero setup time.

2. Shifting AI from "Reactive" to "Anticipatory"

Before: Standard wearable apps and DMX sound-to-light controllers are reactive—they wait for a threshold (like a spike in heart rate or an audio transient) and respond *after* the moment has passed.

Impact: `V-JEPA 2` is trained on over 1 million hours of video to predict abstract representations of future motion, gravity, and intent without relying on pixel-level generation. Your system anticipates when a dancer is about to land a jump, when a lifter is about to stall on a rep, or when a user is transitioning between tasks—making lighting, music, and coaching feel instantaneous. PNG

3. Privacy-First Always-On Intelligence

Before: Users hesitate to wear life-logging cameras all day because storing raw video of their home, family, or workplace creates severe privacy risks.

Impact: Your dual-branch pipeline converts raw video frames on the fly into **anonymized 3D skeletal poses** (`OmniEgoCap`), **binary object raster masks** (`SAM 3.1`), and **compact latent embeddings** (`V-JEPA 2`). Raw video can be discarded immediately after inference while still allowing `Muse Spark` to reconstruct a 3D visual replay of the user's day.

4. Unified API & Modular Scalability

Before: Chaining vision segmentation, 3D pose estimation, and LLM reasoning required fragile custom wrappers across incompatible frameworks.

Impact: Both `SAM 3.1` and the `Muse Spark` model line operate over Meta's unified, OpenAI-compatible Responses API (`[https://api.meta.ai/v1](https://api.meta.ai/v1)`) with native server-sent events (SSE) streaming. Adding a new vertical—whether switching from a live concert light show to physical therapy rehab—requires zero hardware changes and only a prompt/schema swap inside `Muse Spark` . PNG

↪ Domain / Vertical	Unified Platform Mode	Architecture Information Used	What the Output Does (Activity / Lighting & Video / Music)	Target Customers (B2C or B2B)	Live…

give me a pastable table for it which is better organized please. also you don't need to include all the modalities, is it better to use sam3.1 + vjepa-2 or vjepa 2 can also build descriptors for the video?

V-JEPA 2 can build rich spatio-temporal descriptors directly from raw video on its own, meaning your original sketch (`Ray-Ban → Video → V-JEPA 2`) is actually cleaner, faster, and more architecturally sound for the egocentric pipeline than forcing `SAM 3.1` in front of it. PNG

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Because **V-JEPA 2** tokenizes video into 3D spatio-temporal tubelets ($2 \times 16 \times 16$ patches across time and space) and processes them through a Vision Transformer trained via masked latent prediction, its output tokens *already* serve as dense descriptors of scene context, camera motion, object interactions, and physical dynamics.

Design Choice	How It Works	Best Used For	Why / Trade-o
Option A: `V-JEPA 2` **Standalone** *(Recommended Core)*	Feeds raw ego-video and/or 3D pose trajectories directly into `V-JEPA 2`, pooling the resulting latent descriptors for `Muse Spark`.	**MotionDJ**, **LifeLens**, **Ambient Smart Home**, and **Robotics**	**Lowest laten simplest stac** 2 is pre-traine unmasked nat video; it native captures wha is interacting anticipates st transitions wit needing pixel first.
Option B: `SAM 3.1 + V-JEPA 2` *(Specialized Visual Mode)*	`V-JEPA 2` builds the temporal/action descriptors while `SAM 3.1` runs in parallel on an external/stage camera to extract pixel-accurate silhouettes.	**AI Live Production Crew** & **Visual Shader Projection**	**Only needed pixel boundar matter.** Use S only when a vi effect (like a l outline, backg replacement, projection ma wrap around t pixel contour performer or

2. Clean, Pastable Use-Case & Customer Matrix

Every cell below is formatted as single-line plain text (no line breaks, embedded bullets, or tags) and streamlined to focus only on the primary modality and core signal for each vertical so you can copy-paste it directly into Google Slides, Docs, Notion, or Excel:

Domain & Vertical	Product Mode	Core Pipeline Signal	Primary Outp Modality
Fitness & Athletics	MotionDJ	OmniEgoCap 3D kinematics + V-JEPA 2 rep cadence and fatigue descriptors	**Music & Audi** track tempo, layering, and drops to matc time exercise
Daily Health & Ergonomics	LifeLens	OmniEgoCap posture tracking + V-JEPA 2 daily activity and	**Activity Intell** Generates pri preserving ro

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Domain & Vertical	Product Mode	Core Pipeline Signal	Primary Outp Modality
Live Stage & Creator Production	AI Production Crew	V-JEPA 2 movement anticipation + SAM 3.1 live performer silhouette masks	**Lighting & Vis** Triggers zero- DMX stage lig silhouette-rea visual shaders
Sports Biomechanics & Rehab	GhostCoach	OmniEgoCap 3D joint angles + V-JEPA 2 compensatory motion prediction	**Audio & 3D Re** Provides insta spatial-audio cues and 3rd- skeletal replay
Smart Spaces & Home Automation	Zero-Click Home	OmniEgoCap body orientation + V-JEPA 2 scene context descriptors	**Lighting & Au** Shifts room co temperature a ambient soun automatically user focus
Embodied AI & Robotics	Sim2Robot Capture	OmniEgoCap 3D arm trajectories + V-JEPA 2 action-conditioned world descriptors	**Activity Cont** Segments hur demonstratio structured rea grasp-place

can you divide the tasks for the given method and assign me (shrey) for omniegocap video and pose video generation and the rest divided among 3 team members so that we can have the core engine built and specific use cases that can be targeted

Here is a clean, structured task division designed for a 4-person team to build out the core architecture and target specific use cases.

As requested, **Shrey** owns the egocentric ingestion and pose/video generation pipeline, while the remaining tasks are split among three team members (Member A, Member B, and Member C).

4-Person Task Division Matrix

Team Member	Assigned Modules & Components	Key Responsibilities & Deliverables	Target Integra
Shrey (You)	**Stream 1: Ego-Video & Pose Generation** • Meta Ray-Ban Glasses	• Set up real-time or batched video ingestion from Meta Ray-Ban glasses. JPG	**Core Er Vertica** founda video s

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Team Member	Assigned Modules & Components	Key Responsibilities & Deliverables	Target Integra
	• OmniEgoCap (3D Full-Body Diffusion) • Ego-to-Exo Video Synthesizer	• Build the video generation pipeline that fuses pose data with ego-video to output synthetic third-person visual renders. JPG	
Member A	**Stream 2: Spatio-Temporal World Modeling** • V-JEPA 2 (Raw Video & Kinematic Encoders) • Latent Feature Extraction & Tokenization	• Clone and configure **V-JEPA 2** (`facebookresearch/vjepa2`). • Build adapter layers to encode raw ego-video and 3D kinematic trajectories into abstract latent tubelet descriptors. JPG • Ensure low-latency predictive representation of physical movement and environment transitions.	**Core E (Anticip** (Feeds embed orchest JPG
Member B	**Stream 3: Agentic Orchestration & Fast/Slow Control** • Muse Spark API Integration • Multi-Agent Reasoning & State Translation • Real-Time Control Payload Dispatch	• Integrate **Muse Spark** via API (`[https://api.meta.ai/v1](https://api.meta.ai/v1)`) to handle multimodal reasoning. • Implement the **Fast/Slow Loop Logic**: async evaluation (1–2s) for high-level state translation and sync triggers (<30ms) for real-time adjustments. • Map V-JEPA 2 latents and pose signals into structured JSON command payloads.	**Core B** percep output
Member C	**Stream 4: Downstream Outputs & Vertical Prototypes** • Audio & Music Engine (MotionDJ / Tempo Control) • Lighting & Visual Shader Engine (Live Production) • Activity Timeline & Routine Builder (LifeLens)	• Build the output connectors: connect Muse Spark payloads to music APIs (Spotify/Ableton), DMX lighting protocols, or web-based visual shaders (TouchDesigner/Three.js). • Develop the end-user frontends/dashboards for the top 3 target verticals (MotionDJ, LifeLens, and AI Live Production Crew). JPG	**Applica** (Deliver for fitne daily he

Suggested Execution Roadmap (Milestones)

Phase 1 (Week 1–2) — Pipeline Foundations:

Shrey delivers a stable script extracting 3D kinematic poses and video frames from sample Meta Ray-Ban recordings. JPG

Member A successfully runs local or cloud inference on `vjepa2` to output latent embeddings.

Save this chat

Phase 2 (Week 3–4) — Agentic Loop Integration:

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps

Member C builds mock endpoint consumers (e.g., a test audio player changing tempo and a basic web visualizer responding to movement).

Phase 3 (Week 5–6) — Demo Integration & Polish:

Save this chat

Gemini may display inaccurate info, including about people, so double-check its responses.

Google Privacy Policy Google Terms of Service Your privacy & Gemini Apps