Streaming Versus Full-Text Presentation in Web Interfaces: Effects on Perceived Understanding, Stress, and Completion Time

Abstract

Incremental text presentation is common in contemporary web interfaces, including streaming responses and progressive disclosure. This exploratory study compares character-by-character presentation with immediate full-text presentation in a small between-subjects experiment. Twenty-four participants with web service experience were assigned to one of two display conditions and completed Visual Analog Scale (VAS) ratings of readability, stress, self-reported ease of understanding, and memorability. Task completion time was also recorded. Welch's exploratory tests showed longer completion time in the character-by-character condition and higher unadjusted ratings for stress and self-reported ease of understanding. After Holm correction across five outcomes, only completion time remained statistically significant. Because understanding was measured subjectively, one text stimulus was used, and the stress VAS scoring direction requires verification against the original instrument, these results should not be interpreted as evidence of improved objective comprehension. The findings are best viewed as preliminary evidence of a possible trade-off among perceived understanding, affective response, and completion time in streamed text interfaces.

Keywords: Human-computer interaction, Text presentation, Web interfaces, User experience, Cognitive load, Reading, Visual analog scale

1. Introduction

Modern web services often reveal text incrementally rather than presenting it all at once. Examples include streaming conversational interfaces, progressive disclosure, system feedback, and animated instructional text. The manner in which information is presented to users may affect perceived cognitive load, perceived ease of understanding, and overall experience. This study focuses on a narrow comparison between character-by-character text presentation and immediate full-text display. The aim is to provide preliminary empirical evidence on how these two display methods affect subjective user experience and task completion time.

1.1. Dynamic vs. Static Text Presentation

Dynamic text presentation has become increasingly prevalent in digital interfaces, from scrolling news tickers to gradual text revelation in applications. Uetsuki et al. demonstrated that dynamic text presentation has optimal reading rates around 6 letters per second, regardless of text difficulty level [8]. Their research revealed that individual preferences for dynamic text presentation rates correlate with both silent and trace reading speeds, suggesting that reading traits influence users' perception of dynamically presented text. However, their study also showed that optimal presentation rates are typically slower than silent reading speeds, which may affect the user experience.

Research on reading speed limits provides additional context for understanding text-presentation methods. Primativo et al. investigated perceptual and cognitive factors that impose speed limits on reading rates using Rapid Serial Visual Presentation (RSVP) [7]. Their findings indicate that eye movements impose an upper limit of approximately 300 wpm, which corresponds to the time needed for eye movement execution. This suggests that character-by-character presentation may conflict with natural reading patterns when the presentation rate exceeds the optimal threshold.

1.2. Cognitive Load and Usability Assessment

The evaluation of text presentation methods requires careful consideration of cognitive load and usability. Longo et al. [6] explored the relationship between mental workload and perceived usability, finding that these constructs are non-overlapping and can be jointly employed to predict human performance. This study highlights the importance of measuring both objective performance and subjective perceptions when evaluating interface designs.

Darejeh et al. [2] conducted a comprehensive analysis of cognitive load measurement methods for evaluating the usability of interfaces. Their systematic review of 76 articles provides a framework for selecting appropriate measurement techniques for different types of user interfaces. This study emphasizes the importance of employing validated cognitive load assessment methods in usability studies.

The role of prior knowledge in text comprehension has been studied extensively. Amadieu et al. [1] investigated how prior knowledge affects learning from nonlinear electronic documents, finding that low-prior-knowledge learners benefit from hierarchical structures that reduce disorientation, while high-prior-knowledge learners perform better with network structures. This suggests that text presentation methods may have differential effects depending on users' familiarity with the content.

1.3. Measurement Techniques in Digital Interfaces

Visual Analog Scales (VAS) have emerged as valuable tools for measuring subjective responses in digital environments. Kühlmann et al. [5] demonstrated that VAS provides advantages over Likert-type scales in eHealth contexts, showing lower dropout rates and more differentiated responses. García-Pérez [3]

further refined VAS design recommendations, showing that intermediate tick marks significantly improve the accuracy and precision of responses, reducing both inter- and intra-individual variability.

Recent developments in human-computer interaction have emphasized the importance of comprehensive usability evaluations. Khashe et al. [4] developed HCI-based leading indicators for telehealth interfaces by mapping Nielsen's usability heuristics to quality of care aspects. This study demonstrates the evolving sophistication of interface evaluation methodologies.

1.4. Research Significance and Objectives

Despite the widespread use of dynamic text presentation in web interfaces, there remains a gap in understanding how character-by-character display affects user experience compared to static text presentations. While previous research has examined optimal presentation rates for dynamic text, few studies have directly compared the subjective user experience between dynamic and static presentation methods using validated measurement techniques.

This study addresses this gap by employing a VAS-based subjective evaluation to compare character-by-character text output with a full-text display. By focusing on key usability dimensions, including readability, stress, self-reported ease of understanding, and memorability, this study aims to provide exploratory evidence for interface design decisions.

The contribution is intentionally limited. The study does not test objective comprehension, learning, recall, or retention. Instead, it examines whether a single streamed text condition is associated with differences in perceived experience and completion time relative to a full-text condition.

2. Methodology

2.1. Experimental Design

This study employed a between-subjects experimental design to compare two text-presentation methods: character-by-character display (Group A) and full-text display (Group B). The design was chosen to eliminate potential carryover effects that might occur with within-subject comparisons, ensuring that participants' responses were not influenced by their experience with the alternative presentation method.

2.2. Measurement Framework

To investigate the differences in user experience caused by text output methods, we employed a usability measurement framework based on established HCI evaluation principles. Following the recommendations of Khashe et al. [4] for interface evaluation, we selected four subjective dimensions: readability, stress, self-reported ease of understanding, and memorability. In addition, we measured task completion time under the assigned display method.

These dimensions were chosen to provide a broad view of perceived user experience. The inclusion of completion time allows the subjective ratings to be

interpreted alongside the time required to finish the display task. Completion time should not be interpreted as pure reading speed because the character-by-character condition mechanically constrained the earliest possible completion point.

2.3. Visual Analog Scale Implementation

The Visual Analog Scale (VAS) served as the primary measurement instrument for subjective evaluations. This choice was motivated by Kühlmann et al.'s [5] demonstration of the advantages of the VAS over traditional Likert scales in digital environments, including reduced dropout rates and more differentiated responses. Following García-Pérez's [3] design recommendations, our VAS implementation used continuous sliders without intermediate tick marks to maximize response precision.

The VAS is characterized by intuitive responses on a continuous scale, allowing participants to express nuanced subjective experiences that might be constrained by discrete response options. The continuous nature of the VAS enables more sophisticated statistical analyses and provides greater sensitivity to subtle differences between conditions. Recent applications in medical and educational contexts have confirmed the validity and reliability of the VAS for measuring subjective experiences.

An example of the Likert Scale format that was deliberately avoided is shown in Fig. 1, while a VAS interface example is illustrated in Fig. 2. The participants responded by positioning a slider along a continuous scale. The raw application recorded values from 0 to 1000, which were normalized to a 0–100 scale for analysis. The exact scoring direction, especially for the stress item, must be verified against the original questionnaire before any confirmatory interpretation of the stress result.



Figure 1: Example of Likert Scale

3. Experimental Procedure

3.1. Participants

Twenty-four adults ($\geq$ 16 years) with web service experience participated in this study. Participants were randomly assigned to two groups: character-by-character text output (Group A, $n = 12$) and full-text display (Group B,



Figure 2: Example of Visual Analog Scale

$n = 12$). The sample size was determined based on a power analysis for medium effect sizes (Cohen's $d = 0.8$) with $\alpha = 0.05$ and power $= 0.80$.

This power statement is retained here as a procedural record but is not statistically defensible as originally written. A sensitivity analysis indicates that with $n = 12$ per group, a two-sided independent-samples test at $\alpha = .05$ has approximately 47% power for $d = 0.8$, and approximately $d = 1.20$ is required for 80% power. Therefore, the present study should be treated as exploratory.

All participants provided written informed consent after receiving detailed information about the study's purpose, procedures, and data handling. The study protocol ensured that no personal information was collected beyond basic demographic data, and all data were used exclusively for academic purposes. Participants were informed of their right to withdraw from the study at any time without penalty.

The inclusion criteria required participants to have regular experience with web-based interfaces and normal or corrected-to-normal vision. The exclusion criteria included self-reported reading difficulties or visual impairments that might interfere with text processing. The between-subjects design eliminated concerns about practice effects or condition order influence.

3.2. Materials and Apparatus

The experimental questionnaire was developed using Unity, a cross-platform development environment provided by Unity Technologies, Inc.. This platform was selected for its capability to provide precise timing measurements and consistent, cross-platform performance. The application recorded the participant responses and timing data with millisecond precision.

The text stimulus consisted of an excerpt from Ryunosuke Akutagawa's short story "The Nose." The excerpt was selected as a single literary stimulus of moderate complexity. The public-domain/source status, exact excerpt, language, length, line breaks, and display layout should be documented before journal submission.

For the character-by-character condition, the text appeared at a fixed rate of one character per 0.1 seconds (equivalent to 10 characters per second). Uetsuki and Horii [8] reported optimal dynamic presentation rates around 6 letters per second, so the present rate should be interpreted as an implementation choice rather than a direct replication of that optimum. The total reveal duration must be reported once the exact stimulus length is verified.

3.3. Procedure

The experimental session consisted of three sequential phases: orientation, text presentation, and evaluation phase. Each session lasted approximately 10-15 minutes and was conducted in a controlled environment with consistent lighting and minimal distractions.

Phase 1: Orientation. Participants first viewed an overview screen that explained the study's purpose, procedure flow, and data handling policies. This phase ensured informed consent and familiarized the participants with the interface. Participants initiated the experiment by pressing a "Start" button, indicating their readiness to proceed.

Phase 2: Text Presentation. Upon entering the text section, the timing measurement began automatically. Group A participants initially observed blank screens with characters appearing sequentially at a predetermined rate. Participants in Group B saw the complete text immediately upon screen entry. Participants were instructed to read naturally and press a "Next" button upon completing their reading, which stopped the timing measurement and advanced to the evaluation phase.

Phase 3: Evaluation. Participants completed VAS ratings for all four dimensions (readability, stress, self-reported ease of understanding, and memorability) using continuous sliders scaled from 0 to 1000 (later normalized to 0-100 for analysis). The evaluation interface presented each dimension on a separate screen to reduce immediate cross-item influence. The participants concluded by pressing an "End" button, completing the session.

3.4. Statistical Analysis

All analyses should be interpreted as exploratory. Welch's independent-samples t-tests were used for all outcomes as the primary parametric comparison. Mean differences, 95% confidence intervals, Hedges' g, Holm-adjusted p-values across the five outcomes, Mann–Whitney U tests, and permutation tests were computed as sensitivity analyses.

All analyses were conducted with $\alpha = 0.05$ as the nominal significance criterion. Missing data procedures were established but were not needed as the study achieved a 100% completion rate.

4. Results

4.1. Descriptive Statistics

The character-by-character condition is designated as Group A, and the full-text display condition is designated as Group B. Table 1 presents the complete dataset for Group A participants, whereas Table 2 shows the corresponding data for Group B participants. Summary statistics, including minimum values, maximum values, means, medians, and standard deviations for both groups, are provided in Tables 3 and 4.

A visual representation of the data distributions is provided through box plots and violin plots in Fig. 3 and Fig. 4. These visualizations reveal notable

patterns in the data, including the compressed variance in Group A's reading times and the differential distributions across subjective rating dimensions.

Table 1: Experimental Results for Group A

Readability	Stress	Understanding	Memorability	Time[s]
19	46	38	53	106.849
24	56	50	68	75.3085
77	22	55	20	77.16992
29	48	45	20	78.85937
72	82	59	39	76.40662
16	91	36	9	76.52671
36	65	35	34	75.40749
64	65	72	80	96.43768
27	78	45	30	75.296991
18	66	0	19	79.46642
30	74	26	25	76.2334
13	90	22	19	76.52383

Table 2: Experimental Results for Group B

Readability	Stress	Understanding	Memorability	Time[s]
28	56	28	12	46.33347
33	42	27	23	109.1233
36	41	39	33	51.2507
31	66	12	42	48.1253
79	17	11	60	50.5961
50	0	25	50	24.9764
51	38	23	44	65.4829
36	29	31	31	52.6615
26	46	16	61	49.2248
67	55	59	28	69.1192
44	27	24	21	77.589
37	88	18	42	53.9858

4.2. Inferential Statistics

To compare Groups A and B across all measured dimensions, we conducted exploratory statistical tests. Welch's independent-samples t-tests were used for all outcomes. Mean-centered Levene's tests, Mann–Whitney U tests, and permutation tests were also computed as sensitivity checks.

The complete analysis results are summarized in Table 5, which presents mean differences, 95% confidence intervals, Welch p-values, Holm-adjusted p-values, and Hedges' g for all measured dimensions.



Figure 3: Distribution of Each Item



Figure 4: Distribution of Reading Time

Table 3: Summary Statistics for Group A

	Readability	Stress	Understanding	Memorability	Time[s]
Minimum	13	22	0	9	75.3
Median	28	65.5	41.5	27.5	76.53
Mean	35.42	65.25	40.25	34.67	80.87
Maximum	77	91	72	80	106.85
Std Dev	22.581	20.04597	18.88783	21.77711	10.03614

Table 4: Summary Statistics for Group B

	Readability	Stress	Understanding	Memorability	Time[s]
Minimum	26	0	11	12	24.98
Median	36.5	41.5	24.5	37.5	51.96
Mean	43.17	42.08	26.08	37.25	58.21
Maximum	79	88	59	61	109.12
Std Dev	16.17424	23.10631	13.09725	15.32155	20.72025

Using unadjusted Welch tests, stress, self-reported ease of understanding, and completion time differed between groups. After Holm correction across the five outcomes, only completion time remained statistically significant. Readability and memorability showed no clear group differences.

Table 5: Analysis Results by Item

Item	A–B	95% CI	p	Holm p	Hedges' g	g 95% CI
Readability	-7.75	[-24.48, 8.98]	0.3454	0.6907	-0.38	[-1.46, 0.36]
Stress	23.17	[4.83, 41.50]	0.0157	0.0627	1.03	[0.27, 2.23]
Understanding	14.17	[0.31, 28.03]	0.0456	0.1367	0.84	[0.09, 2.19]
Memorability	-2.58	[-18.63, 13.46]	0.7404	0.7404	-0.13	[-1.13, 0.60]
Time	22.67	[8.57, 36.77]	0.0036	0.0180	1.34	[0.51, 3.19]

4.3. Statistical Significance Summary

The exploratory analysis yielded the clearest evidence for longer completion time in the character-by-character condition. For readability and memorability, the unadjusted p-values exceeded 0.05, indicating no clear differences between the presentation methods.

Stress showed an unadjusted group difference ($p = 0.0157$), but this result did not remain below 0.05 after Holm correction and depends on verification of the VAS scoring direction. Self-reported ease of understanding also showed an unadjusted difference ($p = 0.0456$), but this result did not remain significant after Holm correction. Completion time remained significant after Holm correction ($p = 0.0180$), with the full-text condition requiring less time to complete the task.

These findings suggest possible differences in subjective experience and a clearer difference in completion time, but the small sample and multiple exploratory outcomes require cautious interpretation.

5. Discussion

5.1. Statistical Analysis Results

The results demonstrate a tentative pattern of trade-offs between the two presentation methods. The strongest empirical result is that character-by-character presentation increased task completion time relative to full-text display.

For the stress dimension, Group A participants had higher observed scores ($M = 65.25, SD = 20.05$) than Group B participants ($M = 42.08, SD = 23.11$), with an unadjusted Welch p-value of 0.0157. This finding cannot yet be interpreted confirmatorily because the exact stress VAS scoring direction must be verified. If higher normalized scores indicate greater stress after reverse coding, the pattern would be consistent with the possibility that forced pacing increases affective load. If higher scores indicate less stress, the interpretation would be reversed.

Self-reported ease of understanding also showed higher observed scores in Group A ($M = 40.25, SD = 18.89$) than Group B ($M = 26.08, SD = 13.10$), with an unadjusted Welch p-value of 0.0456. This outcome should be interpreted as perceived understanding only. The study did not include objective comprehension questions, inference questions, recall, transfer, or delayed retention measures.

The time analysis revealed that Group B completed the task faster ($M = 58.21s, SD = 20.72$) than Group A ($M = 80.87s, SD = 10.03$), with a Welch p-value of 0.0036 and a Holm-adjusted p-value of 0.0180. This result should be interpreted as task completion time under display constraints. It should not be interpreted as reading efficiency because the character-by-character presentation rate mechanically imposed a minimum display duration.

5.2. Interpretation of Non-Significant Results

The absence of significant differences in the readability and memorability dimensions provides important insights. The readability scores showed no significant difference between the groups (Group A: $M = 35.42$, Group B: $M = 43.17, p = 0.344$), suggesting that both presentation methods achieved comparable perceived legibility. This finding is consistent with García-Pérez's [3] work on measurement precision, indicating that the VAS methodology successfully captured subtle differences in some dimensions while revealing genuine similarities in others.

Similarly, memorability scores showed no significant difference (Group A: $M = 34.67$, Group B: $M = 37.25, p = 0.74$), which may reflect the complex relationship between presentation method and retention identified by Amadieu and Salmerón [1]. The lack of difference could indicate that memory consolidation occurs independently of presentation timing within the tested duration.

5.3. Theoretical Implications

These findings contribute preliminary evidence to the understanding of dynamic text presentation. First, they suggest a possible trade-off between perceived understanding, affective response, and completion time in streamed text interfaces. The results do not establish improved objective comprehension or deeper processing.

Second, the results support Darejeh and Singh's [2] emphasis on multidimensional cognitive load assessment. The differential effects across the stress, understanding, and time dimensions highlight the importance of comprehensive evaluation frameworks rather than single-metric assessments.

Third, this study illustrates the practical use of VAS-style subjective ratings in a dynamic text interface. However, the VAS implementation requires fuller reporting of item anchors, coding direction, default position, and normalization before the instrument can be evaluated fully.

6. Limitations and Future Directions

6.1. Sample and Methodology Limitations

This study has several limitations that should be addressed in future research. The sample size of 24 participants limits the generalizability and statistical power of the findings. Future studies should employ larger and more diverse samples to enhance external validity and enable subgroup analyses based on reading proficiency or age groups.

The fixed character presentation rate (0.1 s per character) represents another limitation. Uetsuki and Horii [8] demonstrated individual variations in optimal presentation rates, suggesting that personalized timing may yield different results. Future research should investigate adaptive presentation rates that adjust to individual reading speed.

The choice of literary text (Akutagawa's "The Nose") may have influenced the results due to its cultural specificity and literary complexity. Amadieu et al.'s [1] work on prior knowledge effects suggests that text familiarity could moderate the observed differences. Future studies should examine the effects across different text types, complexity levels, and subject domains.

6.2. Methodological Considerations

Exclusive reliance on subjective measures is a central limitation. Eye-tracking data, physiological measures, objective comprehension questions, recall tests, and delayed retention measures can provide converging evidence for the observed effects and reveal the underlying cognitive mechanisms.

The current manuscript also requires completion of ethics reporting before journal submission. The approving body, approval or waiver date, reference number, consent procedure, privacy protection procedure, and handling of participants aged 16–17 must be documented.

Although the experimental setting was controlled, it may not have reflected natural reading contexts. Future research should investigate these effects in

ecologically valid environments, such as actual web applications or mobile interfaces, to enhance their practical relevance.

6.3. Directions for Future Research

Several promising research directions have emerged from this study. First, investigating optimal presentation rates tailored to individual differences could resolve the stress-understanding trade-off observed here. Adaptive systems that adjust timing based on real-time user feedback represent a particularly promising avenue for research.

Second, examining the long-term effects of different presentation methods on learning and retention can inform educational technology design. The observed understanding advantage for character-by-character presentations warrants investigation in learning contexts.

Third, exploring the effects of presentation methods on different user populations (e.g., older adults and individuals with reading difficulties) could reveal important accessibility implications. The stress differences observed here may be particularly relevant for users with cognitive processing differences.

7. Conclusion

This exploratory study provides preliminary evidence on character-by-character versus full-text display methods in a web-interface reading task. Character-by-character presentation was associated with longer task completion time and higher unadjusted self-reported ease of understanding than full-text display. Stress findings require clear scoring-direction verification.

Because understanding was measured subjectively, only one text stimulus was used, and the design was underpowered for moderate effects, the results should not be interpreted as evidence that character-by-character presentation improves objective comprehension. The most defensible conclusion is that streamed presentation may affect perceived understanding, affective response, and completion time in ways that warrant larger and better-controlled studies.

For efficiency-focused tasks, full-text display appears preferable in this study because completion time was shorter. For contexts where perceived understanding or pacing is important, character-by-character presentation remains a candidate design pattern, but stronger evidence with objective comprehension measures is needed before making educational or learning claims.

The optimal application of these findings requires consideration of context-specific factors, including user goals, content type, and task requirements. Future research should focus on developing adaptive presentation systems that can dynamically adjust display methods according to user preferences and task demands.

The limitations of this study, including the sample size, text selection, VAS reporting, and lack of objective comprehension measures, indicate areas for methodological improvement. The study should therefore be read as a pilot or exploratory report rather than a basis for general design guidelines.

This study demonstrates that text presentation methods significantly impact user experience in measurable ways. By continuing to investigate these effects through rigorous empirical methods, the field can develop a more nuanced understanding of how interface design choices affect human cognition and user satisfaction in digital environments.

References

[1] Amadieu, F., Tricot, A., and Mariné, C. (2009). Prior knowledge in learning from a non-linear electronic document: Disorientation and coherence of the reading sequences. *Computers in Human Behavior*, 25(2):381–388.

[2] Darejeh, A., Marcusa, N., Mohammadi, G., and Sweller, J. (2024). A critical analysis of cognitive load measurement methods for evaluating the usability of different types of interfaces: guidelines and framework for human-computer interaction.

[3] García-Pérez, M. A. and Alcalá-Quintana, R. (2023). Accuracy and precision of responses to visual analog scales: Inter- and intra-individual variability. *Behavior Research Methods*, 55(8):4369–4381.

[4] Khashe, Y., Tabibzadeh, M., and Meshkati, N. (2023). Improving Quality of Care for Patients Receiving Care through Telehealth in the Time of COVID-19 Global Pandemic and Beyond: HCI-based Leading Indicators for Virtual Visits. *Human Factors in Healthcare*, page 100050.

[5] Kuhlmann, T., Reips, U.-D., Wienert, J., and Lippke, S. (2016). Using Visual Analogue Scales in eHealth: Non-Response Effects in a Lifestyle Intervention. *Journal of Medical Internet Research*, 18(6):e126.

[6] Longo, L. (2018). Experienced mental workload, perception of usability, their interaction and impact on task performance. *PLoS ONE*, 13(8):e0199661.

[7] Primativo, S., Spinelli, D., Zoccolotti, P., De Luca, M., and Martelli, M. (2016). Perceptual and Cognitive Factors Imposing "Speed Limits" on Reading Rate: A Study with the Rapid Serial Visual Presentation. *PLoS ONE*, 11(4):e0153786.

[8] Uetsuki, M., Watanabe, J., Ando, H., and Maruya, K. (2017). Reading Traits for Dynamically Presented Texts: Comparison of the Optimum Reading Rates of Dynamic Text Presentation and the Reading Rates of Static Text Presentation. *Frontiers in Psychology*, 8:1390.