
new 85
servicelogs_pacs004v10.txt
new 89
new 90
<?xml version="1.0" encoding="UTF-8" ?>
<cartridge xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" version="6.4.1" name="GPS_Data_Distribution" type="Cartridge" id="1e55cb27-a46c-429a-906c-c7cfcfba6263">
<description><![CDATA[PNR-716341 : 16-01-2024
change is done for pain001 Dbtr/ctctdtls/nm
PNR-831631|PNR-832283|PNR-832382|PNR-832589|BUG fixes
PNR-1287790| Add/Update the mapping as per the DQE+v1.8|Schema Upgrade to v4.7|BDJSON Version Upgrade to 1.8]]></description>
<version>1.0</version>
<read-only>false</read-only>
<private>
<summary>
<service name="GPS_Data_Distribution" version="1.0" type="Message Flow">
<description>26-6-23: isClr mapping change != and ChrgsInf.Amt field mapping changed added adrline.value in set
7-7-23: RmtInfStr/Invcr-adrline 2-7 and incee adrline 2-7 maping changed
30-7-23 :add custom block for CitiClientFlxCdtAcc .done changes in sample.
31-7-2023 done changes for CitiClientFlxAcc. JIRAID:PNR-630052.
24-8-2023 added mapping of the citisuplmentryhdr part.
PNR-853020|13-08-2024|Bug fix
</description>
</service>
</summary>
</private>
<references type="References">
<reference>
<type>Cartridge</type>
<relative-path>../mapping/Mapping.car</relative-path>
<absolute-path>C:/Users/ns45607/Desktop/onepay/gps-volante-vanguard/cartridge/mapping/Mapping.car</absolute-path>
</reference>
</references>
<messageflow name="GPS_Data_Distribution" type="MessageFlow" id="792faa51-3d57-468c-8df9-b8a711d77e9d">
<version>1.0</version>
<description><![CDATA[26-6-23: isClr mapping change != and ChrgsInf.Amt field mapping changed added adrline.value in set
7-7-23: RmtInfStr/Invcr-adrline 2-7 and incee adrline 2-7 maping changed
30-7-23 :add custom block for CitiClientFlxCdtAcc .done changes in sample.
31-7-2023 done changes for CitiClientFlxAcc. JIRAID:PNR-630052.
24-8-2023 added mapping of the citisuplmentryhdr part.
PNR-853020|13-08-2024|Bug fix
]]></description>
<transaction>NotRequired</transaction>
<variables id="4b06546d-7415-4357-ad94-0b80f80e1407">
<xpath-namespaces>
<namespace value="http://www.w3.org/2005/xpath-functions" prefix="fn"/>
<namespace value="http://www.w3.org/2001/XMLSchema" prefix="xs"/>
<namespace value="java:com.tplus.transform.runtime.swift.SwiftXPathFunctions" prefix="swift"/>
</xpath-namespaces>
<fields>
<field>
<name>rawIn</name>
<type>RawMessage</type>
<notnull>true</notnull>
<variabletype>INPUT</variabletype>
</field>
<field>
<name>big</name>
<type>String</type>
<notnull>false</notnull>
<length>-1</length>
<variabletype>INPUT</variabletype>
</field>
<field>
ormal text file
length: 56,051 lines: 1,204
Ln: 23 Col: 20 Pos: 1,17


*new 90 - Notepad++
Cloud Desktop...
Ctrl+Alt+Del
USB Devices
Exit Fullscreen
File Edit Search View Encoding Language
new 85
servicelogs_pacs004v10.txt
new 89
new 90
</field>
<field>
<name>countryCode</name>
<type>String</type>
<notnull>false</notnull>
<length>-1</length>
<variabletype>INPUT</variabletype>
</field>
<field>
<name>ipfObj</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>LOCAL</variabletype>
<message>IPF_Canonical_Input</message>
<fields>
</fields>
</field>
<field>
<name>bdObj</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>LOCAL</variabletype>
<message>BDJson</message>
<fields>
</fields>
</field>
<field>
<name>parseExpObj</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>LOCAL</variabletype>
<message>TransformException</message>
<fields>
</fields>
</field>
<field>
<name>mapExpObj</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>LOCAL</variabletype>
<message>TransformException</message>
<fields>
</fields>
</field>
<field>
<name>seriExpObj</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>LOCAL</variabletype>
<message>TransformException</message>
<fields>
</fields>
</field>
<field>
Normal text file
length: 56,051 lines: 1,204
Ln: 23 Col: 20 Pos: 1,17


new 85
servicelogs_pacs004v10.txt
new 89
new 90
</fields>
</field>
<field>
<name>rawOut</name>
<type>RawMessage</type>
<notnull>false</notnull>
<variabletype>OUTPUT</variabletype>
</field>
<field>
<name>expObj</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>OUTPUT</variabletype>
<message>TransformException</message>
<fields>
</fields>
</field>
<field>
<name>parseExpObj1</name>
<type>DataObject</type>
<minoccurs>0</minoccurs>
<maxoccurs>1</maxoccurs>
<variabletype>OUTPUT</variabletype>
<message>TransformException</message>
<fields>
</fields>
</field>
</fields>
</variables>
<additional-properties>
<property name="main-flow" value="false"/>
</additional-properties>
<flowelement name="Serialize1" uid="a6ff23d1-564a-4e38-b1eb-b8f3d27123bd" type="Serialize" xsi:type="Serialize" >
<label>%a %n</label>
<description><![CDATA[]]></description>
<in>bdObj</in>
<out>rawOut</out>
<options>
<option name="message.format">json</option>
<option name="encoding">UTF-8</option>
</options>
<message>BDJson</message>
<cascade-exceptions>true</cascade-exceptions>
<visual>
<position x="724" y="925"/>
</visual>
</flowelement>
<flowelement name="Stop1" uid="e3cc3d73-48ec-424d-aaf0-b58335ac06c3" type="Stop" xsi:type="Stop" >
<label>Stop</label>
<description><![CDATA[]]></description>
<visual>
<position x="599" y="1065"/>
</visual>
</flowelement>
<flowelement name="Parse1" uid="affa3e04-f848-48fc-9710-2527862dbdfe" type="Parse" xsi:type="Parse" >
<label>%a %n</label>
<description><![CDATA[]]></description>
<in>rawIn</in>
Normal text file
length: 56,051 lines: 1,204
Ln: 23 Col: 20

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
<flowelement name="Parse1" uid="affa3e04-f848-48fc-9710-2527862dbdfe" type="Parse" xsi:type="Parse" >
    <label>%a %n</label>
    <description><![CDATA[]]></description>
    <in>rawIn</in>
    <out>ipfObj</out>
    <options>
        <option name="message.format">json</option>
        <option name="encoding">UTF-8</option>
    </options>
    <message>IPF_Canonical_Input</message>
    <cascade-exceptions>true</cascade-exceptions>
    <unrecognizedFieldOption>IGNORE</unrecognizedFieldOption>
    <visual>
        <position x="545" y="195"/>
    </visual>
</flowelement>
<flowelement name="Mapping1" uid="1b210301-ff28-4f07-8d1a-fc88320fabe0" type="Mapping" xsi:type="Mapping" >
    <label>%a %n</label>
    <description><![CDATA[]]></description>
    <in>ipfObj</in>
    <out>bdObj</out>
    <multi-source-input>
        <field>
            <name>srcObj</name>
            <type>DataObject</type>
            <value><![CDATA[ipfObj]]></value>
            <notnull>true</notnull>
        </field>
        <field>
            <name>bic</name>
            <type>String</type>
            <value><![CDATA[bic]]></value>
            <notnull>false</notnull>
        </field>
        <field>
            <name>countryCode</name>
            <type>String</type>
            <value><![CDATA[countryCode]]></value>
            <notnull>true</notnull>
        </field>
    </multi-source-input>
    <multi-source-output>
        <field>
            <name>destObj</name>
            <type>DataObject</type>
            <value><![CDATA[bdObj]]></value>
            <notnull>true</notnull>
        </field>
    </multi-source-output>
    <messagemapping>IPF_Canonical_To_BDJson</messagemapping>
    <create-destination>true</create-destination>
    <visual>
        <position x="39" y="496"/>
    </visual>
</flowelement>
<flowelement name="Start1" uid="64ba0c7a-2aaa-4095-ba26-bafd47772549" type="Start" xsi:type="Start" >
    <label>Start</label>
    <description><![CDATA[]]></description>
    <visual>
```

Normal text file | length: 56,051 | lines: 1,204 | Ln: 23 | Col: 2

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
            <visual>
                <position x="545" y="39"/>
            </visual>
        </flowelement>
        <flowelement name="Resume1" uid="47647fce-5471-43c8-9382-db646d8b2a39" type="Resume" xsi:type="Resume" >
            <label>Resume</label>
            <description><![CDATA[]]></description>
            <visual>
                <position x="441" y="1002"/>
            </visual>
        </flowelement>
        <flowelement name="Mapping2" uid="63e8bd92-02ab-47d1-8840-e65f58fc000d" type="Mapping" xsi:type="Mapping" >
            <label>%a %n</label>
            <description><![CDATA[]]></description>
            <multi-source-input>
                <field>
                    <name>iconjsonObj</name>
                    <type>DataObject</type>
                    <value><![CDATA[ipfObj]]></value>
                    <notnull>false</notnull>
                </field>
                <field>
                    <name>bic</name>
                    <type>String</type>
                    <value><![CDATA[bic]]></value>
                    <notnull>false</notnull>
                </field>
                <field>
                    <name>countryCode</name>
                    <type>String</type>
                    <value><![CDATA[countryCode]]></value>
                    <notnull>false</notnull>
                </field>
            </multi-source-input>
            <multi-source-output>
                <field>
                    <name>BDJsonObj</name>
                    <type>DataObject</type>
                    <value><![CDATA[bdObj]]></value>
                    <notnull>false</notnull>
                </field>
            </multi-source-output>
            <messagemapping>iconpacs009toBDjson</messagemapping>
            <create-destination>true</create-destination>
            <visual>
                <position x="1046" y="496"/>
            </visual>
        </flowelement>
        <flowelement name="Mapping3" uid="d3a244cc-5096-4569-b759-8380d87d2e8f" type="Mapping" xsi:type="Mapping" >
            <label>%a %n</label>
            <description><![CDATA[]]></description>
            <in>ipfObj</in>
            <out>bdObj</out>
            <messagemapping>IPF_InputToBDJson_common</messagemapping>
            <create-destination>false</create-destination>
            <visual>
                <position x="435" y="589"/>
            </visual>
        </flowelement>
        <flowelement name="Decision1" uid="6fef4d4d-2e2b-4577-b087-01d8abe432a2" type="Decision" xsi:type="Decision" >
```

ormal text file | length: 56,051 lines: 1,204 | Ln: 23 Col: 20 Pos


new 85
servicelogs_pacs004v10.txt
new 89
new 90
</visual>
</flowelement>
<flowelement name="Decision1" uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" type="Decision" xsi:type="Decision" >
<label>Decision</label>
<description><![CDATA[]]></description>
<case>
<label>InitiatingPayment</label>
<condition><![CDATA[def flag = SecExists(ipfObj, "derivedFields");
flag && FieldExists(ipfObj.derivedFields[0], "paymentStatus") &&
ipfObj.derivedFields[0].paymentStatus.IsNotNull() &&
ipfObj.derivedFields[0].paymentStatus.EqualIgnoreCase("Received");
]]></condition>
</case>
<case>
<label>pacs.008</label>
<condition><![CDATA[def flag = SecExists(ipfObj, "enrichedPayment");
flag && FieldExists(ipfObj.enrichedPayment[0], "type") && ipfObj.enrichedPayment[0].type.IsNotNull() &&
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pacs.008");
]]></condition>
</case>
<case>
<label>pacs.009</label>
<condition><![CDATA[def flag = SecExists(ipfObj, "enrichedPayment");
flag && ipfObj.enrichedPayment[0].type.IsNotNull() && FieldExists(ipfObj.enrichedPayment[0], "type") &&
(ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pacs.009") ||
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pacs.009COV") ||
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pacs.009ADV"));
]]></condition>
</case>
<case>
<label>pain.001</label>
<condition><![CDATA[def flag = SecExists(ipfObj, "enrichedPayment");
flag && ipfObj.enrichedPayment[0].type.IsNotNull() && FieldExists(ipfObj.enrichedPayment[0], "type") &&
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pain.001");
]]></condition>
</case>
<case>
<label>pacs004</label>
<condition><![CDATA[def flag = SecExists(ipfObj, "enrichedPayment");
flag && ipfObj.enrichedPayment[0].type.IsNotNull() && FieldExists(ipfObj.enrichedPayment[0], "type") &&
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pacs.004");
]]></condition>
</case>
<case>
<label>camt054</label>
<condition><![CDATA[def flag = SecExists(ipfObj, "enrichedPayment");
flag && ipfObj.enrichedPayment[0].type.IsNotNull() && FieldExists(ipfObj.enrichedPayment[0], "type") &&
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("camt.054");
]]></condition>
</case>
<visual>
<position x="544" y="345"/>
</visual>
</flowelement>
<flowelement name="Mapping4" uid="2e77302c-7bd3-4770-9190-54ffd72a5a41" type="Mapping" xsi:type="Mapping" >
<label>%a %n</label>
<description><![CDATA[]]></description>
<multi-source-input>
<field>
Normal text file
length: 56,051 lines: 1,204
Ln: 23 Col: 20



new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
            <multi-source-input>
                <field>
                    <name>iconjsonObj</name>
                    <type>DataObject</type>
                    <value><![CDATA[ipfObj]]></value>
                    <notnull>false</notnull>
                </field>
                <field>
                    <name>countryCode</name>
                    <type>String</type>
                    <value><![CDATA[countryCode]]></value>
                    <notnull>false</notnull>
                </field>
            </multi-source-input>
            <multi-source-output>
                <field>
                    <name>BDjsonObj</name>
                    <type>DataObject</type>
                    <value><![CDATA[bdObj]]></value>
                    <notnull>false</notnull>
                </field>
            </multi-source-output>
            <messagemapping>iconPain001toBDJson</messagemapping>
            <create-destination>true</create-destination>
            <visual>
                <position x="234" y="496"/>
            </visual>
        </flowelement>
        <flowelement name="Custom5" uid="28e52b26-51dc-407e-979d-c78a79bc38f5" type="Custom" xsi:type="Custom" >
            <label>AsIsMsg</label>
            <description><![CDATA[]]></description>
            <code><![CDATA[if(bdObj.IsNotNull()) {
if(SecExists(bdObj, "BdHdr")) {
    if(SecExists(ipfObj, "enrichedPayment.document.fiToFICstmrCdtTrf.cdtTrfTxInf.intrBkSttlmAmt")) {
        if(!FieldExists(bdObj.BdHdr[0], "IntrBkSttlmAmt")) {
            if(FieldExists(ipfObj.enrichedPayment[0].document[0].fiToFICstmrCdtTrf[0].cdtTrfTxInf[0].intrBkSttlmAmt[0],
                           "value") &&
               ipfObj.enrichedPayment[0].document[0].fiToFICstmrCdtTrf[0].cdtTrfTxInf[0].intrBkSttlmAmt[0].value.IsNotNull()) {
               Set(bdObj.BdHdr[0].IntrBkSttlmAmt,
                   ipfObj.enrichedPayment[0].document[0].fiToFICstmrCdtTrf[0].cdtTrfTxInf[0].intrBkSttlmAmt[0].value.toText());
            }
        }
        if(!FieldExists(bdObj.BdHdr[0], "IntrBkSttlmCur")) {
            if(FieldExists(ipfObj.enrichedPayment[0].document[0].fiToFICstmrCdtTrf[0].cdtTrfTxInf[0].intrBkSttlmAmt[0],
                           "ccy") &&
               ipfObj.enrichedPayment[0].document[0].fiToFICstmrCdtTrf[0].cdtTrfTxInf[0].intrBkSttlmAmt[0].ccy.IsNotNull()) {
               Set(bdObj.BdHdr[0].IntrBkSttlmCur,
                   ipfObj.enrichedPayment[0].document[0].fiToFICstmrCdtTrf[0].cdtTrfTxInf[0].intrBkSttlmAmt[0].ccy.toText());
            }
        }
    }
}
if(SecExists(bdObj, "ExtHdr")) {
    if(!FieldExists(bdObj.ExtHdr[0], "derivedFields.debitSideInfo.account.citiBranchCode")) {
        if(FieldExists(ipfObj.enrichedPayment[0], "type") &&
           ipfObj.enrichedPayment[0].type.IsNotNull() &&
           ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pain.001") &&
           FieldExists(ipfObj.enrichedPayment[0].document[0].cstmrCdtTrfInitn[0].pmtInf[0],
                       "cdtTrfTxInf.splmtryData.envlp.any.citiBranchCode") &&
```


*new 90 - Notepad++
File Edit Search View Encoding Language
Cloud Desktop...
Ctrl+Alt+Del
USB Devices
Exit Fullscreen
new 85
servicelogs_pacs004v10.txt
new 89
new 90
ipfObj.enrichedPayment[0].type.EqualIgnoreCase("pain.001") &&
FieldExists(ipfObj.enrichedPayment[0].document[0].cstmrCdtTrfInitn[0].pmtInf[0],
"cdtTrfTxInf.splmtryData.envlp.any.citiBranchCode") &&
IsNotNull(ipfObj.enrichedPayment[0].document[0].cstmrCdtTrfInitn[0].pmtInf[0].cdtTrfTxInf[0].splmtryData[0].envlp[0].any[0].citiBranchCode)) {
def derivedFields = SecAddOrGetElement(bdObj.ExtHdr[0].derivedFields);
def debitSideInfo = SecAddOrGetElement(derivedFields.debitSideInfo);
def account = SecAddOrGetElement(debitSideInfo.account);
Set(account.citiBranchCode,
ipfObj.enrichedPayment[0].document[0].cstmrCdtTrfInitn[0].pmtInf[0].cdtTrfTxInf[0].splmtryData[0].envlp[0].any[0].citiBranchCode.toText());
]]></code>
<visual>
<position x="434" y="672"/>
</visual>
</flowelement>
<flowelement name="Mapping5" uid="4f93e39b-1728-4f25-9666-cba6687959a9" type="Mapping" xsi:type="Mapping" >
<label>%a %n</label>
<description><![CDATA[]]></description>
<multi-source-input>
<field>
<name>iconjsonObj</name>
<type>DataObject</type>
<value><![CDATA[ipfObj]]></value>
<notnull>false</notnull>
</field>
</multi-source-input>
<multi-source-output>
<field>
<name>BDJsonObj</name>
<type>DataObject</type>
<value><![CDATA[bdObj]]></value>
<notnull>false</notnull>
</field>
</multi-source-output>
<messagemapping>iconPacs004toBDJson</messagemapping>
<create-destination>true</create-destination>
<visual>
<position x="423" y="496"/>
</visual>
</flowelement>
<flowelement name="Custom1" uid="76262d93-6817-47f7-8f8d-4988cefa924a" type="Custom" xsi:type="Custom" >
<label>SrcMsgMapping</label>
<description><![CDATA[]]></description>
<code><![CDATA[if(bdObj.IsNotNull()) {
SetString(bdObj.GetSection("SrcMsg").SecAddElement(), "AsIsMsg",
toText(ToJSON(ipfObj.originalPayment[0])));
}
]]></code>
<visual>
<position x="433" y="848"/>
</visual>
</flowelement>
<flowelement name="Custom3" uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" type="Custom" xsi:type="Custom" >
<label>CustomExceptionHandler</label>
<description><![CDATA[]]></description>
<code><![CDATA[if(parseExpObj.IsNotNull() && parseExpObj.toText() != "") {
Normal text file
length: 56,051 lines: 1,204
Ln: 23 Col: 20 Pos: 1,17



Normal text file | length: 56,051 | lines: 1,204 | Ln: 23 | Col: 20



length: 56,051 lines: 1,204 Ln: 23 Col: 20 Pos:



```
570             ipfObj.header[0].processingEntity.IsNotNull()) {
571         Set(bdObj.BdHdr[0].ObjectId, ipfObj.header[0].processingEntity);
572     }
573 }
574 //-----------------------------------------05-----------------------------------------------------------------------------------------
575 Set(bdObj.BdHdr[0].CommandType, "INSERT");
576 if(SecExists(ipfObj, "derivedFields")) {
577     //-----------------------------------------06-----------------------------------------------------------------------------------------
578     if(FieldExists(ipfObj.derivedFields, "txnDirection") &&
579         ipfObj.derivedFields[0].txnDirection.IsNotNull()) {
580         Set(bdObj.BdHdr[0].MsgDrc, ipfObj.derivedFields[0].txnDirection);
581     }
582     //-----------------------------------------07-----------------------------------------------------------------------------------------
583     if(FieldExists(ipfObj.derivedFields, "paymentStatus") &&
584         ipfObj.derivedFields[0].paymentStatus.IsNotNull()) {
585         Set(bdObj.BdHdr[0].MsgSts, ipfObj.derivedFields[0].paymentStatus);
586     }
587     //-----------------------------------------08-----------------------------------------------------------------------------------------
588     if(FieldExists(ipfObj.derivedFields, "paymentSource") &&
589         ipfObj.derivedFields[0].paymentSource.IsNotNull()) {
590         Set(bdObj.BdHdr[0].SrcSys, ipfObj.derivedFields[0].paymentSource);
591     }
592     //-----------------------------------------09-----------------------------------------------------------------------------------------
593     //extHdr message
594     def extHdr = bdObj.ExtHdr.SecAddOrGetElement();
595     def derived = extHdr.derivedFields.SecAddOrGetElement();
596     if(FieldExists(ipfObj.derivedFields, "processingBranch") &&
597         ipfObj.derivedFields[0].processingBranch.IsNotNull()) {
598         Set(derived.processingBranch, ipfObj.derivedFields[0].processingBranch);
599     }
600     //-----------------------------------------10-----------------------------------------------------------------------------------------
601     if(FieldExists(ipfObj.derivedFields, "creationDateTime") &&
602         ipfObj.derivedFields[0].creationDateTime.IsNotNull()) {
603         Set(derived.creationDateTime, ipfObj.derivedFields[0].creationDateTime);
604     }
605     //-----------------------------------------11-----------------------------------------------------------------------------------------
606     if(FieldExists(ipfObj.derivedFields, "department") &&
607         ipfObj.derivedFields[0].department.IsNotNull()) {
608         Set(derived.department, ipfObj.derivedFields[0].department);
609     }
610     //-----------------------------------------12-----------------------------------------------------------------------------------------
611     if(FieldExists(ipfObj.derivedFields, "messageCategory") &&
612         ipfObj.derivedFields[0].messageCategory.IsNotNull()) {
613         Set(derived.messageCategory, ipfObj.derivedFields[0].messageCategory);
614     }
615     //-----------------------------------------13-----------------------------------------------------------------------------------------
616     if(FieldExists(ipfObj.derivedFields, "paymentSource") &&
617         ipfObj.derivedFields[0].paymentSource.IsNotNull()) {
618         Set(derived.paymentSource, ipfObj.derivedFields[0].paymentSource);
619     }
620     //-----------------------------------------14-----------------------------------------------------------------------------------------
621     if(FieldExists(ipfObj.derivedFields, "productCode") &&
622         ipfObj.derivedFields[0].productCode.IsNotNull()) {
623         Set(derived.productCode, ipfObj.derivedFields[0].productCode);
624     }
625     //-----------------------------------------15-----------------------------------------------------------------------------------------
626     if(FieldExists(ipfObj.derivedFields, "processingDate") &&
627         ipfObj.derivedFields[0].processingDate.IsNotNull()) {
628         Set(derived.processingDate, ipfObj.derivedFields[0].processingDate);
```

File Edit Search View Encoding Language

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
        Set(derived.processingDate, ipfObj.derivedFields[0].processingDate);
    }
    //-----------------------------------------16-----------------------------------------
    if(FieldExists(ipfObj.derivedFields, "paymentStatus") &&
        ipfObj.derivedFields[0].paymentStatus.IsNotNull()) {
        Set(derived.paymentStatus, ipfObj.derivedFields[0].paymentStatus);
    }
    //-----------------------------------------17-----------------------------------------
    if(FieldExists(ipfObj.derivedFields, "previousPaymentSts") &&
        ipfObj.derivedFields[0].previousPaymentSts.IsNotNull()) {
        Set(derived.previousPaymentSts, ipfObj.derivedFields[0].previousPaymentSts);
    }
    //-----------------------------------------18-----------------------------------------
    if(FieldExists(ipfObj.derivedFields, "globalPaymentStatus") &&
        ipfObj.derivedFields[0].globalPaymentStatus.IsNotNull()) {
        Set(derived.globalPaymentStatus, ipfObj.derivedFields[0].globalPaymentStatus);
    }
    //-----------------------------------------19-----------------------------------------
    if(FieldExists(ipfObj.derivedFields, "txnDirection") &&
        ipfObj.derivedFields[0].txnDirection.IsNotNull()) {
        Set(derived.txnDirection, ipfObj.derivedFields[0].txnDirection);
    }
}
//-----------------------------------------20,21-----------------------------------------
if(SecExists(ipfObj, "customFields")) {
    if(FieldExists(ipfObj.customFields[0], "enrichMsgType") &&
        ipfObj.customFields[0].enrichMsgType.IsNotNull()) {
        Set(bdObj.BdHdr[0].MsgNmTp, ipfObj.customFields[0].enrichMsgType);
        if(ipfObj.customFields[0].enrichMsgType.EqualIgnoreCase("Pain.001"))
            Set(bdObj.BdHdr[0].ISOindicator, "Yes");
    }
    //-----------------------------------------22-----------------------------------------
    if(FieldExists(ipfObj.customFields[0], "uetr") && ipfObj.customFields[0].uetr.IsNotNull()) {
        def val = ipfObj.customFields[0].uetr.Mid(0, 36);
        val = Replace(val, "-", "");
        Set(bdObj.BdHdr[0].CitiUnvTrId, Trim(val));
    }
}
/*if(FieldExists(ipfObj.customFields[0], "BD_OBJECT_ID") &&
    ipfObj.customFields[0].BD_OBJECT_ID.IsNotNull()) {
    Set(bdObj.BdHdr[0].ObjectId, ipfObj.customFields[0].BD_OBJECT_ID);
}
else if(propObj.IsNotNull() && FieldExists(propObj, "objectId") && propObj.objectId.IsNotNull()) {
    Set(bdObj.BdHdr[0].ObjectId, propObj.objectId);
}*/
//-----------------------------------------23,24-----------------------------------------
//linked message
if(SecExists(ipfObj, "linkedMessages") && ipfObj.linkedMessages.Length() > 0) {
    def extHdr = bdObj.ExtHdr.SecAddOrGetElement();
    def lnkd = extHdr.linkedMessages.SecAddOrGetElement();
    if(FieldExists(ipfObj.linkedMessages[0], "type") && ipfObj.linkedMessages[0].type.IsNotNull())
        Set(lnkd.type, ipfObj.linkedMessages[0].type);
    if(FieldExists(ipfObj.linkedMessages[0], "document") &&
        ipfObj.linkedMessages[0].document.IsNotNull())
        Set(lnkd.document, ipfObj.linkedMessages[0].document);
}
//------------------------PNR-1095582---------------------------------
if(FieldExists(ipfObj.header[0], "paymentId") && ipfObj.header[0].paymentId.IsNotNull()) {
    def citiSuplhdr = bdObj.CitiSuplHdr.SecAddElement();
    def drla = citiSuplhdr.Drla.SecAddElement();
```

Normal text file | length: 56,051 | lines: 1,204 | Ln: 23 | Col: 2



new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
if(FieldExists(ipfObj.header[0], "paymentId") && ipfObj.header[0].paymentId.IsNotNull()) {
    def citiSuplhdr = bdObj.CitiSuplHdr.SecAddElement();
    def dtls = citiSuplhdr.Dtls.SecAddElement();
    Set(bdObj.CitiSuplHdr[0].Dtls[0].LclRef, ipfObj.header[0].paymentId);
}
]]></code>
            <visual>
                <position x="836" y="589"/>
            </visual>
        </flowelement>
        <flowelement name="Custom8" uid="c12765ea-352f-4072-85e2-31ef337b2808" type="Custom" xsi:type="Custom" >
            <label>DerivedFields AdrLine Common mapping</label>
            <description><![CDATA[]]></description>
            <code><![CDATA[if(bdObj.IsNotNull()) {
    if(SecExists(bdObj, "ExtHdr")) {
        if(SecExists(ipfObj.derivedFields[0], "creditSideInfo.linkedCustomers")) {
            def length = ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers.$size;
            for(def i = 0; i < length; ++i) {
                if(SecExists(ipfObj.derivedFields[0],
                        "creditSideInfo.linkedCustomers.pstlAdr.adrLine")) {
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        0) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine1,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[0].Value);
                    }
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        1) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine2,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[1].Value);
                    }
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        2) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine3,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[2].Value);
                    }
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        3) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine4,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[3].Value);
                    }
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        4) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine5,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[4].Value);
                    }
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        5) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine6,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[5].Value);
                    }
                    if(ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
                        6) {
                        Set(bdObj.ExtHdr[0].derivedFields[0].creditSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine7,
                            ipfObj.derivedFields[0].creditSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[6].Value);
                    }
                }
            }
        }
        if(SecExists(ipfObj.derivedFields[0], "debitSideInfo.linkedCustomers")) {
```

Normal text file | length: 56,051 | lines: 1,204 | Ln: 23 | Col: 20


File Edit Search View Encoding Language
new 85
servicelogs_pacs004v10.txt
new 89
new 90
if(SecExists(ipfObj.derivedFields[0], "debitSideInfo.linkedCustomers")) {
def length = ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers.$size;
for(def i = 0; i < length; ++i) {
if(SecExists(ipfObj.derivedFields[0],
"debitSideInfo.linkedCustomers.pstlAdr.adrLine")) {
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
0) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine1,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[0].Value);
}
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
1) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine2,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[1].Value);
}
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
2) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine3,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[2].Value);
}
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
3) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine4,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[3].Value);
}
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
4) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine5,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[4].Value);
}
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
5) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine6,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[5].Value);
}
if(ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine.$size >
6) {
Set(bdObj.ExtHdr[0].derivedFields[0].debitSideInfo[0].linkedCustomers[i].PstlAdr[0].AdrLine7,
ipfObj.derivedFields[0].debitSideInfo[0].linkedCustomers[i].pstlAdr[0].adrLine[6].Value);
}
}
}
}
}
}
]]></code>
<visual>
<position x="433" y="760"/>
</visual>
</flowelement>
<flowelement name="Mapping6" uid="beff6308-684a-4182-9044-f94d3a54eeba" type="Mapping" xsi:type="Mapping" >
<label>%a %n</label>
<description><![CDATA[]]></description>
<multi-source-input>
<field>
<name>iconjsonObj</name>
<type>DataObject</type>
<value><![CDATA[ipfObj]]></value>
<notnull>false</notnull>
Normal text file
length: 56,051 lines: 1,204
Ln: 23 Col: 20 Pos: 1,171

File Edit Search View Encoding Language

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
                <notnull>false</notnull>
            </field>
        </multi-source-input>
        <multi-source-output>
            <field>
                <name>BDjsonObj</name>
                <type>DataObject</type>
                <value><![CDATA[bdObj]]></value>
                <notnull>false</notnull>
            </field>
        </multi-source-output>
        <messagemapping>iconCamt054toBDJson</messagemapping>
        <create-destination>true</create-destination>
        <visual>
            <position x="1043" y="403"/>
        </visual>
    </flowelement>
    <flowelement name="Resume2" uid="d03e9751-2584-46f9-bbcb-b983efc38a45" type="Resume" xsi:type="Resume" >
        <label>Resume</label>
        <description><![CDATA[]]></description>
        <visual>
            <position x="874" y="164"/>
        </visual>
    </flowelement>
    <link type="Default" xsi:type="Default" uid="4002f682-9188-4f44-9838-e676d899189d">
        <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="2"/>
        <inputport uid="1b210301-ff28-4f07-8d1a-fc88320fabe0" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="0bdf80d1-dbe8-4f7c-8ecd-e0683b064e2e">
        <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="3"/>
        <inputport uid="63e8bd92-02ab-47d1-8840-e65f58fc000d" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="a3221c13-7941-4828-8cb7-392cb4761e5a">
        <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="4"/>
        <inputport uid="2e77302c-7bd3-4770-9190-54ffd72a5a41" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="736ae8a2-66cf-4101-9622-44110119c995">
        <outputport uid="2e77302c-7bd3-4770-9190-54ffd72a5a41" portindex="1"/>
        <inputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="0"/>
        <edge-type>DIRECT</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="f7470475-04c8-467b-8f18-732bcf5ba854">
        <outputport uid="63e8bd92-02ab-47d1-8840-e65f58fc000d" portindex="1"/>
        <inputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="0"/>
        <edge-type>DIRECT</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="28718603-15df-408a-87a4-bbeae79d2b13">
        <outputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="1"/>
        <inputport uid="28e52b26-51dc-407e-979d-c78a79bc38f5" portindex="0"/>
        <edge-type>DIRECT</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="ceeec05e-35ef-44a7-af61-462e9312ee59">
        <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="5"/>
        <inputport uid="4f93e39b-1728-4f25-9666-cba6687959a9" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="55d02003-52e0-4693-8480-13da489556d6">
```

length: 56,051 lines: 1,204 Ln: 23 Col: 20 Pos

Normal text file

```
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="55d92093-52a0-4683-8489-13da48856d4f">
        <outputport uid="4f93e39b-1728-4f25-9666-cba6687959a9" portindex="1"/>
        <inputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="0"/>
        <edge-type>DIRECT</edge-type>
    </link>
    <link type="Exception" xsi:type="Exception" uid="f5f6538b-3f53-428e-98dd-0c8219e44550">
        <message>TransformException</message>
        <out>expObj</out>
        <cascade-exceptions>true</cascade-exceptions>
        <runtime-exceptions>true</runtime-exceptions>
        <outputport uid="28e52b26-51dc-407e-979d-c78a79bc38f5" portindex="2"/>
        <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Exception" xsi:type="Exception" uid="09d53235-5fa3-454b-a334-8a47a179434b">
        <message>TransformException</message>
        <out>expObj</out>
        <cascade-exceptions>true</cascade-exceptions>
        <runtime-exceptions>true</runtime-exceptions>
        <outputport uid="76262d93-6817-47f7-8f8d-4988cefa924a" portindex="2"/>
        <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Default" xsi:type="Default" uid="979049f3-dc02-441a-b8a9-824f48d54228">
        <outputport uid="1b210301-ff28-4f07-8d1a-fc88320fabe0" portindex="1"/>
        <inputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="0"/>
        <edge-type>DIRECT</edge-type>
    </link>
    <link type="Exception" xsi:type="Exception" uid="08e7f061-15e1-4f56-86dd-f326c3458c31">
        <message>TransformException</message>
        <out>mapExpObj</out>
        <cascade-exceptions>true</cascade-exceptions>
        <runtime-exceptions>true</runtime-exceptions>
        <outputport uid="63e8bd92-02ab-47d1-8840-e65f58fc000d" portindex="2"/>
        <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Exception" xsi:type="Exception" uid="6bac44a9-8b61-44b1-a772-8f20ddf53239">
        <message>TransformException</message>
        <out>mapExpObj</out>
        <cascade-exceptions>true</cascade-exceptions>
        <runtime-exceptions>true</runtime-exceptions>
        <outputport uid="2e77302c-7bd3-4770-9190-54ffd72a5a41" portindex="2"/>
        <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Exception" xsi:type="Exception" uid="fd624557-b130-4f8c-9a3f-ce65467eb5dc">
        <message>TransformException</message>
        <out>mapExpObj</out>
        <cascade-exceptions>true</cascade-exceptions>
        <runtime-exceptions>true</runtime-exceptions>
        <outputport uid="4f93e39b-1728-4f25-9666-cba6687959a9" portindex="2"/>
        <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
        <edge-type>ELBOW</edge-type>
    </link>
    <link type="Exception" xsi:type="Exception" uid="09793a17-4934-47a3-8fc2-23723453f988">
        <message>TransformException</message>
```

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
915         <link type="Exception" xsi:type="Exception" uid="09793a17-4934-47a3-8fc2-23723453f988">
916             <message>TransformException</message>
917             <out>mapExpObj</out>
918             <cascade-exceptions>true</cascade-exceptions>
919             <runtime-exceptions>true</runtime-exceptions>
920             <outputport uid="1b210301-ff28-4f07-8d1a-fc88320fabe0" portindex="2"/>
921             <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
922             <edge-type>ELBOW</edge-type>
923         </link>
924         <link type="Exception" xsi:type="Exception" uid="5ef932c5-5d86-4d08-b3c9-fb28ba6146d0">
925             <message>TransformException</message>
926             <out>mapExpObj</out>
927             <cascade-exceptions>true</cascade-exceptions>
928             <runtime-exceptions>true</runtime-exceptions>
929             <outputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="2"/>
930             <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
931             <edge-type>ELBOW</edge-type>
932         </link>
933         <link type="Exception" xsi:type="Exception" uid="a91e762a-e865-4be7-9490-b3f3e7b3ce72">
934             <message>TransformException</message>
935             <out>seriExpObj</out>
936             <cascade-exceptions>true</cascade-exceptions>
937             <runtime-exceptions>true</runtime-exceptions>
938             <outputport uid="a6ff23d1-564a-4e38-b1eb-b8f3d27123bd" portindex="2"/>
939             <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
940             <edge-type>ELBOW</edge-type>
941         </link>
942         <link type="Exception" xsi:type="Exception" uid="7d97d461-f78b-4be7-9140-61f927a22982">
943             <message>TransformException</message>
944             <out>expObj</out>
945             <cascade-exceptions>true</cascade-exceptions>
946             <runtime-exceptions>true</runtime-exceptions>
947             <outputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="2"/>
948             <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
949             <edge-type>ELBOW</edge-type>
950         </link>
951         <link type="Default" xsi:type="Default" uid="3fabd210-0d92-4e3d-917d-969bd512c655">
952             <outputport uid="76262d93-6817-47f7-8f8d-4988cefa924a" portindex="1"/>
953             <inputport uid="a6ff23d1-564a-4e38-b1eb-b8f3d27123bd" portindex="0"/>
954             <edge-type>DIRECT</edge-type>
955         </link>
956         <link type="Default" xsi:type="Default" uid="1a78e1ea-99f9-4b81-9f8b-3a8fe384a399">
957             <outputport uid="a6ff23d1-564a-4e38-b1eb-b8f3d27123bd" portindex="1"/>
958             <inputport uid="408f11e2-3b35-4202-ba8b-462fc6320936" portindex="0"/>
959             <edge-type>DIRECT</edge-type>
960         </link>
961         <link type="Default" xsi:type="Default" uid="fe26b4d9-7f28-4f47-a5f7-c1ffe4520c83">
962             <outputport uid="408f11e2-3b35-4202-ba8b-462fc6320936" portindex="1"/>
963             <inputport uid="e3cc3d73-48ec-424d-aaf0-b58335ac06c3" portindex="0"/>
964             <edge-type>DIRECT</edge-type>
965         </link>
966         <link type="Default" xsi:type="Default" uid="e147a0a8-fe1a-4ea8-9d99-8a1491dea03b">
967             <outputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="1"/>
968             <inputport uid="e3cc3d73-48ec-424d-aaf0-b58335ac06c3" portindex="0"/>
969             <edge-type>DIRECT</edge-type>
970         </link>
971         <link type="Default" xsi:type="Default" uid="b91c70bb-4a4d-48a7-a89c-0276d552038a">
972             <outputport uid="64ba0c7a-2aaa-4095-ba26-bafd47772549" portindex="0"/>
973             <inputport uid="31ba0988-d67e-4cd6-ab0b-813468f1e661" portindex="0"/>
```

Normal text file | length: 56,051 lines: 1,204 | Ln: 23 Co

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
            <inputport uid="31ba0988-d67e-4cd6-ab0b-813468f1e661" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="69f09af4-6e66-4e6d-a23a-b4a96f540d8f">
            <outputport uid="31ba0988-d67e-4cd6-ab0b-813468f1e661" portindex="1"/>
            <inputport uid="affa3e04-f848-48fc-9710-2527862dbdfe" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="07fe20d7-95ed-440a-9d38-e538bc51335f">
            <message>TransformException</message>
            <out>expObj</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="31ba0988-d67e-4cd6-ab0b-813468f1e661" portindex="2"/>
            <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="a999037d-e4a0-4220-a761-7fbd393968b6">
            <outputport uid="affa3e04-f848-48fc-9710-2527862dbdfe" portindex="1"/>
            <inputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="6368468a-7b8e-4622-a0a4-b37d4d2fd1e9">
            <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="7"/>
            <inputport uid="e0df7702-6640-489e-a62b-e7b6084135da" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="27749708-83ff-4834-ad2c-6d894a2b8eea">
            <outputport uid="e0df7702-6640-489e-a62b-e7b6084135da" portindex="1"/>
            <inputport uid="e3cc3d73-48ec-424d-aaf0-b58335ac06c3" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="1627d144-dc42-497c-b502-5cfcd064453e">
            <message>TransformException</message>
            <out>expObj</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="e0df7702-6640-489e-a62b-e7b6084135da" portindex="2"/>
            <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="713a3f18-4489-4cd3-a92a-e368126a5fd6">
            <message>TransformException</message>
            <out>expObj</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="408f11e2-3b35-4202-ba8b-462fc6320936" portindex="2"/>
            <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="ca0df7c9-da4f-41ac-beb2-096ba29b29b1">
            <outputport uid="9f451484-e5c3-4fcf-9f2c-39a7333e39f0" portindex="1"/>
            <inputport uid="aa24ca48-1b5c-4a91-b1fb-264d88a2d43e" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="2ad97503-74b9-43ef-aff7-28c8f0ae614f">
            <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="1"/>
            <inputport uid="9f451484-e5c3-4fcf-9f2c-39a7333e39f0" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
```

Normal text file | length: 56,051 lines: 1,204 | Ln: 23 Col: 20

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
            <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="1"/>
            <inputport uid="9f451484-e5c3-4fcf-9f2c-39a7333e39f0" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="aaa78163-0622-44e5-8488-2476d14a6ee3">
            <outputport uid="aa24ca48-1b5c-4a91-b1fb-264d88a2d43e" portindex="1"/>
            <inputport uid="a6ff23d1-564a-4e38-b1eb-b8f3d27123bd" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="21f65269-80a8-446b-9a51-7d9e477e870d">
            <message>TransformException</message>
            <out>mapExpObj</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="aa24ca48-1b5c-4a91-b1fb-264d88a2d43e" portindex="2"/>
            <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="43ed439f-d01a-4a91-962d-920dea8e432d">
            <message>TransformException</message>
            <out>parseExpObj</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="9f451484-e5c3-4fcf-9f2c-39a7333e39f0" portindex="2"/>
            <inputport uid="6de9c94f-c63a-4ce9-a70f-8439b89dd207" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="434ef7cd-09ee-4744-b84b-82e6561acc7a">
            <outputport uid="28e52b26-51dc-407e-979d-c78a79bc38f5" portindex="1"/>
            <inputport uid="c12765ea-352f-4072-85e2-31ef337b2808" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="af909815-d1ea-4bf7-a6ff-ff60abee618a">
            <outputport uid="c12765ea-352f-4072-85e2-31ef337b2808" portindex="1"/>
            <inputport uid="76262d93-6817-47f7-8f8d-4988cefa924a" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="cb3fc4f7-012a-4d43-80f0-6cf9cd1fdf39">
            <message>TransformException</message>
            <out>expObj</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="c12765ea-352f-4072-85e2-31ef337b2808" portindex="2"/>
            <inputport uid="47647fce-5471-43c8-9382-db646d8b2a39" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="e4cfc2a2-ed46-4856-9c32-33859a28bf6c">
            <outputport uid="6fef4d4d-2e2b-4577-b087-91d8abe432a2" portindex="6"/>
            <inputport uid="beff6308-684a-4182-9044-f94d3a54eeba" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Default" xsi:type="Default" uid="78d55389-d480-4d6c-9fe8-4310f2dd2b6f">
            <outputport uid="beff6308-684a-4182-9044-f94d3a54eeba" portindex="1"/>
            <inputport uid="d3a244cc-5096-4569-b759-8380d87d2e8f" portindex="0"/>
            <edge-type>DIRECT</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="f86e1743-ff7e-49ca-8900-392d094854d1">
            <message>TransformException</message>
            <out>parseExpObj1</out>
```

Normal text file | length: 56,051 lines: 1,204 | Ln: 23 Col:


File Edit Search View Encoding Language
new 85
servicelogs_pacs004v10.txt
new 89
new 90
</property>
<property name="codegen.java.bindings">
<value>
<propertymap type="com.tplus.transform.design.codegen.DefaultLanguageMapping">
</propertymap>
</value>
</property>
<property name="codegen.java.general">
<value>
<propertymap>
<property name="additionalClasspath" value="${designer.home}/lib/runtime/swiftresources.jar"/>
<property name="additionalTestClasspath" value=""/>
<property name="debugInfo" value="true"/>
</propertymap>
</value>
</property>
<property name="codegen.java.options">
<value>
<propertymap type="com.tplus.transform.design.codegen.java.JavaCodeGeneratorOptions">
<property name="WebSphere.VARIANT.Liberty Profile" value="false"/>
<property name="WebSphere.VARIANT.WebSphere Full Profile" value="true"/>
<property name="ejb-jndi-prefix" value=""/>
<property name="isEJB" value="false"/>
<property name="isGenerateALSB" value="false"/>
<property name="isGenerateEAR" value="false"/>
<property name="isGenerateJNDILinks" value="false"/>
<property name="isJBoss" value="false"/>
<property name="isLocal" value="false"/>
<property name="isOSGI" value="false"/>
<property name="isRemote" value="false"/>
<property name="isVolante" value="true"/>
<property name="isWAR" value="false"/>
<property name="isWLEVS" value="false"/>
<property name="isWebLogic" value="false"/>
<property name="isWebSphere" value="false"/>
<property name="isWildFly" value="false"/>
<property name="resource-references">
<value>
<propertylist>
</propertylist>
</value>
</property>
</propertymap>
</value>
</property>
<property name="codegen.java.properties">
<value>
<propertymap type="com.tplus.transform.design.PropertiesDef">
<property name="Java Package Name" value="com.transform.cartridge.%c"/>
<property name="Max Class Length" value="150"/>
</propertymap>
</value>
</property>
<property name="testsuites">
<value>
<propertylist>
</propertylist>
</value>
</property>
length: 56,051 lines: 1,204
Ln: 23 Col: 2

File Edit Search View Encoding Language

new 85 | servicelogs_pacs004v10.txt | new 89 | new 90

```
        </link>
        <link type="Exception" xsi:type="Exception" uid="f86e1743-ff7e-49ca-8900-392d094854d1">
            <message>TransformException</message>
            <out>parseExpObj1</out>
            <cascade-exceptions>true</cascade-exceptions>
            <runtime-exceptions>true</runtime-exceptions>
            <outputport uid="affa3e04-f848-48fc-9710-2527862dbdfe" portindex="2"/>
            <inputport uid="d03e9751-2584-46f9-bbcb-b983efc38a45" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <link type="Exception" xsi:type="Exception" uid="b3eae6f5-7b21-45c2-9247-db37f6fff0c2">
            <message>TransformException</message>
            <cascade-exceptions>false</cascade-exceptions>
            <outputport uid="beff6308-684a-4182-9044-f94d3a54eeba" portindex="2"/>
            <inputport uid="d03e9751-2584-46f9-bbcb-b983efc38a45" portindex="0"/>
            <edge-type>ELBOW</edge-type>
        </link>
        <visual>
            <bounds x="0" y="25" width="1093" height="1054"/>
        </visual>
        <elementproperties>
            <propertymap>
                <property name="codegen.java.properties">
                    <value>
                        <propertymap type="com.tplus.transform.design.PropertiesDef">
                            <property name="Java Package Name" value="com.transform.flow.%e"/>
                            <property name="Jar Name" value="%c.jar"/>
                            <property name="Manifest Entries" value="transformrt.jar"/>
                            <property name="Data Source" value=""/>
                            <property name="Generate MDB" value="false"/>
                        </propertymap>
                    </value>
                </property>
            </propertymap>
        </elementproperties>
    </messageflow>
    <elementproperties>
        <propertymap>
            <property name="CARTRIDGE_INFO">
                <value>
                    <propertymap type="com.tplus.transform.design.CartridgeInfo">
                    </propertymap>
                </value>
            </property>
            <property name="DOCUMENT_PROPERTIES">
                <value>
                    <propertymap>
                        <property name="Author" value="DR13385"/>
                        <property name="Client Id" value="divesh.kumar@citi.com"/>
                        <property name="Creation Time" value="Tue May 23 08:50:11 EDT 2023"/>
                        <property name="Designer Build" value="2960"/>
                        <property name="Last Author" value="ns45607"/>
                        <property name="Last Save Time" value="Wed Jun 17 16:18:51 IDT 2026"/>
                        <property name="Revision Number" value="1131"/>
                        <property name="Title" value="Flow"/>
                    </propertymap>
                </value>
            </property>
            <property name="codegen.java.bindings">
```

Normal text file | length: 56,051 | lines: 1,204 | Ln: 23 | Col: 20


new 85
servicelogs_pacs004v10.txt
new 89
new 90
</propertymap>
</value>
</property>
<property name="codegen.java.options">
<value>
<propertymap type="com.tplus.transform.design.codegen.java.JavaCodeGeneratorOptions">
<property name="WebSphere.VARIANT.Liberty Profile" value="false"/>
<property name="WebSphere.VARIANT.WebSphere Full Profile" value="true"/>
<property name="ejb-jndi-prefix" value=""/>
<property name="isEJB" value="false"/>
<property name="isGenerateALSB" value="false"/>
<property name="isGenerateEAR" value="false"/>
<property name="isGenerateJNDILinks" value="false"/>
<property name="isJBoss" value="false"/>
<property name="isLocal" value="false"/>
<property name="isOSGI" value="false"/>
<property name="isRemote" value="false"/>
<property name="isVolante" value="true"/>
<property name="isWAR" value="false"/>
<property name="isWLEVS" value="false"/>
<property name="isWebLogic" value="false"/>
<property name="isWebSphere" value="false"/>
<property name="isWildFly" value="false"/>
<property name="resource-references">
<value>
<propertylist>
</propertylist>
</value>
</property>
</propertymap>
</value>
</property>
<property name="codegen.java.properties">
<value>
<propertymap type="com.tplus.transform.design.PropertiesDef">
<property name="Java Package Name" value="com.transform.cartridge.%c"/>
<property name="Max Class Length" value="150"/>
</propertymap>
</value>
</property>
<property name="testsuites">
<value>
<propertylist>
</propertylist>
</value>
</property>
</propertymap>
</elementproperties>
</cartridge>
length: 56,051 lines: 1,204
Ln: 23