

ID	Request						Result
	Request the Store API with valid parameters	Status code	Response (match the model)	Status check	Response headers	Performance	
1	GET/store/inventory	200	{ "additionalProp1": 0, "additionalProp2": 0, "additionalProp3": 0 }	The values are not changes after running request	<i>Has following headers:</i> - Accept: application/json	Response received within a reasonable time	Pass
2	POST/store/order	200	{ "id": 0, "petId": 0, "quantity": 0, "shipDate": "2022-05-08T13:36:16.754Z", "status": "placed", "complete": true }	Verify that the record is added by running the request: GET/store/order/{orderId}	Has following headers: - Content-Type: application/json - Accept: application/json	Response received within a reasonable time	Pass
3	GET/store/order/{orderId}	200	{ "id": 0, "petId": 0, "quantity": 0, "shipDate": "2022-05-08T13:43:38.765Z", "status": "placed", "complete": true }	The values are not changes after running request	<i>Has following headers:</i> - Accept: application/json	Response received within a reasonable time	Pass
4	DELETE/store/order/{orderId}	200	{ "code": 200, "type": "unknown", "message": "orderId" }	Verify that the record is deleted by running the request: GET/store/order/{orderId}	<i>Has following headers:</i> - Accept: application/json	Response received within a reasonable time	Pass